Autonomous Agents Report

Agnes van Belle, Maaike Fleuren, Norbert Heijne, Lydia Mennes

September 18, 2012

This report has been written for the Master Artificial Intelligence course Autonomous Agents. The assignments that will be worked out in detail in this report include the following topics: "Single Agent Planning, Single Agent Learning, and Multi-Agent Planning and Learning". In this report motivation will be given for the design choices and specific programming choices that have been made. The explanation and motivation follows the must-have (depicted by **M**) and should/could-have (depicted by **SC**) structure that has been set up for the assignments. By doing so we hope to make our report easy to read for the teachers/assistants that will be grading this.

1 Assignment 1: Single Agent Planning

1.1 M Simulating the Environment

The choice has been made to not encode the positions of the agents as part of a grid, i.e. matrix. Instead the agents both know their own position and on each iteration the position of the other agent is given as input by the environment, as we have stated in the Agent interface. This is needed for prey to see if the predator is next to it, to prevent it moving towards the prey. In the predator's case it might be necessary later on to know the position of the prey although it is not necessary for this particular sub-assignment.

As part of the assignment a mean and a standard deviation was asked for 100 runs with the use of the random policy for the predator's behaviour. The lowest amount of time steps observed was 19 time steps. The optimal amount of time steps given that the prey would remain still throughout the trial run would be 10. The highest amount observed was 1194 steps. The average amount of time steps was 296.93 time steps and the standard deviation was 244.55 time steps (rounded up). This is a clear indication of the inefficiency of the random policy in this particular setting.

2 Appendix

Assignment 1 first **M**, 100 runs for the random policy predator.

Timesteps:421
Timesteps:831
Timesteps:476
Timesteps:74
Timesteps:537
Timesteps:40
Timesteps:468
Timesteps:465
Timesteps:105
Timesteps:123
Timesteps:227
Timesteps:658
Timesteps:696
Timesteps:153

Timesteps:426
Timesteps:431
Timesteps:24
Timesteps:197
Timesteps:517
Timesteps:313
Timesteps:492
Timesteps:213
Timesteps:457
Timesteps:392
Timesteps:47
Timesteps:178
Timesteps:459
Timesteps:624
Timesteps:881
Timesteps:100
Timesteps:244
Timesteps:127
Timesteps:213
Timesteps:145
Timesteps:45
Timesteps:301
Timesteps:628
Timesteps:248
Timesteps:88
Timesteps:123
Timesteps:82
Timesteps:206
Timesteps:181
Timesteps:771
Timesteps:114
Timesteps:238
Timesteps:118
Timesteps:67
Timesteps:41
Timesteps:662
Timesteps:27
Timesteps:73
Timesteps:217
Timesteps:269
Timesteps:382
Timesteps:60
Timesteps:205
Timesteps:64
Timesteps:133
Timesteps:232
Timesteps:148
Timesteps:504
Timesteps:113
Timesteps:316
Timesteps:151
Timesteps:178
Timesteps:53
Timesteps:526

Timesteps:150
Timesteps:690
Timesteps:490
Timesteps:116
Timesteps:288
Timesteps:79
Timesteps:163
Timesteps:266
Timesteps:566
Timesteps:1194
Timesteps:133
Timesteps:690
Timesteps:136
Timesteps:121
Timesteps:123
Timesteps:492
Timesteps:288
Timesteps:185
Timesteps:19
Timesteps:78
Timesteps:250
Timesteps:42
Timesteps:268
Timesteps:190
Timesteps:231
Timesteps:393
Timesteps:338
Timesteps:100
Timesteps:49
Timesteps:653
Timesteps:1173
Timesteps:421
Average timesteps over 100 trials: 296.93
Standard deviation over 100 trials: 244.54689754728025