

Professional Standards and Operational Protocols for Mortgage Field Service Inspectors: A Comprehensive Orientation Guide

The mortgage field services industry serves as a vital diagnostic bridge between financial institutions and the physical assets that secure billions of dollars in residential and commercial debt. In this professional ecosystem, the field inspector functions as a highly specialized documentarian, providing the empirical data necessary for lenders to manage risk, ensure regulatory compliance, and preserve the integrity of their collateral portfolios.[1, 2] Unlike the consumer-facing home inspection sector, which facilitates real estate transactions for individual buyers, mortgage field services are fundamentally concerned with asset protection for the mortgagee.[3, 4] This orientation guide establishes the foundational knowledge, technical requirements, and rigorous documentation standards required for entry into this discipline, emphasizing the critical distinction between documentation and assessment.

Structural Differentiation: Mortgage Field Services vs. Home Inspection

A fundamental prerequisite for successful practice in field services is the recognition that a mortgage field inspection is not a home inspection. These two professions operate under divergent legal frameworks, utilize different reporting standards, and serve entirely different masters.[3] The failure to maintain this distinction represents a significant liability risk for the inspector and the contracting firm.[5, 6]

The primary objective of a home inspection is consumer protection. A licensed home inspector is hired by a buyer or seller to perform an invasive, diagnostic evaluation of a property's structural and mechanical systems.[3] They test electrical loads, operate HVAC systems to evaluate life expectancy, and climb onto roofs to assess the remaining utility of shingles.[7, 8] Their reports are inherently subjective and diagnostic, often providing repair estimates or recommending specialized contractors for further evaluation.[6, 9]

In contrast, the mortgage field inspector provides collateral verification. Their mission is to document observable facts for a lender, typically because the underlying loan has entered a stage of delinquency or the property has reached a specific milestone in the foreclosure process.[3, 4] The field inspector is a non-invasive observer. They do not diagnose the cause of a roof leak; they document the presence of a ceiling stain.[5, 10] They do not evaluate the efficiency of a furnace;

they document whether the unit is physically present and appears secure.[11] The field inspector acts as the "eyes and ears" for a remote risk management department, providing photographic proof that the asset exists, is occupied, and is being maintained according to the terms of the mortgage contract.[2, 12]

Feature	Mortgage Field Service Inspection	Traditional Home Inspection
Primary Client	Mortgage Lenders, Servicers, Investors [1, 4]	Home Buyers, Sellers, Real Estate Agents [3, 4]
Operational Goal	Risk mitigation and collateral preservation [2, 5]	Diagnostic assessment for purchase decisions [3, 7]
Reporting Style	Objective documentation of observable facts [10, 13]	Evaluative diagnosis and repair recommendations [6]
Regulatory Framework	Investor guidelines (Fannie Mae, VA, HUD) [4, 14]	State licensing boards and trade standards [3, 4]
Scope of Work	Non-invasive, visual, ground-level documentation [4, 5]	Invasive testing of systems and structural integrity [4, 8]
Cost Basis	High volume, low per-unit fee structure [3, 12]	Low volume, high per-unit professional fee [6, 15]

The Lender Workflow and Regulatory Mandates

The requirement for field inspections is not arbitrary; it is a mandatory component of modern mortgage servicing. When a borrower defaults on a mortgage payment, the lender's risk profile changes immediately. To manage this risk, federal regulators and secondary market investors, such as Fannie Mae, Freddie Mac, and the Federal Housing Administration (FHA), require servicers to perform recurring property inspections.[3, 4]

The standard workflow for delinquent loans typically begins once a payment is 45 to 90 days past due.[14] According to Fannie Mae's servicing guidelines, the servicer must order a property

inspection on or after the 90th day of delinquency and ensure its completion by the 120th day.[14] If the loan remains delinquent, inspections must continue every 30 days to monitor for abandonment or deterioration.[14] These "default inspections" are critical because they provide the first warning of "waste"—a legal term for the neglect or destruction of property that reduces the value of the lender's security.[3, 4]

Beyond delinquency, lenders require inspections for insurance claims, known as Loss Draft inspections. When a property sustains damage from a fire, flood, or storm, and an insurance check is issued, the lender often holds the funds in escrow. The field inspector is deployed to verify the progress of repairs, ensuring that the work documented by the insurance adjuster's scope is actually being completed before funds are released to the homeowner or contractor.[16, 17] In these cases, the inspector's role is to provide an objective percentage of completion based on visual evidence, not to act as a building inspector certifying code compliance.[5, 17]

The Lexicon of Mortgage Field Services

Professional proficiency in the field begins with a command of the industry's technical terminology. These terms define the products the inspector delivers and the standards to which they are held.

Property Condition Report (PCR)

The PCR is the fundamental deliverable in the field services industry. It is a structured document that records the physical state of a property at a specific moment in time. The National Association of Mortgage Field Services (NAMFS) has developed a Base Standard PCR to ensure consistency across the industry.[18] A standard PCR includes specific sections for property identification, GPS verification, structural overviews, utility status, and room-level assessments.[18] It is not a narrative essay but a data-driven report where every finding is supported by a corresponding photograph.[18]

Service Level Agreement (SLA)

The SLA is the contractual timeline governing the delivery of an inspection. In the high-velocity world of mortgage servicing, timeliness is a non-negotiable metric. Standard SLAs for default inspections often range from three to seven days, while "Rush" orders may require completion within 24 to 48 hours.[19] Failure to meet an SLA can result in financial penalties for the vendor or the cancellation of the work order, directly impacting the inspector's earnings and territory standing.[19]

Occupancy Determination

Occupancy determination is the process of verifying whether a property is lived in by human beings. This is the most critical question an inspector must answer.[4, 5] A "wrong" determination can lead to catastrophic legal consequences, such as a "wrongful lockout" if a servicer prematurely authorizes preservation work on an occupied home.[5, 20] Inspectors are trained to distinguish between personal property (furniture) and residency (people living in the home), as a house full of furniture can still be legally vacant if it is no longer being used as a residence.[5]

Real Estate Owned (REO)

REO refers to properties where the lender has completed the foreclosure process and taken title to the home. Once a property becomes REO, the inspection schedule may shift from monthly to weekly or bi-weekly "REO Checks".[21, 22] These inspections are designed to ensure the property is being properly maintained for resale, checking for issues like lawn height, debris accumulation, and the security of all entry points.[21]

Term	Definition and Operational Context
PCR	Property Condition Report; the primary data deliverable.[18]
SLA	Service Level Agreement; the deadline for report submission.[19]
Loss Draft	Inspection verifying repair progress for insurance fund release.[17]
REO	Real Estate Owned; properties owned by the lender after foreclosure.[21]
FHA	Federal Housing Administration; sets specific preservation standards.[22]
FTV	First-Time Vacancy; the initial report confirming a property is empty.[23]

The Scope of Practice: Documentation as a Boundaried Discipline

The most essential lesson for a new inspector is understanding the boundary of their professional authority. A mortgage field inspector is a documentarian, not an engineer, contractor, or appraiser. Their duty is to capture observable facts without offering conclusions, diagnoses, or recommendations.[1, 4]

Operational Responsibilities (The "Do" List)

The inspector's primary task is to navigate to the assigned property, verify the address, and execute a visual walk-around.[1, 24] During this process, they must capture a comprehensive set of photographs that "tell the story" of the property's current state. This includes documenting any visible damages—such as a hole in the roof, a cracked window, or a fallen tree—and noting the status of utilities where they are visible from the exterior.[5, 23] In vacant properties, they may be required to

enter the structure to document the condition of major rooms and systems, using provided keys or lockbox codes.[11, 24]

A critical component of the "Do" list is address verification. Lenders cannot act on a report unless they are certain it pertains to the correct collateral. Therefore, the inspector must photograph the house number, the nearest street sign, and context shots of the surrounding neighborhood to prove their location.[25] Furthermore, they must report on "liability concerns," such as an unsecured swimming pool, an open door, or hazardous debris, which could lead to legal action against the lender if not addressed.[5, 12]

Professional Constraints (The "Don't" List)

The field services industry is strictly prohibited from engaging in diagnostic or advisory activities. An inspector must never tell a homeowner that their roof "needs to be replaced" or that their foundation "is failing".[5, 6] Such statements exceed the inspector's expertise and can be used as evidence in litigation against the lender. Instead, the inspector must describe the observation: "Shingles are missing from the south-facing slope" or "A horizontal crack is visible on the west foundation wall".[10, 13]

Similarly, inspectors are prohibited from recommending specific contractors or repair services. This prevents conflicts of interest and ensures the inspector remains an impartial third party.[6] Perhaps most importantly, the field inspector is not a debt collector. They are strictly forbidden from discussing the borrower's loan status, asking why payments are late, or soliciting financial information.[12, 24] Discussing a homeowner's delinquency is a violation of the Fair Debt Collection Practices Act (FDCPA) and can lead to severe penalties for both the inspector and the contracting firm.[23, 24]

The Forensics of Photography: Standards, Metadata, and Composition

In mortgage field services, the photograph is the primary unit of value. A report without high-quality, verifiable photographs is considered fraudulent or incomplete.[25, 26] Because lenders often rely on these photos as evidence in court or for federal audits, they must adhere to a "forensic" standard of quality and metadata integrity.[18, 27]

The 6-Angle Rule and Compositional Integrity

While specific clients may have slightly different requirements, the industry typically adheres to a "6-Angle Rule" for exterior inspections to ensure 360-degree coverage and spatial context. These shots are designed to provide a comprehensive view of the asset while proving the inspector was physically present and attentive.[25]

1. **The Street Sign:** Captured before arriving at the property to verify the location within the neighborhood.[25]

- 2. **The House Number:** A clear, close-up shot of the address as posted on the structure or mailbox.[25]
 - 3. **Front Elevation:** A straight-on shot covering the entire roofline and front facade, with approximately 5% open space on all sides to provide context.[25]
 - 4. **Front Left Angle:** A perspective showing the front and the left side of the house.[25]
 - 5. **Front Right Angle:** A perspective showing the front and the right side of the house.[25]
 - 6. **Street Views (Left and Right):** Capturing the view looking down the street in both directions to document the property's surroundings and overall neighborhood condition.[25]
- Inspectors must also document "occupancy indicators" (such as cars in the driveway, maintained landscaping, or pets in the window) and any specific damages found during the walk-around.[23, 25]
- All photos must be taken in landscape mode (horizontal); portrait shots are frequently rejected by client portals.[23, 25]

Technical Specifications and Metadata

Modern field service software, such as InspectorADE or Focus, automatically embeds critical metadata into every photo taken within the app.[18, 19, 25] This metadata includes a date and time stamp, GPS coordinates (latitude and longitude), and the unique ID of the inspector.[18, 27, 28] This digital fingerprint is used by lenders to audit reports for "desk-flipping"—the fraudulent practice of completing a report without visiting the property.[3, 18]

Photos must be clear, well-lit, and free of "distractions" such as car parts (dashboards, mirrors, or wipers), fingers on the lens, or people.[25] The presence of car parts in a photo indicates a "drive-by" inspection, which is a violation of most service contracts that require the inspector to exit the vehicle and conduct a full visual survey.[5, 25]

Photo Standard	Requirement	Rationale
Format	JPG/JPEG [28]	Standardized for database compatibility.
Resolution	640x480 pixels (Minimum) [28]	Balances clarity with file size for mobile uploads.
Orientation	Landscape [23, 25]	Fits the standard viewing portals of lenders.

Metadata	GPS, Timestamp, Inspector ID [18, 27]	Mandatory for audit and compliance verification.
Prohibition	No car parts, no people, no blurry images [25]	Ensures professionalism and proves physical survey.

Methodologies for Accurate Occupancy Determination

Occupancy determination is the most complex task in the field, as it requires the synthesis of multiple visual and behavioral cues into a single, defensible conclusion. According to industry training, "Furniture does not occupy property. People occupy property".[5] A home may be full of furniture and have active utilities, yet still be legally vacant if no one actually resides there.[5] Conversely, a house may be sparsely furnished but occupied by a person sleeping on a mattress.[5, 20]

The Hierarchy of Occupancy Evidence

Inspectors use a graduated system of observation to build a case for occupancy or vacancy. They look for "signs of life" that indicate regular human activity.[20, 29]

- **Primary Indicators (Occupied):** The homeowner or tenant answers the door and confirms residency; cars are parked in the driveway; a neighbor confirms "yes, they live there"; or the doorbell is lit and functioning.[5, 23, 29]
- **Secondary Indicators (Occupied):** Freshly cut and manicured lawns; trash cans placed at the curb for collection; holiday decorations; or pets visible inside the structure.[20, 23, 29]
- **Primary Indicators (Vacant):** Tall grass and weeds; "Off" tags on utility meters; mail and newspapers piled up on the porch; or "For Sale" or "For Rent" signs from a realtor.[20, 24, 29]
- **Secondary Indicators (Vacant):** Weeds growing in driveway cracks; no window coverings; or the presence of debris and abandoned items on the exterior.[29]

The "Baby Steps" of Verification

To reach a conclusion, the inspector follows a systematic process. They begin by ringing the doorbell and listening for sounds of activity.[29] If there is no answer, they may check the utility meters. A functioning electric meter with a spinning dial or digital readout is a strong indicator of residency, whereas a meter that has been pulled or tagged indicates potential vacancy.[20, 29] In some cases, the inspector may use a non-contact volt stick on an exterior outlet to check for active power.[12, 23, 24]

Finally, if the situation is still unclear, the inspector may approach a neighbor and ask, "When did the people next door move out?"—a phrasing designed to elicit a factual timeline rather than a guess about current status.[24, 29]

Constraints on Contact

It is critical to note that some work orders are "No-Contact" or involve properties in bankruptcy.[5, 16] In these scenarios, the inspector is strictly forbidden from knocking on the door or speaking to neighbors.[5] The determination must be made solely through visual cues observable from the street or the public right-of-way.[5] Violating a "no-contact" order on a bankruptcy property can result in a "stay violation," where the inspector's company and the lender can be sued for harassing a debtor under federal protection.[5]

Interacting with Occupants: Professional Boundaries and Compliance

While the majority of field inspections are performed without direct contact, there are instances where interaction with homeowners or tenants is necessary. In these moments, the inspector must maintain a neutral, professional demeanor and use scripts that protect the lender from liability.[23, 29]

The "Personal and Confidential" Message

When a "Letter Delivery" or "Door Knock" is required, and the occupant is not home, the inspector must leave a message in a sealed envelope.[5, 12, 24] This message is marked "Personal and Confidential" and taped to the door, typically using blue painter's tape to ensure the paint is not damaged.[5, 23] The inspector then photographs the envelope on the door as proof of service.[24] This process is akin to a mail carrier delivering a message; the inspector is the messenger, not the author of the content.[12]

Compliance-Safe Scripts and Language

When an occupant does answer the door, the inspector should identify themselves and state their purpose clearly without using "trigger words" that imply financial distress. Neutrality is the key to de-escalation and legal compliance.[23, 29]

- **Acceptable Phrase:** "I am conducting a property condition verification for your mortgage company".[29]

- **Prohibited Phrase:** "I'm here because you are behind on your payments".[23, 29]

- **Acceptable Phrase:** "I need to take a few photos of the exterior to update the lender's records".[29]

- **Prohibited Phrase:** "I'm here to see if this house is in foreclosure yet".[23]

Inspectors must never mention words like "delinquency," "default," "arrear," "past due," or "foreclosure".[23] These terms belong to the lender's legal department, not the field inspector. If a homeowner asks detailed questions about their loan, the inspector should politely refer them to the customer service number on their mortgage statement.[24, 29]

Situation	Recommended Action	Compliance Goal

Occupant Answers Door	State name and "Occupancy Verification" purpose.[29]	Avoid FDCPA violations and maintain neutrality.
Neighbor Inquires	State "I'm doing a property inspection".[29]	Protect borrower privacy and personal safety.
Occupant is Belligerent	De-escalate and leave immediately.[30]	Ensure personal safety and avoid legal conflict.
Police are Called	Show ID badge and work order on phone app.[23, 29]	Demonstrate legal authorization and professionalism.

Operational Readiness: The Logistics of the First Day

The transition from trainee to active field inspector requires a rigorous setup of equipment, software, and administrative systems. Because field inspectors are typically independent contractors, they are responsible for their own tools and "mobile office" environment.[1, 12, 24]

The Inspector's Essential Tool Kit

Efficiency in the field is directly tied to the quality of one's equipment. A "day-one" kit must include the following:

- **Smartphone (Android or iPhone):** High-speed data and a high-resolution camera are mandatory for running inspection apps like InspectorADE.[12, 23, 24]
- **Fuel-Efficient Vehicle:** The job involves significant travel across a regional territory; a vehicle with high MPG is essential for profitability.[12, 23]
- **Non-Contact Volt Stick:** A \$10 device used to check for the presence of electricity at vacant properties without touching potentially live wires.[12, 23, 24]
- **HUD Key Set:** Standard keys used to enter vacant properties that have been secured with industry-standard locks.[11, 12]
- **Blue Painter's Tape:** Used for attaching envelopes to doors without damaging property.[23]
- **ID Badge:** A professional identification card that helps legitimate the inspector's presence to nervous neighbors and local law enforcement.[19, 23]

Software Configuration and Territory Management

Before the first assignment can be completed, the inspector must configure their software. This often involves installing proprietary platforms like Focus or InspectorADE and setting up "default folders"

for photo storage.[19, 25] Most importantly, the inspector must synchronize their phone's date and time and disable "orientation lock" to ensure all photos are captured and stamped correctly.[25] Territory management is the key to financial success. New inspectors are typically assigned a specific geographical area and provided a "batch" of orders with a common due date.[19] Success requires "routing"—the process of using GPS software to group inspections so that the inspector can complete 4 to 8 stops per hour.[12, 24] In populated areas, this efficiency allows for a competitive hourly rate despite the low per-unit fee.[12]

Risk Mitigation and Safety: Navigating the Field Environment

The field service environment is inherently unpredictable. Inspectors encounter everything from aggressive animals and hazardous materials to confrontational occupants. Maintaining a "safety-first" mindset is as important as documentation accuracy.[30, 31]

Canine Encounter Safety Protocols

Dogs represent the single most common physical hazard for field inspectors.[30, 32] Statistics indicate that one in five people bitten by a dog requires medical attention, and for field workers, these encounters are almost inevitable.[32, 33]

The industry's gold standard for dog safety is a policy of "zero entry" in occupied backyards.[12, 29] Inspectors should never enter a fenced backyard of an occupied home, regardless of instructions, unless they have visually confirmed the area is clear and secure.[12, 33] Before exiting the vehicle, an inspector should look for signs of a dog: a "Beware of Dog" sign, a water bowl, chewed toys, or worn paths along a fence line.[32]

If a dog approaches, the protocol is to "Stand still and remain calm," keeping the side of the body toward the dog to appear less threatening.[32, 33] Running is prohibited, as it triggers a dog's "prey instinct," making a chase and bite more likely.[32] If an attack occurs, the inspector should use their bag, clipboard, or jacket as a barrier between themselves and the animal.[32, 33]

Environmental and Structural Hazards

Vacant properties often harbor hidden dangers. In "First-Time Vacant" (FTV) situations, the inspector may be the first person to enter a property in months. They must be vigilant for signs of mold, standing water, or structural instability.[5] A critical "pro-tip" for interior inspections is to never open a refrigerator in a vacant home during the summer heat, as the absence of power leads to the rapid decomposition of food and the release of toxic odors and bacteria.[24]

Safety also extends to the "walk-around." In areas with tall grass or weeds, inspectors should be wary of hidden debris, open wells, or broken basement windows.[24] Wearing long pants and sturdy, closed-toe footwear is mandatory, and the use of insect repellent is recommended during summer months to protect against vector-borne diseases.[24, 33, 34]

Common Failures and the Mechanics of Rejection

In a high-volume industry, the speed of payment is dependent on the "first-time pass" rate of reports. Reports that contain technical errors or subjective language are "returned" or rejected, requiring the inspector to fix the data or, in the worst cases, drive back to the property at their own expense.[23]

Photographic Quality Failures

Technical errors are the primary cause of rejection. These include:

- **Car Parts:** Any photo showing a dashboard, rearview mirror, or car door frame.[5, 25]
- **Blurry or Crooked Photos:** Images that are illegible or taken while moving.[11, 25]
- **Missing Critical Shots:** Failing to include the house number or the 6-angle sequence.[23, 25]
- **People or Pets:** Capturing a homeowner, a neighbor, or a passerby in the shot.[23, 25]
- **Portrait Mode:** Submitting vertical photos that do not fit the lender's viewing portal.[23, 25]

The Subjectivity Trap

Reports must be written in "objective prose." Subjectivity is the enemy of professional documentation. A subjective report characterizes a situation based on the inspector's feelings; an objective report describes the facts so that a third party can draw their own conclusions.[13, 35]

- **Subjective (Rejection Likely):** "The homeowner was very rude and belligerent when I arrived".[13]
- **Objective (Pass Likely):** "Occupant stated [quote], slammed the door, and the inspection was terminated for safety".[13]
- **Subjective (Rejection Likely):** "The property is in terrible condition and needs a new roof".[5, 6]
- **Objective (Pass Likely):** "Multiple missing shingles observed on rear roof slope; water stains visible on living room ceiling".[5, 10]

By focusing on "what happened" rather than "how the inspector felt about it," the professional maintainers their status as a neutral observer and reduces the legal risk for all parties involved.[13]

The 2025 Regulatory Outlook and Emerging Standards

As the mortgage industry moves through 2025, field service standards are becoming increasingly stringent. Fannie Mae's updated Quality Control (QC) requirements emphasize "expanded occupancy scrutiny" for all property types, including investment properties and second homes.[14, 36] This means that the work of the field inspector is being scrutinized more closely than ever before to detect borrower fraud or misrepresentation.[36]

Furthermore, the industry is moving toward "digital reverification," where lenders use GPS-enabled apps to cross-reference field reports with automated utility and public record data.[20, 36] The National Association of Mortgage Field Services (NAMFS) continues to drive the adoption of the "Base Standard PCR," ensuring that every report, regardless of the vendor, contains a consistent data set and photo protocol.[18] For the inspector, this means that professional longevity is tied to their ability to master technology and adhere to a "zero-defect" standard of documentation.

The field inspector is not a home inspector, a contractor, or an engineer. They are a forensic data collector who provides the empirical foundation for a multibillion-dollar risk management industry.[1, 4] By maintaining professional boundaries, mastering the forensics of photography, and providing

objective, fact-based reports, the new inspector becomes a vital link in the chain of global mortgage finance.

1. Mortgage Field Inspector: What Is It? and How to Become One? - ZipRecruiter, <https://www.ziprecruiter.com/career/Mortgage-Field-Inspector/What-Is-How-to-Become>
2. Become a Mortgage Field Service Inspector | NFR - National Field Representatives, <https://nfronline.com/become-a-mortgage-field-service-inspector/>
3. What's the Difference Between a Home Inspection and a Property Inspection? - Nolo, <https://www.nolo.com/legal-encyclopedia/whats-the-difference-between-home-inspection-property-inspection.html>
4. Property vs. Home Inspections, <https://blog.safeguardproperties.com/insights/property-inspections>
5. Services – NMFS, <https://nmfs.com/services/>
6. The Most Common Mistakes New Home Inspectors Make (And How to Avoid Them), <https://fullviewdigital.com/the-most-common-mistakes-new-home-inspectors-make-and-how-to-avoid-them/>
7. What Does a Field Inspector Do? - OpenGov, <https://opengov.com/field-inspector/>
8. Home Inspector Communication 101: Essential Tips for Homeowners, <https://libertyinspectiongroup.com/home-inspector-communication-101-essential-tips-for-homeowners/>
9. Home Inspection Script – Close More Phone Calls, <https://fullviewdigital.com/home-inspection-script-close-phone-calls/>
10. How do you write a Field Inspection Report?, https://www.incidentreport.net/how_to_write_a_field_inspection/
11. Interior Inspections - Mortgage Field Services, <https://mortgagefieldservices.com/interior-inspections/>
12. LESSON 2: THE MORTGAGE FIELD SERVICES INDUSTRY Flashcards by keke071595 ., <https://www.brainscape.com/flashcards/lesson-2-the-mortgage-field-services-ind-10298255/packs/18419133>
13. A Refresher on Objective Documentation - Benard & Associates, <https://www.benardinc.com/a-refresher-on-objective-documentation/>
14. Requirements for Performing Property Inspections | Fannie Mae - Servicing Guide, <https://servicing-guide.fanniemae.com/svc/d2-2-10/requirements-performing-property-inspections>
15. Most common mistakes by inspectors - General Inspection Discussion, <https://forum.nachi.org/t/most-common-mistakes-by-inspectors/122263>
16. Inspection Services - SingleSource Property Solutions, <https://www.singlesourceproperty.com/inspection/>
17. Understanding Insurance Loss Draft Inspections - GIS Field Services, <https://gisfieldservices.com/blog/understanding-insurance-loss-draft-inspections/>
18. Property Condition Report | National Association of Mortgage Field Services - NAMFS, <https://www.namfs.org/base-standard-property-condition-report>
19. New Field Inspector Orientation Guide - National Risk Services, https://www.natrisk.com/FieldRepDocs/Inspector_Startup/SUP-New%20Inspector%20Orientation%20Guide.pdf
20. 5 Ways to Verify Occupancy of a Property| NFR, <https://nfronline.com/5-ways-to-verify-occupancy-of-a-property/>
21. Inspections | MCS360 - Mortgage Contracting Services, <https://mcs360.com/inspections/>

22. Default Mortgage Field Services | ServiceLink,
<https://www.servicelink.com/servicers/field-services>
23. Tips and Tools for Successful Mortgage Field Inspections - GIS Field ...,
<https://gisfieldservices.com/blog/tips-for-mortgage-field-inspections-success/>
24. The Mortgage Field Services Industry,
<https://mortgagefieldservices.com/the-mortgage-field-services-industry/>
25. Mortgage Field Inspections in Focus:,
<https://gisfieldservices.com/wp-content/uploads/2025/02/Mortgage-Field-Inspections-in-Focus.pdf>
26. Free Field Report Template | PDF Sample Download - GoAudits,
<https://goaudits.com/blog/field-report/>
27. Photographing for Insurance & Auth: Angles, Metadata, and Storage - Rome Station,
<https://romestation.ca/blogs/news/photographing-for-insurance-auth-angles-metadata-and-storage>
28. Industry Photo Standard | National Association of Mortgage Field Services - NAMFS,
<https://www.namfs.org/industry-photo-video-standard>
29. LESSON 3: THE BASIC PROPERTY INSPECTION Flashcards by keke071595 . - Brainscape,
<https://www.brainscape.com/flashcards/lesson-3-the-basic-property-inspection-10298351/packs/18419133>
30. Danger Zone: When Home Inspections Get Violent - Working RE Magazine,
<https://www.workingre.com/danger-zone-when-home-inspections-get-violent/>
31. Field Inspector Safety & PPE - California CUPA Forum,
<https://calcupa.org/CMS15/upload-manager/presentations/CUPA-2024/9576-32934-m-j3-field-inspector-safety-&-ppe-medina-1.pdf>
32. Dog Encounters on the Job: Safety Protocols You Can't Skip - Sentry Road,
<https://home.sentryroad.com/blog/dog-encounter-safety-field-workers>
33. animal attacks - Inspector Pro Insurance,
https://www.inspectorproinsurance.com/wp-content/uploads/2020/01/InspectorPro_AnimalAttacks_In_fographic.pdf
34. Wildlife Inspection and Handling Safety for the Office of Law Enforcement,
<https://www.fws.gov/policy-library/241fw9>
35. Objective vs Subjective - SkillsTX | Passion for Potential,
<https://skillstx.com/objective-vs-subjective/>
36. Mortgage QC Updates 2025 - Frasco Investigative Services,
<https://frasco.com/mortgage-qc-updates-2025/>