5. Write a Servlet program that accepts the age and name and displays if the user is eligible for voting or not

HTML CODE: (index.html)

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form method="get" action="Demo">
<table cellspacing=5 cellpadding=5 bgcolor="aqua" cols=2>
<tr>
<td> Name</td>
<td><input type="text" name="t1" value="" placeholder="ENTER
NAME"></td>
</tr>
<tr>
<td> Age</td>
<td> <input type="text" name="t2" value="" placeholder="ENTER
AGE"></td>
</tr>
<tr>
<td></td>
<td><input type="submit" value="check voting eligibility"></td>
</tr>
</table>
</form>
</body>
</html>
```

Code written inside doGet Method: (Demo.java)

```
PrintWriter pw=response.getWriter();
try
{
        String s=request.getParameter("t1");
        int age=Integer.parseInt(request.getParameter("t2"));
        if(age>=18)
                pw.println("<font color='green'><h1>"+s+ "You are Eligible to
                vote</h1></font>");
```

```
        else
                pw.println("<font  color='red'><h1>"+s+ "You are Not Eligible
                to vote</h1></font>");
                pw.println("<a href='index.html'>HOME</a>");
}
catch(Exception e)
{
        pw.println("<h1>Please Enter Valid Data</h1>");
}
```

OUTPUT:



18/03/25

8. Write a java Servlet program to Download a file and display it on the screen(A link has to be provided in HTML, when the link is clicked corresponding file has to be displayed on screen).

index.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1>Click the below link to Download file</h1><br>
<a href="dd">Down</a>
</body>
</html>
```

Code written inside doGet Method (dd.java)

```
String filePath = " C:\Users\student\Documents\\resume.docx";
FileInputStream in = new FileInputStream(filePath);
ServletContext context = getServletContext();
String mimeType = context.getMimeType(filePath);
    if (mimeType == null)
    {
        mimeType = "application/octet-stream";
    }
response.setContentType(mimeType);
response.setHeader("Content-Disposition", "attachment");
ServletOutputStream out = response.getOutputStream();
int i;
    while ((i = in.read()) != -1)
    {
     out.write(i);
    }
in.close();
out.close();
```

OUTPUT:

Click the below link to Download file

Down





18/03/25

1. Write a menu driven JDBC program to perform basic operations with Student Table.

```
import java.io.DataInputStream;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.Statement;

public class Student
{
        public static void main(String[] args)
        {
                DataInputStream in=new DataInputStream(System.in);
                Connection con;
                Statement stm;
                PreparedStatementps;
                ResultSet res;
                String s,sc,sn,sd,sa,scr;
                intch,rn;
                try
                {
con=DriverManager.getConnection("jdbc:ucanaccess://db1.accdb");
                do
                {
                        int flag=0;
                        System.out.println("-----MENU-----");
                        System.out.println("1.INSERT \n 2.DELETE SPECIFIC
\n3.UPDATE ADDRESS \n 4.SEARCH");
                        System.out.println("Enter your choice");
                        ch=Integer.parseInt(in.readLine());
                        switch(ch)
                        {
                                case 1:
                                        System.out.println("Enter student number");
                                        rn=Integer.parseInt(in.readLine());
                                        s="select * from stud where regno="+rn+"";
                                        stm=con.createStatement();
                                        res=stm.executeQuery(s);
                                        if(res.next())
                                        {
```

```
                    System.out.println("Student record
already exist");
                }
                else
                {
                    System.out.println("Enter student
                    name");
                    sn=in.readLine();
                    System.out.println("Enter student dob");
                    sd=in.readLine();
                    System.out.println("Enter student
                    address");
                    sa=in.readLine();
                        System.out.println("Enter student
                    class");
                    sc=in.readLine();
                    System.out.println("Enter course");
                    scr=in.readLine();
ps=con.prepareStatement("insert into
stud(regno,sname,sdob,saddr,sclass,scourse)
values("+rn+",'"+sn+"','"+sd+"','"+sa+"','"+sc+"','"+scr+"')");
                ps.executeUpdate();
                System.out.println("Record inserted");
                }
          con.close();
    con=DriverManager.getConnection("jdbc:ucanaccess://db1.accdb");
          break;
            case 2:
                System.out.println("Enter register number of
                the student");
                rn=Integer.parseInt(in.readLine());
                s="select * from stud where regno="+rn+"";
                stm=con.createStatement();
                res=stm.executeQuery(s);
                if(res.next())
                {
                    ps=con.prepareStatement("delete from
                    stud where regno="+rn+"");
                    ps.executeUpdate();
                    System.out.println("Record deleted");
                }
                else
                {
```

```
                    System.out.println("No such record
                    found");
                }
        con.close();
con=DriverManager.getConnection("jdbc:ucanaccess://db1.accdb");
        break;
            case 3:
                System.out.println("Enter register number of
                the student");
                rn=Integer.parseInt(in.readLine());
                s="select * from stud where regno="+rn+"";
                stm=con.createStatement();
                res=stm.executeQuery(s);
                if(res.next())
                {
                    System.out.println("Enter the new
                    Address");
                    sa=in.readLine();
                    ps=con.prepareStatement("update stud
                    set saddr='"+sa+"' where
                    regno="+rn+"");
                    ps.executeUpdate();
                    System.out.println("Record updated");
                }
                else
                {
                System.out.println("No such record found");
                }
        con.close();
con=DriverManager.getConnection("jdbc:ucanaccess://db1.accdb");
        break;
            case 4:
                System.out.println("Enter register number of
                the student");
                rn=Integer.parseInt(in.readLine());
                s="select * from stud where regno="+rn+"";
                stm=con.createStatement();
                res=stm.executeQuery(s);
                if(res.next())
                {
                    flag=1;
                    System.out.println("Student Record
                    found");
```

```
                        }
                        if(flag==0)
                        {
                                System.out.println("No such  record
                                found");
                        }
                con.close();
con=DriverManager.getConnection("jdbc:ucanaccess://db1.accdb");
                break;
                }
        }while(ch>0 &&ch<5);
        }
    catch (Exception e)
    {
        System.out.println(e.getMessage());
    }
    }
}
```

SETTING:

Creat java Project->right click on project->build path->configure build path ->libraries-classpath->Add External JARs-(downloads-UCanAccess-5.0.1.bin-lib (copy 5 files))-Apply-Apply and Close



DATABASE:

stud

Field Name	Data Type
regno	Text
sname	Text
sdob	Text
saddr	Text
sclass	Text
scourse	Text

OUTPUT:

```
-----MENU-----
1.INSERT
 2.DELETE SPECIFIC
 3.UPDATE ADDRESS
 4.SEARCH
Enter your choice
1
Enter student number
1
Enter student name
manu
Enter student dob
5-6-2002
Enter student address
kota
Enter student class
ii
Enter course
bca
Record inserted
-----MENU-----
1.INSERT
 2.DELETE SPECIFIC
 3.UPDATE ADDRESS
 4.SEARCH
Enter your choice
1
Enter student number
2
Enter student name
avinash
Enter student dob
4-5-2000
Enter student address
kumbashi
Enter student class
ii
Enter course
bca
Record inserted
-----MENU-----
1.INSERT
 2.DELETE SPECIFIC
 3.UPDATE ADDRESS
 4.SEARCH
Enter your choice
1
Enter student number
3
Enter student name
pavan
Enter student dob
8-9-2004
Enter student address
kundapur
Enter student class
iii
Enter course
bsc
Record inserted
-----MENU-----
1.INSERT
 2.DELETE SPECIFIC
 3.UPDATE ADDRESS
 4.SEARCH
Enter your choice
1
Enter student number
4
Enter student name
ravi
Enter student dob
4-6-2003
Enter student address
udupi
Enter student class
iii
Enter course
bba
Record inserted
```

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
1
Enter student number
5
Enter student name
hari
Enter student dob
3-5-2003
Enter student address
trasi
Enter student class
iii
Enter course
bcom
Record inserted

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
1
Enter student number
6
Enter student name
sunitha
Enter student dob
8-9-2000
Enter student address
hemmadi
Enter student class
iii
Enter course
bcom
Record inserted

stud

regno	sname	sdob	saddr	sclass	scourse
1	manu	5-6-2002	kota	ii	bca
2	avinash	4-5-2000	kumbashi	ii	bca
3	pavan	8-9-2004	kundapur	iii	bsc
4	ravi	4-6-2003	udupi	iii	bba
5	hari	3-5-2003	trasi	iii	bcom
6	sunitha	8-9-2000	hemmadi	iii	bcom

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
2
Enter register number of the student
6
Record deleted

stud

regno	sname	sdob	saddr	sclass	scourse
1	manu	5-6-2002	kota	ii	bca
2	avinash	4-5-2000	kumbashi	ii	bca
3	pavan	8-9-2004	kundapur	iii	bsc
4	ravi	4-6-2003	udupi	iii	bba
5	hari	3-5-2003	trasi	iii	bcom

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
3
Enter register number of the student
5
Enter the new Address
tallur
Record updated

stud

regno	sname	sdob	saddr	sclass	scourse
1	manu	5-6-2002	kota	ii	bca
2	avinash	4-5-2000	kumbashi	ii	bca
3	pavan	8-9-2004	kundapur	iii	bsc
4	ravi	4-6-2003	udupi	iii	bba
5	hari	3-5-2003	tallur	iii	bcom

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
4
Enter register number of the student
6
No such record found

-----MENU-----
1.INSERT
2.DELETE SPECIFIC
3.UPDATE ADDRESS
4.SEARCH
Enter your choice
4
Enter register number of the student
5
Student Record found

14/03/25

2. Write a menu driven JDBC program to perform basic operations with Bank Table.

```
import java.io.DataInputStream;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.Statement;
public class Banking {

    public static void main(String[] args)

        {
                Connection con;
                Statement stm;
                PreparedStatementps;
                ResultSet res;
                String s,an,addr;
                intch,ano,amt,flag=0;
                DataInputStream in=new DataInputStream(System.in);
                try
                {
        con=DriverManager.getConnection("jdbc:ucanaccess://db3.accdb");
                do
                {
                        System.out.println("-----MENU-----");
                        System.out.println(" 1.ADD \n 2.DEPOSIT \n
                        3.WITHDRAW \n 4.DISPLAY");
                        System.out.println("Enter your choice");
                        ch=Integer.parseInt(in.readLine());
                switch(ch)
                {
                        case 1:
                                        System.out.println("Enter account number");
                                        ano=Integer.parseInt(in.readLine());
                                        s="select * from bank where acno="+ano+"";
                                        stm=con.createStatement();
                                        res=stm.executeQuery(s);
                                if(res.next())
                                {
                                        System.out.println("Account already exist");
                                }
```

```
                    else
                    {
                            System.out.println("Enter account holder
                            name");
                            an=in.readLine();
                    System.out.println("Enter account holder address");
                            addr=in.readLine();
                            System.out.println("Enter amount");
                            amt=Integer.parseInt(in.readLine());
ps=con.prepareStatement("insert into bank(acno,aname,addr,bal)
        values("+ano+",'"+an+"','"+addr+"',"+amt+")");
                            ps.executeUpdate();
                            System.out.println("Record inserted");

}
        con.close();
        con=DriverManager.getConnection("jdbc:ucanaccess://db3.accdb");
        break;
            case 2:
                System.out.println("Enter account number");
                ano=Integer.parseInt(in.readLine());
                s="select * from bank where acno="+ano+"";
                stm=con.createStatement();
                res=stm.executeQuery(s);
                if(res.next())
                {
                        System.out.println("Enter Positive Amount");
                        amt=Integer.parseInt(in.readLine());
ps=con.prepareStatement("update bank set bal=bal+"+amt+" where
acno="+ano+"");
                        ps.executeUpdate();
                        System.out.println("amount deposited");
                }
                else
                {
                        System.out.println("No such account");
                }
                con.close();

con=DriverManager.getConnection("jdbc:ucanaccess://db3.accdb");
                break;
            case 3:
                System.out.println("Enter the account number");
                ano=Integer.parseInt(in.readLine());
```

```
s="select * from bank where acno="+ano+"";
stm=con.createStatement();
res=stm.executeQuery(s);
if(res.next())
{
        System.out.println("Enter amount");
        amt=Integer.parseInt(in.readLine());

        if(res.getInt("bal")-amt<500)
        {
                System.out.println("No sufficient Balance");
        }
        else
        {
ps=con.prepareStatement("update bank set bal=bal-"+amt+"
where acno="+ano+"");
                ps.executeUpdate();
                System.out.println("Withdrawal succussful");
        }
}
else
{
        System.out.println("No such account");
}
con.close();

con=DriverManager.getConnection("jdbc:ucanaccess://db3.accdb");
break;
case 4:
        s="select * from bank";
        stm=con.createStatement();
        res=stm.executeQuery(s);
System.out.println("ACCOUNT_NO\tNAME\tADDRESS\tBALANCE
AMOUNT");

System.out.println("____________________________________________");
        while(res.next())
        {
        System.out.println(res.getInt("acno")+"\t\t"+res.getString("aname")+"\t"
+res.getString("addr")+"\t"+res.getInt("bal"));
        }
con.close();
```

```
con=DriverManager.getConnection("jdbc:ucanaccess://db3.accdb");
                        break;
                }
}while(ch>0 &&ch<5);
        }
        catch (Exception e)
        {
                System.out.println(e.getMessage());
        }

}

}
}
```

DATABASE:

bank

	Field Name	Data Type
🔑	acno	Number
	aname	Text
	addr	Text
	bal	Number

OUTPUT:

```
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
1
Enter account number
101
Enter account holder name
arun
Enter account holder address
kota
Enter amount
20000
Record inserted
```

```
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
1
Enter account number
102
Enter account holder name
kavya
Enter account holder address
kundapura
Enter amount
40000
Record inserted
```

```
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
1
Enter account number
103
Enter account holder name
manu
Enter account holder address
kota
Enter amount
60000
Record inserted
-----MENU-----
1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
1
Enter account number
104
Enter account holder name
pavi
Enter account holder address
kundapur
Enter amount
8000
Record inserted
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
1
Enter account number
105
Enter account holder name
savitha
Enter account holder address
kota
Enter amount
90000
Record inserted
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
4
```

ACCOUNT_NO	NAME	ADDRESS	BALANCE AMOUNT
101	arun	kota	20000
102	kavya	kundapura	40000
103	manu	kota	60000
104	pavi	kundapur	8000
105	savitha	kota	90000

bank

acno	aname	addr	bal
101	arun	kota	20000
102	kavya	kundapura	40000
103	manu	kota	60000
104	pavi	kundapura	8000
105	savitha	kota	90000

```
-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice

3
Enter the account number
101
Enter amount
400
Withdrawal successful


-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
4
ACCOUNT_NO   NAME      ADDRESS   BALANCE AMOUNT
_____________________________________________
101          arun      kota        19600
102          kavya     kundapura   40000
103          manu      kota        60000
104          pavi      kundapur    8000
105          savitha   kota        90000

-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
2
Enter account number
105
Enter Positive Amount
6000
amount deposited

-----MENU-----
 1.ADD
 2.DEPOSIT
 3.WITHDRAW
 4.DISPLAY
Enter your choice
4
```

ACCOUNT_NO	NAME	ADDRESS	BALANCE AMOUNT
101	arun	kota	19600
102	kavya	kundapura	40000
103	manu	kota	60000
104	pavi	kundapur	8000
105	savitha	kota	96000

bank

acno	aname	addr	bal
101	arun	kota	19600
102	kavya	kundapura	40000
103	manu	kota	60000
104	pavi	kundapura	8000
105	savitha	kota	96000

19/03/25

2. Find the second maximum and second minimum in a set of numbers using auto boxing and unboxing.

```
import java.io.*;
import java.lang.*;
class Prog2
{
	public static void main(String args[])throws IOException
	{
		int n,i,j,small,large,temp;
		DataInputStream in=new DataInputStream(System.in);
		System.out.println("Enter the size of Array:");
		n=Integer.parseInt(in.readLine());
		if(n<2)
			System.out.println("Array must Contain minimum 2
			Elements");
		else
		{
			Integer a[]=new Integer[n];
			System.out.println("Enter the Array Elements:");
			for(i=0;i<n;i++)
			{
				a[i]=Integer.parseInt(in.readLine());
			}
			for(i=0;i<n;i++)
			{
				for(j=0;j<n-i-1;j++)
				{
					if(a[j]>a[j+1])
					{
						temp=a[j];
						a[j]=a[j+1];
						a[j+1]=temp;
					}
				}
			}
			small=a[1];
			large=a[n-2];
			System.out.println("The Second Smallest Number
			is:"+small);
			System.out.println("The Second Largest Number
			is:"+large);
	}
}
```

}

OUTPUT:

```
e:\jdk1.6.0\bin>javac Prog2.java
Note: Prog2.java uses or overrides a deprecated API.
Note: Recompile with -Xlint:deprecation for details.

e:\jdk1.6.0\bin>java Prog2
Enter the size of Array:
5
Enter the Array Elements:
8
9
4
50
3
The Second Smallest Number is:4
The Second Largest Number is:9
```

10/03/25

4. Write a java program to find words with even number of characters in a string, then swap the pair of characters in those words and also toggle the characters in a given string

EX: Good Morning everyone

Output: oGdo vereoyen

gOOD mORNING EVERYONE

```
import java.io.*;
import java.lang.*;
class Prog4
{
        public static void main(String args[]) throws IOException
        {
                String str;
                String s[]=new String[10];
                int i,j,k,len;
                DataInputStream in=new DataInputStream(System.in);
                System.out.println("Enter the String:");
                str=in.readLine();
                s=str.split(" ");
                for(i=0;i<s.length;i++)
                {
                        len=s[i].length();
                        char m[]=new char[len];
                        if(len%2==0)
                        {
                                m=s[i].toCharArray();
                                for(j=0;j<len;j=j+2)
                                {
                                        char ch=m[j];
                                        m[j]=m[j+1];
                                        m[j+1]=ch;
                                }
                                s[i]="";
                                for(k=0;k<len;k++)
                                        s[i]=s[i]+m[k];
                                System.out.println(s[i]);
                        }

                }
                len=str.length();
                char cr[]=new char[len];
                cr=str.toCharArray();
```

```
for(i=0;i<len;i++)
{
        if(Character.isLowerCase(cr[i]))
        {
                cr[i]=Character.toUpperCase(cr[i]);
                continue;
        }
        if(Character.isUpperCase(cr[i]))
                cr[i]=Character.toLowerCase(cr[i]);
}
str="";
for(k=0;k<len;k++)
        str=str+cr[k];
System.out.println(str);

    }
}
```

OUTPUT:

```
e:\jdk1.6.0\bin>javac Prog4.java
Note: Prog4.java uses or overrides a deprecated API.
Note: Recompile with -Xlint:deprecation for details.

e:\jdk1.6.0\bin>java Prog4

Enter the String:
Hii good morning everyone
ogdo
vereoyen
hII GOOD MORNING EVERYONE
```

10/03/25

```
            for(i=0;i<len;i++)
            {
                if(Character.isLowerCase(cr[i]))
                    cr[i]=Character.toUpperCase(cr[i]);
                else
                    cr[i]=Character.toLowerCase(cr[i]);
            }
            str="";
            for(k=0;k<len;k++)
                str=str+cr[k];
            System.out.println(str);

    }
}
```

OUTPUT:

```
e:\jdk1.6.0\bin>javac Prog4.java
Note: Prog4.java uses or overrides a deprecated API.
Note: Recompile with -Xlint:deprecation for details.

e:\jdk1.6.0\bin>java Prog4

Enter the String:
Hii good morning everyone
ogdo
vereoyen
hII GOOD MORNING EVERYONE
```

1.Write a program to convert numbers into words using Enumerations with constructors, methods and instance variables.(INPUT RANGE-0 TO 99999)
EX: 36 THIRTY SIX

```
import java.io.*;
import java.lang.*;
enum Dig
{
        ZERO(0),ONE(1),TWO(2),THREE(3),FOUR(4),FIVE(5),SIX(6),
        SEVEN(7),EIGHT(8),NINE(9);
        public int p;
        Dig(int i)
        {
                p=i;
        }
}
enum Two
{
        N(0),TEN(10),ELEVEN(11),TWELVE(12),THIRTEEN(13),
        FOURTEEN(14),FIFTEEN(15),SIXTEEN(16),SEVENTEEN(17),
        EIGHTEEN(18),NINTEEN(19);
        public int p;
        Two(int i)
        {
                p=i;
        }
}
enum Ten
{
        N(0),NL(0),TWENTY(20),THIRTY(30),FORTY(40),FIFTY(50),
        SIXTY(60),SEVENTY(70),EIGHTY(80),NINTY(90);
        public int p;
        Ten(int i)
        {
                p=i;
        }
}
class Prog1
{
        public static void main(String args[])throws IOException
        {
                int num;
```

```
String str="";
DataInputStream in=new DataInputStream(System.in);
System.out.println("Enter the Number:");
num=Integer.parseInt(in.readLine());
if(num<0 || num>99999)
        System.out.println("Enter Valid Number");
else if(num==0)
        System.out.println(num+" ZERO");
else
{
        System.out.print(num);
        if(num/10000!=0 && num/10000==1)
        {
                for( Two d:Two.values())
                {

                if(d.ordinal()==(num/10000+((num/1000)%10)))
                                str=str+d+" THOUSAND ";

                }
                num=num%1000;
        }
        if(num/10000!=0 && num/10000!=1)
        {
                for( Ten d:Ten.values())
                {
                        if(d.ordinal()==(num/10000)) .
                                str=str+d+" ";
                }
                if(((num/1000)%10)!=0)
                {
                        for( Dig d:Dig.values())
                        {

                                if(d.ordinal()==(num/1000)%10)
                                        str=str+d;

                        }
                }
                str=str+" THOUSAND ";
                num=num%1000;
        }
        if(num/1000!=0)
        {
                for( Dig d:Dig.values())
```

```
            {
                    if(d.ordinal()==num/1000)
                            str=str+d+" THOUSAND ";
            }
            num=num%1000;
    }
    if(num/100!=0)
    {
            for( Dig d:Dig.values())
            {
                    if(d.ordinal()==num/100)
                            str=str+d+" HUNDRED ";
            }
            num=num%100;
    }
    if(num/10!=0 && num/10==1)
    {
            for( Two d:Two.values())
            {
                    if(d.ordinal()==(num/10+num%10))
                            str=str+d;
            }
            num=0;
    }
    if(num/10!=0 && num/10!=1)
    {
            for( Ten d:Ten.values())
            {
                    if(d.ordinal()==(num/10))
                            str=str+d+" ";
            }
            num=num%10;
    }
    if(num!=0)
    {
            for( Dig d:Dig.values())
            {
                    if(d.p==(num))
                            str=str+d;
            }
    }
    System.out.print(" "+str);
}
```

```
        }
}
```

OUTPUT:

```
e:\jdk1.6.0\bin>javac Prog1.java
Note: Prog1.java uses or overrides a deprecated API.
Note: Recompile with -Xlint:deprecation for details.

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
-1
Enter Valid Number

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
1
1 ONE

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
10
10 TEN

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
101
101 ONE HUNDRED ONE

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
1001
1001 ONE THOUSAND ONE

e:\jdk1.6.0\bin>java Prog1
Enter the Number:
10001
10001 TEN THOUSAND ONE
```

```
e:\jdk1.6.0\bin>java Prog1
Enter the Number:
99999
99999 NINTY NINE THOUSAND NINE HUNDRED NINTY NINE
```

```
e:\jdk1.6.0\bin>java Prog1
Enter the Number:
1000000
Enter Valid Number
```

10/03/25