

1





2.





n 2			л Э	ŧ		٠		^		-	<u>,</u>	<u> </u>		
ø20N7h6		ф20H8f7		ø20H7k6		ø20U7h6		ø100Н8js7		ø50H7s6		配合代號		
基軸		基孔		1976	₩ ¥	<b>企</b> 者	<b> </b>	季礼	<b>‡</b>	基孔		基孔制或基軸制		
過渡		<b>三</b>		過渡		過盈		遊		過盈		種類		
書	Ή	書	Ή	書	쒀	書	Ή	曹	Ή	書	Ή	=	公差等級	
9	7	7	∞	6	7	6	7	7	œ	6	7	-:-		
13	21	21	33	<b>a</b>	21	13	21	35	54	16	25	<b>標準公差</b> (		
0	-0.007	-0.020	0.033	0.015	0.021	0	-0.033	0.0175	0.054	0.059	0.025	⊬	(mm)	極限偏差
-0.013	-0.028	-0.041	0	0.002	0	-0.013	-0.054	-0.017 5	0	0.043	0	ᅱ	3)	編業
20	19.993	19.980	20.033	20.015	20.021	20	19.967	100.0175	100.054	50.059	50.025	最大	(m)	の果尺寸
19.987	19.972	19.959	20	20.002	20	19.987	19.946	99.9825	100	50.043	50	最小	(mm)	ਹੈ  4 
0.006		0.074		0.019				0.0715				最大	(a)	
		0.020										最小	(mm)	餘隣
0.028					0.015		0 05 /	0.0175		0.059		最大	(n) -	米十
						0.020	0 0 0 0 0				0 018	最小	(mm)	<b>※</b>


4.














Ch20

工程圖學習題解答

