```
call void @llvm.dbg.value(metadata i32 %i.0, metadata !1305, metadata !DIExpression()), !dbg !1307
                                                                                        %cmp = icmp ult i32 %i.0, 100, !dbg !1311
                                                                                  br i1 %cmp, label %for.body, label %for.end, !dbg !1312
                                                   [3/4]
                                                              ; preds = \% for.cond
%arrayidx = getelementptr inbounds [100 x %struct.Node], [100 x %struct.Node]* %a, i64 0, i64 0, i64 0, idbg !1313
      %array = getelementptr inbounds %struct.Node, %struct.Node* %arrayidx, i32 0, i32 0, !dbg !1315
                                %idxprom = zext i32 %i.0 to i64, !dbg !1313
   %arrayidx1 = getelementptr inbounds [100 x i32], [100 x i32]* %array, i64 0, i64 %idxprom, !dbg !1313
                             store i32 %i.0, i32* %arrayidx1, align 4, !dbg !1316
                                   %rem = urem i32 %i.0, 10, !dbg !1317
%arrayidx2 = getelementptr inbounds [100 x %struct.Node], [100 x %struct.Node]* %a, i64 0, i64 0, i64 0, idbg !1318
   %checksum = getelementptr inbounds %struct.Node, %struct.Node* %arrayidx2, i32 0, i32 1, !dbg !1319
                                %idxprom3 = zext i32 %i.0 to i64, !dbg !1318
%arrayidx4 = getelementptr inbounds [100 x i32], [100 x i32]* %checksum, i64 0, i64 %idxprom3, !dbg !1318
                            store i32 %rem, i32* %arrayidx4, align 4, !dbg !1320
                                        br label %for.inc, !dbg !1321
```

for.body:

for.cond:

[2/5]

%i.0 = phi i32 [0, %entry], [%inc, %for.inc], !dbg !1309

; preds = %for.inc, %entry

