
[10/15] for.cond4: ; preds = %for.inc, %for.body3 %k.0 = phi i32 [1, %for.body3], [%inc, %for.inc], !dbg !980 woid @llym dbg yalue(metadata i32 %k 0, metadata !975, metadata !DIExpression()), !dbg !978	[18/19] for.body3: ; preds = %for.cond1 call void @llvm.dbg.value(metadata i32 1, metadata !975, metadata !DIExpression()), !dbg !978	[11/12] for.inc: ; preds = %for.body6 %inc = add nsw i32 %k.0, 1, !dbg !996	[7/20] for.cond1: ; preds = %for.inc19, %for.body %j.0 = phi i32 [0, %for.body], [%inc20, %for.inc19], !dbg !971 call void @llvm.dbg.value(metadata i32 %j.0, metadata !966, metadata !DIExpression()), !dbg !969	call void @llvm.db. %arrayidx = getelementptr inb %arrayidx9 = getelementptr
%cmp5 = icmp slt i32 %k.0, 5, !dbg !982 br i1 %cmp5, label %for.body6, label %for.end, !dbg !983	br label %for.cond4, !dbg !979	call void @llvm.dbg.value(metadata i32 %inc, metadata !975, metadata !DIExpression()), !dbg !978 br label %for.cond4, !dbg !997, !llvm.loop !998	%cmp2 = icmp slt i32 %j.0, 10, !dbg !973 br i1 %cmp2, label %for.body3, label %for.end21, !dbg !974	%arrayidx11 = getelen
				%arrayidx14 = getelementptr inb
				%arrayidx16 = getelementptr
				%arrayidx18 = getelem
				·



br label %for.cond1, !dbg !970

alue(metadata i32 %inc23, metadata !958, metadata !DII br label %for.cond, !dbg !1007, !llvm.loop !1008

br label %for.cond1, !dbg !1002, !llvm.loop !1003