

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 - Milestone 3

Student: Angel V. (av847)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 5/6/2026 7:45:48 PM

Updated: 5/7/2026 2:20:35 AM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/grading/av847>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/view/av847>

Instructions

1. Refer to Milestone3 of this doc:
<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWWwfo/view>
2. Ensure you read all instructions and objectives before starting.
3. Ensure you've gone through each lesson related to this Milestone
4. Switch to the Milestone3 branch
 1. `git checkout Milestone3` (ensure proper starting branch)
 2. `git pull origin Milestone3` (ensure history is up to date)
5. Fill out the worksheet below
 - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
 - Ensure proper styling is applied to each page
 - Ensure there are no visible technical errors; only user-friendly messages are allowed
6. Once finished, click "Submit and Export"
7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to GitHub
 1. `git add .`
 2. `git commit -m "adding PDF"`
 3. `git push origin Milestone3`
 4. On GitHub merge the pull request from Milestone3 to qa
 5. On GitHub create a pull request from qa to prod and immediately merge. (This will trigger the prod deploy to make the Render.com prod links work)
8. Upload the same PDF to Canvas
9. Sync Local
10. `git checkout qa`
11. `git pull origin qa`

Section #1: (3 pts.) Api Data

Progress: 100%

⇒ Task #1 (1 pt.) - Concept of Data Association

Progress: 100%

Details:

- What is the concept of your data association to users? (examples: favorites, wish list, purchases, assignment, etc)
- Describe with a few sentences

Your Response:

The concept of my data association to user is favorites. Basically the data fetched from the API, or manually created, and stored in the database are UFC fighters stats. These fighters can then be stored in users favorites and conduct head to head comparisons with other fighters.



Saved: 5/6/2026 8:24:32 PM

⇒ Task #2 (1 pt.) - Data Updates

Progress: 100%

Details:

- When an associated entity is updated (manually or via API), how is the association affected?
 - Does the user see the old version of the data?
 - Does the user see the new version of the data?
 - Does the user need to have data re-associated or remapped?
- Explain why.

Your Response:

When the associated entity is updated, the association is updated and the user sees the new version of the data. This is because the data is dynamic and the record updates in the database and therefore updates in the website/app when it is displayed as well.



Saved: 5/6/2026 8:38:44 PM

≡ Task #3 (1 pt.) - Handling Association

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show an example page of where a user can get data associated with them

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page that triggers and handles this logic

URL #1

<https://github.com/av847-NJIT/av847-IT202-008>



URL

<https://github.com/av847-NJIT/av847-IT202-008>



URL #2

https://av847-it202-008-prod.onrender.com/project/search_fighters.php



URL

https://av847-it202-008-prod.onrender.com/project/search_fighters.php



Saved: 5/6/2026 10:08:22 PM

Part 3:

Progress: 100%

Details:

- Describe the process of associating data with the user.
- Can it be toggled, or is it applied once?

Your Response:

The process of associating data with the user isn't complicated. The user once registered and signed in can search the database for a fighter under the search tab. Once they find a fighter, they can toggle the "Add to favorites" button which adds it to their favorites list. The userFavorites table has a unique restraint so this means they can only add a specific fighter to their favorites once.



Saved: 5/6/2026 10:08:22 PM

Section #2: (6 pts.) Associations

Progress: 100%


Task #1 (1.50 pts.) - Logged-in User's Associated Entities

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)

Filtering by striking accuracy in descending order (showing only top 4 results)



No results available when searching for unknown entity

```
$query = "SELECT f.id, f.name, f.striking_accuracy, f.takedown_accuracy,
f.significant_strikes_landed, f.significant_strikes_defense,
f.takedown_defense, f.is_api
FROM `IT202-S26-FighterStats` f
INNER JOIN `IT202-S26-UserFavorites` uf ON f.id = uf.fighter_id
WHERE uf.user_id = :user_id";

$params = [":user_id" => $user_id];

if (!empty($search)) {
    $query .= " AND f.name LIKE :search";
    $params[":search"] = "%" . $search . "%";
}

$query .= " ORDER BY `$sort` $order LIMIT :limit";
```

Code containing query from page

 Saved: 5/7/2026 12:22:16 AM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/av847-NJIT/av847-IT202-0089>



URL

<https://github.com/av847-NJIT/av847-IT202-0089>



URL #2

https://av847-it202-008-prod.onrender.com/project/list_favorites.php



URL

https://av847-it202-008-prod.onrender.com/project/list_favorites.php



 Saved: 5/7/2026 12:22:16 AM

Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e. line item

Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The association output for this was done by setting the sort logic first. Columns were created to have a data for name, striking accuracy, takedown accuracy, sig strikes landed, sig strikes defense, and takedown defense. All of these are properties that are able to be sorted in descending and ascending order. The filter logic assigns a variable named search with the return value of isset function using the keyword "search". The results are ultimately obtained via the database. If not data is found when retrieving data from the database, then a "No results available" message below is triggered. If data is found, results are looped through and the data is displayed as a record with each field stated above.



Saved: 5/7/2026 12:22:16 AM

☰ Task #2 (1.50 pts.) - All Users Association Page

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should include the username this entity is associated with
 - Clicking the username should redirect to that user's public profile
- Each line item should include a column that shows the total number of users the entity is associated with
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - Include a filter for partial username match to show only matching users' associated entities
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent
- When a filter is applied, the page should have a link/button to remove all associations for the matching user(s)

🖼️ Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible

- Include screenshots of code related to this logic including the database query

AV947 Landing Profile Compare Fighters Search Fighters My Favorites Roles - Fighters - Logout

All User Favorites

Filter by Username

Username

Filter by

Name

Order

Ascending

Results 01/1000

To

Apply Reset

Username	Fighter Name	Striking Accuracy	Takedown Accuracy	Sig. Strikes Landed	Sig. Strikes Defense	Takedown Defense	Source	Total Users Favored	Actions
----------	--------------	-------------------	-------------------	---------------------	----------------------	------------------	--------	---------------------	---------

All users total associations 1

Username	Fighter Name	Striking Accuracy	Takedown Accuracy	Sig. Strikes Landed	Sig. Strikes Defense	Takedown Defense	Source	Total Users Favored	Actions
test1	Alex Pereira	62.00%	50.00%	685	54.00%	79.00%	API	1	View Remove
test1	Anderson Silva	62.00%	70.00%	1200	61.00%	69.00%	API	1	View Remove
test1	Bruce Banner	45.00%	20.00%	965	45.00%	97.00%	Manual	1	View Remove
test1	Bruce Lee	92.00%	49.00%	1127	85.00%	55.00%	Manual	1	View Remove
test1	Chuck Liddell	35.00%	75.00%	510	27.00%	81.00%	API	1	View Remove
test1	Conor McGregor	50.00%	56.00%	569	50.00%	67.00%	API	1	View Remove
test1	Dominick Johnson	55.00%	56.00%	1291	87.00%	68.00%	API	1	View Remove
test1	Frankie Edgar	40.00%	31.00%	1001	66.00%	68.00%	API	1	View Remove
test1	Georges St-Pierre	54.00%	74.00%	1290	72.00%	84.00%	API	1	View Remove
test1	Ike Tapscott	48.00%	61.00%	405	64.00%	94.00%	API	1	View Remove

All users total associations 2

Username	Fighter Name	Striking Accuracy	Takedown Accuracy	Sig. Strikes Landed	Sig. Strikes Defense	Takedown Defense	Source	Total Users Favored	Actions
test1	Alex Pereira	62.00%	50.00%	685	54.00%	79.00%	API	2	View Remove
test1	Alex Pereira	62.00%	50.00%	685	54.00%	79.00%	API	2	View Remove

Multiple people favoriting same fighter (displaying total num of users associated with)

AV947 Landing Profile Compare Fighters Search Fighters My Favorites Roles - Fighters - Logout

Fighter Details

Name	Conor McGregor
Striking Accuracy	50.00%
Takedown Accuracy	56.00%
Sig. Strikes Landed	569
Sig. Strikes Defense	50.00%
Takedown Defense	67.00%
Source	API
API ID	Conor McGregor
Created	2024-05-07 00:11:06
Modified	2024-05-07 00:11:06

[Edit](#) [Back to List](#)

View a single entities data/properties

AV947 Landing Profile Compare Fighters Search Fighters My Favorites Roles - Fighters - Logout

All User Favorites

Filter by Username

Username

Filter by

Name

Order

Ascending

Results 01/1000

To

Apply Reset

Username	Fighter Name	Striking Accuracy	Takedown Accuracy	Sig. Strikes Landed	Sig. Strikes Defense	Takedown Defense	Source	Total Users Favored	Actions
----------	--------------	-------------------	-------------------	---------------------	----------------------	------------------	--------	---------------------	---------

Username	Fighter Name	Striking Accuracy	Takedown Accuracy	Str. Strikes Landed	Str. Strikes Defense	Takedown Defense	Source	Total Users Followerd	Actions
WESLEY	NOV NORD	80.00%	80.00%	140	80.00%	80.00%	API	0	View Remove
WESLEY	ANDREW KING	80.00%	80.00%	140	80.00%	80.00%	API	0	View Remove
WESLEY	STUE KERRY	80.00%	80.00%	140	80.00%	80.00%	Manual	0	View Remove
WESLEY	STUE LEE	80.00%	80.00%	140	80.00%	80.00%	Manual	0	View Remove
WESLEY	Curtis Hudson	80.00%	80.00%	140	80.00%	80.00%	API	0	View Remove

Partial name filtering (including button to remove all entities associated with user)

```
// save logic
$followed_sport_columns = ["name", "striking_accuracy", "takedown_accuracy", "significant_strikes_landed", "significant_strikes_defense", "takedown_defense"];
$sort = isset($_GET["sort"]) ? $sort : "name";
$order = isset($_GET["order"]) ? $order : "DESC";

// filter logic
$search = isset($_GET["search"]) ? trim($_GET["search"]) : "";

// total count query
$count_query = "SELECT COUNT(*) as total
FROM `IT202-526-UserFavorites` uf
INNER JOIN `IT202-526-FighterStats` f ON f.id = uf.fighter_id
WHERE users u ON u.id = uf.user_id";

$count_params = [];

if (!empty($search)) {
    $count_query .= " WHERE u.username LIKE :search";
    $count_params["search"] = "% " . $search . "%";
}

$total = 0;
try {
    $count_stmt = $db->prepare($count_query);
    $count_stmt->execute($count_params);
    $total = $count_stmt->fetch()["total"];
} catch (PDOException $e) {
    error_log("Error counting all favorites: " . var_export($e, true));
}
```

Sort/filter/count query code

```
// main query
$query = "SELECT f.id, f.name, f.striking_accuracy, f.takedown_accuracy,
f.significant_strikes_landed, f.significant_strikes_defense,
f.takedown_defense, f.is_api, u.username, uf.id as favorite_id,
(SELECT COUNT(*) FROM `IT202-526-UserFavorites` uf2 WHERE uf2.fighter_id = f.id) as total_users
FROM `IT202-526-UserFavorites` uf
INNER JOIN `IT202-526-FighterStats` f ON f.id = uf.fighter_id
INNER JOIN Users u ON u.id = uf.user_id";

$params = [];

if (!empty($search)) {
    $query .= " WHERE u.username LIKE :search";
    $params["search"] = "% " . $search . "%";
}

$query .= " ORDER BY '$sort' $order LIMIT :limit";
```

Main query

 Saved: 5/7/2026 2:20:35 AM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/av847-NJIT/av847-IT202-008>



URL

<https://github.com/av847-NJIT/av847-IT202-008>



URL #2

https://av847-it202-008-prod.onrender.com/project/admin/list_all_favorites.php?search=&sort=name&order=asc&limit=10



URL

https://av847-it202-008-prod.onrender.com/project/admin/list_all_favorites.php?search=&sort=name&order=asc&limit=10



 Saved: 5/7/2026 2:20:35 AM

Part 3:

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The association output was set up similar to the last page. First, the sort and filter logic is set up for the page. Then, the total count query ensures that the the right number of total associations are fetched to display correctly. Once we're able to display the count and figure out the sorting logic, we get into the filter and sort forms. These forms allow the user to input how they want to sort by(username, entity property, asc or desc order, etc.). If no records are found, then we display the message "No results available". Otherwise, we loop through the data from results and display the records accordingly.



Saved: 5/7/2026 2:20:35 AM

☰ Task #3 (1.50 pts.) - Unassociated Page

Progress: 100%

Details:


- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent

Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query



Search by Name

Filter by Name

Sort By

Name

Order

Ascending

Results 0 - 1000

25

Apply Reset

Unassociated records page 1

Results 0 - 1000

Apply Reset

Name	Knocking Accuracy	TakeDown Accuracy	Kip, Kicks Landed	Kip, Strikes Defense	TakeDown Defense	Score	Actions
Alexander Volkov	57.00%	34.00%	1015	57.00%	61.00%	415	View
Ajmalin Borling	55.00%	52.00%	1107	55.00%	45.00%	375	View
Anthony Webb	40.00%	24.00%	505	14.00%	50.00%	415	View
Bilal Muhammad	43.00%	37.00%	1474	54.00%	70.00%	375	View
Breanne Gooden	46.00%	46.00%	914	64.00%	64.00%	345	View
BZ Penn	49.00%	35.00%	1149	57.00%	73.00%	375	View
Emu Lassar	37.00%	75.00%	217	51.00%	60.00%	415	View
Gabe Volverson	58.00%	45.00%	713	57.00%	58.00%	375	View
Carlos Foster	45.00%	64.00%	389	45.00%	76.00%	415	View
Charles Oliveira	56.00%	49.00%	904	48.00%	35.00%	375	View
Chris Weidman	45.00%	47.00%	605	51.00%	70.00%	415	View
...	...	...	...	...	...	...	View

Unassociated records page 2 (displaying 25)

AVM7 Landing Profiler Summary Engagements Search Engagements My Resources Metrics Engagements Engagements

Engineers not associated by any user

Showing 0 Unassociated Records 0 Total Unassociated 00

Search by Name

Include Name

Score By

Score

Order

Ascending

Results 0 - 1000

10

Apply Reset

No results available.

No results available for searched fighter (meaning one or users have favoredited him)

```
// SORT LOGIC
SELECT COUNT(*) AS total FROM STAGE-238-FighterState t
LEFT JOIN STAGE-238-UserFavorites uf ON t.id = uf.fighter_id
WHERE uf.id IS NULL

COUNT_PARAMS = [1]

if (isEmpty($search)) {
  COUNT_QUERY := " AND (Name LIKE :search)";
  COUNT_PARAMS["search"] = "0" + $search + "0";
}

total = 0;
try {
  COUNT_TOTAL = $db.execute(COUNT_QUERY);
  COUNT_TOTAL = COUNT_TOTAL["total"];
} catch (PDOException $e) {
  error_log("Error counting unfavored: " . var_export($e, true));
}
```

Filter/sort logic

```
// MAIN QUERY: FIGHTERS NOT FAVORITED BY ANYONE
SELECT * FROM STAGE-238-FighterState t
LEFT JOIN STAGE-238-UserFavorites uf ON t.id = uf.fighter_id
WHERE uf.id IS NULL

COUNT_PARAMS = [1]

if (isEmpty($search)) {
  COUNT_QUERY := " AND (Name LIKE :search)";
  COUNT_PARAMS["search"] = "0" + $search + "0";
}

COUNT_QUERY := " ORDER BY (Score) LIMIT :limit";
COUNT_PARAMS["limit"] = 25;

try {
  COUNT_TOTAL = $db.execute(COUNT_QUERY);
  COUNT_TOTAL = COUNT_TOTAL["total"];
} catch (PDOException $e) {
  error_log("Error fetching unfavored fighters: " . var_export($e, true));
}
```

Main query

```
// sort logic
$allowed_sort_columns = ["name", "takeaway_accuracy", "takeout_accuracy", "signature_takeout_accuracy"];
$sort = isset($_GET["sort"]) ? $allowed_sort_columns : $allowed_sort_columns; // $_GET["sort"] = "name"
$order = isset($_GET["order"]) ? $_GET["order"] : "DESC"; // "DESC" or "ASC"

// filter logic
$search = isset($_GET["search"]) ? trim($_GET["search"]) : "";

// total count query
$count_query = "SELECT COUNT(*) AS total FROM `fighters` WHERE 1=1";
if ($search != "") {
    $count_query .= " AND name LIKE '%$search%'";
}

$total = 0;
try {
    $count_stmt = $db->prepare($count_query);
    $count_stmt->execute();
    $total = $count_stmt->fetchColumn();
} catch (PDOException $e) {
    error_log("Error counting unfavored fighters: " . $e->getMessage());
}
```

Sorting/filtering logic and total count query

```
// main query
$query = "SELECT * FROM `fighters` WHERE 1=1";
if ($search != "") {
    $query .= " AND name LIKE '%$search%'";
}

$query .= " ORDER BY $sort $order";

$total = 0;
try {
    $stmt = $db->prepare($query);
    $stmt->execute();
    $total = $stmt->fetchColumn();
} catch (PDOException $e) {
    error_log("Error loading fighters: " . $e->getMessage());
}
```

Main query

 Saved: 5/7/2026 2:20:10 AM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1

<https://github.com/av847-NJIT/av847-IT2020089>



URL

<https://github.com/av847-NJIT/av847-IT2020089>



URL #2

https://av847-it202-008-prod.onrender.com/project/admin/list_unfavored_fighters.php



URL

https://av847-it202-008-prod.onrender.com/project/admin/list_unfavored_fighters.php



 Saved: 5/7/2026 2:20:10 AM

Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The association output for this page was very similar to the favorited fighters page. First the sorting/filtering logic is worked out same as before. The mainquery is run and the data is fetched from the database. Once the data is retrieved, the stats of the totals are displayed (of fighters not favorited) and the filter/sort form is run for all the different properties and order options. If no results are found, then the "No results available" message is shown at the bottom of the page. If results are found, then they are looped through and listed on the page.



Saved: 5/7/2026 2:20:10 AM

≡ Task #4 (1.50 pts.) - Admin Association Page (Like User Roles)

Progress: 100%

Details:


- The page should have a form with two fields
 - Partial match for username
 - Partial match for entity reference (name or something user-friendly)
- Submitting the form should give up to 25 matches of each
 - Likely best to show as two separate columns
- Each entity and user will have a checkbox next to them
- Submitting the checked associations should apply the association if it doesn't exist; otherwise it should remove the association
 - A filter with no matching records should show "no results available" or equivalent

📁 Part 1:


Progress: 100%

Details:


- Show a few examples of this page from Render.com qa with various selections having been submitted
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query




Association page where users can be assigned fav fighters



username and search fighter fields are filled and associations are shown/displayed




Association is applied



Association is removed



Relevant code 1



Relevant code 2

Queries fetching users data 1

Queries fetching users data 2

🔗 Part 2:

Progress: 100%

- Include the pull request link for this feature
- Include the Render.com prod link to this page

⇒ Part 3:

Details:

- Describe how your code solves the requirements; be clear

Your Response:

First a form with two fields is created. The search form takes and accepts partial matches. Both forms are submitted using POST and using LIKE and % wildcards in their respective queries. When we submit, it has a limit of 25 matches in two separate columns. Results are then displayed in two side by side columns styled with Bootstrap. The first column is for users and the other is for fighters. Checkboxes are used next to each entity that submits the entity's id as an array. Then, when the assigned form is submitted, every combination of checked user and fighter id is looped through and checked against the database. If the id exists, then it gets deleted. If it doesn't exist then it doesn't get inserted. Before displaying results, a third query fetches all existing associations between the matched users and fighters. This gives the admin full context before proceeding.



Saved: 5/7/2026 1:53:10 AM

Section #3: (1 pt.) Misc

Progress: 100%

Task #1 (0.33 pts.) - GitHub Details

Progress: 100%

Part 1:

Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history

Milestone3 user association #33

Commit history:

- Added add_favorite.php file to project
- Added remove_favorite.php file
- Added user_favorites.php file
- Added link to favorites page on nav.php
- Fixed typo in nav.php
- Added search_favorites.php file and updated remove and add favorite user files
- Updated nav.php file to include search link
- Updated landing.php page and added styling

commit history 1

Added and updated a number of files to meet requirements #39

Commit history:

- Added and updated a number of files to meet requirements



commit history 2

 Saved: 5/7/2026 2:01:24 AM

Part 2:

Progress: 100%

Details:

Include the link to the pull request for Milestone3 to qa (should end in `/pull/#`)

URL #1

<https://github.com/av847-NJIT/av847-IT202-008>



URL

<https://github.com/av847-NJIT/av>

 Saved: 5/7/2026 2:01:24 AM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

Projects • av847-IT202-008

total 44 hrs 33 mins

11 hrs 34 mins over the Last 7 Days in av847-IT202-008 under all branches.

WakaTime overview

Files		Branches	
1 hr 30 mins	..html/project/admin/create_fighter.php	3 hrs 28 mins	Milestone3-
1 hr 9 mins	partials/nav.php		UserAssociation
55 mins	public..html/project/add_favorite.php		Milestone2-Bootstrap-

47 mins	...html/project/admin/edit_fighter.php	3 hrs 1 min	Reusability
36 mins	public_html/project/landing.php	2 hrs 36 mins	Milestone2
33 mins	public_html/project/compare_fighters.php	1 hr 63 mins	Milestone2-DB-Helpers
		13 mins	Milestone3
31 mins	...project/admin/list_all_favorites.php	13 mins	qa
30 mins	public_html/project/list_favorites.php	7 mins	Milestone2-MissingFiles
28 mins	...project/sql/006_create_table UFC.sql		
25 mins	...html/project/admin/list_fighters.php		
22 mins	public_html/project/remove_favorite.php		
20 mins	public_html/project/register.php		
20 mins	public_html/project/styles.css		
19 mins	...html/project/admin/delete_fighter.php		
13 mins	lib/remove_all_favorite_helpers.php		

WakaTime individual time



Saved: 5/7/2026 2:02:57 AM

≡ Task #3 (0.33 pts.) - Reflection

Progress: 100%

⇒ Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I learned a ton doing this project and especially in Milestone 3. Milestone 3 taught me about user associations which is basically how can we link data fetched from an api to a registered user on a website. I also learned more about admin pages and other associations pages that can be implemented when web designing. Overall, Milestone 3 was a very informative and educational assignment.



Saved: 5/7/2026 2:13:11 AM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was creating the table as I've gained experience already through past assignments this semester in creating sql tables to meet certain needs. These needs weren't that difficult to fulfill and meet as I also used the module videos as a reference for everything. to be honest, nothing was really easy in this assignment, I thought it was very challenging but I was able to figure it out in the end



Saved: 5/7/2026 2:16:17 AM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignment were the association pages. At first I was having a really hard time finding out where to start. However, I ended up googling tons of resources for help as well as use the crash course and other youtube vides from the modules for reference. Overall, I felt this assignment was very challenging but I learned a lot throughout my time completing most of the requirements.



Saved: 5/7/2026 2:19:05 AM