

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 Milestone 2

Student: Angel V. (av847)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 5/4/2026 4:39:28 PM

Updated: 5/6/2026 4:31:19 AM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-2/grading/av847>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-2/view/av847>

Instructions

- Overview Link: https://youtu.be/t6X8dzZt_a0
- 1. Refer to Milestone2 of this doc:
<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWWwfo/view>
- 2. Ensure you read all instructions and objectives before starting.
- 3. Ensure you've gone through each lesson related to this Milestone
- 4. Switch to the Milestone2 branch
 - 1. `git checkout Milestone2` (ensure proper starting branch)
 - 2. `git pull origin Milestone2` (ensure history is up to date)
- 5. Fill out the below worksheet
 - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
 - Ensure proper styling is applied to each page
 - Ensure there are no visible technical errors; only user-friendly messages are allowed
- 6. Once finished, click "Submit and Export"
- 7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 - 1. `git add .`
 - 2. `git commit -m "adding PDF"`
 - 3. `git push origin Milestone2`
 - 4. On Github merge the pull request from Milestone2 to qa
 - 5. On Github create a pull request from qa to prod and immediately merge. (This will trigger the prod deploy to make the Render.com prod links work)
- 8. Upload the same PDF to Canvas
- 9. Sync Local
 - 1. `git checkout qa`
 - 2. `git pull origin qa`

Section #1: (2 pts.) Data

Progress: 100%

Task #1 (0.50 pts) API Data Table

Part 1:

Progress: 100%

Details:

- Show the table(s) structure of the table made to hold your API
- There should be at least 3 properties/fields beyond `id`, `created`, `modified`, and respective `is_api` or `api_id` columns
- Logical types and constraints should be set
- Show at least a few records from each API table (samples should include both API fetched data and custom entries noted by an `api_id` or `is_api` column)

```

Angel Vera, 3 days ago | 1 author (Angel Vera) | Run | Select | Active? \db.ethercallab.app | av847
CREATE TABLE `IT202-F26-FighterStats` (
  `id` int NOT NULL AUTO_INCREMENT PRIMARY KEY,
  `name` varchar(100) NOT NULL,
  `striking_accuracy` decimal(5,2) NOT NULL,
  `takedown_accuracy` decimal(5,2) NOT NULL,
  `significant_strikes_landed` int NOT NULL,
  `significant_strikes_defense` decimal(5,2) NOT NULL,
  `takedown_defense` decimal(5,2) NOT NULL,
  `api_id` varchar(100) DEFAULT NULL,
  `created` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,
  `modified` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP,
  `is_api` tinyint(1) DEFAULT '0'
) <- #1-13 CREATE TABLE `IT202-F26-FighterStats`
  
```

API table structure

id	name	striking_accuracy	takedown_accuracy	significant_strikes_landed	significant_strikes_defense	takedown_defense	api_id	is_api	Action
8	Anthony Pettis	48.00	50.00	908	54.00	60.00	anthony-pettis	1	Edit
7	Frankie Edgar	40.00	31.00	1801	66.00	66.00	frankie-edgar	1	Edit
6	Anderson Silva	62.00	78.00	1282	61.00	69.00	anderson-silva	1	Edit
5	Carlos Prates	55.00	100.00	369	48.00	78.00	carlos-prates	1	Edit
4	Illa Topuria	48.00	61.00	405	64.00	64.00	illa-topuria	1	Edit
3	Bruce Banner	55.00	45.00	950	40.00	70.00	N/A	0	Edit
2	Khamzat Chimaev	61.00	55.00	298	43.00	86.00	khamzat-chimaev	1	Edit
1	Michael Morales	49.00	42.00	409	54.00	90.00	michael-morales	1	Edit

Records from API table (Both fetched and custom entries)



Saved: 5/4/2026 4:50:53 PM

Part 2:

Progress: 100%

Details:

- Add a direct link to your sql file from Github (should end in `.sql`)

URL #1

[https://github.com/av847-NJIT/av847-](https://github.com/av847-NJIT/av847-IT202-008-Milestone2/public_html/project/sql/006_create_table_ufc.sql)
[IT202-008-Milestone2/public_html/project/sql/006_create_table_ufc.sql](https://github.com/av847-NJIT/av847-IT202-008-Milestone2/public_html/project/sql/006_create_table_ufc.sql)


URL

[https://github.com/av847-NJIT/av847-](https://github.com/av847-NJIT/av847-IT202-008-Milestone2/public_html/project/sql/006_create_table_ufc.sql)

≡, Part 3:

Progress: 100%

Details:

- Briefly note what each field/property represents

Your Response:

The first field represents the id of the property(in my case the slug variable of the fighter). Next we have the name of the fighter with a limit of 100 characters. Then we have the stats from each fighter such as striking and takedown accuracy, significant strikes landed and defended. The accuracy is represented in decimal as a percentage and the total strikes are represented as whole numbers. Following that we have the api_id, created, modified, is_api properties. The is_api property is defaulted to 0 and will be set to 1 if the data is fetched using the api.

≡ Task #2 (0.50 pts.) - Data Transformation

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles the data transformation/conversion (from the API)
- Show a Render.com qa example of API getting fetched and loaded into the DB

Code showing data transformation (part 1)

Code showing data transformation (part 2)

```
// Insert data
try {
    $r = insert("IT202-S26-FighterStats", $fighter, ["update_duplicate" => true]);
    if ($r["lastInsertId"]) {
        flash("Inserted record " . $r["lastInsertId"], "success");
    } else {
        flash("Error inserting record", "warning");
    }
} catch (PDOException $e) {
    error_log("Something broke with the query" . var_export($e, true));
    flash("An error occurred: " . $e->getMessage(), "danger");
}
} <- #12-59 if (isset($_POST["action"]))
?>
```

Code showing data transformation (part 3)

av847-it202-008-qa.onrender.com/project/admin/create_fighter.php

News Home - Replit C++ Arrays (With Ex... GeeksforGeeks | A c... Learn C and C++ Pr... W3

Profile Compare Fighters Roles Fighters Logout

Inserted record 9

Create Fighter Stats

Fighter Name

Fetch

API getting fetched and loaded

av847-it202-008-qa.onrender.com/project/admin/list_fighters.php

News Home - Replit C++ Arrays (With Ex... GeeksforGeeks | A c... Learn C and C++ Pr... W3Schools Online... w3schools.computer...

Av847 Landing Profile Compare Fighters Roles Fighters Logout

List Fighters

id	name	striking_accuracy	takedown_accuracy	significant_strikes_landed	significant_strikes_defense	takedown_defense	api_id	is_api	Actions
9	Bj Penn	49.00	55.00	1146	57.00	75.00	bj.penn	1	Edit

Record inserted

compare_fighters.php create_fighter.php IT202-S26-FighterStats register.php render_functions.php

Properties DATA Log ER Monitor av847

SELECT * FROM `IT202-S26-FighterStats` LIMIT 100

Source: IT202-S26-FighterStats

	id	name	striking_accuracy	takedown_accuracy	significant_strikes_landed	significant_strikes_defense	takedown_defense	api_id	is_api
>	1	Michael Morales	49.00	42.00	409	54.00			
>	2	Khamzat Chimaev	61.00	55.00	290	43.00			
>	3	Bruce Banner	55.00	45.00	930	40.00			
>	4	Illa Topuria	48.00	61.00	405	64.00			
>	5	Carlos Prates	55.00	100.00	269	48.00			
>	6	Anderson Silva	62.00	78.00	1282	61.00			
>	7	Frankie Edgar	40.00	31.00	1801	66.00			
>	8	Anthony Pettis	48.00	50.00	908	54.00			
>	9	Bj Penn	49.00	55.00	1146	57.00			

Loaded into database

⇒ Part 2:

Progress: 100%

Details:

- Include Render.com prod link to API fetch page
- Include pull request link for this feature

URL #1

https://av847-it202-008-prod.onrender.com/project/admin/create_fighter.php



URL

https://av847-it202-008-prod.onrender.com/project/admin/create_fighter.php



URL #2

<https://github.com/av847-NJIT/av847-IT202-0080>



URL

<https://github.com/av847-NJIT/av847-IT202-0080>



Saved: 5/5/2026 11:01:15 PM

⇒ Part 3:

Progress: 100%

Details:

- Will you be using all the data or just a subset?
- Do you need to convert any data or extract pieces of a property's value?
- Briefly explain the transformation/extraction logic to get the API data to the shape your application intends to use

Your Response:

I will not be using all the data from the API, I will just be using a subset of it. No, I do not need to convert any data or extract pieces of a properties value. The only thing necessary was extracting the API's desired variable. The logic is pretty straight forward regarding the transformation/extraction logic. The API returns fighter data under a "data" key in the JSON response. Then from that data, I pull the six properties I need and remap it match my DB columns data.



Saved: 5/5/2026 11:01:15 PM

⇒ Task #3 (0.50 pts.) - API Duplicates

Progress: 100%

Details:

- Consider how duplicate entries are handled
 - What happens if you get the same result from the API for an entity that exists but has been unmodified?
 - What happens if you get the same result from the API for an entity that

What happens if you get the same result from the API for an entity that exists but has been modified?

Your Response:

If I get the same result from the API for an entity that exists but has been unmodified, based on the "ON DUPLICATE KEY UPDATE" and because my api_id has a UNIQUE constraint, then MYSQL will automatically update the existing record with new values.

If I get the same result from the API for an entity that exists but has been modified, the new fetch will overwrite the manual edits with the API data and the user updates will be lost.



Saved: 5/5/2026 11:17:17 PM

⇒ Task #4 (0.50 pts.) - API Fetching

Progress: 100%

Details:

- Consider how your application will trigger this data fetch
 - (i.e., periodic via cron job, poor man's cron job, on app start/awake, etc)
 - (i.e., User or Admin triggered via a specific page/action)
 - (i.e., Lazy loaded during searches for stale/missing content)

Your Response:

My application currently has Admin triggered fetching. This means that the Admin is responsible for typing a fighter's name into the fetch form which then ultimately gets stored into the database.



Saved: 5/5/2026 11:20:37 PM

Section #2: (1.5 pts.) Data Creation

Progress: 100%

≡ Task #1 (0.60 pts.) - Validations

Progress: 100%

📁 Part 1:

Progress: 100%

Details:

- Show the html validations (code)
- Show the javascript validations (code)
- Show the php validations (code)

```

function validateForm() {
    // empty validation and error form
    if (form.action.value != "reset") {
        form.reset();
    }

    let isValid = true;
    let striking = parseFloat(form.striking_accuracy.value);
    let takedown = parseFloat(form.takedown_accuracy.value);
    let strikesLanded = parseInt(form.significant_strikes_landed.value);
    let strikesDefense = parseFloat(form.significant_strikes_defense.value);
    let takedownDefense = parseFloat(form.takedown_defense.value);

    // form name validation
    if (form.name.value.trim() == "") {
        isValid = false;
        flash("Fighter name must not be empty", "warning");
    }

    // striking accuracy validation
    if (striking < 0 || striking > 100) {
        flash("Striking accuracy must be between 0 and 100", "warning");
        isValid = false;
    }

    // takedown accuracy validation
    if (takedown < 0 || takedown > 100) {
        flash("Takedown accuracy must be between 0 and 100", "warning");
        isValid = false;
    }

    // significant strikes landed validation
    if (strikesLanded < 0) {
        flash("Significant strikes landed must be a positive number", "warning");
        isValid = false;
    }

    // significant strikes defense validation
    if (strikesDefense < 0 || strikesDefense > 100) {
        flash("Significant strikes defense must be between 0 and 100", "warning");
        isValid = false;
    }
}

```

JS validations 1

```

}
if (isNaN(strikesDefense) || strikesDefense < 0 || strikesDefense > 100) {
    flash("Significant strikes defense must be between 0 and 100", "warning");
    isValid = false;
}
if (isNaN(takedownDefense) || takedownDefense < 0 || takedownDefense > 100) {
    flash("Takedown defense must be between 0 and 100", "warning");
    isValid = false;
}

return isValid;
} <- #151-190 function validate(form)

```

JS validations 2

```

<div id="strike" style="display: none;" class="tab-target">
    <form method="post">
        <div class="tab-3">
            <label for="name">Fighter Name</label>
            <input type="text" name="name" id="name" placeholder="Fighter Name" required>
        </div>
        <div class="tab-3">
            <label for="striking_accuracy">Striking Accuracy (%)</label>
            <input type="number" step="0.01" min="0" max="100" name="striking_accuracy" id="striking_accuracy" placeholder="striking accuracy">
        </div>
        <div class="tab-3">
            <label for="takedown_accuracy">Takedown Accuracy (%)</label>
            <input type="number" step="0.01" min="0" max="100" name="takedown_accuracy" id="takedown_accuracy" placeholder="takedown accuracy">
        </div>
        <div class="tab-3">
            <label for="significant_strikes_landed">Significant Strikes Landed</label>
            <input type="number" min="0" name="significant_strikes_landed" id="significant_strikes_landed" placeholder="significant strikes landed">
        </div>
        <div class="tab-3">
            <label for="significant_strikes_defense">Significant Strikes Defense (%)</label>
            <input type="number" step="0.01" min="0" max="100" name="significant_strikes_defense" id="significant_strikes_defense" placeholder="significant strikes defense">
        </div>
        <div class="tab-3">
            <label for="takedown_defense">Takedown Defense (%)</label>
            <input type="number" step="0.01" min="0" max="100" name="takedown_defense" id="takedown_defense" placeholder="takedown defense">
        </div>
        <input type="hidden" name="action" value="reset">
        <input type="submit" value="Create" class="btn btn-primary">
    </form>
</div>

```

HTML validations 1

```

name="Fighter Name" required>

%</label>
name="striking_accuracy" id="striking_accuracy" placeholder="Striking Accuracy" style="width: 100px;" required>

%</label>
name="takedown_accuracy" id="takedown_accuracy" placeholder="Takedown Accuracy" style="width: 100px;" required>

% Strikes Landed</label>
id="significant_strikes_landed" placeholder="Significant Strikes Landed" style="width: 100px;" required>

% Strikes Defense (%)</label>
name="significant_strikes_defense" id="significant_strikes_defense" placeholder="Significant Strikes Defense" style="width: 100px;" required>

%</label>
name="takedown_defense" id="takedown_defense" placeholder="Takedown Defense" style="width: 100px;" required>

%>

```

HTML validations 2

```

// var validateForm
if (emptyTranster["name"]) {
    flash("Fighter name must not be empty", "danger");
    $danger = true;
}

if (isNumeric($fighter["striking_accuracy"]) || $fighter["striking_accuracy"] < 0 || $fighter["striking_accuracy"] > 100) {
    flash("Striking accuracy must be between 0 and 100", "danger");
    $danger = true;
}

if (isNumeric($fighter["takedown_accuracy"]) || $fighter["takedown_accuracy"] < 0 || $fighter["takedown_accuracy"] > 100) {
    flash("Takedown accuracy must be between 0 and 100", "danger");
    $danger = true;
}

if (isNumeric($fighter["significant_strikes_landed"]) || $fighter["significant_strikes_landed"] < 0) {
    flash("Significant strikes landed must be a positive number", "danger");
    $danger = true;
}

if (isNumeric($fighter["significant_strikes_defense"]) || $fighter["significant_strikes_defense"] < 0 || $fighter["significant_strikes_defense"] > 100) {
    flash("Significant strikes defense must be between 0 and 100", "danger");
    $danger = true;
}

if (isNumeric($fighter["takedown_defense"]) || $fighter["takedown_defense"] < 0 || $fighter["takedown_defense"] > 100) {
    flash("Takedown defense must be between 0 and 100", "danger");
    $danger = true;
}

```

```

    // If the fighter's takedown defense is between 0 and 100, the fighter's takedown
    // defense must be between 0 and 100. "danger"
    $hasError = true;
}

if ($hasError) {
    $fighter = [];
} else {
    $fighter["is_ap4"] = 0;
    error_log("clean up done" . - var_export($fighter, true));
}

```

PHP validations 1

```

empty": "danger");

accuracy": [ [ $fighter["striking_accuracy"] < 0 || $fighter["striking_accuracy"] > 100 ] &
between 0 and 100": "danger");

accuracy": [ [ $fighter["takedown_accuracy"] < 0 || $fighter["takedown_accuracy"] > 100 ] &
between 0 and 100": "danger");

strikes_landed": [ [ $fighter["significant_strikes_landed"] < 0 ] &
must be a positive number": "danger");

vertical_kick": [ [ $fighter["significant_vertical_kick"] < 0 || $fighter["significant_vertical_kick"] > 100 ] &
must be between 0 and 100": "danger");

feet": [ [ $fighter["takedown_defense"] < 0 || $fighter["takedown_defense"] > 100 ] &
must be 0 and 100": "danger");

error_log($fighter, true);

```

PHP validations 2

 Saved: 5/6/2026 12:13:46 AM

Part 2:

Progress: 100%

Details:

- Briefly explain the html validations used
- Briefly explain the javascript validation logic
- Briefly explain the php validation logic
- Note which role(s) have access to this create form

Your Response:

The html, javascript, and php all have similar logic. They all first check if the fighter name is empty. If it's empty, the proper flash warning pops up. Then I check if the fighter striking accuracy is between 0 and 100. If it's not then the error message pops up. Next, I check for takedown accuracy to be between 0 and 100 and if it's not, error message. Furthermore, the last two checks are to check if the significant strikes defense and takedown defense are between 0 and 100. If they are not then the flash messages pop up accordingly.

 Saved: 5/6/2026 12:13:46 AM

Task #2 (0.60 pts.) - Examples

Progress: 100%

Details:

- Show a successful creation
- Show how a duplicate submission is handled (i.e., what message or behavior occurs)
- Demonstrate various validation errors

- Ensure Render.com qa url is visible

Successful creation

Fighter duplicate warning

Multiple validations errors (Javascript)

 Saved: 5/6/2026 12:59:12 AM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

[https://av847-it202-008-](https://av847-it202-008-qa.onrender.com/project/admin/create_fighter.php#)



URL

[https://av847-it202-008-prod.](https://av847-it202-008-prod.onrender.com/project/admin/create_fighter.php#)




```
if ($limit < 1 || $limit > 100) {
    $limit = 10;
}
```

Record limit

```
<?php else : ?>
<table class="table table-bordered">
<?php foreach ($results as $index => $record) : ?>
<?php if ($index == 0) : ?>
<thead class="table-dark">
<?php foreach ($record as $column => $value) : ?>
<th><?php se($column); ?></th>
<?php endforeach; ?>
</thead>
<tbody>
<tr>
<?php foreach ($record as $column => $value) : ?>
<td><?php se($value, null, "N/A"); ?></td>
<?php endforeach; ?>
<td>
<a href="#<?php echo get_url("admin/edit-#id#.php"); ?>#id"><?php se($record, "id"); ?>" class="btn btn-primary">Edit
</td>
</tr>
</tbody>
</table>
<?php endforeach; ?>
</div>
```

Generates list



Saved: 5/6/2026 2:10:51 AM

Part 2:

Progress: 100%

Details:

- Briefly explain how the filter/sort logic works and formulates the results
- Briefly explain how the limit is validated and applied server-side
- Briefly explain how the list/grid output is generated
- Briefly note the styling choices

Your Response:

The filter/sort logic takes values from the form submission using "\$_GET". The search filter user a "LIKE" query with "%" wildcards to find partial name matches. The sort column then gets validated against a whitelist of allowed column names to prevent SQL injection. If the submitted column isn't in the whitelist it defaults to name. The values are then appended to the query before execution.

The limit logic is also read from \$_GET, cast to an integer, and checked against the valid range of 1-100 (The default is 10). It's then bound to the query to ensure that it's treated as number and not a string.

The list logic uses a table that dynamically builds itself from whatever is in the \$results variable. The first record's keys are used as column headers, and every record is looped to generate rows.

The styling choices I just chose to keep it consistent with the theme. Layout includes bootstrap features.

Progress: 100%

Details:

- Show a few variations of filter/sort applied (including no records - should display a "no results" message)
- Show both API-fetched and manually created entities present in the list
- Show the limit field in use with at least two different values
- Each list item should be a summary
- Each list item should have the following links
 - A link to a single view of the specific entity (i.e., a details page)
 - A link to delete this entity (this may be an admin-only functionality, but it should be present for the respective role)
 - A link to edit this entity (this may be an admin-only functionality, but it should be present for the respective role)
- Ensure Render.com qa url is visible

[illegible]

Sort by striking accuracy

Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							
Link Properties							

Sort by sig strikes landed

[illegible]

Sort by takedown defense

AV647 Landing Profile Compare Fighters Rules Fighters Logout

Search by Name
Thor

Sort By
Takedown Defense

Order
Descending

Results (1/1000)
10

Apply

No results found for your search.

No results found

AV647 Landing Profile Compare Fighters Rules Fighters Logout

Search by Name
Fighter name

Sort By
Name

Order
Descending

Results (1/1000)
5

Apply

Name	No Whiff Accuracy	Takedown Accuracy	Wp. Strikes Landed	Wp. Strikes Per Min	Takedown Per Min	Strikes	Defense
Reese Ryker	73.00%	43.00%	330	65.00%	80.00%	800	100%
Edmond Mucabe	18.00%	43.00%	109	51.00%	80.00%	200	100%
Marissa O'Brien	91.00%	33.00%	388	43.00%	80.00%	200	100%

Limit of 3

AV647 Landing Profile Compare Fighters Rules Fighters Logout

Search by Name
Fighter name

Sort By
Name

Order
Descending

Results (1/1000)
8

Apply

Name	No Whiff Accuracy	Takedown Accuracy	Wp. Strikes Landed	Wp. Strikes Per Min	Takedown Per Min	Strikes	Defense
Reese Ryker	73.00%	43.00%	330	65.00%	80.00%	800	100%
Edmond Mucabe	18.00%	43.00%	109	51.00%	80.00%	200	100%
Marissa O'Brien	91.00%	33.00%	388	43.00%	80.00%	200	100%
Reese Ryker	73.00%	43.00%	330	65.00%	80.00%	800	100%
Edmond Mucabe	18.00%	43.00%	109	51.00%	80.00%	200	100%
Marissa O'Brien	91.00%	33.00%	388	43.00%	80.00%	200	100%
Reese Ryker	73.00%	43.00%	330	65.00%	80.00%	800	100%
Edmond Mucabe	18.00%	43.00%	109	51.00%	80.00%	200	100%

Limit of 8



Saved: 5/6/2026 2:06:29 AM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

URL

Progress: 100%

Progress: 100%

Progress: 100%

Entity output 1

Entity output 2

⇒ Part 2:

Details:

- Your Response:**

 Saved: 5/6/2026 2:29:51 AM

Progress: 100%

Details:

- Show a few examples of different entities
- Each entity item should have more details than the summary view (if possible)
- Each entity should have the following links
 - A link to edit the single entity (this may be an admin-only thing, but it should be present for the respective role)
 - A link to delete the single entity (this may be an admin-only thing, but it should be present for the respective role)

AV547 Landing Profile Compare Fighters Rules Fighters Logout

Fighter Details

Name	Anderson Silva
Striking Accuracy	62.00%
Takedown Accuracy	75.00%
Str. Strikes Landed	100
Str. Strikes Defense	61.00%
Takedown Defense	69.00%
Source	API
API ID	anderson-silva
Created	2026-05-04 20:22:33
Modified	2026-05-04 20:22:33

[Edit](#) [Back to List](#)

Example 1 of entity

AV547 Landing Profile Compare Fighters Rules Fighters Logout

Fighter Details

Name	Michael Morales
Striking Accuracy	65.00%
Takedown Accuracy	14.00%
Str. Strikes Landed	60
Str. Strikes Defense	51.00%
Takedown Defense	55.00%
Source	API
API ID	michael-morales
Created	2026-05-01 06:20:22
Modified	2026-05-01 06:20:22

[Edit](#) [Back to List](#)

Example 2 of entity

AV547 Landing Profile Compare Fighters Rules Fighters Logout

Fighter Details

Name	Bruce Banner
Striking Accuracy	88.00%
Takedown Accuracy	45.00%
Str. Strikes Landed	920
Str. Strikes Defense	48.00%
Takedown Defense	70.00%
Source	Manual
API ID	66/6
Created	2026-05-01 06:25:16
Modified	2026-05-01 06:25:43

[Edit](#) [Back to List](#)

Example 3 of entity



Saved: 5/6/2026 2:34:04 AM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Bender.com prod link to this page

- Include the render.com prod link to this page
- Include pull request link for this feature

URL #1

https://av847-it202-008-prod.onrender.com/project/admin/view_fighter.php?id=3



URL

<https://av847-it202-008-prod.>



URL #2

<https://github.com/av847-NJIT/av847-IT202-008/pull/33>



URL

<https://github.com/av847-NJ>



Saved: 5/6/2026 2:36:03 AM

Section #5: (1.5 pts.) Edit Page

Progress: 100%

Task #1 (0.60 pts.) - Code

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles loading of the record (and how the id retrieved for usage)
 - Include the code that handles invalid/missing ids
- Show the code that generates the form with the correct data types and populates it
- Show the html, javascript, and php validation (should be similar to create)
- Styling must be applied

```
<?php
$id = se($_GET, "id", -1, false);
```

Loading of record

```
$fighter = [];
if ($id > -1) {
    $db = getDB();
    $query = "SELECT name, striking_accuracy, takedown_accuracy, significant_strikes_landed, significant_strikes_defensi";
    try {
        $stmt = $db->prepare($query);
        $stmt->execute(["id" => $id]);
        $r = $stmt->fetch();
        if ($r) {
            $fighter = $r;
        }
    } catch (PDOException $e) {
        error_log("Error fetching record: " . var_export($e, true));
        flash("Error fetching record", "danger");
    }
} else {
    flash("Invalid id passed", "danger");
    die(header("Location: " . get_url("admin/list_fighters.php")));
}
```

How code uses retrieved ID for usage 1

```
cant_strikes_landed, significant_strikes_defense, takedown_defense FROM `IT202-S26-FighterStats` WHERE id = :id";
```

How code uses retrieved ID for usage 2

```
<div class="container-fluid">
  <div class="row">
    <div class="col-md-12">
      <div class="form">
        <div class="form-control">
          <input type="text" name="name" id="name" placeholder="Fighter Name" required value="" />
        </div>
        <div class="form-control">
          <input type="text" name="striking_accuracy" id="striking_accuracy" placeholder="Striking Accuracy (%)" required value="" />
        </div>
        <div class="form-control">
          <input type="text" name="takedown_defense" id="takedown_defense" placeholder="Takedown Defense (%)" required value="" />
        </div>
        <div class="form-control">
          <input type="text" name="significant_strikes_landed" id="significant_strikes_landed" placeholder="Significant Strikes Landed" required value="" />
        </div>
        <div class="form-control">
          <input type="text" name="significant_strikes_defense" id="significant_strikes_defense" placeholder="Significant Strikes Defense (%)" required value="" />
        </div>
        <div class="form-control">
          <input type="text" name="takedown_defense" id="takedown_defense" placeholder="Takedown Defense (%)" required value="" />
        </div>
        <div class="form-control">
          <input type="submit" value="Update" class="btn btn-primary" />
        </div>
      </div>
    </div>
  </div>
</div>
```

Code that generates form and populates it

```
<script>
function validate(form) {
  let isValid = true;
  let name = document.getElementById("name").value;
  let striking_accuracy = document.getElementById("striking_accuracy").value;
  let takedown_defense = document.getElementById("takedown_defense").value;
  let significant_strikes_landed = document.getElementById("significant_strikes_landed").value;
  let significant_strikes_defense = document.getElementById("significant_strikes_defense").value;

  if (name === "") {
    isValid = false;
    alert("Name must not be empty", "warning");
  }

  if (striking_accuracy < 0 || striking_accuracy > 100) {
    isValid = false;
    alert("Striking accuracy must be between 0 and 100", "warning");
  }

  if (takedown_defense < 0 || takedown_defense > 100) {
    isValid = false;
    alert("Takedown defense must be between 0 and 100", "warning");
  }

  if (significant_strikes_landed < 0) {
    isValid = false;
    alert("Significant strikes landed must be a positive number", "warning");
  }

  if (significant_strikes_defense < 0 || significant_strikes_defense > 100) {
    isValid = false;
    alert("Significant strikes defense must be between 0 and 100", "warning");
  }

  if (takedown_defense < 0 || takedown_defense > 100) {
    isValid = false;
    alert("Takedown defense must be between 0 and 100", "warning");
  }

  return isValid;
}
```

JS validations 1

```
flash("JS - Takedown defense must be between 0 and 100", "warning");
isValid = false;
}

return isValid;
} <- #123-157 function validate(form)
</script>
```

JS validations 2

```
<script>
function validate(form) {
  let isValid = true;
  let name = document.getElementById("name").value;
  let striking_accuracy = document.getElementById("striking_accuracy").value;
  let takedown_defense = document.getElementById("takedown_defense").value;
  let significant_strikes_landed = document.getElementById("significant_strikes_landed").value;
  let significant_strikes_defense = document.getElementById("significant_strikes_defense").value;

  if (name === "") {
    isValid = false;
    alert("Name must not be empty", "warning");
  }

  if (striking_accuracy < 0 || striking_accuracy > 100) {
    isValid = false;
    alert("Striking accuracy must be between 0 and 100", "warning");
  }

  if (takedown_defense < 0 || takedown_defense > 100) {
    isValid = false;
    alert("Takedown defense must be between 0 and 100", "warning");
  }

  if (significant_strikes_landed < 0) {
    isValid = false;
    alert("Significant strikes landed must be a positive number", "warning");
  }

  if (significant_strikes_defense < 0 || significant_strikes_defense > 100) {
    isValid = false;
    alert("Significant strikes defense must be between 0 and 100", "warning");
  }

  if (takedown_defense < 0 || takedown_defense > 100) {
    isValid = false;
    alert("Takedown defense must be between 0 and 100", "warning");
  }

  return isValid;
}
```

```

1 if ($fighter["takedown_accuracy"] < 0 || $fighter["takedown_accuracy"] > 100) { $fighter["takedown_accuracy"] = 100; $fighter["takedown_accuracy"] = 100; }
2 if ($fighter["takedown_accuracy"] < 0 || $fighter["takedown_accuracy"] > 100) { $fighter["takedown_accuracy"] = 100; $fighter["takedown_accuracy"] = 100; }
3 $fighter["takedown_accuracy"] = 100;
4 if ($fighter["significant_strikes_landed"] < 0 || $fighter["significant_strikes_landed"] > 100) { $fighter["significant_strikes_landed"] = 100; }
5 if ($fighter["significant_strikes_landed"] < 0 || $fighter["significant_strikes_landed"] > 100) { $fighter["significant_strikes_landed"] = 100; }
6 $fighter["significant_strikes_landed"] = 100;
7 if ($fighter["significant_strikes_defense"] < 0 || $fighter["significant_strikes_defense"] > 100) { $fighter["significant_strikes_defense"] = 100; }
8 if ($fighter["significant_strikes_defense"] < 0 || $fighter["significant_strikes_defense"] > 100) { $fighter["significant_strikes_defense"] = 100; }
9 $fighter["significant_strikes_defense"] = 100;
10 if ($fighter["takedown_defense"] < 0 || $fighter["takedown_defense"] > 100) { $fighter["takedown_defense"] = 100; }
11 if ($fighter["takedown_defense"] < 0 || $fighter["takedown_defense"] > 100) { $fighter["takedown_defense"] = 100; }
12 $fighter["takedown_defense"] = 100;

```

PHP validations 1

```

danger));

$fighter["striking_accuracy"] < 0 || $fighter["striking_accuracy"] > 100) {
    $fighter["striking_accuracy"] = 100;
}

$fighter["takedown_accuracy"] < 0 || $fighter["takedown_accuracy"] > 100) {
    $fighter["takedown_accuracy"] = 100;
}

$danger)); || $fighter["significant_strikes_landed"] < 0 || $fighter["significant_strikes_landed"] > 100) {
    $fighter["significant_strikes_landed"] = 100;
}

$fighter["significant_strikes_defense"] < 0 || $fighter["significant_strikes_defense"] > 100) {
    $fighter["significant_strikes_defense"] = 100;
}

$fighter["takedown_defense"] < 0 || $fighter["takedown_defense"] > 100) {
    $fighter["takedown_defense"] = 100;
}

```

PHP validations 2

```

<div class="container-fluid">
    <h3>Edit Fighter</h3>
    <form method="POST" onsubmit="return validate(this)">
        <div class="mb-3">
            <label class="form-label" for="name">Fighter Name</label>
            <input class="form-control" type="text" name="name" id="name" placeholder="Fighter Name" required value="">
        </div>
        <div class="mb-3">
            <label class="form-label" for="striking_accuracy">Striking Accuracy (%)</label>
            <input class="form-control" type="number" step="0.01" min="0" max="100" name="striking_accuracy" id="striking_accuracy">
        </div>
        <div class="mb-3">
            <label class="form-label" for="takedown_accuracy">Takedown Accuracy (%)</label>
            <input class="form-control" type="number" step="0.01" min="0" max="100" name="takedown_accuracy" id="takedown_accuracy">
        </div>
        <div class="mb-3">
            <label class="form-label" for="significant_strikes_landed">Significant Strikes Landed</label>
            <input class="form-control" type="number" min="0" max="100" name="significant_strikes_landed" id="significant_strikes_landed">
        </div>
        <div class="mb-3">
            <label class="form-label" for="significant_strikes_defense">Significant Strikes Defense (%)</label>
            <input class="form-control" type="number" step="0.01" min="0" max="100" name="significant_strikes_defense" id="significant_strikes_defense">
        </div>
        <div class="mb-3">
            <label class="form-label" for="takedown_defense">Takedown Defense (%)</label>
            <input class="form-control" type="number" step="0.01" min="0" max="100" name="takedown_defense" id="takedown_defense">
        </div>
    </form>
</div>

```

HTML validations

 Saved: 5/6/2026 3:21:25 AM

Part 2:

Progress: 100%

Details:

- Briefly explain how the loading logic works
- Briefly explain how the form is generated and submission is handled
- Briefly note the styling choices
- Note what fields are editable and why the choice was made for them (it's likely not all fields are editable, especially `id`, `created`, `modified`, etc)

Your Response:

The style choices I kept it simple and consistent with the theme. Bootstrap elements are used.

The loading logic uses the `$_GET`, `id`, `-1`, and `false` parameter and passes it through the `se` function. That is then assigned to the `id` variable. The variable is then used to confirm and match the fighter in the DB.

The form is generated and submitted using a standard HTML POST form that pre-populates each

The form is generated and submitted using a standard HTML POST form that pre-populates each input with existing data fetched from the DB. IF all the data checks out and the validations are met, then the helper builds and executes the UPDATE query using the fighter's id to update the fighter.

All the fields but id, created, modified, api_id, and is_api are editable. These fields are things that should never change for security reasons, functionality reasons, and among others.


 Saved: 5/6/2026 3:21:25 AM

Task #2 (0.60 pts.) - Examples

Progress: 100%

Details:

- Show a before and after of updating an entity (clearly caption)
- Successful update should have an appropriate message shown
- The updated data should be shown in the form
- Any errors should have user-friendly messages shown
- Show some examples of validation errors (html, javascript, php)



ev647 H202 006 qs onrender.com/project/admin/edit_fighter.php?id=3

AVB-17 Landing Profile Compare Fighters Rules Fighters Logout

Edit Fighter

Fighter Name

Nickname

Birthday (YYYY-MM-DD)

Weight (kg)


Height (cm)

Is Active

Update

Back to List

Before updating



ev647 H202 006 qs onrender.com/project/admin/edit_fighter.php?id=3

AVB-17 Landing Profile Compare Fighters Rules Fighters Logout

Edit Fighter

Fighter Name

Nickname

Birthday (YYYY-MM-DD)

Weight (kg)

Height (cm)

Is Active

Update

Back to List

After updating



ev647 H202 006 qs onrender.com/project/admin/edit_fighter.php?id=3

AVB-17 Landing Profile Compare Fighters Rules Fighters Logout

Edit Fighter

Fighter Name

Nickname

Birthday (YYYY-MM-DD)

Weight (kg)

Height (cm)

Is Active

Update

Back to List

View of changes in list

AV647 - Landing - Profile - Compare Fighter

fighting accuracy must be between 0 and 100

take-down accuracy must be between 0 and 100

fight time must be between 0 and 100

fight time defense must be between 0 and 100

fight time offense must be between 0 and 100

fight time defense must be between 0 and 100

Update

Back to List

JS error 1

AV647 - Landing - Profile - Compare Fighter

fighting accuracy must be between 0 and 100

take-down accuracy must be between 0 and 100

fight time must be between 0 and 100

fight time defense must be between 0 and 100

fight time offense must be between 0 and 100

fight time defense must be between 0 and 100

Update

Back to List

JS error 2

AV647 - Landing - Profile - Compare Fighter

fighting accuracy must be between 0 and 100

take-down accuracy must be between 0 and 100

fight time must be between 0 and 100

fight time defense must be between 0 and 100

fight time offense must be between 0 and 100

fight time defense must be between 0 and 100

Update

Back to List

Multiple PHP validations



Saved: 5/6/2026 3:31:15 AM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page
- Include pull request link for this feature

URL #1

https://av847-it202-008-prod.onrender.com/project/admin/edit_fighter.php?id=3



URL

<https://av847-it202-008-prod.>



URL #2

<https://github.com/av847-NJIT/av847-IT202-008/pull/30>



URL

<https://github.com/av847-NJ>



Saved: 5/6/2026 3:34:42 AM

Section #6: (1.5 pts.) Delete Logic

Progress: 100%

Task #1 (0.60 pts.) - Code

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code that handles deletion of the record (and how the id retrieved for usage)
 - Include the code that handles invalid/missing ids (should redirect to the list page with an appropriate message)
- Handle any necessary roles/permissions (i.e., it's not likely that anyone can delete any entity they choose)
- Show the redirect logic that goes back to the previous page (where the route came from), if it was a list page, it should maintain the filter/sort criteria

```
$id = isset($_GET["id"]) ? intval($_GET["id"]) : -1;
```

How ID is retrieved

```
$db = getDB();
try {
    $stmt = $db->prepare("DELETE FROM 'IT202-S26-FighterStats' WHERE id = :id");
    $stmt->execute(["id" => $id]);
    if ($stmt->rowCount() > 0) {
        flash("Fighter deleted successfully", "success");
    } else {
        flash("Fighter not found", "warning");
    }
} catch (PDOException $e) {
    error_log("Error deleting fighter: " . var_export($e, true));
    flash("Error deleting fighter", "danger");
}

die(header("Location: " . $redirect));
```


How deletion is handled

```
if ($id <= 0) {  
    flash("Invalid fighter ID", "danger");  
    die(header("Location: " . get_url("admin/list_fighters.php")));  
}
```

Missing ID

```
if (!has_role("Admin")) {  
    flash("You don't have permission to view this page", "warning");  
    die(header("Location: " . get_url("landing.php")));  
}
```

Roles/permissions check

```
unset($_params["id"]);  
$filtered = http_build_query($_params);  
if ($filtered) {  
    $redirect = get_url("admin/list_fighters.php") . "?" . $filtered;  
}  
} <- #21-29 if ($query_string)
```

Redirect that goes back to previous page



Saved: 5/6/2026 4:09:55 AM

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain how the deletion logic works
- Is it a soft or hard delete?
- Note any permissions/rules applied.
- Briefly explain how the redirect maintains the previous route and any filter/sort data

Your Response:

The deletion logic works by retrieving the id from the URL. Then we must validate before anything else runs. If it's 0 or negative, then the user is redirected right away. If it's valid then the

db query links. If it's 0 or negative, then the user is redirected right away. If it's valid then the DELETE query is executed with the ID used as a parameter.

The deletion is a hard delete as there is no way to recover the deleted data. The permissions and rules applied are only admins are able to access and use this page. The redirect maintains the previous route and any filter sort data by the query string being extracted using `parse_url`. With this, the id parameter is stripped out since the record no longer exists and the remaining parameters stay intact with the `"http_build_query()"` function.


 Saved: 5/6/2026 4:09:55 AM

Task #2 (0.60 pts.) - Examples

Progress: 100%


Details:

- Show a successful delete message
- Show a before and after database view of the record being deleted (clearly caption)
- Any errors should have user-friendly messages shown



Name	Working Accuracy	Total Accuracy	30% 30% Locked	30% 30% Defense	Total Accuracy	Source	Action
Karl Marx	100.00%	400.00%	300	75 30%	30 30%	Manual	Edit Delete

Before Deletion



Name	Working Accuracy	Total Accuracy	30% 30% Locked	30% 30% Defense	Total Accuracy	Source	Action
------	------------------	----------------	----------------	-----------------	----------------	--------	--------

No results found for your search.

After deletion

 Saved: 5/6/2026 4:15:16 AM

Task #3 (0.30 pts.) - Links

Progress: 100%

Details:

- Include the Render.com prod link to this page (even though it's not a full page, it's more like how logout works)
- Include pull request link for this feature

URL #1

https://av847-it202-008-qa.onrender.com/project/admin/list_fighters.php?search=Iron+Man&sort=name&order=asc&limit=10



URL

<https://av847-it202-008-qa.or>



URL #2

<https://github.com/av847-NJIT/av847-IT202-008/pull/33>



URL

<https://github.com/av847-NJ>



Saved: 5/6/2026 4:17:17 AM

Section #7: (0.5 pts.) Misc

Progress: 100%

Task #1 (0.17 pts.) - Github Details


Progress: 100%

Part 1:


Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history (it may not be possible to capture all, just grab a reasonable chunk)



Commits tab 1



 Saved: 5/6/2026 4:28:29 AM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of this assignment was fetching the right data and getting it to display properly. I also ran into plenty of bugs along the way such as deprecated errors, header files already sent, and so on. There were a number of other hard tasks but I persevered and got through it.



Saved: 5/6/2026 4:31:19 AM