

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 Module 3 HTML, CSS, JS Challenges

Student: Angel V. (av847)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 3/9/2026 8:12:52 PM

Updated: 3/9/2026 9:23:09 PM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/grading/av847>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/view/av847>

Instructions

- Overview Link: <https://youtu.be/Dyl6dg1Xybo> (older but should still help)
- 1. Ensure you read all instructions and objectives before starting.
- 2. Create a new branch from qa called M3-Homework
 - 1. `git checkout qa` (ensure proper starting branch)
 - 2. `git pull origin qa` (ensure history is up to date)
 - 3. `git checkout -b M3-Homework` (create and switch to branch)
- 3. Copy the template code from here: [GitHub Repository - M3 Homework](#)
 - It includes Challenges 1-3, `util.js`, and `styles.css`. Put all into an M3 folder or similar inside your `public_html`
 - Immediately record to history
 - `git add public_html`
 - `git commit -m "adding M3 HW baseline files"`
 - `git push origin M3-Homework`
 - Create a Pull Request from M3-Homework to qa and keep it open
- 4. Fill out the below worksheet
 - Each Problem requires the following as you work
 - Ensure there's a comment with your UCID, date, and brief summary of how the problem was solved
 - Update ucid in header tag
 - Code solution (add/commit periodically as needed) (style and/or script tags)
- 5. Once finished, click "Submit and Export"
- 6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 - 1. `git add .`
 - 2. `git commit -m "adding PDF"`
 - 3. `git push origin M3-Homework`
 - 4. On Github merge the pull request from M3-Homework to qa
 - 5. On Github create a pull request from qa to prod and immediately merge. (This will trigger the prod)

1. `git checkout qa`
2. `git pull origin qa`

Progress: 100%

Progress: 100%

- Only make edits where noted via provided comments
- Update yourucid in the header tag
- #1 The header and footer should remain FIXED in place (top and bottom of page respectively)
- #2 The content area should SCROLL independently (nothing should be pushed off screen and the browser WINDOW scrollbar shouldn't appear)
- #3 The entire page should always take up the full viewport height
- #4 The borders around header,main,footer should remain intact and visible, this will help show that the challenges were solved correctly
- Add code to solve the problem (add/commit as needed)

Progress: 100%


1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

[illegible]


```
/*Push main away from fixed header and footer using their heights*/
main{
  margin-top: 18px;
  margin-bottom: 18px;
  flex: 1;
  overflow-y: auto;
} <- #95-100 main
</style>
```

Angel Vera, last week • added required files to M3 folder ...

solution to challenge 1 (part2)



screenshot of output on render (part 1)



screenshot of output on render (part 2)



Saved: 3/9/2026 8:57:01 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html` , , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1

<https://github.com/av847-NJIT/av847-IT2021008M3->



URL

<https://github.com/av847-NJIT/av>



[Homework/public_html/M3/challenge1.html](https://av847-it202-008-prod.onrender.com/M3/challenge1.html)

URL #2

[https://av847-it202-008-](https://av847-it202-008-prod.onrender.com/M3/challenge1.html)

[prod.onrender.com/M3/challenge1.html](https://av847-it202-008-prod.onrender.com/M3/challenge1.html)



URL

[https://av847-it202-008-prod.onre](https://av847-it202-008-prod.onrender.com/M3/challenge1.html)



Saved: 3/9/2026 8:57:01 PM

≡ Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

First I added a vertical flex box on the body so the content can always fit on the screen. Next, I set the header and footer in place using the 'position: fixed' property. Lastly, I pushed main away by using the fixed header and footer's height.



Saved: 3/9/2026 8:57:01 PM

Section #2: (3 pts.) Challenge 2 - Header, Content, And Sidebars

Progress: 100%

≡ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your uid in the header tag
- Using CSS, adjust the layout per the following
 - #1: Header is at the top
 - #2: Content takes up the rest of the height
 - #3: Both sidebars docked to the respective side and take up 15% width; Content area should utilize the remaining width
- Using JavaScript complete the following
 - #4: Attach the appropriate event listener to the buttons
 - #5: Individual toggle the respective panel between collapsed and uncollapsed (Don't lose the button in the process)
 - #6: The content should adjust based on the status of the respective sidebars (i.e. take up more left right, or both space)

- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

```
<script>
/* Solve the button logic here by finding and attaching an appropriate event listener and logic*/
/* Step1: Grab the left and right-sidebar*/
/* Step2: Use .querySelector to get it's button*/
/* Step3: Use addEventListener method to each button*/
/* Step4: Use the classList.toggle method on each sidebar to add class if it's missing and removes it if it's there*/
const leftSidebar = document.getElementById('left-sidebar');
const rightSidebar = document.getElementById('right-sidebar');

const leftBtn = leftSidebar.querySelector('button');
const rightBtn = rightSidebar.querySelector('button');

leftBtn.addEventListener('click', () => {
  leftSidebar.classList.toggle('collapsed');
});

rightBtn.addEventListener('click', () => {
  rightSidebar.classList.toggle('collapsed');
});

```

Screenshot of JavaScript solution

```
<css>
/* Step1: Grab the left and right-sidebar*/
/* Step2: Use .querySelector to get it's button*/
/* Step3: Use addEventListener method to each button*/
/* Step4: Use the classList.toggle method on each sidebar to add class if it's missing and removes it if it's there*/
const leftSidebar = document.getElementById('left-sidebar');
const rightSidebar = document.getElementById('right-sidebar');

const leftBtn = leftSidebar.querySelector('button');
const rightBtn = rightSidebar.querySelector('button');

leftBtn.addEventListener('click', () => {
  leftSidebar.classList.toggle('collapsed');
});

rightBtn.addEventListener('click', () => {
  rightSidebar.classList.toggle('collapsed');
});

```

Screenshot of CSS solution

```
<css>
/* Step1: Grab the left and right-sidebar*/
/* Step2: Use .querySelector to get it's button*/
/* Step3: Use addEventListener method to each button*/
/* Step4: Use the classList.toggle method on each sidebar to add class if it's missing and removes it if it's there*/
const leftSidebar = document.getElementById('left-sidebar');
const rightSidebar = document.getElementById('right-sidebar');

const leftBtn = leftSidebar.querySelector('button');
const rightBtn = rightSidebar.querySelector('button');

leftBtn.addEventListener('click', () => {
  leftSidebar.classList.toggle('collapsed');
});

rightBtn.addEventListener('click', () => {
  rightSidebar.classList.toggle('collapsed');
});

```

Screenshot of output on Render (part 1)

```
<css>
/* Step1: Grab the left and right-sidebar*/
/* Step2: Use .querySelector to get it's button*/
/* Step3: Use addEventListener method to each button*/
/* Step4: Use the classList.toggle method on each sidebar to add class if it's missing and removes it if it's there*/
const leftSidebar = document.getElementById('left-sidebar');
const rightSidebar = document.getElementById('right-sidebar');

const leftBtn = leftSidebar.querySelector('button');
const rightBtn = rightSidebar.querySelector('button');

leftBtn.addEventListener('click', () => {
  leftSidebar.classList.toggle('collapsed');
});

rightBtn.addEventListener('click', () => {
  rightSidebar.classList.toggle('collapsed');
});

```




Screenshot of output on Render (part 2)

 Saved: 3/9/2026 8:56:49 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html` , , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1

https://github.com/av847-NJIT/av847-IT202-008-M3-Homework/public_html/M3/challenge2.html



URL

<https://github.com/av847-NJIT/av>



URL #2

<https://av847-it202-008-prod.onrender.com/M3/challenge2.html>



URL

<https://av847-it202-008-prod.onrender.com/M3/challenge2.html>



 Saved: 3/9/2026 8:56:49 PM

Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

In the JS portion of the solution, I first grab the left and right sidebar. Next, I use the `querySelector` to get it's button. Following that I Used the `addEventListener` method to each button. Lastly, I used the `classList` method to each sidebar.

In the CSS solution what I did was first make the body a vertical flex container making everything fit on the page. I then made the container a horizontal flex row. Next, I sized the sidebars at 15% as instructed and the main content taking up the rest of the page. Lastly, I used the `.collapsed` state for the sidebars leaving them in a collapsed state.

Section #3: (3 pts.) Challenge 3 - Carousel Layout With Swiping

Progress: 50%

≡ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
 - #1 Header should be at the top
 - #2 Carousel should take up full width
 - #3 Buttons should be centered
 - #4 Carousel panels should fill the full height of the carousel
 - #5 Carousel content should be centered (vertical and horizontal)
- Using JavaScript complete the following
 - #4 Attach appropriate event listeners to each button
 - #5 Cycle through each panel, showing only 1 at a time
 - #6 Ensure that the panels loop when reaching the last or first one
- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

```
//script.js
// 1. Select the button tags here by finding and attaching an appropriate event listener and logic
// 2. Select the carousel panels
// 3. Attach the event listener to the carousel panels
// 4. Attach the event listener to the buttons
// 5. Attach the event listener to the buttons

const panels = document.querySelectorAll('.panel');
const buttons = document.querySelectorAll('.button');
let current = 0;

panels[current].classList.add('active');

function moveToNext() {
  panels[current].classList.remove('active');
  current = (current + 1) % panels.length;
  panels[current].classList.add('active');
}

function moveToPrev() {
  panels[current].classList.remove('active');
  current = (current - 1 + panels.length) % panels.length;
  panels[current].classList.add('active');
}

buttons[0].addEventListener('click', () => moveToNext());
buttons[1].addEventListener('click', () => moveToPrev());
```

Screenshot of CSS solution (part 1)


```

    .panel{
      height: 100%;
      display: none;
      justify-content: center;
      align-items: center;
    } <- #140-145 .panel


    .panel.active{
      display: flex;
    }
  </style>

```


Screenshot of CSS solution (part 2)




Screenshot of output on Render (part 1)




Screenshot of output on Render (part 2)




Screenshot of output on Render (part 3)



Screenshot of output on Render (part 4)



Screenshot of output on Render (part 5)



Screenshot of output on Render (part 6)



Saved: 3/9/2026 9:04:42 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html` , , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1

[https://github.com/av847-NJIT/av847-](https://github.com/av847-NJIT/av847-IT202-008-M3-Homework/public_html/M3/challenge3.html)

[IT202-008-M3-](https://github.com/av847-NJIT/av847-IT202-008-M3-Homework/public_html/M3/challenge3.html)

[Homework/public_html/M3/challenge3.html](https://github.com/av847-NJIT/av847-IT202-008-M3-Homework/public_html/M3/challenge3.html)

URL #2

[https://av847-it202-008-](https://av847-it202-008-prod.onrender.com/M3/challenge3.html)

[prod.onrender.com/M3/challenge3.html](https://av847-it202-008-prod.onrender.com/M3/challenge3.html)



[https://github.com/av847-NJIT/av](https://github.com/av847-NJIT/av847-IT202-008-M3-Homework/public_html/M3/challenge3.html)



[https://av847-it202-008-prod.onre](https://av847-it202-008-prod.onrender.com/M3/challenge3.html)



Saved: 3/9/2026 9:04:42 PM

⇒ Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

For the JS portion of the solution I first grabbed each element. I then tracked the current panel and wrote to the goTo function. Lastly, I attached the click listeners to each button.

In the CSS portion of the solution I first made the body a vertical flex container. The next step was to center the buttons and make the carousel full width. Lastly, I set up the carousel and sized each panel.



Saved: 3/9/2026 9:04:42 PM

≡ Task #2 (+ 0.99 pts.) - Extra Credit - Challenge 7

Progress: 0%

Details:

- Allow mouse swipe on the carousel to cycle through the panels, similar to how the buttons would work

🖼 Part 1:

Progress: 0%

Details:

1. Snippet of relevant code showing solution (with ucid/date comment)



Edited solution to challenge 3 to work properly

1cd961  

 Angel Vera authored and Angel Vera committed 1 hour ago

Screenshot of commits tab (part 2)



Saved: 3/9/2026 9:10:26 PM

Part 2:

Progress: 100%

Details:

Include the link to the Pull Request (should end in `/pull/#`)

URL #1

<https://github.com/av847-NJIT/av847-IT2022-008/>



URL

<https://github.com/av847-NJIT/av847-IT2022-008/pull/1>



Saved: 3/9/2026 9:10:26 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

Projects • av847-IT202-008

2 hrs 22 mins over the [Last 7 Days](#) in av847-IT202-008 under [all](#) branches. 

Waka time overview

Files

Branches

51 mins M3/challenge2.html
48 mins M3/challenge1.html
42 mins M3/challenge3.html
20 secs M2/scenario4.php
7 secs M3/styles.css
1 sec M3/util.js

2 hrs 22 mins M3-Homework

Waka time individual



Saved: 3/9/2026 9:13:12 PM

≡ Task #3 (0.33 pts.) - Reflection

Progress: 100%

⇒ Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

What I learned in this assignment was different ways we can style a webpage using CSS and different ways how JavaScript ties into CSS manipulating and connecting the different functionalities of the page. Overall, I really enjoyed this assignment and am curious to continue working with JSS, HTML and CSS in order to broaden my knowledge on the languages.



Saved: 3/9/2026 9:18:32 PM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

There was no really easy part of the assignment, I spent a lot of time thinking and brainstorming in order to find out the right ways to come up with the different solutions for each challenge.

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignment was making sure my syntax was correct and making sure my solution looked as it was supposed to.