

Q. Find the frequency counts for the following

```
1) for (i=1; i<n; i++);  
    printf("Helo");
```

```
2) i=1;  
    i=i+20;  
    printf("%d", i);
```

```
3) i=1;  
    while (i<n)  
    {  
        printf("%d", i); i++;  
    }
```

Q) For the all shell program done in OS ~~for~~ lab find frequency count

```
1) Q) for(i=1; i<=n; i++);
      printf("Hello");
```

	cost	Repetition	Total
i = 1	1	1	1
i <= n	1	n+1	n+1
i++	1	n	n
printf("Hello")	1	n	n
			3n + 1

```
2) i = 1
   i = i + 20
   printf(" %.d ", i);
```

	cost	Repetition	Total
i = 1	1	1	1
i = i + 20	1	1	1
print(i)	1	1	1
			3

```
3) i = 1;
   while (i <= n)
   {
       printf(" %.d ", i);
       i++;
   }
```

	cost	repeatability	Total
$i = 1$	1	1	1
$i \leq n$	1	$n+1$	$n+1$
$\text{printf}(i)$	1	n	n
$i++$	1	n	n
			$3n+2$

Basic shell program $\Rightarrow$ `#!/bin/bash`

`echo -n "Enter the first number"`

`read num1`

`echo -n "Enter the 2nd number"`

`read num2`

`sum=$((num1+num2))`

`echo "the sum of $num1 and`

`$num2 is : $sum"`

code	cost	repeatability	Total
<code>echo -n "Enter the first number:"</code>	1	1	1
<code>read num1</code>	1	1	1
<code>echo -n "Enter and number:"</code>	1	1	1
<code>read num2</code>	1	1	2
<code>sum=\$((num1+num2))</code> (assignment + addition)	2	1	1
<code>echo "the sum of \$num1 and \$num2 is : \$sum"</code>	1	1	<u>7</u>