

1.1.5 Student Pass or Fail

Algorithm:

Step 1: Start.

Step 2: Input marks obtained by the student.

Step 3: Check if marks are greater than or equal to passing marks (for example:


40).

Step 4: If marks ≥ 40 , display “ Pass”.

Step 5: Otherwise, display “Fail”.

Step 6: Stop.

FLOWCHART:



programming-and-problem-s x Course x +

sitnagpur.codetantra.com/secure/course.jsp?179739f1e1d81cc18/693fa75c79739f1e... ☆

To exit full screen, press and hold esc

 Home

avantika.singh.batch2025@sitnagpur.siu.edu.in Support Logout

1.1.5. Student Pass or Fail Status 01:46

Write a Python program to determine whether a student passed the exam or not based on their marks.

Pass/Fail Criteria:

- A student passes if marks ≥ 40
- A student fails if marks < 40

Input Format:

- Single line contains an integer representing the marks obtained by the student.

Output Format:

- Print "Pass" if the student passed the exam.
- Print "Fail" if the student failed the exam.

Sample Test Cases +

passOrFa...

Submit

```
1 mark=int(input())
2 if(mark >= 40):
3     print("Pass")
4 else:
5     print("Fail")
6
7
```

Average time 0.003 s 2.71 ms

Maximum time 0.004 s 4.00 ms

3 out of 3 shown test case(s) passed

4 out of 4 hidden test case(s) passed

Test case 1 4 ms

Expected output 45

Actual output 45

Pass

Test case 2 3 ms

Test case 3 2 ms

Terminal

Test cases

< Prev

Reset

Submit

Next >