

# R406: Applied Economic Modelling with Python

## Systems of Difference Equations

Kaloyan Ganev (main author)  
Andrey Vassilev (minor modifications)

# Lecture Contents

- 1 Introduction
- 2 Analysis of linear systems of equations

# Introduction

# Introduction

- So far we considered single-variable equations
- Also, we stuck to the autonomous case; we shall do the same in the current topic
- Suppose that instead of having just one equation in one variable, we have the following set of two equations in two variables:

$$\begin{aligned}y_t &= ax_{t-1} + by_{t-1} \\ x_t &= cx_{t-1} + dy_{t-1}\end{aligned}$$

- Apparently, this is already a system of difference equations
- Such systems turn out to be very useful in describing relationships among economic variables which are not confined to a single direction of causality

# A note on classification

- **Autonomous** vs. **non-autonomous** systems were already introduced on-the-fly
- **Non-homogeneous** systems are those in which at least one equation is non-homogeneous
- Likewise, **non-linear** systems of equations are the ones in which there is at least one non-linear equation
- As with the single-equation case, we will consider only linear systems

# Analysis of linear systems of equations

# Matrix form of systems

- The simple homogeneous system example given earlier can be written as follows:

$$\begin{bmatrix} x_t \\ y_t \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x_{t-1} \\ y_{t-1} \end{bmatrix} \quad (*)$$

- Using matrix shorthand, this is the same as:

$$\mathbf{u}_t = \mathbf{A}\mathbf{u}_{t-1}$$

where  $\mathbf{u}_t = [x_t, y_t]'$ , and  $\mathbf{A}$  is the coefficient matrix

- By analogy, the non-homogeneous counterpart to this system would look as follows:

$$\mathbf{u}_t = \mathbf{A}\mathbf{u}_{t-1} + \mathbf{b}$$

where  $\mathbf{b}$  is a vector of conformable size (can be time-dependent but let's forget about this for the time being)

# Equilibrium

- Take  $(*)$  are the reference point
- Equilibrium implies that  $x_t = x^*$  and  $y_t = y^*$ ,  $\forall t$
- Therefore, in equilibrium:

$$\begin{bmatrix} x^* \\ y^* \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x^* \\ y^* \end{bmatrix},$$

or:

$$\mathbf{u}^* = \mathbf{A}\mathbf{u}^*$$

- Move everything to the LHS of the equation:

$$\mathbf{u}^* - \mathbf{A}\mathbf{u}^* = \mathbf{0} \Leftrightarrow (\mathbf{I} - \mathbf{A})\mathbf{u}^* = \mathbf{0}$$



# Equilibrium (2)

- There are two possibilities: either  $\mathbf{u}^* = \mathbf{0}$ , or  $\mathbf{I} - \mathbf{A} = \mathbf{0}$
- But  $\mathbf{I} - \mathbf{A} = \mathbf{0}$  only if  $\mathbf{I} = \mathbf{A}$ , i.e.  $x_t$  and  $y_t$  are unrelated and there is no point considering them in a system
- Therefore, the equilibrium corresponds to  $\mathbf{u}^* = \mathbf{0}$
- Now, return to the non-homogeneous system; equilibrium again requires that  $\mathbf{u}_t = \mathbf{u}^*$ ,  $\forall t$ , i. e.:

$$\mathbf{u}^* = \mathbf{A}\mathbf{u}^* + \mathbf{b}$$

- Move everything except  $\mathbf{b}$  to the LHS:

$$\mathbf{u}^* - \mathbf{A}\mathbf{u}^* = \mathbf{b}$$

# Equilibrium (3)

- This is the same as:

$$(\mathbf{I} - \mathbf{A})\mathbf{u}^* = \mathbf{b}$$

- If  $\mathbf{I} - \mathbf{A}$  is a non-singular matrix, then the equilibrium of the system is found where:

$$\mathbf{u}^* = (\mathbf{I} - \mathbf{A})^{-1}\mathbf{b}$$

- This looks very much like the result for the single-equation case which shouldn't be surprising

# Stability

- As in the single-equation case, in order to analyse stability, we need to solve the system
- The procedure that is followed is analogical
- Start with the homogeneous case:

$$\mathbf{u}_t = \mathbf{A}\mathbf{u}_{t-1} = \mathbf{A}(\mathbf{A}\mathbf{u}_{t-2}) = \mathbf{A}^2\mathbf{u}_{t-2} = \dots = \mathbf{A}^t\mathbf{u}_0$$

- In the non-homogeneous case the solution is:

$$\mathbf{u}_t = \mathbf{A}^t\mathbf{u}_0 + (\mathbf{I} + \mathbf{A} + \mathbf{A}^2 + \dots + \mathbf{A}^{t-1})\mathbf{b}$$

## Stability (2)

- Note that a non-homogeneous system can be reduced to a homogeneous one by expressing it in deviations from equilibrium
- Therefore, after subtracting  $\mathbf{u}^*$  from both sides of the matrix equation, we have:

$$\mathbf{u}_t - \mathbf{u}^* = \mathbf{A}(\mathbf{u}_{t-1} - \mathbf{u}^*)$$

- Denote  $\mathbf{z}_t = \mathbf{u}_t - \mathbf{u}^*$ ; then:

$$\mathbf{z}_t = \mathbf{A}\mathbf{z}_{t-1}$$

- This is a first-order homogeneous system
- Therefore, from now on the discussion can proceed with homogeneous systems without losing generality with respect to the non-homogeneous case

# Stability (3)

## Theorem 1

*If the matrix  $\mathbf{A}$  has two distinct eigenvalues  $r$  and  $s$ , then there exists a matrix  $\mathbf{V} = [\mathbf{v}^r \quad \mathbf{v}^s]$  composed of the eigenvectors corresponding to  $r$  and  $s$  such that:*

$$\mathbf{D} = \begin{bmatrix} r & 0 \\ 0 & s \end{bmatrix} = \mathbf{V}^{-1}\mathbf{A}\mathbf{V}$$

- If we pre-multiply both sides of the Theorem's result by  $\mathbf{V}$  and post-multiply them by  $\mathbf{V}^{-1}$ , we get:

$$\mathbf{V}\mathbf{D}\mathbf{V}^{-1} = \mathbf{V}\mathbf{V}^{-1}\mathbf{A}\mathbf{V}\mathbf{V}^{-1} = \mathbf{A}$$

- It is also easy to see that  $\mathbf{A}^t = \mathbf{V}\mathbf{D}^t\mathbf{V}^{-1}$

# Stability (3)

- Using this, we can write:

$$\mathbf{u}_t = \mathbf{A}^t \mathbf{u}_0 = \mathbf{V} \mathbf{D}^t \mathbf{V}^{-1} \mathbf{u}_0$$

- But this can be stated explicitly as follows:

$$\mathbf{u}_t = \mathbf{V} \begin{bmatrix} r^t & 0 \\ 0 & s^t \end{bmatrix} \mathbf{V}^{-1} \mathbf{u}_0$$

# Theorems

## Theorem 2

*A necessary and sufficient condition for the system of difference equations to be globally asymptotically stable is that all eigenvalues of the matrix  $\mathbf{A}$  have moduli strictly less than 1.*

## Theorem 3

*If all eigenvalues of  $\mathbf{A}$  have moduli strictly less than 1, the difference equation is globally asymptotically stable and every solution converges to the constant vector  $(\mathbf{I} - \mathbf{A})^{-1}\mathbf{b}$ .*