

نافذتك إلى المستقبل
A window to the future

we make it simple



تضم شركة آفي كنسولت خبرات وقدرات في مجال الإستشارات, والتصاميم, وتوريد أنظمة الصوت والصورة, وشبكات البث الإعلامي والتوجيهي حيث تقدم الشركة خدمات متكاملة لعملائها شاملة الأجهزة والبرامج, وقد إكتسبت سمعة طيبة من خلال الإلتزام التام بتلبية إحتياجات العملاء التجارية مع ضمان وصيانة على أعلى مستوى. وقد أمكن ذلك عن طرق تحالفات الشركة مع أهم أسماء الموردين المرموقة في جميع أنحاء العالم لجودة منتجاتها وخدماته.

AV Consult combines world class Audio/video, queuing, digital signage and wayfinding solutions, AV consult offers both end –users and integrators a full chain of services, including Hardware & software. The company has established an unassailable reputation by its total commitment to meeting its client's commercial needs with assured highest standard of quality. This was made possible by aligning itself with some of the most reputable names in international businesses known worldwide for the quality of their products and services.

خدماتنا

- « الإتصال والتعاون السمعي البصري عن بعد .
- « شاشات حجز وعرض برامج القاعات والفصول وغرف التدريب .
- « شاشات إرشادية وإعلانية للموظفين والزائرين .
- « حلول البحث والوصول إلى وجهات محددة في المباني والمجمعات .
- « حلول تنظيم وتوزيع الخدمات للمراجعين .
- « أنظمة تقييم خدمات الموظفين .
- « أنظمة عرض الفيديو الجداري .
- « شاشات ال سي دي - ال إي دي .
- « التلفزيون المركزي الرقمي .
- « الأنظمة السمعية البصرية التفاعلية .
- « كاميرات المراقبة .
- « أنظمة إصدار البطاقات والتحكم بالمداخل .

Our Services

- » Video conferencing
- » Room Booking Displays/ Door signs
- » Digital signage
- » Wayfinding
- » Queuing Systems
- » Customer feedback systems
- » Video Walls
- » LCD / LED walls
- » IPTV
- » Interactive AV systems
- » CCTV security systems
- » ID & Access control systems





وتبدأ الرحلة

And the Journey Begins

A premier in The audio Visual World






الشركة الرائدة في عالم الصوت والصورة

الاتصالات المرئية Video Conferencing	شاشات حجز القاعات والفصول Door Signs	حلول نقاط الإستعلامات عن المسار 3D wayfinding	البث المرئي Digital Signage	أنظمة تنظيم الخدمات للمراجعين Queuing Systems	أنظمة تقييم الخدمة Customer Feedback Systems
					
					

VTEL Video conference - Product Matrix

Stunning video. Crystal-clear audio. Feature rich to fit the needs of any application. Every VTEL video communications system delivers HD audio and video and integrated data sharing on any IP network.

Optimized for Zoom videoconferencing software with optional H.323, VTEL systems are easily and seamlessly integrated into existing environments, thus making HD video collaboration accessible to more people anywhere in the world.

	VTL-Codec-6000-Zoom	VTEL IPanel 3200 Executive	VTL-IPanel-4200-Zoom	VTL-IPanel-5000-Zoom	VTL-IPanel-6500-Zoom
		32" all-in-one applications platform	42" all-in-one applications platform	50" all-in-one applications platform	65" all-in-one applications platform
					
	VTEL's Model 6000 PC Integrated Codec	VTEL IPanel 3200 Executive System	VTEL IPanel 4200	VTEL IPanel 5000	VTEL IPanel 6500
Performance	HD at 768 kbps and above	HD at 768 kbps and above	HD at 768 kbps and above	HD at 768 kbps and above	HD at 768 kbps and above
Content Sharing	Yes	Yes	Yes	Yes	Yes
Display(s) Supported	Purchased separately	Integrated 32" Display / Opt. Dual	Integrated 42" Display / Opt. Dual	Integrated 50" Display / Opt. Dual	Integrated 65" Display / Opt. Dual
Integrated Multipoint	Yes	Yes	Yes	Yes	Yes
Camera/ Microphone	Professional Pan-Tilt-Zoom (PTZ) camera so you can pan/tilt/zoom to capture the entire room or a specific individual, white board illustration or an object.	Professional Pan-Tilt-Zoom (PTZ) camera so you can pan/tilt/zoom to capture the entire room or a specific individual, white board illustration or an object.	Professional Pan-Tilt-Zoom (PTZ) camera so you can pan/tilt/zoom to capture the entire room or a specific individual, white board illustration or an object.	Professional Pan-Tilt-Zoom (PTZ) camera so you can pan/tilt/zoom to capture the entire room or a specific individual, white board illustration or an object.	Professional Pan-Tilt-Zoom (PTZ) camera so you can pan/tilt/zoom to capture the entire room or a specific individual, white board illustration or an object.
Live Streaming /Recording (Requires Zoom cloud video conferencing)	Optimized video and data ²	Optimized video and data ²	Optimized video and data ²	Optimized video and data ²	Optimized video and data ²



Video conferencing

Imagine the possibilities, your favorite communication tools – video, e-mail, IM, social networks, phone- at your fingertips. Now put all these tools into a single unified workspace and you have VTEL IPanel experience. Designed to change the way you communicate and collaborate, The IPanel experience delivers a seamless communication experience that is easy to use, convenient, and ready in real time to help you focus on the task at hand. The IPanel Experience streamlines your applications into unique personal workflows, avoiding the frustration of barriers between technologies.

نظام الإتصال بالصوت والصورة عن بعد

تخيل الاحتمالات، وأدوات الاتصال المفضلة لديك الهاتف الرقمي - الفيديو، والبريد الإلكتروني، والتراسل الفوري، والشبكات الاجتماعية، عبر الإنترنت في متناول يدك، الآن تم وضع كل هذه الأدوات في مساحه عمل ضئيله لتعيش تجربة فيتال . تهدف فيتال إلى تغيير الطريقة التي يتم التواصل والتعاون بها ، وتجربة أي بائل من فيتال توفر تجربة اتصالات موحدة تماما، آنية، سهلة الاستخدام. تجربة فيتال تساعد على إدارة الاتصالات الصوتية المرئية الخاصة بك وتمكنك من إيجاد مزيد من الوقت لإدارة أعمالك.

اليوم ، نضع بين أيديكم نظام إتصال صوت وصورة معزز بتكنولوجيا هي الأولى في عالم الإتصالات والشبكات . وتتميز بأجهزتها التي تزود المتصلين عن بعد بأشكال جديدة من الإتصال المرئي، والوسائط، والتسجيل، وأجهزة العرض والتحكم، كما أنها متصلة بشبكة الكمبيوتر وبالانترنت، ، وتخلق فرصا جديدة للرؤيا والنقاش من خلال دمج تكنولوجيا الشبكات ، تكنولوجيا الصوت والصورة والتكنولوجيا الحاسوبية المبنية على نظام بيئة ويندوز من مايكروسوفت

PADS - Product Matrix

	XPERT	XPRESS	HTML5 XPRESS	BASIC	HTML5 BASIC	Desktop
Text	✓	✓		✓	✓	✓
Picture	✓	✓	✓	✓	✓	✓
Line	✓	✓	✓	✓	✓	✓
Shape	✓	✓	✓	✓	✓	✓
Formatted text	✓	✓	✓	✓	✓	✓
Media (Video & Sound)	✓	✓	✓	✓	✓	✓
Interactive button	✓	✓	✓	✓	✓	✓
Web	✓	✓	✓	✓	✗	✓
Scrolling text	✓	✓	✓	✓	✗	✓
Flash	✓	✓	✓	✓	✗	✓
Table	✓	✓	✓	✗	✗	✓
PowerPoint	✓	✓	✓	✗	✗	✓
Rich text	✓	✗	✗	✗	✗	✓
Presentation In page	✓	✗	✗	✗	✗	✓
Chart	✓	✗	✗	✗	✗	✓
PDF	✓	✗	✗	✗	✗	✓
RS232	✓	✗	✗	✗	✗	✓
External Application	✓	✗	✗		✗	✓
Zone-viewer	✓	✗	✗	✗	✗	✓
Television	✓	✗	✗	✗	✗	✗
Add-ons	✓	✗	✗	✗	✗	✓



Digital Signage & Information Display Systems

Absolutely has to be tested & seen to be believed, we take Digital signage to whole new level. Beyond any experience, businesses can communicate in a smart way integrating our software with their meeting room booking system, access control, time attendance, energy monitoring and more.

AV Consult MEA is a sales Consultant firm in the Middle East for Net Display Systems B.V. . In addition the company distributes Professional displays & players manufactured by well known suppliers from different parts of the world.






We also provide content creation services and training that enable partners to successfully sell, service and support complete, end-to-end digital signage solutions

نظام ادارة وتوزيع الوسائط المتعددة على الشاشات التلفزيونية

تقدم آفي كونسولت إستشارات بيعية لشركة نات ديسبلاي وموزعيها في الشرق الأوسط وهي الشركة الرائدة في صناعة برمجيات البث الإعلاني من خلال شاشات العرض الشبكية.

يوفر قسم حلول البث الإعلامي في آفي كونسولت الحلول المتكاملة من الأجهزة والبرمجيات والخدمات وإنشاء المحتوى والتدريب ، فهدفنا هو مساعدة البائعين والموزعين ، توسيع أعمالهم، والسرعة والنجاح من خلال تأمين مزيج متكامل من الحلول الرقمية للبث الإعلامي

Digital Signage players & Signboards (HTML 5/Google Android API) - Product Matrix

	XDS-1060_1062	XDS-1068_01	XDS-1078_01	DS-2170	XDS-2370	MBR-1100_01	XMP-6200_01
							
	10.1" LCD	Touch 10.1" LCD	10.1" Interactive All-in-one Signboard	21" All-in-one ePoster Signboard	23" All-in-one ePoster Signboard	Plug-n-play 1080p Media Bar	
Resolution	800x480 resolution	800x480 resolution	1280 x 800 resolution	1280 x 800 resolution	1280 x 800 resolution	N/A	N/A
Brightness	300 nits	300 nits	300 nits	250 nits	250 nits	N/A	N/A
Open Standards Supported	HTML5, JavaScript, and CSS, Android 4.0 API	HTML5, JavaScript, and CSS, Android 4.0 API	HTML5+SMIL+Android	HTML5+SMIL+Android	HTML5+SMIL+Android	HTML5, JavaScript, and CSS	HTML5, JavaScript, and CSS
I/O Ports	Ethernet: RJ45 Port, Built-in stereo speakers 2Wx2, Wi-Fi: IEEE 802.11 b/g/n (2.4GHz only), Wi-Fi Security: WPA/WPA2, TKIP/AES, USB storage host (Type A), 3.5mm stereo audio out jack	Ethernet: RJ45 Port, Built-in stereo speakers 2Wx2, Wi-Fi: IEEE 802.11 b/g/n (2.4GHz only), Wi-Fi Security: WPA/WPA2, TKIP/AES, USB storage host (Type A), 3.5mm stereo audio out jack	HDMI out 3.5mm stereo audio USB ports ADB port Ethernet port Micro SD card slot Power jack Reset button Kensington lock	HDMI in , VGA In 3.5mm stereo audio USB ports ADB port Ethernet port Micro SD card slot Power jack Reset button Kensington lock	HDMI out 3.5mm stereo audio USB ports ADB port Ethernet port Micro SD card slot Power jack Reset button Kensington lock	Built-in Wi-Fi: 802.11 b/g/n HDMI 1.4 x 1 Ethernet 10/100 BASE-T x 1 USB 2.0 x 2 Optional 3G/4G mobile module via USB Micro USB for ADB	Built-in Wi-Fi: 802.11 b/g/n HDMI 1.4 x 1 Ethernet 10/100 BASE-T x 1 USB 2.0 x 2 Optional 3G/4G mobile module via USB Micro USB for ADB
Storage	4 GB flash memory	4 GB flash memory	4 GB flash memory	8 GB flash memory	8 GB flash memory	8 GB flash memory (approx. 360 minutes of typical 720p video @3 Mbps) Micro SD card slot (capable to expand up to 32GB)	8 GB flash memory (approx. 360 minutes of typical 720p video @3 Mbps) Micro SD card slot (capable to expand up to 32GB)
Power Input	Input: 100-240V, 50-60 Hz, 0.5A Max.	Input: 100-240V, 50-60 Hz, 0.5A Max.	Input: 100-240V, 50-60 Hz, 0.5A Max.	Input: 100-240V, 50-60 Hz, 0.5A Max.	Input: 100-240V, 50-60 Hz, 0.5A Max.	100-240V, 50-60 Hz, 0.5A Max.	100-240V, 50-60 Hz, 0.5A Max.
Output	12V, 1.5A	12V, 1.5A	12V, 1.5A	12V, 1.5A	12V, 1.5A	5.35V, 2A	5.35V, 2A

Room Booking Displays / Door signs

شاشات حجز القاعات وبرامج الفصول الدراسية



Kiosks - Product Matrix

						
	MITRA	ERU	ISIS	PHEX Wall	PHEX Stand	PHEX Console
	15", 19", 22"	19", 21,5"	19", 21,5"	40", 46", 55"	19", 40", 46", 55", 70"	32", 40", 55"
Resolution	1280x800 Pixel	1280x1024	1280x1024	1280x1024	1280x1024	1280x1024
Brightnesss	450cd/m²	450cd/m²	450cd/m²	700cd/m²	700cd/m²	700cd/m²
Glass	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective
external connections: Support	USB, LAN	USB, LAN	USB, LAN	USB, LAN	USB, LAN	USB, LAN
integrated power supply	230 V	230 V	230 V	230 V	230 V	230 V
integrated PC-system	Optimized video and data²	Optimized video and data²	Optimized video and data²	Optimized video and data²	Optimized video and data²	Optimized video and data²
	VANA	Sachmet	HERA	HATHOR	Sirrion	PHEX DOUBLE
						
	19", 21,5"	21,5"	19" (with A4 printer)	19"	15", 21,5"	40", 55"
Resolution	1280x800 Pixel	1280x1024	1280x1024	1280x1024	1280x1024	1280x1024
Brightnesss	450cd/m²	450cd/m²	450cd/m²	450cd/m²	700cd/m²	700cd/m²
Glass	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective	Protection/antireflective
external connections: Support	USB, LAN	USB, LAN	USB, LAN	USB, LAN	USB, LAN	USB, LAN
integrated power supply	230 V	230 V	230 V	230 V	230 V	230 V
integrated PC-system	Optimized video and data²	Optimized video and data²	Optimized video and data²		Optimized video and data²	Optimized video and data²



Information Kiosks & Media players





To meet our customer ideal requirement, our Information Kiosk's structure is designed with style and features. There are versions designed for both internal and external use with optional cooling and heating systems. 10", 15", , 21", 32", 40", 46" 55", 65", 70", 84, and 98"" sizes are available upon request

أكشاك المعلومات ومشغلات العرض

لتلبية الاحتياجات الخاصة لعملائنا وكجزء من الحل الشامل نقدم مجموعة متنوعة من أكشاك المعلومات ومشغلات العرض ذات الجودة العالية مع تصميم أنيق لإعطاء زبائننا حل واحدكامل من مورد واحد. الأحجام المتوفرة عند الطلب: ١٠ ، ١٥ ، ٢١ ، ٣٢ ، ٤٠ ،

٤٦ ، ٥٥ ، ٦٥ ، ٧٠ ، ٨٤ ، و ٩٨

Wayfinding - Product Matrix

	Guide 3D Kiosk	Guide 3D Web	Guide 3D Mobil	Guide 3D Print
				
	Wayfinding - a scenario	AVAILABLE WHENEVER WHERE EVER	Mobile Navigation	PRINT OUT PATHS
Description	Upon entering a building, you are greeted by a touch screen kiosk and are offered various search-criteria from which you choose to view all events being held that day. The guidance-system offers you the possibility of searching for your event using key words search. After selecting your point of destination, Guide3D presents you with a 3d animation of a possible route starting at your current location and ending at your desired venue.	Guide3D is web-based service and compatible with all devices. Whether at home or on the move, users can navigate through a building to their desired destination point prior to visiting it.	Guide3D is an webbased service and takes advantage of the new possibilities of HTML5. Visitors stay informed even when on the go. Guide3D mobil requires no apps to be installed: whether Symbian, Android or iOS Guide3D is compatible with all smart phones.	Guide3D print presents you with a step by step - start to finish - route in a 3d map format. The interactive print preview allows you to view each path segment separately. If your at home, on the road, at an info-point or at a info-terminal - Guide3D print lets you print out your own personal route.
Features	<p>A colored in path highlights your chosen route, and displays objects - landmarks - you can use to orientate yourself.</p> <p>This is one of the many unique properties Guide3D posses, that facilitate the process of finding the right path: you are able to see objects, which you can easily recall at a later point (i.e. «I have to take a right after the blue seating arrangement”). The building is displayed as a continuous complex and is not separated into segments (i.e. a map).</p>	Every destination point has its own Tiny-URL. A Tiny-URL is a very short internet address which can be typed rapidly into any smartphone. Alternatively you can send a Tiny-URL as an SMS, post it on websites, or covert it to a QR-code so others can scan it with their phone's QR-Code Reader	<p>The transfer of 3d-animation to your Smartphone can be done in three ways:</p> <ol style="list-style-type: none"> 1. Tiny-URL in the mobile browser 2. Link send via SMS-Service > 3. capture QR-code 	<p>This service benefits different user groups and different fields of operation:</p> <ul style="list-style-type: none"> •Elderly individuals who have trouble coping with new technology for example be handed a piece of paper at an info-point inside of a hospital. •The path to gate 12 can be printed off prior to the flight's departure. •Instructions on how to get to a specific event can be sent along with the invitation to all attendees. •Every destination point has its very own Tiny-Link



حلول البحث والوصول إلى المسار في المباني والمجمعات

نقدم الأدوات التفاعلية والبرامج المبتكرة والمتخصصة التي تدخل قدرات وكفاءات عالية نحو توجيه مسار الناس من أ إلى ب، في المباني . مع تركيب نظام العثور على المسار ، لدينا الدلائل التفاعلية والدعم من خلال تطبيقات الموبايل، حيث نسهل الاستفادة من التكنولوجيا بأكبر قدر ممكن لتحسين تجربة الباحثين في المباني عن وجهة محددة.

Wayfinding & Directories

We offer an innovative and specialized GUI tools that introduces new capabilities and efficiencies toward Guiding people from A to B in buildings. With the installation of our wayfinding solution/ Interactive Directories and Mobile App support, people are positioned to leverage the most current technology to improve their wayfinding experience.





As part of a total solution, we include a variety of information Kiosks and displays in high quality & stylish design giving customers the ease of having one total solution from a single supplier.

Realfiction - Product Matrix

	Dreamoc HD3	Dreamoc XL2	Scandinavia 360	Scandinavia 360 XXL	Scandinavia 180 XXL	Dreamoc PLAY
						
	HD3	XL2	360	360 XXL	180 XXL	PLAY
Resolution	1920 X 1080	1920x1080	1280x1024	HD 720p per side	1280x1024	1280x1024
Screen Size	23", 16:9	46" 16:9	19" 5:4	4 psc. 46" Full HD LED Screens	3 psc. 46" Full HD LED Screens	<p>This Full HD video player enables content creators to use Apple Smart devices such as iPhones or iPod Touch to connect to a second screen via USB cables. This allows users to scroll through the content and load it into the Dreamoc creating a deeper sense of engagement and cultivating brand exposure in the process</p>
Sound	Sound out: 2 x 10W			Mini-jack	Mini-jack	
Input	SD	CF Card	SD	SD	CF Card	
Dimensions	560 x 342 x 420 mm	1170 mm x 530mm x 734mm (WxHxD)	433 x 334 x 433 (WxHxD)	1778 x 1778 x 2528 (WxHxD)		
Power	90~264 Vac, 50/60Hz	100-240V ~ 50-60Hz	100-240V ~ 50-60Hz	100-240V ~ 50-60Hz	100-240V ~ 50-60Hz	
Energy Consumption	50W (Max)	189W	30W	980W	600 Watt (max.) 435 Watt Typical	
Weight	18 ±1.0 kg	65 Kg	15 Kg	170 Kg	170 Kg	



Digital Signage Players & Signboards (Windows) - Product Matrix

	DE500I	DE6140	DE 3250	Engine Core 700
				
	HM65 Chipset, 2nd & 3rd generation Core i3,i5,i7	AMD Embedded R-series APU Quad core	Intel Bay Trail-M Quad core	Powerful Workstation for 4U Rack
CPU	2.1 GHZ - 2.9 GHZ - 3.3 GHZ	AMD Embedded R-series APU Quad core R-464L 2.3 GHz up to 3.2 GHz	Celeron N2930, 1.83 GHz up to 2.16 GHz	Chassis dimension :Dual purpose for rack mount and stand alone 178(H) x 482(W) x 571(D)mm (Rack mount, w/handle) 178(H) x 426(W) x 555(D) mm (Stand alone, w/o handle) Accommodate Digital engine x 7 sets, Adaptor (90W or 65W) x 7 pcs System cooling fan (12cm) x 3 pcs Front door with key lock Internal detachable frame x 1 (for device expandable) Changeable dust filter behind the front door Detachable front handle for rack mount or stand alone usage Material made by SECC.
On Board I/O	USB 2.0 X 2 (Rear) + USB 3.0 X 2 (Front)	USB 2.0 x 4 (2 ports combine with eSATA) (Rear) + USB 2.0 X 2 (Front)	USB 2.0 :2, SC slot: 1, eSATA: 1, COM port: 1	
Memory	DDRIII-SO-DIMM 1333/1600 x 2 up to 16 GB	DDRIII-SO-DIMM 1333/1600 x 2 up to 16 GB	DDR3L, SO-DIMM, 1600 (1.35V) 4G x 1	
Storage	2.5" SATA III 320G 8M/5400RPM	2.5" SATA III 320G 8M/5400RPM	2.5", 64GB. 350/100(MB/sec),SATAIII/mSATA	
Graphics	Intel HD graphics 3000, integrated on CPU	AMD Radeon HD 7660G (build in APU R-464L)	Intel HD graphics, integrated on CPU	
VGA port	DVI X 1, DP port X 1	HDMI X 4	HDMI X 2	
LAN	Intel Gigabit Ethernet WG82579LM, 10/100/1000Mbps	Realtek GbE LAN controller RTL8111E-VL / 10/100/1000Mbps	Realtek RTL8111G x2, 10/100/1000Mbps	
Audio	Realtek HD Audio Codec ALC662	Realtek HD Audio Codec ALC662	Realtek ALC662	

DSD - Product Matrix

	DT22M	DSD42-HE / DSD46-HE	DSD55-HE	DSD65-HE
				
	22"	42" / 46"	55"	65"
Resolution	1920x1080	1920x1080	1920x1080	1920x1080
Brightness	250 nits	500 nits	450 nits	450 nits
View Angle	Vertical Alignment (VA) Full HD Display with back light LED design	178/178	178/178	178/178
Contrast ratio	--	4000:1	4000:1	4000:1
Audio	Line-in Audio Jack X 1	Audio In X 2 \ Audio Out X 1	Audio In x 2 \ Audio Out X 1	Audio In X 2 \ Audio Out X 1
I/O Port	DVI-I & VGA Display Interface RS232 I/O Port	VGA-in X 2, HDMI X 2, RS232 in/out X 1	VGA-in X 1, HDMI X 1, DVI X1, Composites X 1, RS232 in/out X 1	VGA-in X 2, HDMI X 2, RS232 in/out X 1







PC image Processors - Product Matrix

Series	Multi Monitor Adapter	Warp and edge blending	Video wall processor	Multi-window processor
Picture				
Processor or Module	Dual, Tripple, Four , Five, Six Monitor Expansion Module	Module or Processor	Processor with Output Cards	Processor
Description	Support Displayport/DVI-Dualink/HDMI 3Ghz input, support two to six screen output expansion, support vertical, horizontal and mixed expansion, even taditional video wall is achieved via expansion unit with NVIDIA graphic card	blending module, warping module or all-in-one edge blending processor	0-360 any degree any size screens rotation by hardware,	multiple video signal sources capturing and displaying system
Features	Patent Flexviewtechnology inside leading multi-unit parallel/cascade using function Industry level design, high reliability	6144x768@60Hz Modular based design, support add channels with more cards, Patent super sync technology, fixed latency for all outputs, support multi-device in parallel with accurate sync. support 120Hz active stereo multi-channel edge blending , Support Grid based warp and fast warp technology, Fully programmable transition curves, whole region black level and light leakage compensation, pure white and non-pure white transition curves,- four sides blending	creative shape besides traditional horizontal and vertical layout,real time synchronization and reliability, unuauaI shaped or dynamic video wall	capable of DVI, VGA, YPbPr and CVBS capturing and displaying,one background and four realtime sources processing floating,zoom-ing,PIP window function, use with blending or video wall system



Queuing - Product Matrix

	Button ticket dispenser	Touch ticket dispenser	Q IPAD	Information screen
				
		10", 15"		40", 46", 55"
Services	Up to 8	Unlimited	<ul style="list-style-type: none"> Call, cancel and pause tickets - Get statistics about the service - Transfer tickets between desks - Access the paused and cancelled tickets - Send quick and temporary messages to the display - Receive messages from operators in different desks 	Comes in different screen sizes, shows the Q and counter numbers. It displays digital signage as well with video, images, and scrolling text
Color	Black/white	Programmable		
Printer	57 mm, cutter, presenter	57 mm, cutter, presenter		
Interface	TCP/IP	TCP/IP		
Text	Custom	Custom		
integrated PC-system	Optimized video and data ²	Optimized video and data ²		



حلول تنظيم وتوزيع الخدمات للمراجعين , أنظمة تقييم الخدمات والموظفين

تعتمد حلول إدارة قائمة الانتظار لدينا على أحدث ما توصلت إليه هذه الأنظمة من شاشات عرض وطابعات تذاكر المراجعين . وبالإضافة إلى ذلك، نحن نقدم أدوات البرمجيات المتطورة لتحليل البيانات لتقييم عمل الموظفين والإحصاءات لتحسين برامج خدمة العملاء .

Queuing Systems, Customer feedback systems

Our Queue management solution is based on the state of the art technology which consists of counter LED display screens and touch wireless tickets dispensers . In addition, we provide advanced software tools for the analysis of the data to evaluate the work of the staff and statistics to improve customer service programs. Our solution is essential for institutions like banks, local government offices, hospitals, post offices, telecommunication companies. We definitely can improve their services providing a more efficient way of handling customers and the same time keeping a favorable image for the company.

Previous installations

تركيبات سابقة



Previous installations



OUR CONTACTS

Our Contacts

Sidani Street

Itani & Arab Bldg., 2nd Floor

Hamra District

Beirut, LEBANON

Tel: + 96176064147 (Lebanon)

Tel: + 96896101141 (Oman)

Tel: + 966565550795 (Saudi Arabia)

info@avconsultmea.com

www.avconsultmea.com

www.avconsultmea.com

نافذتك إلى المستقبل
A window to the future



