

HTML TO PDF CAPABILITY ATLAS

Maroto HTML Demo

One generated PDF exercising the supported HTML tags, CSS styling, flex layout, table spans, list markers, and document composition patterns.

- Pure Go
- No browser
- No Node

At a glance

Drop styled HTML into Maroto and get a paginated PDF with native rows, tables, and lists — no external renderer.

Blocks

Sections, articles, asides, headers, paragraphs, rules, quotes, code.

Styles

Color, size, emphasis, underline, strike, background, padding, border, radius.

Layout

Flex rows, weighted columns, basis sizing, gaps, alignment, stacked columns.

Data

Tables with header rows, zebra rows, colspan, rowspan, rich text, nested lists.

Typography & Inline Runs

This paragraph combines **bold** , **strong** , *italic* , *emphasis* , underline , strike , subscript , superscript , and a live project link . Paragraph-level CSS controls color and size while inline tags add emphasis, links, line breaks, and vertical alignment.

Heading scale

- h4: Fourth level heading
h5: Fifth level heading
h6: Sixth level heading

Blockquotes render as padded, bordered, colored rows. Useful for callouts, excerpts, warnings, or customer notes.

```
package main

func main() {
    // Preformatted blocks preserve spacing and keep code samples readable.
    println("html demo")
}
```

Container Styling

Background + radius: containers can carry background color, padding, borders, and rounded corners around multiple child rows. **Nested text:** headings, paragraphs, inline formatting, and links stay inside the styled container.

Per-side borders

Different border widths and colors apply per side for section dividers and highlighted panels.

Asymmetric radius

Individual corner radii are accepted, so the shape can be asymmetric while staying PDF-friendly.

Flex Layout Options

Equal columns

Three children in a row share the 12-column Maroto grid.

Gap support

The gap reserves space between columns or falls back to visual margins.

Auto height

Each column can contain multiple rows and rich styled content.

Weighted flex: 2

This column gets more grid space than the sibling because it uses a larger flex grow value.

Weighted flex: 1

The narrower column keeps its own background, padding, and border.

flex-basis: 25%

flex-basis: 50%

flex: 1 remainder

center

justify-content

with gap

space-between left

middle

right

Column flex row 1:
flex-direction: column emits stacked rows.

Column flex row 2:
row-gap inserts spacing between stacked children.

Column flex row 3:
each item keeps its own block styling.

Lists & Nested Markers

Unordered with nested ordered list

- Bullet item with rich text
- Nested plan
 - a. Lower alpha markers
 - b. Inline *formatting* remains available
 - c. Links render as hyperlinked runs
- Final bullet item

Ordered marker styles

- 1 Decimal circles
 - 2 Useful for steps
 - 3 Compact and clear
- I. Upper roman
II. Second roman

Tables, Spans & Cell Styles

FEATURE	HTML	CSS	RESULT
Rich text	b, i, u, s	color, size	Runs in one cell
	a, sub, sup	links	Hyperlinks and align
Containers	div, section	bg, border, padding	Styled blocks
Flex	display:flex	gap, flex, basis	Grid columns
Lists	ul, ol, li	margin	Nested markers
Images	img	width, height	PNG, JPG, SVG
Coverage	all of the above	in this document	visible

Report-Style Composition

Quarterly Operations Snapshot

Semantic containers such as header, nav, article, aside, section, and footer fall through to block layout while preserving their children and styles.

ON-TIME DELIVERY

95%
target 92%

ACTIVE REGIONS

18
+2 vs Q3

OPEN EXCEPTIONS

4
all triaged

NPS

62
leading peers

Operational narrative

The HTML translator is built for structured documents: invoices, reports, statements, quotes, packing slips, certificates, and compact dashboards.

Long documents paginate naturally through Maroto while native rows can still be mixed with HTML-generated rows on the same page.

Highlights

4 regions improved
0 SLA breaches
1 new partner

REGION	OWNER	STATUS	NEXT STEP
North	Avery	Green	Renew supplier schedule
South	Blair	Watch	Confirm warehouse capacity
West	Casey	Red	Escalate shipping exception
International	Drew	Green	Close customs checklist

Modern HTML + CSS

The features below were added in the engine + styling extension and are all parsed by maroto's pure-Go pipeline — no browser, no JS.

Modern colours and opacity

rgba hsl #rrggbbaa tomato rebeccapurple

Typography polish

LETTER-SPACED UPPERCASE

Capitalized Words For Headings Or Labels

Text-indent shifts the leading edge of a paragraph (whole-paragraph in v1, first-line indent is deferred).

Expanded tag coverage

Highlight a marked phrase , press `Ctrl+Shift+P` , call `doSomething()` , refer to HTML , quote " like this " , cite *The Pragmatic Programmer* , use a variable `x` , show `sample output` , and a smaller aside .

Definition list

Pairs of term and description.

Details / summary

Always-expanded styled block.

Accordion-style summary

PDF has no toggle so `<details>` always renders open with a bold summary.

Selectors and zebra rows

```
.zebra tr:nth-child(even) td { background-color: #f4f6f8 } .zebra tr:first-child td { font-weight: bold }
```

Header A	Header B	Header C
Row 1	data	data
Row 2	data	data
Row 3	data	data
Row 4	data	data

CSS variables and calc()

```
:root { --brand: #0f2c4a; --brand-soft: #eef3f9 } .var-demo { background-color: var(--brand-soft); color: var(--brand); padding: 2mm; border-radius: 1.5mm; width: calc(100% - 20mm) }
```

This box's background, text colour, and width are all driven by CSS variables and a `calc(100% - 20mm)` width.

Internal anchors

Jump back to the Modern features section — clickable internal link backed by gofpdf's named destinations.

Best Practices

Authoring

Use HTML for document bodies; keep recurring page furniture in Maroto headers or native rows.

Assets

Resolve images via a scoped base directory or a custom resolver so output stays deterministic.

Pagination

Keep highly styled containers compact; backgrounds and borders are kept together intentionally.

Recommended document recipe

- 1 Design the body as semantic HTML with small reusable classes
- 2 Use flex for horizontal groups and tables for dense data
- 3 Use native Maroto rows for fixed repeating chrome
- 4 Generate and inspect the resulting PDF in tests or examples

Good fit

- Invoices
- Statements
- Reports
- Certificates
- Op summaries

Maroto HTML — a single PDF showcasing styled HTML, flex layout, lists, and tables. Generated entirely in pure Go.