

HTML TO PDF CAPABILITY ATLAS

Paper HTML Demo

One generated PDF exercising supported HTML, CSS, flex, tables, gradients, shadows, outlines, and page-break controls.

- Pure Go
- No browser
- No Node

At a glance

Drop styled HTML into Paper and get a paginated PDF with native rows, tables, and lists — no external renderer.

Blocks

Sections, articles, paragraphs, rules, quotes, code.

Styles

Gradients, shadows, outlines, bg, border, radius.

Layout

Flex wrap, order, align-self, weighted columns.

Pages

Page-break controls and splittable containers.

Typography & Inline Runs

This paragraph combines **bold**, **strong**, *italic*, *emphasis*, underline, ~~strike~~, <sub>subscript</sub>, <sup>superscript</sup>, an inline  SVG icon, and a live project link.

LETTER-SPACED UPPERCASE TEXT

Text-indent now offsets only the first rendered line. This sentence wraps so the second line returns to the normal paragraph edge.

Centered paragraph using CSS text-align.

Right-aligned paragraph using CSS text-align.

pre-line preserves this break while still collapsing extra inline spacing.

pre-wrap keeps repeated spaces and explicit line breaks.

nowrap keeps this long sentence on a single rendered line even in a narrow-looking text sample.

Blockquotes render as padded, bordered, colored rows — useful for callouts or excerpts.

Inline Background · Letter Spacing · Text Shadow

Highlighted: **important text** · Keyboard: `Ctrl+C` · Code: `fmt.Println()`

letter-spaced tinted span

Heading with text shadow behind it

CSS Gradients

Linear gradient: navy . blue

Radial gradient: white centre to amber edge

45° three-stop diagonal gradient

## Box Shadow · Outline

Drop shadow: 1mm × 1mm, 3mm blur approximation

Inset shadow — inner depth effect

Solid pink outline 1mm outside the cell edge (outline-offset:1mm)

Dashed blue outline 0.5mm outside the cell

## Dashed / Dotted Borders

All-sides dashed border on a div

## Flex-wrap · Order · align-self

Six pill items with `flex-wrap:wrap` and explicit `order` values — rendered in order A.F regardless of DOM order.

Tag A

Tag B

Tag C

Tag D

Tag E

Tag F

## CSS Variables · calc()

Background, text colour, and width all driven by CSS variables. Width = `calc(100% - 20mm)`.

## Flex Layout

### Equal columns

Three flex children share the 12-column grid equally.

### Gap support

Column gap is honoured via the integer grid.

### Auto height

Each column can contain multiple styled rows.

flex-basis: 25%

flex-basis: 50%

flex: 1 remainder

## Tables · Spans · Cell Styles

| FEATURE     | HTML             | CSS                           | RESULT               |
|-------------|------------------|-------------------------------|----------------------|
| Rich text   | b, i, u, s       | color, size                   | Runs in one cell     |
|             | a, sub, sup      | links                         | Hyperlinks and align |
| Flex        | display:flex     | gap, flex, basis, wrap, order | Grid columns         |
| Gradients   | background-image | linear/radial-gradient        | Raster PNG           |
| Shadows     | CSS              | box-shadow, text-shadow       | Offset rects         |
| Page breaks | CSS              | page-break-after/before       | addRow() split       |

## Internal Anchors

Jump to Flex-wrap section — per-run clickable link covering only the anchor text.

**Paper HTML** — Pure Go HTML.PDF with gradients, shadows, outlines, flex-wrap, order, page-break controls, and splittable containers.