Chapter2_DataVisualization

October 19, 2023

```
[]: # step 0:
    # py -m pip install seaborn
    # py -m pip install matplotlib

# import pandas
import pandas as pd # alias with a shorter name for reference
import numpy as np
from sklearn.linear_model import LinearRegression

import scipy.stats as st

import seaborn as sns
import matplotlib.pyplot as plt

import warnings
# Suppress all warnings
warnings.filterwarnings("ignore")
```


Visualizing data is always the first step in an analytic project. There are two main libraries in python that are used for data visualization: matplotlib and seaborn. These packages can be used to visualize the Iris dataset.

Simple visualizations can be made to easily explore the distribution of each column.


```
[]: plt.hist(iris_df['PetalLengthCm'], edgecolor='black')

# Adding labels and a title
plt.xlabel('Petal Length (cm)')
plt.ylabel('Frequency')
plt.title('Distribution of Petal Lengths')
```

[]: Text(0.5, 1.0, 'Distribution of Petal Lengths')




We can look at petal length for each type like this:



Boxplots can be made by using the boxplot method.

```
[]: iris_df.boxplot(column='PetalLengthCm', by='Species')
plt.title('Distribution of Petal Lengths')
```

[]: Text(0.5, 1.0, 'Distribution of Petal Lengths')




The seaborn package can also be used. Here is a scatterplot.

```
[]: sns.scatterplot(data=iris_df, x='SepalLengthCm', y='SepalWidthCm')


# Adding labels and a title
plt.xlabel('Sepal Length (cm)')
plt.ylabel('Sepal Width (cm)')
plt.title('Sepal Length vs Sepal Width')
```

[]: Text(0.5, 1.0, 'Sepal Length vs Sepal Width')



This graph was made my using the scatter function to plot the points, and then the x/y label and title functions to label the axis and include a title. The points on the graph can be colored by the flower type by using the "hue" parameter in the scatterplot function.

[]: Text(0.5, 1.0, 'Sepal Length vs Sepal Width')



```
[]: # Assuming you have the 'iris_df' DataFrame loaded

# Create a figure and axis
fig, ax = plt.subplots()


# create grouped df for each species type
for species, data in iris_df.groupby('Species'):

# plot the petal length by species type
data['PetalLengthCm'].plot(kind='hist', alpha=0.6, ax=ax, label=species)

# Adding labels and a title
ax.set_xlabel('Petal Length (cm)')
ax.set_ylabel('Frequency')
ax.set_title('Histogram of Petal Length by Species')


# Add a legend
ax.legend()
```

```
# Display the plot
plt.show()
```



```
[]: sns.histplot(data=iris_df, x='PetalLengthCm', hue='Species', bins=20, ⊔
⇔element='step', common_norm=False)
```


[]: <Axes: xlabel='PetalLengthCm', ylabel='Count'>



```
[]: fig, ax = plt.subplots()

# Group the data by 'Species' and plot histograms for 'PetalLengthCm'
for species, data in iris_df.groupby('Species'):

    data['PetalLengthCm'].plot(kind='hist', alpha=0.6, ax=ax, label=species)
```



```
[]: # fit a linear model to the sepal widths using sepal length to predict
df = pd.get_dummies(iris_df["Species"])


X = pd.concat([df, iris_df["SepalLengthCm"]], axis=1)

y = iris_df["SepalWidthCm"] # Dependent variable (PetalLengthCm)

# Create and fit the linear regression model
model = LinearRegression()
model.fit(X, y)

predictions = model.predict(X)
```

[]: Text(0.5, 1.0, 'Sepal Length vs Sepal Width')



```
[]: # Create a scatter plot with a regression line for each category (species)
sns.lmplot(x='SepalLengthCm', y='SepalWidthCm', hue='Species', data=iris_df)

# Customize the plot
plt.xlabel('Sepal Length (cm)')
plt.ylabel('Sepal Width (cm)')
plt.title('Scatter Plot with Regression Lines for Each Species')

# Show the plot
plt.show()
```

