

Bosgenesis MoP Creation Agent Professional Release Notes and Package Intelligence Report

v0.0.1 | Public GitHub repository analysis | Generated 2026-06-27

20

PUBLIC TAGS

21

COMMITTS

0.0.1

PACKAGE VERSION

Py 3.11+

RUNTIME

Release positioning
This document packages the visible repository evolution into an executive-ready release note with change history from repository evidence, package metadata, capability analysis, deployment posture, safety notes, validation checklist, risks, and next-release recommendations.

Metric	Value
Engineering Leaders	Understand release maturity, delivery velocity, and technical scope.
DevOps / Platform	Review packaging, Kubernetes/Helm posture, validation, and rollback readiness.
Citizen Development / Agent Platform Teams	Understand how this agent contributes to reproducible BOS Genesis documentation.

1. Executive Summary

Commercial summary of the v0.0.1 package, based on public repository evidence.

`bosgenesis-mop-creation-agent` is a spec-first, LLM-assisted agent for reconstructing how a single BOS Genesis Kubernetes namespace was installed and generating reproducible installation documentation. Intent source: stated. Evidence: ev_96de895d32fa82fcf161.

The current public repository describes a foundation release with FastAPI service shell, REST endpoints, MCP-style tools, Dockerfile, Helm skeleton, Kubernetes deployment posture, pytest, Ruff CI readiness.

11 days

Release window

20

Visible tags

95.9%

Python

Codebase mix

Read-only

Safety mode

REST-triggered generation	MCP-style agent contract	Helm/Kubernetes deployment path	Container packaging
pytest quality baseline	Ruff CI readiness	Spec-first operating model	Read-only safety posture

Release recommendation

This release can be presented commercially as an initial platform-capability release. The strongest story is visible delivery progress and contracts; production readiness should remain clearly gated by the listed evidence gaps.


2. Release And Package Information

Metric	Value
Product / Component	Bosgenesis MoP Creation Agent
Repository	github.com/aveeshek/bosgenesis-mop-creation-agent
Package name	bosgenesis-mop-creation-agent
Current package version	0.0.1
Release type	Foundation / repository capability release
Runtime requirement	Py 3.11+
Primary interface	FastAPI REST service
Target deployment model	Docker image + Helm chart + Kubernetes deployment
Security posture	Read-only repository analysis; no repository code execution
Detected technology	GitHub Actions, Docker, Helm, Kubernetes, FastAPI, MCP, Pydantic, Python, Shell, Ruff, Python packaging, pytest


3. Analytical Release Dashboard

Delivery velocity, capability mix, and maturity signals inferred from public repo evidence.

Tag Velocity: New tags/day with cumulative release growth



Capability Distribution by Tag Theme




Note: classification inferred from public tag names and commit messages; not a formal GitHub release taxonomy.

4. Release Readiness Assessment

Analytical maturity scoring; intended for planning and review, not as a formal audit.

Release Readiness Assessment (Analytical Estimate)

Score based on public repo evidence: contracts, source documentation coverage, lightweight security scan findings, tests, dependencies, and deployment files.



Dimension	Score	Evidence-based interpretation	Recommended action
API contract	4.0/5	REST or MCP-style contracts are visible and testable.	Add formal API or MCP examples and backward compatibility policy.
Documentation coverage	2.0/5	11/290 documentable source symbols include docstrings or Javadoc-style comments (3.8%). LLM advisory: Extremely low documentation coverage (3.8%) across 56 Python files, with only 11/290 symbols documented.	Add docstrings or Javadoc-style comments to public modules, classes, functions, and services.
Security scan	3.2/5	Lightweight scan found 0 sanitized finding(s) across 107 file(s); controls: CI workflow.	Review high/medium findings, add CodeQL/Dependabot/SECURITY.md, and keep secrets out of source.
Repository documentation	4.1/5	102 documentation artifact(s) were inventoried.	Keep README, architecture, operational, and module-level specs current.
Testing	3.0/5	18 test source file(s) were detected.	Publish test reports and coverage artifacts with release evidence.
Observability	2.4/5	No explicit observability stack marker was detected.	Add trace IDs, spans, metrics, dashboards, and release observability notes.
Persistence	3.2/5	Persistence or storage markers are visible.	Document schemas, migrations, backup, and retention expectations.
Deployment packaging	3.7/5	Docker, Helm, or Kubernetes packaging is visible.	Add production values, probes, limits, and release pipeline artifacts.

5. Change History From Repository Evidence

Visible repository history converted into business-friendly release history.

Tag / Commit	Date	Commit	Release theme	Commercial value / change summary
specs	2026-05-25	571cc8d	Foundation	Foundation milestone: specs.
phase0-foundation	2026-05-26	e74d61b	Foundation	Foundation milestone: Phase 0 foundation.
phase1-mcp-api	2026-05-26	2761063	MCP/API Contract	MCP/API Contract milestone: Phase 1 mcp api.
phase03-snapshot-reader	2026-05-28	9adeec3	Evidence	Evidence milestone: Phase 03 snapshot reader.
phase04-mcp-enrichment	2026-05-28	15765fa	MCP/API Contract	MCP/API Contract milestone: Phase 04 mcp enrichment.
phase05-classification-and-safety	2026-05-29	bd9510e	Safety/Classification	Safety/Classification milestone: Phase 05 classification and safety.
phase06-manifest-and-helm-reconstruction	2026-06-02	6a2b4f1	Deployment	Deployment milestone: Phase 06 manifest and helm reconstruction.
phase08-markdown-installation-notes-renderer	2026-06-02	2d69e25	Doc Rendering	Doc Rendering milestone: Phase 08 markdown installation notes renderer.
phase09-qdrant-read-only-reference-lookup	2026-06-03	9c9313e	Evidence	Evidence milestone: Phase 09 qdrant read only reference lookup.
phase10-llm-reasoning	2026-06-03	e680d05	Reasoning	Reasoning milestone: Phase 10 llm reasoning.
phase07-professional-pdf-renderer	2026-06-03	f7c5f91	Doc Rendering	Doc Rendering milestone: Phase 07 professional pdf renderer.
phase10.1-runtime-namespace-api	2026-06-04	5fc14e1	MCP/API Contract	MCP/API Contract milestone: Phase 10.1 runtime namespace api.
phase11-memory-layer	2026-06-04	caf175b	Memory	Memory milestone: Phase 11 memory layer.
phase13-observability-audit-hardening	2026-06-05	ba6c30b	Repository Change	Repository Change milestone: Phase 13 observability audit hardening.
phase13.1-validation-gates	2026-06-05	6373fdc	Repository Change	Repository Change milestone: Phase 13.1 validation gates.
phase15-release-candidate	2026-06-07	12f796f	Repository Change	Repository Change milestone: Phase 15 release candidate.
codex-skill-config	2026-06-07	233631a	Repository Change	Repository Change milestone: codex skill config.
phase16-executable-helm-reconstruction	2026-06-20	0b2eaed	Deployment	Deployment milestone: Phase 16 executable helm reconstruction.
phase16.1-ingress-pvc-reconstruction	2026-06-21	1986852	Repository Change	Repository Change milestone: Phase 16.1 ingress pvc reconstruction.
phase16.2-final-clone-reconstruction	2026-06-22	e4049fe	Repository Change	Repository Change milestone: Phase 16.2 final clone reconstruction.

6. Technical Capability Map

What the repository enables today and what remains clearly marked as future or partial scope.

Capability area	Delivered / visible in repo evidence	Commercial interpretation
REST service shell	HTTP routes detected.	Establishes service interface for demos, smoke tests, and integration discussion.
MCP-style integration	No explicit MCP tools detected.	Allows MCP-aware clients to call bounded repository or release-note operations.
Document outputs	Markdown/HTML/PDF artifacts are supported by the release-note agent renderer.	Creates dual-persona documentation: human operations and future agent execution.
Kubernetes/Helm posture	Docker image + Helm chart + Kubernetes deployment	Aligns with BOS Genesis reproducibility and deployment review use cases.
Quality tooling	pytest, Ruff	Supports quality-gate and CI readiness discussion.
Safety posture	Lightweight scan found 0 sanitized finding(s); controls: CI workflow.	Strong fit for controlled enterprise automation and audit requirements.


Non-functional notes

- Spec-driven implementation
- Traceability-oriented design
- Artifact-oriented output
- Read-only discovery
- Helm/Kubernetes deployment path
- Future observability hooks

Architecture evidence diagrams


Repository Analysis Flow

Repository evidence is collected before analytics and report rendering. Confidence: 0.95.




C4 Context

High-level context for repository scanning and release-note production. Confidence: 0.80.




C4 Container

Runtime containers and their main data flows. Confidence: 0.75.




Component Analysis

Analyzer components feeding the normalized analytics bundle. Confidence: 0.85.



Deployment Topology

Deployment topology derived only from detected deployment evidence. Confidence: 0.80.



7. Deployment, Validation, And Rollback Notes

Operator-ready release details for a professional deployment note.

Purpose	Command
Local install	<code>python -m pip install -e ".[dev]"</code>
Local run	<code>bosgenesis-mop-creation-agent</code>
Helm deploy	<code>IMAGE_REPOSITORY=... IMAGE_TAG=... ./playbook/deploy.sh</code>
REST contract test	<code>curl -X POST http://localhost:8080/api/v1/scans ...</code>
MCP-style test	<code>curl http://localhost:8090/mcp/tools</code>

Recommended production-readiness checklist

Gate	Status to validate before promotion
Build integrity	Docker image built, scanned, and mapped to exact Git commit.
API health	<code>/health</code> returns healthy status after deployment.
Config safety	Sensitive values are redacted from effective configuration.
MCP contract	Tool list and health tool calls succeed.
Artifact output	PDF and Markdown output paths are created, validated, and retained.
Safety test	Agent cannot mutate Kubernetes, Helm, databases, streams, or application data.
Observability	Correlation IDs, logs, traces, and metrics visible in target tools.
Rollback	Uninstaller and Helm rollback path tested in non-production namespace.

8. Known Limitations, Risks, And Controls

Transparent release-note section for commercial-grade governance.

Risk / limitation	Impact	Recommended control
Generation behavior may be partially contract/stub-oriented.	Users may expect full repository-to-artifact automation before it is wired.	Mark release as foundation capability; label production readiness clearly.
No full coverage report evidence detected.	Harder to prove runtime quality from repository files alone.	Publish test reports and coverage artifacts in CI.
LLM or reasoning features require guardrails.	Risk of nondeterministic or overreaching recommendations.	Add bounded prompts, policy checks, and regression evaluations.
Kubernetes/Helm reconstruction must avoid secrets and mutation.	Potential compliance risk if evidence export is too broad.	Namespace-only RBAC, secret redaction, deny-list and audit events.

Known evidence gaps

- Missing HLD documentation.
- Missing LLD documentation.
- No ADR documentation detected.
- No coverage report evidence detected.
- No module-level specs.md documentation detected.
- No pytest or JUnit test report evidence detected.
- Unsupported source extension for structure parsing: .sh

Release classification

Classification	Recommended wording
External demo	Safe for controlled demo as an initial agent package and release-history example.
Internal platform pilot	Suitable for sandbox validation where read-only boundaries and artifact outputs are verified.
Production automation	Not yet recommended unless evidence collection, artifacts, security, and observability are validated.

9. Recommended Next Release Scope

Commercially useful roadmap derived from gaps and existing repository direction.

Priority	Theme	Recommended next capability	Business value
P1	Formal release management	Create GitHub Releases with notes, artifact links, SBOM and checksums.	Improves commercial credibility and traceable delivery.
P1	Evidence engine	Complete repository and runtime evidence collection.	Makes generated notes grounded in runtime and source facts.
P1	Artifact generation	Wire end-to-end Markdown, HTML, and PDF generation into worker/API flow.	Turns the agent from contract demo into usable documentation factory.
P1	Security	Add redaction, secret deny-list, read-only RBAC and policy tests.	Makes enterprise adoption safer.
P2	Observability	Add OpenTelemetry spans, Langfuse traces, dashboards and correlation IDs.	Improves supportability and executive demo evidence.
P2	Persistence	Store runs, artifacts, evidence bundles, decisions and audit records.	Supports history, audit, and repeatability.
P2	Evaluation	Add reproducibility, grounding, safety and PDF quality evaluation suites.	Improves confidence before promotion.

Suggested next release title

v0.2.0 - Evidence-Grounded Release Artifact Generation: complete repository evidence extraction, deterministic PDF/Markdown generation, artifact retention, and smoke-test verification.

Appendix A. Evidence Sources And Assumptions

ev_00dd0e71ae725e24f664

Source: tests/test_phase7_pdf_renderer.py (test_report)
test file tests/test_phase7_pdf_renderer.py (8692 bytes)

ev_06aad13206a6a85d08ab

Source: memory/redis/SPEC.md (spec_document)
docs file memory/redis/SPEC.md (390 bytes)

ev_08916f3d9cd94c5daa1e

Source: artifacts/human-mop/human_mop_pdf_template.md (file)
docs file artifacts/human-mop/human_mop_pdf_template.md (11469 bytes)

ev_0bfd120b132f7865a851

Source: src/bosgenesis_mop_creation_agent/reconstruction/models.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/models.py (1494 bytes)

ev_0d0ca44780f98e475327

Source: docs/05_OUTPUT_CONTRACTS.md (file)
docs file docs/05_OUTPUT_CONTRACTS.md (18495 bytes)

ev_0efc6adfb196e990440e

Source: src/bosgenesis_mop_creation_agent/__main__.py (file)
source file src/bosgenesis_mop_creation_agent/__main__.py (105 bytes)

ev_100441bc0337e13650e1

Source: src/bosgenesis_mop_creation_agent/memory/models.py (file)
source file src/bosgenesis_mop_creation_agent/memory/models.py (1367 bytes)

ev_10a00996c463dacf5972

Source: playbook/deploy.sh (file)
source file playbook/deploy.sh (8003 bytes)

ev_1106f1359824c603440a

Source: docs/07_SAMPLE_MOP_TEMPLATE.md (file)
docs file docs/07_SAMPLE_MOP_TEMPLATE.md (3754 bytes)

ev_11a84b7bb0bd97950cf5

Source: src/bosgenesis_mop_creation_agent/llm/model_gateway.py (file)
source file src/bosgenesis_mop_creation_agent/llm/model_gateway.py (3217 bytes)

ev_1213505fbc1fa19fa321

Source: src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (4107 bytes)

ev_12ed7a520c56a86b0b1e

Source: src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (28 bytes)

ev_167ea4f9cfdc226e61f

Source: src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (7628 bytes)

ev_19b9585499f34e0dde09

Source: tests/test_phase10_bounded_reasoning.py (test_report)
test file tests/test_phase10_bounded_reasoning.py (9367 bytes)

ev_1a4c8b2483ca1a310563

Source: src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (1995 bytes)

ev_1bc486c292db739af277

Source: tests/test_phase6_reconstruction.py (test_report)
test file tests/test_phase6_reconstruction.py (14039 bytes)

ev_1c41477420fee2e1c634

Source: src/bosgenesis_mop_creation_agent/models/requests.py (file)
source file src/bosgenesis_mop_creation_agent/models/requests.py (2539 bytes)

ev_1d58c9d94361e7f1e788

Source: src/bosgenesis_mop_creation_agent/memory/service.py (file)
source file src/bosgenesis_mop_creation_agent/memory/service.py (8584 bytes)

ev_1f6fa7b356296aa3cb3b

Source: samples/SPEC.md (spec_document)
docs file samples/SPEC.md (431 bytes)

ev_1fad05f204ac576140fc

Source: playbook/rollback/SPEC.md (spec_document)
docs file playbook/rollback/SPEC.md (224 bytes)

ev_1fd0e471f21dbb21d432

Source: codex/prompts/SPEC.md (spec_document)
docs file codex/prompts/SPEC.md (313 bytes)

ev_20142773b3c8baaf07e5

Source: charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (1481 bytes)

ev_208ac95e391935684608

Source: codex/SPEC.md (spec_document)
docs file codex/SPEC.md (474 bytes)

ev_21574daad08ab5c82316

Source: playbook/operations/SPEC.md (spec_document)
docs file playbook/operations/SPEC.md (259 bytes)

ev_24c8cb79f2df75b3dea7

Source: knowledge-base/design/SPEC.md (spec_document)
docs file knowledge-base/design/SPEC.md (104 bytes)

ev_26b8e8c89b0b87239d72

Source: config/SPEC.md (spec_document)
docs file config/SPEC.md (572 bytes)

ev_2763b25cb95396521f51

Source: src/bosgenesis_mop_creation_agent/observability/models.py (file)
source file src/bosgenesis_mop_creation_agent/observability/models.py (1517 bytes)

ev_279f7dc54b3fc8bdce4a

Source: tests/test_phase1_contract.py (test_report)
test file tests/test_phase1_contract.py (15627 bytes)

ev_291a2ed1ec35fb2df710

Source: evaluations/grounding/SPEC.md (spec_document)
docs file evaluations/grounding/SPEC.md (161 bytes)

ev_29336dbe2e37f102b48d

Source: charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (779 bytes)

ev_2d1b8f3cbb5373f94a21

Source: src/bosgenesis_mop_creation_agent/llm/models.py (file)
source file src/bosgenesis_mop_creation_agent/llm/models.py (3526 bytes)

ev_2d4566494431116e16c0

Source: src/bosgenesis_mop_creation_agent/evidence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/evidence/SPEC.md (1421 bytes)

ev_2dcbe1fb4d8d684f7785

Source: artifacts/SPEC.md (spec_document)
docs file artifacts/SPEC.md (449 bytes)

ev_2e6dcbc8aa35813be862

Source: src/bosgenesis_mop_creation_agent/sources/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/sources/SPEC.md (1073 bytes)

ev_3046f5e9ffcde4b3e556

Source: src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (file)
source file src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (9076 bytes)

ev_31630a7b7395b0553039

Source: src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (9463 bytes)

ev_31793097950f1d01b622

Source: src/bosgenesis_mop_creation_agent/api/routes.py (file)
source file src/bosgenesis_mop_creation_agent/api/routes.py (13892 bytes)

ev_31db01a017cd62a9e237

Source: artifacts/human-mop/SPEC.md (spec_document)
docs file artifacts/human-mop/SPEC.md (2238 bytes)

ev_3451f154abcfbf94a7d8

Source: src/bosgenesis_mop_creation_agent/api/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/api/__init__.py (25 bytes)

ev_34af453e246b519e9e36

Source: Dockerfile (file)
deployment file Dockerfile (553 bytes)

ev_355928a0bee3fa5a197d

Source: src/bosgenesis_mop_creation_agent/reconstruction/planner.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/planner.py (11834 bytes)

ev_3661168bc5bc302f2934

Source: docs/01_SPEC_MOP_CREATION_AGENT.md (file)
docs file docs/01_SPEC_MOP_CREATION_AGENT.md (25454 bytes)

ev_387e597dd9d5fff23d0c

Source: playbook/uninstaller.sh (file)
source file playbook/uninstaller.sh (3091 bytes)

ev_3a553f1a1804fcc80ac8

Source: deploy/k8s/base/SPEC.md (file)
deployment file deploy/k8s/base/SPEC.md (196 bytes)

ev_3ab812fefc63447cae44

Source: docs/SPEC.md (spec_document)
docs file docs/SPEC.md (3905 bytes)

ev_3aca6f7c37d5cf660e50

Source: artifacts/installation-notes/SPEC.md (spec_document)
docs file artifacts/installation-notes/SPEC.md (1174 bytes)

ev_3b7c803b06c3fba7b23a

Source: charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (680 bytes)

ev_3cd32de1a42a078598bb

Source: codex/skills/SKILL.md (file)
docs file codex/skills/SKILL.md (2712 bytes)

ev_3dddf2dd47155d4e8129

Source: src/bosgenesis_mop_creation_agent/documents/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/documents/SPEC.md (2776 bytes)

ev_4307afb87d0fbd8058eb

Source: src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (2783 bytes)

ev_43f71b7205345775f030

Source: SPEC.md (spec_document)
docs file SPEC.md (1808 bytes)

ev_44e445aa848a7a584d0a

Source: src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (1505 bytes)

ev_468ef1c34d0fc497fa30

Source: src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (2454 bytes)

ev_472364fa49d6c2567418

Source: .gitignore (file)
config file .gitignore (218 bytes)

ev_4794482bd41d163a5939

Source: src/bosgenesis_mop_creation_agent/classification/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/classification/SPEC.md (2676 bytes)

ev_48a0e725109f959c376d

Source: src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (12202 bytes)

ev_48dcf833e15202f0ad55

Source: src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (6669 bytes)

ev_49ba58e39e62a8d4746a

Source: LICENSE (file)
other file LICENSE (2417 bytes)

ev_4c6e3df8de4e3e7a48fa

Source: src/bosgenesis_mop_creation_agent/config/settings.py (file)
source file src/bosgenesis_mop_creation_agent/config/settings.py (15051 bytes)

ev_4d902e6c5bca5e87eb10

Source: evaluations/safety/SPEC.md (spec_document)
docs file evaluations/safety/SPEC.md (161 bytes)

ev_4f0b5e85b99a4890914a

Source: codex/config/SPEC.md (spec_document)
docs file codex/config/SPEC.md (186 bytes)

ev_4f610612d1afb9b8ac3e

Source: config/settings.yaml (file)
config file config/settings.yaml (2375 bytes)

ev_50bc6531e8303fb511f1

Source: docs/SAMPLE_REQUESTS.md (file)
docs file docs/SAMPLE_REQUESTS.md (5143 bytes)

ev_50ecb02a856b2a2a6fca

Source: tests/test_phase13_observability.py (test_report)
test file tests/test_phase13_observability.py (6492 bytes)

ev_513d38136b0df907c611

Source: .agents/skills/SKILL.md (file)
docs file .agents/skills/SKILL.md (8207 bytes)

ev_51d5cd5f30a28b2168e4

Source: tests/test_phase5_classification.py (test_report)
test file tests/test_phase5_classification.py (6655 bytes)

ev_52de9459e2d52dbc143c

Source: charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (2581 bytes)

ev_53cdf0f9244da57a6789

Source: charts/bosgenesis-mop-creation-agent/Chart.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/Chart.yaml (149 bytes)

ev_56742919f7f0acd8cbc2

Source: charts/bosgenesis-mop-creation-agent/templates/service.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/service.yaml (428 bytes)

ev_5710af8066562efdb56f

Source: knowledge-base/SPEC.md (spec_document)
docs file knowledge-base/SPEC.md (262 bytes)

ev_5a0688c4f74bdf7b325

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (3064 bytes)

ev_5a6ff06d4f123f328d26

Source: src/bosgenesis_mop_creation_agent/entrypoints/main.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/main.py (311 bytes)

ev_5a9b49b8f8656066607a

Source: src/bosgenesis_mop_creation_agent/common/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/common/__init__.py (25 bytes)

ev_5ad3fe6832dc90d2fe44

Source: src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (4764 bytes)

ev_5b34fb413968313bc2ff

Source: docs/03_LLD_MOP_CREATION_AGENT.md (file)
docs file docs/03_LLD_MOP_CREATION_AGENT.md (23592 bytes)

ev_5b4fc826c0800130dbdc

Source: src/bosgenesis_mop_creation_agent/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/__init__.py (62 bytes)

ev_5e3bedb65dc51b2a1428

Source: playbook/deployment/SPEC.md (spec_document)
docs file playbook/deployment/SPEC.md (303 bytes)

ev_5e5b43165f4808962310

Source: src/bosgenesis_mop_creation_agent/retrieval/models.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/models.py (1771 bytes)

ev_5ec09fcc74dfbafc3067

Source: pyproject.toml (file)
config file pyproject.toml (1409 bytes)

ev_5ee672833c32c2978d19

Source: src/bosgenesis_mop_creation_agent/api/mcp.py (file)
source file src/bosgenesis_mop_creation_agent/api/mcp.py (7200 bytes)

ev_5f2c8d5a8b744ac4e4d2

Source: docs/02_HLD_MOP_CREATION_AGENT.md (file)
docs file docs/02_HLD_MOP_CREATION_AGENT.md (14244 bytes)

ev_5f921bd4d8b745b452ad

Source: src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (2231 bytes)

ev_5fab4598723f1706dea

Source: docs/CREDENTIALS.md (file)
docs file docs/CREDENTIALS.md (13166 bytes)

ev_6026f67f4578f5854163

Source: tests/test_artifact_writer_inventory.py (test_report)
test file tests/test_artifact_writer_inventory.py (29274 bytes)

ev_603f16e9b9827c23feda

Source: artifacts/installation-notes/installation_notes_template.md (file)
docs file artifacts/installation-notes/installation_notes_template.md (10092 bytes)

ev_61253d07296b30a1167b

Source: src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (960 bytes)

ev_6211bf49a3f3fd477356

Source: src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (5788 bytes)

ev_62af9833b6b67db6d07a

Source: tests/test_health.py (test_report)
test file tests/test_health.py (1746 bytes)

ev_65c688eb73622766d897

Source: docs/kubernetes-mop-sample.md (file)
docs file docs/kubernetes-mop-sample.md (9285 bytes)

ev_676e0a39c0fa4057af52

Source: src/bosgenesis_mop_creation_agent/llm/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/llm/__init__.py (243 bytes)

ev_687d0c73974769f460e0

Source: samples/requests/SPEC.md (spec_document)
docs file samples/requests/SPEC.md (355 bytes)

ev_697dd3d36d2d0496c2db

Source: charts/bosgenesis-mop-creation-agent/templates/secret.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/secret.yaml (560 bytes)

ev_6ac26a40738fa9657465

Source: src/bosgenesis_mop_creation_agent/memory/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/memory/SPEC.md (3714 bytes)

ev_6cc7510bd67366eddf7d

Source: src/bosgenesis_mop_creation_agent/langchain/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langchain/SPEC.md (1133 bytes)

ev_6cca1765e2d5c270cc43

Source: .agents/skills/SKILLS.md (file)
docs file .agents/skills/SKILLS.md (9902 bytes)

ev_6d2595f5d1f9f116595b

Source: charts/bosgenesis-mop-creation-agent/values.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.yaml (5875 bytes)

ev_6e0eda79f2a5752a9f37

Source: skills/SPEC.md (spec_document)
docs file skills/SPEC.md (243 bytes)

ev_7161b8b0a3726dde8245

Source: skills/mop-creation/SPEC.md (spec_document)
docs file skills/mop-creation/SPEC.md (292 bytes)

ev_71ff48003836f69d5ad1

Source: src/bosgenesis_mop_creation_agent/models/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/models/SPEC.md (2302 bytes)

ev_73f0fa35d263b8cb2c54

Source: tests/test_phase15_release_candidate.py (test_report)
test file tests/test_phase15_release_candidate.py (2251 bytes)

ev_758909ebaebbd757e434

Source: src/bosgenesis_mop_creation_agent/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/SPEC.md (2009 bytes)

ev_76309a8fc232e1b20be4

Source: src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (39550 bytes)

ev_7658e346430742726166

Source: src/bosgenesis_mop_creation_agent/memory/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/memory/__init__.py (267 bytes)

ev_7768adedd3ded6b71f6e

Source: src/bosgenesis_mop_creation_agent/api/app.py (file)
source file src/bosgenesis_mop_creation_agent/api/app.py (1172 bytes)

ev_776f7bf4d4c8f1d68344

Source: src/bosgenesis_mop_creation_agent/config/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/config/SPEC.md (4578 bytes)

ev_77ceb7a1949e5c89b164

Source: charts/SPEC.md (file)
deployment file charts/SPEC.md (228 bytes)

ev_79e211e2a105c158faaf

Source: src/bosgenesis_mop_creation_agent/rendering/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/rendering/SPEC.md (4875 bytes)

ev_7dbc49687e4c1093e922

Source: src/bosgenesis_mop_creation_agent/observability/service.py (file)
source file src/bosgenesis_mop_creation_agent/observability/service.py (17472 bytes)

ev_8029478ff98394f073b7

Source: charts/bosgenesis-mop-creation-agent/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/SPEC.md (363 bytes)

ev_81306cef035577ef89a0

Source: src/bosgenesis_mop_creation_agent/observability/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/observability/SPEC.md (2536 bytes)

ev_8196688b70da814f6c25

Source: src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (8191 bytes)

ev_8516709bff9646214497

Source: playbook/SPEC.md (spec_document)
docs file playbook/SPEC.md (220 bytes)

ev_85f7be7929bdecad6659

Source: tests/test_phase62_llm_repair.py (test_report)
test file tests/test_phase62_llm_repair.py (9549 bytes)

ev_87314d16b2e172e2e945

Source: src/bosgenesis_mop_creation_agent/core/orchestrator.py (file)
source file src/bosgenesis_mop_creation_agent/core/orchestrator.py (36273 bytes)

ev_89cf3327ff06be0ae00d

Source: charts/bosgenesis-mop-creation-agent/templates/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/SPEC.md (218 bytes)

ev_89f73e506c0b63c5758a

Source: docs/CONTEXT_SNAPSHOT.md (file)
docs file docs/CONTEXT_SNAPSHOT.md (7259 bytes)

ev_8a0f30e021bbd87bdc16

Source: .dockerignore (file)
config file .dockerignore (103 bytes)

ev_8a90716d821572828076

Source: src/bosgenesis_mop_creation_agent/observability/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/observability/__init__.py (213 bytes)

ev_8aac16bea6b62bb2707b

Source: deploy/k8s/overlays/SPEC.md (file)
deployment file deploy/k8s/overlays/SPEC.md (185 bytes)

ev_8b01194b2fb91b7ec253

Source: tests/contracts/SPEC.md (test_report)
test file tests/contracts/SPEC.md (273 bytes)

ev_8b211dd789e9e193ae4c

Source: certs/README.md (spec_document)
docs file certs/README.md (740 bytes)

ev_8dfeeafe8546dbfd87f9

Source: docs/06_APPLICATION_MODE.md (file)
docs file docs/06_APPLICATION_MODE.md (7498 bytes)

ev_8fd6e1e73cb33626070d

Source: tests/test_phase11_memory_layer.py (test_report)
test file tests/test_phase11_memory_layer.py (7555 bytes)

ev_90155e985727975ed362

Source: playbook/test-report.sh (file)
source file playbook/test-report.sh (761 bytes)

ev_9177de959de8f2733133

Source: src/bosgenesis_mop_creation_agent/classification/models.py (file)
source file src/bosgenesis_mop_creation_agent/classification/models.py (1779 bytes)

ev_918a109ec97d5040a412

Source: tests/test_snapshot_selector.py (test_report)
test file tests/test_snapshot_selector.py (3163 bytes)

ev_95d4686368032a8acd9f

Source: knowledge-base/interfaces/SPEC.md (spec_document)
docs file knowledge-base/interfaces/SPEC.md (252 bytes)

ev_96de895d32fa82fcf161

Source: README.md (spec_document)
docs file README.md (4415 bytes)

ev_97b03f8baa432f94f548

Source: src/bosgenesis_mop_creation_agent/config/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/config/__init__.py (38 bytes)

ev_9898aed47a105b0750fd

Source: src/bosgenesis_mop_creation_agent/core/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/core/__init__.py (35 bytes)

ev_98acc276eefe8dff3a4

Source: knowledge-base/schemas/SPEC.md (spec_document)
docs file knowledge-base/schemas/SPEC.md (196 bytes)

ev_9947368aa5cbe17d2948

Source: src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (132 bytes)

ev_99e1023a6f630b017cba

Source: src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (1991 bytes)

ev_9b93737f4a1bb662f17f

Source: src/SPEC.md (spec_document)
docs file src/SPEC.md (2511 bytes)

ev_9c0cd0d4489aa66cf255

Source: src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (file)
source file src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (11083 bytes)

ev_9cea093a97dd0af3e6db

Source: AGENTS.md (file)
docs file AGENTS.md (1880 bytes)

ev_9d585ec079ef55a2c129

Source: src/bosgenesis_mop_creation_agent/common/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/common/SPEC.md (714 bytes)

ev_9f2721f52c51715be694

Source: src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (1637 bytes)

ev_a2c3d0769629d1b85b39

Source: PROJECT_STRUCTURE.md (file)
docs file PROJECT_STRUCTURE.md (1340 bytes)

ev_a35883b4d18a738d88a0

Source: src/bosgenesis_mop_creation_agent/api/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/api/SPEC.md (5261 bytes)

ev_a498032a6cf459c03f78

Source: .github/workflows/SPEC.md (file)
ci file .github/workflows/SPEC.md (574 bytes)

ev_a8b3327396fd1a8b42c8

Source: charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (991 bytes)

ev_a95f58a0ec9f5551d89a

Source: tests/test_phase4_mcp_enrichment.py (test_report)
test file tests/test_phase4_mcp_enrichment.py (10444 bytes)

ev_abf7468415d4417f1618

Source: tests/e2e/SPEC.md (test_report)
test file tests/e2e/SPEC.md (294 bytes)

ev_aeb0d2c41486b835d1bf

Source: memory/clickhouse/SPEC.md (spec_document)
docs file memory/clickhouse/SPEC.md (318 bytes)

ev_af5e315683fd5e26d3ac

Source: src/bosgenesis_mop_creation_agent/llm/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/llm/SPEC.md (5822 bytes)

ev_afb6fd4a4d557c25c885

Source: memory/langmem/SPEC.md (spec_document)
docs file memory/langmem/SPEC.md (275 bytes)

ev_b1a655dbeb3974ec0d99

Source: charts/bosgenesis-mop-creation-agent/values/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/values/SPEC.md (310 bytes)

ev_b4214b16e206885ae0c7

Source: src/bosgenesis_mop_creation_agent/application/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/application/SPEC.md (1429 bytes)

ev_b5afcc0398ed0bbda2ab

Source: deploy/k8s/SPEC.md (file)
deployment file deploy/k8s/SPEC.md (219 bytes)

ev_b6b1d535919a07c4386e

Source: memory/postgresql/SPEC.md (spec_document)
docs file memory/postgresql/SPEC.md (477 bytes)

ev_b737958289c21beb3250

Source: tests/fixtures/SPEC.md (test_report)
test file tests/fixtures/SPEC.md (231 bytes)

ev_b8e6a0b98dba62edf9b1

Source: samples/requests/platform-only-generate.json (file)
config file samples/requests/platform-only-generate.json (379 bytes)

ev_bdf64f600e9aadb88263

Source: src/bosgenesis_mop_creation_agent/common/logging.py (file)
source file src/bosgenesis_mop_creation_agent/common/logging.py (1803 bytes)

ev_be809ec7b3dffa9283d

Source: samples/requests/application-mode-smoke-generate.json (file)
config file samples/requests/application-mode-smoke-generate.json (388 bytes)

ev_beb267943caae96b4497

Source: reports/.gitkeep (file)
other file reports/.gitkeep (1 bytes)

ev_bed70de4f6d44cfc7963

Source: TECH_STACK.md (file)
docs file TECH_STACK.md (1192 bytes)

ev_c02720c88556d60f5b77

Source: src/bosgenesis_mop_creation_agent/collectors/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/collectors/SPEC.md (1181 bytes)

ev_c08e83d1dd3d2769fcf9

Source: knowledge-base/session/SPEC.md (spec_document)
docs file knowledge-base/session/SPEC.md (199 bytes)

ev_c0f6d8d68d4f8d3e412a

Source: src/bosgenesis_mop_creation_agent/models/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/models/__init__.py (37 bytes)

ev_c1bcab801ff60dee5e10

Source: tests/test_phase9_qdrant_references.py (test_report)
test file tests/test_phase9_qdrant_references.py (9989 bytes)

ev_c353b41747bbeca3ef2c

Source: src/bosgenesis_mop_creation_agent/models/responses.py (file)
source file src/bosgenesis_mop_creation_agent/models/responses.py (2024 bytes)

ev_c40d3c4b9ce3d87743b3

Source: certs/.gitkeep (file)
other file certs/.gitkeep (1 bytes)

ev_c5ffd7537bd9205ef96c

Source: playbook/validation/SPEC.md (spec_document)
docs file playbook/validation/SPEC.md (300 bytes)

ev_c71b17a9b08bf3f54e33

Source: memory/mongodb/SPEC.md (spec_document)
docs file memory/mongodb/SPEC.md (277 bytes)

ev_c723e7839de82ad1ff41

Source: knowledge-base/decisions/SPEC.md (spec_document)
docs file knowledge-base/decisions/SPEC.md (192 bytes)

ev_c9e0cdc92b57b872e769

Source: .agents/skills/SPEC.md (spec_document)
docs file .agents/skills/SPEC.md (265 bytes)

ev_cc792a204602b553eb28

Source: artifacts/human-mop/professional_mop_pdf_template.yaml (file)
config file artifacts/human-mop/professional_mop_pdf_template.yaml (1794 bytes)

ev_d04e9b42eabafab2ec47

Source: src/bosgenesis_mop_creation_agent/security/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/security/SPEC.md (1567 bytes)

ev_d3c02fb00c8cc0fe6f3e

Source: evaluations/SPEC.md (spec_document)
docs file evaluations/SPEC.md (303 bytes)

ev_d4ecb3c23de6cfa6d817

Source: playbook/test-report.ps1 (file)
other file playbook/test-report.ps1 (958 bytes)

ev_d789607a82bab631508

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (3372 bytes)

ev_d7dd8bc994a7f95c7df4

Source: src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (1594 bytes)

ev_dbb81fc79a502f9cb4f6

Source: tests/SPEC.md (test_report)
test file tests/SPEC.md (1442 bytes)

ev_dc69ff4118815c57733f

Source: codex/skills/SPEC.md (spec_document)
docs file codex/skills/SPEC.md (221 bytes)

ev_dd3a25e9b3d1c543aea3

Source: reports/SPEC.md (spec_document)
docs file reports/SPEC.md (901 bytes)

ev_de41d60c78f466a3fbf8

Source: src/bosgenesis_mop_creation_agent/retrieval/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/__init__.py (258 bytes)

ev_df0a43aa32b10f2ac70f

Source: codex/config/config.toml (file)
config file codex/config/config.toml (937 bytes)

ev_e12ef2c2fcc9993d2f33

Source: docs/RELEASE_CANDIDATE_RUNBOOK.md (file)
docs file docs/RELEASE_CANDIDATE_RUNBOOK.md (7686 bytes)

ev_e15a89cfdb9b220477b1

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (1811 bytes)

ev_e34f4a4a9cb4c4f2a5cd

Source: src/bosgenesis_mop_creation_agent/memory/adapters.py (file)
source file src/bosgenesis_mop_creation_agent/memory/adapters.py (12648 bytes)

ev_e3b4f3a504d89c523bb6

Source: deploy/SPEC.md (file)
deployment file deploy/SPEC.md (199 bytes)

ev_e51e2c667a79f131e3b3

Source: src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (88609 bytes)

ev_e6597f068d376b2ed484

Source: src/bosgenesis_mop_creation_agent/persistence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/persistence/SPEC.md (1919 bytes)

ev_e7976e2d144b9fce326f

Source: charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (596 bytes)

ev_e865671bdb206ee3f0b

Source: docs/DEPLOYMENT.md (file)
docs file docs/DEPLOYMENT.md (3993 bytes)

ev_e875178f835eec757266

Source: .github/workflows/ci.yml (file)
ci file .github/workflows/ci.yml (1079 bytes)

ev_e9d92c91ba0402358aae

Source: src/bosgenesis_mop_creation_agent/core/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/core/SPEC.md (4204 bytes)

ev_efbc367a7a7761c1f5ad

Source: src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (7148 bytes)

ev_eff74d125226a95cd9c3

Source: src/bosgenesis_mop_creation_agent/validation/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/validation/SPEC.md (1964 bytes)

ev_f21879538f3c89eba7b6

Source: charts/bosgenesis-mop-creation-agent/.helmignore (file)
deployment file charts/bosgenesis-mop-creation-agent/.helmignore (65 bytes)

ev_f24d54df6974fe967a6e

Source: docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (file)
docs file docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (8029 bytes)

ev_f466fac7f0df39af8f68

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (2361 bytes)

ev_f74fb512832e720095a

Source: src/bosgenesis_mop_creation_agent/mcp_clients/base.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/base.py (8295 bytes)

ev_f8cf12426ead914f32c5

Source: docs/04_ALGORITHM_MOP_CREATION_AGENT.md (file)
docs file docs/04_ALGORITHM_MOP_CREATION_AGENT.md (28900 bytes)

ev_f927deb932e34a781ff6

Source: certs/SPEC.md (spec_document)
docs file certs/SPEC.md (1369 bytes)

ev_fa35dc0de8bee73d0faa

Source: src/bosgenesis_mop_creation_agent/classification/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/classification/__init__.py (357 bytes)

ev_fb2c275d502e4f48751d

Source: src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (file)
source file src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (15011 bytes)

ev_fb4400fa7a7c1aecc384

Source: memory/SPEC.md (spec_document)
docs file memory/SPEC.md (631 bytes)

ev_fcd819c6a23e632d9b8c

Source: .github/SPEC.md (spec_document)
docs file .github/SPEC.md (272 bytes)