

Bosgenesis MoP Creation Agent Professional Release Notes and Package Intelligence Report

v0.0.1 | Public GitHub repository analysis | Generated 2026-07-05

20

PUBLIC TAGS

21

COMMITTS

0.0.1

PACKAGE VERSION

Py 3.11+

RUNTIME

Release positioning
This document packages the visible repository evolution into an executive-ready release note with change history from repository evidence, package metadata, capability analysis, deployment posture, safety notes, validation checklist, risks, and next-release recommendations.

Metric	Value
Engineering Leaders	Understand release maturity, delivery velocity, and technical scope.
DevOps / Platform	Review packaging, Kubernetes/Helm posture, validation, and rollback readiness.
Citizen Development / Agent Platform Teams	Understand how this agent contributes to reproducible BOS Genesis documentation.

1. Executive Summary

Commercial summary of the v0.0.1 package, based on public repository evidence.

`bosgenesis-mop-creation-agent` is a spec-first, LLM-assisted agent for reconstructing how a single BOS Genesis Kubernetes namespace was installed and generating reproducible installation documentation. Intent source: stated. Evidence: ev_84aac8afe64ceaa69b71.

The current public repository describes a foundation release with FastAPI service shell, REST endpoints, MCP-style tools, Dockerfile, Helm skeleton, Kubernetes deployment posture, pytest, Ruff CI readiness.

11 days

Release window

20

Visible tags

95.9%

Python

Codebase mix

Read-only

Safety mode

REST-triggered generation	MCP-style agent contract	Helm/Kubernetes deployment path	Container packaging
pytest quality baseline	Ruff CI readiness	Spec-first operating model	Read-only safety posture

Release recommendation

This release can be presented commercially as an initial platform-capability release. The strongest story is visible delivery progress and contracts; production readiness should remain clearly gated by the listed evidence gaps.


2. Release And Package Information

Metric	Value
Product / Component	Bosgenesis MoP Creation Agent
Repository	github.com/aveeshek/bosgenesis-mop-creation-agent
Package name	bosgenesis-mop-creation-agent
Current package version	0.0.1
Release type	Foundation / repository capability release
Runtime requirement	Py 3.11+
Primary interface	FastAPI REST service
Target deployment model	Docker image + Helm chart + Kubernetes deployment
Security posture	Read-only repository analysis; no repository code execution
Detected technology	GitHub Actions, Docker, Helm, Kubernetes, FastAPI, MCP, Pydantic, Python, Shell, Ruff, Python packaging, pytest


3. Analytical Release Dashboard

Delivery velocity, capability mix, and maturity signals inferred from public repo evidence.

Tag Velocity: New tags/day with cumulative release growth



Capability Distribution by Tag Theme




Note: classification inferred from public tag names and commit messages; not a formal GitHub release taxonomy.

4. Release Readiness Assessment

Analytical maturity scoring; intended for planning and review, not as a formal audit.

Release Readiness Assessment (Analytical Estimate)

Score based on public repo evidence: contracts, source documentation coverage, lightweight security scan findings, tests, dependencies, and deployment files.



Dimension	Score	Evidence-based interpretation	Recommended action
API contract	4.0/5	REST or MCP-style contracts are visible and testable.	Add formal API or MCP examples and backward compatibility policy.
Documentation coverage	2.0/5	11/290 documentable source symbols include docstrings or Javadoc-style comments (3.8%). LLM advisory: Extremely low documentation coverage (3.8%) across 56 analyzed Python files, with only 11/290 symbols documented.	Add docstrings or Javadoc-style comments to public modules, classes, functions, and services.
Security scan	3.2/5	Lightweight scan found 0 sanitized finding(s) across 107 file(s); controls: CI workflow.	Review high/medium findings, add CodeQL/Dependabot/SECURITY.md, and keep secrets out of source.
Repository documentation	4.1/5	102 documentation artifact(s) were inventoried.	Keep README, architecture, operational, and module-level specs current.
Testing	3.0/5	18 test source file(s) were detected.	Publish test reports and coverage artifacts with release evidence.
Observability	2.4/5	No explicit observability stack marker was detected.	Add trace IDs, spans, metrics, dashboards, and release observability notes.
Persistence	3.2/5	Persistence or storage markers are visible.	Document schemas, migrations, backup, and retention expectations.
Deployment packaging	3.7/5	Docker, Helm, or Kubernetes packaging is visible.	Add production values, probes, limits, and release pipeline artifacts.

5. Change History From Repository Evidence

Visible repository history converted into business-friendly release history.

Tag / Commit	Date	Commit	Release theme	Commercial value / change summary
specs	2026-05-25	571cc8d	Foundation	Foundation milestone: specs.
phase0-foundation	2026-05-26	e74d61b	Foundation	Foundation milestone: Phase 0 foundation.
phase1-mcp-api	2026-05-26	2761063	MCP/API Contract	MCP/API Contract milestone: Phase 1 mcp api.
phase03-snapshot-reader	2026-05-28	9adeec3	Evidence	Evidence milestone: Phase 03 snapshot reader.
phase04-mcp-enrichment	2026-05-28	15765fa	MCP/API Contract	MCP/API Contract milestone: Phase 04 mcp enrichment.
phase05-classification-and-safety	2026-05-29	bd9510e	Safety/Classification	Safety/Classification milestone: Phase 05 classification and safety.
phase06-manifest-and-helm-reconstruction	2026-06-02	6a2b4f1	Deployment	Deployment milestone: Phase 06 manifest and helm reconstruction.
phase08-markdown-installation-notes-renderer	2026-06-02	2d69e25	Doc Rendering	Doc Rendering milestone: Phase 08 markdown installation notes renderer.
phase09-qdrant-read-only-reference-lookup	2026-06-03	9c9313e	Evidence	Evidence milestone: Phase 09 qdrant read only reference lookup.
phase10-llm-reasoning	2026-06-03	e680d05	Reasoning	Reasoning milestone: Phase 10 llm reasoning.
phase07-professional-pdf-renderer	2026-06-03	f7c5f91	Doc Rendering	Doc Rendering milestone: Phase 07 professional pdf renderer.
phase10.1-runtime-namespace-api	2026-06-04	5fc14e1	MCP/API Contract	MCP/API Contract milestone: Phase 10.1 runtime namespace api.
phase11-memory-layer	2026-06-04	caf175b	Memory	Memory milestone: Phase 11 memory layer.
phase13-observability-audit-hardening	2026-06-05	ba6c30b	Repository Change	Repository Change milestone: Phase 13 observability audit hardening.
phase13.1-validation-gates	2026-06-05	6373fdc	Repository Change	Repository Change milestone: Phase 13.1 validation gates.
phase15-release-candidate	2026-06-07	12f796f	Repository Change	Repository Change milestone: Phase 15 release candidate.
codex-skill-config	2026-06-07	233631a	Repository Change	Repository Change milestone: codex skill config.
phase16-executable-helm-reconstruction	2026-06-20	0b2eaed	Deployment	Deployment milestone: Phase 16 executable helm reconstruction.
phase16.1-ingress-pvc-reconstruction	2026-06-21	1986852	Repository Change	Repository Change milestone: Phase 16.1 ingress pvc reconstruction.
phase16.2-final-clone-reconstruction	2026-06-22	e4049fe	Repository Change	Repository Change milestone: Phase 16.2 final clone reconstruction.

6. Technical Capability Map

What the repository enables today and what remains clearly marked as future or partial scope.

Capability area	Delivered / visible in repo evidence	Commercial interpretation
REST service shell	HTTP routes detected.	Establishes service interface for demos, smoke tests, and integration discussion.
MCP-style integration	No explicit MCP tools detected.	Allows MCP-aware clients to call bounded repository or release-note operations.
Document outputs	Markdown/HTML/PDF artifacts are supported by the release-note agent renderer.	Creates dual-persona documentation: human operations and future agent execution.
Kubernetes/Helm posture	Docker image + Helm chart + Kubernetes deployment	Aligns with BOS Genesis reproducibility and deployment review use cases.
Quality tooling	pytest, Ruff	Supports quality-gate and CI readiness discussion.
Safety posture	Lightweight scan found 0 sanitized finding(s); controls: CI workflow.	Strong fit for controlled enterprise automation and audit requirements.


Non-functional notes

- Spec-driven implementation
- Traceability-oriented design
- Artifact-oriented output
- Read-only discovery
- Helm/Kubernetes deployment path
- Future observability hooks

Architecture evidence diagrams


Repository Analysis Flow

Repository evidence is collected before analytics and report rendering. Confidence: 0.95.




C4 Context

High-level context for repository scanning and release-note production. Confidence: 0.80.




C4 Container

Runtime containers and their main data flows. Confidence: 0.75.




Component Analysis

Analyzer components feeding the normalized analytics bundle. Confidence: 0.85.



Deployment Topology

Deployment topology derived only from detected deployment evidence. Confidence: 0.80.



7. Deployment, Validation, And Rollback Notes

Operator-ready release details for a professional deployment note.

Purpose	Command
Local install	<code>python -m pip install -e ".[dev]"</code>
Local run	<code>bosgenesis-mop-creation-agent</code>
Helm deploy	<code>IMAGE_REPOSITORY=... IMAGE_TAG=... ./playbook/deploy.sh</code>
REST contract test	<code>curl -X POST http://localhost:8080/api/v1/scans ...</code>
MCP-style test	<code>curl http://localhost:8090/mcp/tools</code>

Recommended production-readiness checklist

Gate	Status to validate before promotion
Build integrity	Docker image built, scanned, and mapped to exact Git commit.
API health	<code>/health</code> returns healthy status after deployment.
Config safety	Sensitive values are redacted from effective configuration.
MCP contract	Tool list and health tool calls succeed.
Artifact output	PDF and Markdown output paths are created, validated, and retained.
Safety test	Agent cannot mutate Kubernetes, Helm, databases, streams, or application data.
Observability	Correlation IDs, logs, traces, and metrics visible in target tools.
Rollback	Uninstaller and Helm rollback path tested in non-production namespace.

8. Known Limitations, Risks, And Controls

Transparent release-note section for commercial-grade governance.

Risk / limitation	Impact	Recommended control
Generation behavior may be partially contract/stub-oriented.	Users may expect full repository-to-artifact automation before it is wired.	Mark release as foundation capability; label production readiness clearly.
No full coverage report evidence detected.	Harder to prove runtime quality from repository files alone.	Publish test reports and coverage artifacts in CI.
LLM or reasoning features require guardrails.	Risk of nondeterministic or overreaching recommendations.	Add bounded prompts, policy checks, and regression evaluations.
Kubernetes/Helm reconstruction must avoid secrets and mutation.	Potential compliance risk if evidence export is too broad.	Namespace-only RBAC, secret redaction, deny-list and audit events.

Known evidence gaps

- Missing HLD documentation.
- Missing LLD documentation.
- No ADR documentation detected.
- No coverage report evidence detected.
- No module-level specs.md documentation detected.
- No pytest or JUnit test report evidence detected.
- Unsupported source extension for structure parsing: .sh

Release classification

Classification	Recommended wording
External demo	Safe for controlled demo as an initial agent package and release-history example.
Internal platform pilot	Suitable for sandbox validation where read-only boundaries and artifact outputs are verified.
Production automation	Not yet recommended unless evidence collection, artifacts, security, and observability are validated.

9. Recommended Next Release Scope

Commercially useful roadmap derived from gaps and existing repository direction.

Priority	Theme	Recommended next capability	Business value
P1	Formal release management	Create GitHub Releases with notes, artifact links, SBOM and checksums.	Improves commercial credibility and traceable delivery.
P1	Evidence engine	Complete repository and runtime evidence collection.	Makes generated notes grounded in runtime and source facts.
P1	Artifact generation	Wire end-to-end Markdown, HTML, and PDF generation into worker/API flow.	Turns the agent from contract demo into usable documentation factory.
P1	Security	Add redaction, secret deny-list, read-only RBAC and policy tests.	Makes enterprise adoption safer.
P2	Observability	Add OpenTelemetry spans, Langfuse traces, dashboards and correlation IDs.	Improves supportability and executive demo evidence.
P2	Persistence	Store runs, artifacts, evidence bundles, decisions and audit records.	Supports history, audit, and repeatability.
P2	Evaluation	Add reproducibility, grounding, safety and PDF quality evaluation suites.	Improves confidence before promotion.

Suggested next release title

v0.2.0 - Evidence-Grounded Release Artifact Generation: complete repository evidence extraction, deterministic PDF/Markdown generation, artifact retention, and smoke-test verification.

Appendix A. Evidence Sources And Assumptions

ev_05c5b314fa186d4dbe3f

Source: src/bosgenesis_mop_creation_agent/validation/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/validation/SPEC.md (1964 bytes)

ev_067a840abf2c9602bd36

Source: docs/RELEASE_CANDIDATE_RUNBOOK.md (file)
docs file docs/RELEASE_CANDIDATE_RUNBOOK.md (7686 bytes)

ev_087db75b662298c4ec86

Source: src/bosgenesis_mop_creation_agent/api/app.py (file)
source file src/bosgenesis_mop_creation_agent/api/app.py (1172 bytes)

ev_09b7e46e6ebb51e2c438

Source: .dockerignore (file)
config file .dockerignore (103 bytes)

ev_0baa2b2b6d29bd74f3fa

Source: reports/SPEC.md (spec_document)
docs file reports/SPEC.md (901 bytes)

ev_0e3367a5fa1321c7d383

Source: src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (4764 bytes)

ev_0ec06a60b03eac36e592

Source: src/bosgenesis_mop_creation_agent/observability/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/observability/__init__.py (213 bytes)

ev_0ef6d9e31da5de8d24a6

Source: tests/test_snapshot_selector.py (test_report)
test file tests/test_snapshot_selector.py (3163 bytes)

ev_0fba16cf37d9f9480557

Source: playbook/uninstaller.sh (file)
source file playbook/uninstaller.sh (3091 bytes)

ev_13e44a1bb20d28b2d2a9

Source: src/bosgenesis_mop_creation_agent/llm/model_gateway.py (file)
source file src/bosgenesis_mop_creation_agent/llm/model_gateway.py (3217 bytes)

ev_1437f98fc16e8f2720bc

Source: docs/02_HLD_MOP_CREATION_AGENT.md (file)
docs file docs/02_HLD_MOP_CREATION_AGENT.md (14244 bytes)

ev_1524fb254b81a750867b

Source: src/bosgenesis_mop_creation_agent/classification/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/classification/__init__.py (357 bytes)

ev_1535125b3922e62bc4d5

Source: docs/CONTEXT_SNAPSHOT.md (file)
docs file docs/CONTEXT_SNAPSHOT.md (7259 bytes)

ev_197fe355041d981d18db

Source: src/bosgenesis_mop_creation_agent/memory/service.py (file)
source file src/bosgenesis_mop_creation_agent/memory/service.py (8584 bytes)

ev_1b92ef9b3fcad9a8824f

Source: memory/langmem/SPEC.md (spec_document)
docs file memory/langmem/SPEC.md (275 bytes)

ev_1c4177b989991e47761a

Source: src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (file)
source file src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (11083 bytes)

ev_20f47e00504cc1703eca

Source: src/bosgenesis_mop_creation_agent/config/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/config/SPEC.md (4578 bytes)

ev_20fd28ef9cb5e9baf040

Source: charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (779 bytes)

ev_2256d69a12758fac5fc7

Source: SPEC.md (spec_document)
docs file SPEC.md (1808 bytes)

ev_22e16b42e824cd17fd4c

Source: tests/fixtures/SPEC.md (test_report)
test file tests/fixtures/SPEC.md (231 bytes)

ev_2a00ffb57877825bdf1d

Source: memory/mongodb/SPEC.md (spec_document)
docs file memory/mongodb/SPEC.md (277 bytes)

ev_2a4c60941c04957051a8

Source: memory/SPEC.md (spec_document)
docs file memory/SPEC.md (631 bytes)

ev_2a981d4f6e5517160e73

Source: deploy/k8s/SPEC.md (file)
deployment file deploy/k8s/SPEC.md (219 bytes)

ev_2acf4e0cd927adba3182

Source: src/bosgenesis_mop_creation_agent/retrieval/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/__init__.py (258 bytes)

ev_2d945e61f85bef198c2b

Source: docs/05_OUTPUT_CONTRACTS.md (file)
docs file docs/05_OUTPUT_CONTRACTS.md (18495 bytes)

ev_304d96a550fe599892d6

Source: playbook/operations/SPEC.md (spec_document)
docs file playbook/operations/SPEC.md (259 bytes)

ev_332f829153940ac3e292

Source: codex/prompts/SPEC.md (spec_document)
docs file codex/prompts/SPEC.md (313 bytes)

ev_36c62420f62262f76420

Source: docs/07_SAMPLE_MOP_TEMPLATE.md (file)
docs file docs/07_SAMPLE_MOP_TEMPLATE.md (3754 bytes)

ev_3af39f8e5b78b8bb8aa2

Source: src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (2454 bytes)

ev_3f950f410fecdad37412

Source: tests/test_phase6_reconstruction.py (test_report)
test file tests/test_phase6_reconstruction.py (14039 bytes)

ev_41966f9b56dab9feba18

Source: Dockerfile (file)
deployment file Dockerfile (553 bytes)

ev_43bfe020f39b97859819

Source: samples/requests/application-mode-smoke-generate.json (file)
config file samples/requests/application-mode-smoke-generate.json (388 bytes)

ev_4463b2e2f323a975d16d

Source: src/bosgenesis_mop_creation_agent/application/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/application/SPEC.md (1429 bytes)

ev_4487970d7cb93414bd1a

Source: skills/mop-creation/SPEC.md (spec_document)
docs file skills/mop-creation/SPEC.md (292 bytes)

ev_44a6b5e800668dfd9969

Source: knowledge-base/SPEC.md (spec_document)
docs file knowledge-base/SPEC.md (262 bytes)

ev_4616cd61149a6120d34d

Source: artifacts/human-mop/human_mop_pdf_template.md (file)
docs file artifacts/human-mop/human_mop_pdf_template.md (11469 bytes)

ev_47c20139a70f65ac6de8

Source: src/bosgenesis_mop_creation_agent/memory/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/memory/__init__.py (267 bytes)

ev_48edcf8dbb0615dec4cc

Source: tests/e2e/SPEC.md (test_report)
test file tests/e2e/SPEC.md (294 bytes)

ev_4a24658c58302aaf2f21

Source: charts/bosgenesis-mop-creation-agent/templates/service.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/service.yaml (428 bytes)

ev_4abdb72cb1abfe2a433b

Source: charts/bosgenesis-mop-creation-agent/templates/secret.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/secret.yaml (560 bytes)

ev_4c40604b683af31251a9

Source: .github/SPEC.md (spec_document)
docs file .github/SPEC.md (272 bytes)

ev_4c6668c50c2809180fe4

Source: src/bosgenesis_mop_creation_agent/models/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/models/SPEC.md (2302 bytes)

ev_4d091b79b625ce30c6a3

Source: src/bosgenesis_mop_creation_agent/api/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/api/SPEC.md (5261 bytes)

ev_4dfc10c3024155492457

Source: tests/test_phase5_classification.py (test_report)
test file tests/test_phase5_classification.py (6655 bytes)

ev_4dfc4cb00af8a1f76c82

Source: src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (file)
source file src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (15011 bytes)

ev_4f1e2c0c5f2b11380296

Source: codex/skills/SPEC.md (spec_document)
docs file codex/skills/SPEC.md (221 bytes)

ev_5062ff51959e1fc4120b

Source: src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (9463 bytes)

ev_50a232b705b5ae4b74f2

Source: src/bosgenesis_mop_creation_agent/__main__.py (file)
source file src/bosgenesis_mop_creation_agent/__main__.py (105 bytes)

ev_50dd200f26e17371e5b6

Source: codex/skills/SKILL.md (file)
docs file codex/skills/SKILL.md (2712 bytes)

ev_5383aa6e4a10e2748030

Source: LICENSE (file)
other file LICENSE (2417 bytes)

ev_566ba4bd1aae58a63f9b

Source: src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (7148 bytes)

ev_58e0244ad40463cc7120

Source: codex/config/config.toml (file)
config file codex/config/config.toml (937 bytes)

ev_5abb6a119a3dd0d6acf2

Source: src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (1637 bytes)

ev_5dae7a26a6e9b99085ca

Source: .gitignore (file)
config file .gitignore (218 bytes)

ev_5e30757fe1884958b133

Source: src/bosgenesis_mop_creation_agent/classification/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/classification/SPEC.md (2676 bytes)

ev_5ec2ee8de998b91db385

Source: src/bosgenesis_mop_creation_agent/documents/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/documents/SPEC.md (2776 bytes)

ev_62fb5e79b4a401ee6c9f

Source: src/bosgenesis_mop_creation_agent/common/logging.py (file)
source file src/bosgenesis_mop_creation_agent/common/logging.py (1803 bytes)

ev_630c06be5527b0959e13

Source: src/bosgenesis_mop_creation_agent/observability/service.py (file)
source file src/bosgenesis_mop_creation_agent/observability/service.py (17472 bytes)

ev_63c4a3dbadb8d00582c1

Source: knowledge-base/interfaces/SPEC.md (spec_document)
docs file knowledge-base/interfaces/SPEC.md (252 bytes)

ev_63f21112f4edf5455fa3

Source: src/bosgenesis_mop_creation_agent/observability/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/observability/SPEC.md (2536 bytes)

ev_6465184a37a17aa2cfc8

Source: docs/SAMPLE_REQUESTS.md (file)
docs file docs/SAMPLE_REQUESTS.md (5143 bytes)

ev_64775ae5a26cd797718d

Source: samples/requests/SPEC.md (spec_document)
docs file samples/requests/SPEC.md (355 bytes)

ev_6506ee745d24ab0dc887

Source: src/bosgenesis_mop_creation_agent/collectors/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/collectors/SPEC.md (1181 bytes)

ev_66a5bc7c2ca6a1951982

Source: docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (file)
docs file docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (8029 bytes)

ev_6829619b4c9a227b20ff

Source: certs/SPEC.md (spec_document)
docs file certs/SPEC.md (1369 bytes)

ev_6864be2d54a09fbb60a0

Source: src/SPEC.md (spec_document)
docs file src/SPEC.md (2511 bytes)

ev_6addcc8fe2b54e628763

Source: src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (1995 bytes)

ev_6b5aaea5a12c1ff83b5a

Source: src/bosgenesis_mop_creation_agent/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/__init__.py (62 bytes)

ev_6c34314033a5ff9dae58

Source: charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (596 bytes)

ev_6d371954597e580014f9

Source: src/bosgenesis_mop_creation_agent/core/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/core/__init__.py (35 bytes)

ev_6deab8f398e41b3a45e4

Source: artifacts/SPEC.md (spec_document)
docs file artifacts/SPEC.md (449 bytes)

ev_6ecf976fe7241507d54a

Source: src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (2783 bytes)

ev_6f03134ff3c6dbe22ab3

Source: src/bosgenesis_mop_creation_agent/llm/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/llm/SPEC.md (5822 bytes)

ev_6fb12e2370a420a8bb54

Source: src/bosgenesis_mop_creation_agent/api/routes.py (file)
source file src/bosgenesis_mop_creation_agent/api/routes.py (13892 bytes)

ev_7041d61bc799942dc078

Source: pyproject.toml (file)
config file pyproject.toml (1409 bytes)

ev_72777aa10c600efdfa32

Source: TECH_STACK.md (file)
docs file TECH_STACK.md (1192 bytes)

ev_72e3bef830f8b1ab5fec

Source: docs/04_ALGORITHM_MOP_CREATION_AGENT.md (file)
docs file docs/04_ALGORITHM_MOP_CREATION_AGENT.md (28900 bytes)

ev_731a3456a2541b57d759

Source: src/bosgenesis_mop_creation_agent/rendering/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/rendering/SPEC.md (4875 bytes)

ev_7399326b9c2d025422f8

Source: src/bosgenesis_mop_creation_agent/config/settings.py (file)
source file src/bosgenesis_mop_creation_agent/config/settings.py (15051 bytes)

ev_7467b83d05b0d0f52910

Source: src/bosgenesis_mop_creation_agent/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/SPEC.md (2009 bytes)

ev_751619eadd5223f5445f

Source: samples/SPEC.md (spec_document)
docs file samples/SPEC.md (431 bytes)

ev_76e781f96aca550ae827

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (2361 bytes)

ev_782fab4f2f67dc70a085

Source: src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (6669 bytes)

ev_797ab90448d9be571d4a

Source: src/bosgenesis_mop_creation_agent/api/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/api/__init__.py (25 bytes)

ev_7a849059cb341aac4902

Source: knowledge-base/decisions/SPEC.md (spec_document)
docs file knowledge-base/decisions/SPEC.md (192 bytes)

ev_7baa5a27f8eb3a265ed0

Source: artifacts/human-mop/professional_mop_pdf_template.yaml (file)
config file artifacts/human-mop/professional_mop_pdf_template.yaml (1794 bytes)

ev_7c1b86658c9918e19f83

Source: src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (1505 bytes)

ev_7cfea9d6cb14ffc32a86

Source: evaluations/SPEC.md (spec_document)
docs file evaluations/SPEC.md (303 bytes)

ev_7df7d311ac6fe591fc1f

Source: deploy/k8s/base/SPEC.md (file)
deployment file deploy/k8s/base/SPEC.md (196 bytes)

ev_7e72240a4bb6922c6f11

Source: codex/config/SPEC.md (spec_document)
docs file codex/config/SPEC.md (186 bytes)

ev_7fdea0768d204342e727

Source: src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (file)
source file src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (9076 bytes)

ev_80611a66d3a88f89ae2a

Source: playbook/test-report.ps1 (file)
other file playbook/test-report.ps1 (958 bytes)

ev_8215854fff8601ca3fed

Source: src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (12202 bytes)

ev_82aa700e099d5af238a3

Source: charts/bosgenesis-mop-creation-agent/values.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.yaml (5875 bytes)

ev_84aac8afe64ceaa69b71

Source: README.md (spec_document)
docs file README.md (4415 bytes)

ev_84eee5f7a22210dff07

Source: src/bosgenesis_mop_creation_agent/config/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/config/__init__.py (38 bytes)

ev_85cd85e0c6f643620795

Source: knowledge-base/schemas/SPEC.md (spec_document)
docs file knowledge-base/schemas/SPEC.md (196 bytes)

ev_87c496771ceb5f3f595a

Source: tests/test_health.py (test_report)
test file tests/test_health.py (1746 bytes)

ev_888529c28768624a0633

Source: skills/SPEC.md (spec_document)
docs file skills/SPEC.md (243 bytes)

ev_89aa83e2678d3dd8e7fb

Source: src/bosgenesis_mop_creation_agent/reconstruction/models.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/models.py (1494 bytes)

ev_89cc00b21afb0e456881

Source: src/bosgenesis_mop_creation_agent/memory/adapters.py (file)
source file src/bosgenesis_mop_creation_agent/memory/adapters.py (12648 bytes)

ev_89eab467f1712c41f8a9

Source: config/SPEC.md (spec_document)
docs file config/SPEC.md (572 bytes)

ev_8b7d6bf7e76da393fb61

Source: deploy/k8s/overlays/SPEC.md (file)
deployment file deploy/k8s/overlays/SPEC.md (185 bytes)

ev_8c067ea6f2bee2e1a477

Source: knowledge-base/session/SPEC.md (spec_document)
docs file knowledge-base/session/SPEC.md (199 bytes)

ev_8d814e834eeb278a8c1e

Source: .agents/skills/SPEC.md (spec_document)
docs file .agents/skills/SPEC.md (265 bytes)

ev_905f8b7fb9a204da18e2

Source: src/bosgenesis_mop_creation_agent/langchain/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langchain/SPEC.md (1133 bytes)

ev_94114ea7ca8567235051

Source: src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (960 bytes)

ev_9427d58b0ed83a317bd7

Source: tests/test_phase1_contract.py (test_report)
test file tests/test_phase1_contract.py (15627 bytes)

ev_94afd4c92ca8cb77151b

Source: tests/test_phase4_mcp_enrichment.py (test_report)
test file tests/test_phase4_mcp_enrichment.py (10444 bytes)

ev_96eef0b302f561b44f3a

Source: tests/test_phase7_pdf_renderer.py (test_report)
test file tests/test_phase7_pdf_renderer.py (8692 bytes)

ev_98773d333c0af1058c7f

Source: evaluations/grounding/SPEC.md (spec_document)
docs file evaluations/grounding/SPEC.md (161 bytes)

ev_98792d35dcc7a5a46e8f

Source: docs/03_LLD_MOP_CREATION_AGENT.md (file)
docs file docs/03_LLD_MOP_CREATION_AGENT.md (23592 bytes)

ev_9c0b5a7b0b1f3ef60f00

Source: src/bosgenesis_mop_creation_agent/common/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/common/SPEC.md (714 bytes)

ev_9c6053e706be473ba685

Source: src/bosgenesis_mop_creation_agent/api/mcp.py (file)
source file src/bosgenesis_mop_creation_agent/api/mcp.py (7200 bytes)

ev_9ca56575ede6d78925ba

Source: docs/CREDENTIALS.md (file)
docs file docs/CREDENTIALS.md (13166 bytes)

ev_9d983130fa2591a7eebe

Source: artifacts/installation-notes/SPEC.md (spec_document)
docs file artifacts/installation-notes/SPEC.md (1174 bytes)

ev_9dd79da0bf3adb14ee0c

Source: tests/test_phase13_observability.py (test_report)
test file tests/test_phase13_observability.py (6492 bytes)

ev_a200cdec7d88d38cf721

Source: docs/06_APPLICATION_MODE.md (file)
docs file docs/06_APPLICATION_MODE.md (7498 bytes)

ev_a36f7d5c30895e4018e8

Source: src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (4107 bytes)

ev_a432e70c32378d92a6e4

Source: playbook/SPEC.md (spec_document)
docs file playbook/SPEC.md (220 bytes)

ev_a45dceba1d605803751c

Source: charts/bosgenesis-mop-creation-agent/templates/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/SPEC.md (218 bytes)

ev_a52dd53032daae5495a8

Source: charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (680 bytes)

ev_a96b48a071dd935d0ae0

Source: src/bosgenesis_mop_creation_agent/persistence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/persistence/SPEC.md (1919 bytes)

ev_aac806e9fadd1665a93a

Source: charts/bosgenesis-mop-creation-agent/Chart.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/Chart.yaml (149 bytes)

ev_aae6036808df8c468133

Source: memory/redis/SPEC.md (spec_document)
docs file memory/redis/SPEC.md (390 bytes)

ev_ab1e842b0c31689b7a76

Source: src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (1991 bytes)

ev_ab8c560045cabe00169f

Source: reports/.gitkeep (file)
other file reports/.gitkeep (1 bytes)

ev_ad9a56f594df10db1e29

Source: src/bosgenesis_mop_creation_agent/common/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/common/__init__.py (25 bytes)

ev_ae72ff4e0cae4e65ad33

Source: .github/workflows/SPEC.md (file)
ci file .github/workflows/SPEC.md (574 bytes)

ev_b1fb680451ab320d92fc

Source: .github/workflows/ci.yml (file)
ci file .github/workflows/ci.yml (1079 bytes)

ev_b21439b43a6821cdd2cb

Source: tests/test_artifact_writer_inventory.py (test_report)
test file tests/test_artifact_writer_inventory.py (29274 bytes)

ev_b3437907e01d5fcedede

Source: src/bosgenesis_mop_creation_agent/sources/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/sources/SPEC.md (1073 bytes)

ev_b40eea1e8be26fd66c8d

Source: src/bosgenesis_mop_creation_agent/models/requests.py (file)
source file src/bosgenesis_mop_creation_agent/models/requests.py (2539 bytes)

ev_b59f58e4dc525c236d62

Source: src/bosgenesis_mop_creation_agent/models/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/models/__init__.py (37 bytes)

ev_b5f05e1f37faf051a817

Source: tests/test_phase10_bounded_reasoning.py (test_report)
test file tests/test_phase10_bounded_reasoning.py (9367 bytes)

ev_b88b06f499a2b5a856cb

Source: src/bosgenesis_mop_creation_agent/core/orchestrator.py (file)
source file src/bosgenesis_mop_creation_agent/core/orchestrator.py (36273 bytes)

ev_b9914d18e89f3c37d4ba

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (3372 bytes)

ev_ba728f4d0b101ef3f9f1

Source: artifacts/human-mop/SPEC.md (spec_document)
docs file artifacts/human-mop/SPEC.md (2238 bytes)

ev_bb390154988f13124431

Source: src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (2231 bytes)

ev_bd1036948f1de092fecdd

Source: tests/SPEC.md (test_report)
test file tests/SPEC.md (1442 bytes)

ev_bdb6f8e825eb851b1e7e

Source: src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (39550 bytes)

ev_bf0744d3bb961d07bbcc

Source: src/bosgenesis_mop_creation_agent/llm/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/llm/__init__.py (243 bytes)

ev_c03f94167851ae911d32

Source: src/bosgenesis_mop_creation_agent/memory/models.py (file)
source file src/bosgenesis_mop_creation_agent/memory/models.py (1367 bytes)

ev_c391403ba7c07e94d654

Source: deploy/SPEC.md (file)
deployment file deploy/SPEC.md (199 bytes)

ev_c3e75082a9bb18e604cc

Source: src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (88609 bytes)

ev_c4b0d0a3203981764694

Source: src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (132 bytes)

ev_c652caccd240e3b86f0d

Source: docs/SPEC.md (spec_document)
docs file docs/SPEC.md (3905 bytes)

ev_c714443b02296ed004e6

Source: src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (8191 bytes)

ev_c75e4fa15d79190955a3

Source: .agents/skills/SKILLS.md (file)
docs file .agents/skills/SKILLS.md (9902 bytes)

ev_c82c6739e329a22dbf14

Source: playbook/deploy.sh (file)
source file playbook/deploy.sh (8003 bytes)

ev_c96d5c3114d6d540cc46

Source: PROJECT_STRUCTURE.md (file)
docs file PROJECT_STRUCTURE.md (1340 bytes)

ev_c99a13e780128deb2c67

Source: memory/clickhouse/SPEC.md (spec_document)
docs file memory/clickhouse/SPEC.md (318 bytes)

ev_c9ac3493da0ea02b078e

Source: docs/01_SPEC_MOP_CREATION_AGENT.md (file)
docs file docs/01_SPEC_MOP_CREATION_AGENT.md (25454 bytes)

ev_c9d9a958ea9447fffd98

Source: src/bosgenesis_mop_creation_agent/classification/models.py (file)
source file src/bosgenesis_mop_creation_agent/classification/models.py (1779 bytes)

ev_cb5514ba587eebacabcb

Source: artifacts/installation-notes/installation_notes_template.md (file)
docs file artifacts/installation-notes/installation_notes_template.md (10092 bytes)

ev_cc7c9308d2d28917b903

Source: config/settings.yaml (file)
config file config/settings.yaml (2375 bytes)

ev_cd33f92e707f584ceca5

Source: src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (7628 bytes)

ev_cd4c95230334878dfdeb

Source: src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (28 bytes)

ev_ce9578ab326080abcd21

Source: tests/test_phase9_qdrant_references.py (test_report)
test file tests/test_phase9_qdrant_references.py (9989 bytes)

ev_d191a9bf7fbc6df23577

Source: charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (2581 bytes)

ev_d1cdc89ad24e620f0f35

Source: docs/kubernetes-mop-sample.md (file)
docs file docs/kubernetes-mop-sample.md (9285 bytes)

ev_d4cbb4da1a5a870727b5

Source: src/bosgenesis_mop_creation_agent/models/responses.py (file)
source file src/bosgenesis_mop_creation_agent/models/responses.py (2024 bytes)

ev_d6ce879e52e5e0ddd39d

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (3064 bytes)

ev_d7f6ea402c6f7cf9121e

Source: src/bosgenesis_mop_creation_agent/observability/models.py (file)
source file src/bosgenesis_mop_creation_agent/observability/models.py (1517 bytes)

ev_da2b6e4508816a30b52d

Source: charts/bosgenesis-mop-creation-agent/.helmignore (file)
deployment file charts/bosgenesis-mop-creation-agent/.helmignore (65 bytes)

ev_da858235722cc5789346

Source: src/bosgenesis_mop_creation_agent/entrypoints/main.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/main.py (311 bytes)

ev_db3fccef0882f368ff15

Source: src/bosgenesis_mop_creation_agent/reconstruction/planner.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/planner.py (11834 bytes)

ev_dba6e313044b95f4d250

Source: tests/test_phase11_memory_layer.py (test_report)
test file tests/test_phase11_memory_layer.py (7555 bytes)

ev_dc29ff7a1735f7392d73

Source: charts/SPEC.md (file)
deployment file charts/SPEC.md (228 bytes)

ev_dc829ae5c771a08a0a95

Source: playbook/validation/SPEC.md (spec_document)
docs file playbook/validation/SPEC.md (300 bytes)

ev_dfe32e7a57dcdf4dd807

Source: src/bosgenesis_mop_creation_agent/mcp_clients/base.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/base.py (8295 bytes)

ev_e0a6fb4dc5ee892d68c0

Source: playbook/rollback/SPEC.md (spec_document)
docs file playbook/rollback/SPEC.md (224 bytes)

ev_e0bc867692b44c52a169

Source: playbook/test-report.sh (file)
source file playbook/test-report.sh (761 bytes)

ev_e106127d4379b1257d34

Source: memory/postgresql/SPEC.md (spec_document)
docs file memory/postgresql/SPEC.md (477 bytes)

ev_e283c0712b1803ab5a89

Source: tests/test_phase15_release_candidate.py (test_report)
test file tests/test_phase15_release_candidate.py (2251 bytes)

ev_e430bf06328896227199

Source: src/bosgenesis_mop_creation_agent/memory/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/memory/SPEC.md (3714 bytes)

ev_e5d37dd901a6c7bbfe77

Source: src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (1594 bytes)

ev_ebb4b194385951c02235

Source: charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (991 bytes)

ev_ebbe0e65d016f4d2be14

Source: tests/contracts/SPEC.md (test_report)
test file tests/contracts/SPEC.md (273 bytes)

ev_ecf86897f33db1f82444

Source: codex/SPEC.md (spec_document)
docs file codex/SPEC.md (474 bytes)

ev_ed291a27e85920a8e1fa

Source: docs/DEPLOYMENT.md (file)
docs file docs/DEPLOYMENT.md (3993 bytes)

ev_ed641967e1135e356f13

Source: AGENTS.md (file)
docs file AGENTS.md (1880 bytes)

ev_edb349ca7c693aeb6af9

Source: charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (1481 bytes)

ev_edc2de4e89e5253d8027

Source: charts/bosgenesis-mop-creation-agent/values/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/values/SPEC.md (310 bytes)

ev_efc78b05b9fe882a02d6

Source: playbook/deployment/SPEC.md (spec_document)
docs file playbook/deployment/SPEC.md (303 bytes)

ev_f05dd6af9e3f4e5075eb

Source: tests/test_phase62_llm_repair.py (test_report)
test file tests/test_phase62_llm_repair.py (9549 bytes)

ev_f0bbcca0ad9f8062c936

Source: src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (5788 bytes)

ev_f46b857d126eaaadda59

Source: src/bosgenesis_mop_creation_agent/llm/models.py (file)
source file src/bosgenesis_mop_creation_agent/llm/models.py (3526 bytes)

ev_f6923c3872ef8ef969ac

Source: evaluations/safety/SPEC.md (spec_document)
docs file evaluations/safety/SPEC.md (161 bytes)

ev_f73d07464c6fcbf30313

Source: certs/README.md (spec_document)
docs file certs/README.md (740 bytes)

ev_f7f6265fb9a278887765

Source: certs/.gitkeep (file)
other file certs/.gitkeep (1 bytes)

ev_f8674dea11dc02fc4f36

Source: src/bosgenesis_mop_creation_agent/retrieval/models.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/models.py (1771 bytes)

ev_f9908b934fab0bb12932

Source: .agents/skills/SKILL.md (file)
docs file .agents/skills/SKILL.md (8207 bytes)

ev_f9e43634892d3c1c1693

Source: charts/bosgenesis-mop-creation-agent/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/SPEC.md (363 bytes)

ev_fa0730d4f267bfae847e

Source: src/bosgenesis_mop_creation_agent/core/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/core/SPEC.md (4204 bytes)

ev_fadc845061dc13ed0c4b

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (1811 bytes)

ev_fb8cf90d941a49e27c27

Source: knowledge-base/design/SPEC.md (spec_document)
docs file knowledge-base/design/SPEC.md (104 bytes)

ev_fcb713a91477f8094a90

Source: src/bosgenesis_mop_creation_agent/security/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/security/SPEC.md (1567 bytes)

ev_fcf5b9ce79289f95b3cc

Source: samples/requests/platform-only-generate.json (file)
config file samples/requests/platform-only-generate.json (379 bytes)

ev_fe3c996f76ba7dd69a7c

Source: src/bosgenesis_mop_creation_agent/evidence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/evidence/SPEC.md (1421 bytes)