

Bosgenesis MoP Creation Agent Professional Release Notes and Package Intelligence Report

v0.0.1 | Public GitHub repository analysis | Generated 2026-08-18

20

PUBLIC TAGS

21

COMMITTS

0.0.1

PACKAGE VERSION

Py 3.11+

RUNTIME

Release positioning
This document packages the visible repository evolution into an executive-ready release note with change history from repository evidence, package metadata, capability analysis, deployment posture, safety notes, validation checklist, risks, and next-release recommendations.

Metric	Value
Engineering Leaders	Understand release maturity, delivery velocity, and technical scope.
DevOps / Platform	Review packaging, Kubernetes/Helm posture, validation, and rollback readiness.
Citizen Development / Agent Platform Teams	Understand how this agent contributes to reproducible BOS Genesis documentation.

1. Executive Summary

Commercial summary of the v0.0.1 package, based on public repository evidence.

`bosgenesis-mop-creation-agent` is a spec-first, LLM-assisted agent for reconstructing how a single BOS Genesis Kubernetes namespace was installed and generating reproducible installation documentation. Intent source: stated. Evidence: ev_20a6b7675c509194568e.

The current public repository describes a foundation release with FastAPI service shell, REST endpoints, MCP-style tools, Dockerfile, Helm skeleton, Kubernetes deployment posture, pytest, Ruff CI readiness.

11 days

Release window

20

Visible tags

95.9%

Python

Codebase mix

Read-only

Safety mode

REST-triggered generation	MCP-style agent contract	Helm/Kubernetes deployment path	Container packaging
pytest quality baseline	Ruff CI readiness	Spec-first operating model	Read-only safety posture

Release recommendation

This release can be presented commercially as an initial platform-capability release. The strongest story is visible delivery progress and contracts; production readiness should remain clearly gated by the listed evidence gaps.


2. Release And Package Information

Metric	Value
Product / Component	Bosgenesis MoP Creation Agent
Repository	github.com/aveeshek/bosgenesis-mop-creation-agent
Package name	bosgenesis-mop-creation-agent
Current package version	0.0.1
Release type	Foundation / repository capability release
Runtime requirement	Py 3.11+
Primary interface	FastAPI REST service
Target deployment model	Docker image + Helm chart + Kubernetes deployment
Security posture	Read-only repository analysis; no repository code execution
Detected technology	GitHub Actions, Docker, Helm, Kubernetes, FastAPI, MCP, Pydantic, Python, Shell, Ruff, Python packaging, pytest


3. Analytical Release Dashboard

Delivery velocity, capability mix, and maturity signals inferred from public repo evidence.

Tag Velocity: New tags/day with cumulative release growth



Capability Distribution by Tag Theme




Note: classification inferred from public tag names and commit messages; not a formal GitHub release taxonomy.

4. Release Readiness Assessment

Analytical maturity scoring; intended for planning and review, not as a formal audit.

Release Readiness Assessment (Analytical Estimate)

Score based on public repo evidence: contracts, source documentation coverage, lightweight security scan findings, tests, dependencies, and deployment files.



Dimension	Score	Evidence-based interpretation	Recommended action
API contract	4.0/5	REST or MCP-style contracts are visible and testable.	Add formal API or MCP examples and backward compatibility policy.
Documentation coverage	2.0/5	11/290 documentable source symbols include docstrings or Javadoc-style comments (3.8%). LLM advisory: Extremely low documentation coverage (3.8%) across 56 Python files, with only 11/290 symbols documented.	Add docstrings or Javadoc-style comments to public modules, classes, functions, and services.
Security scan	3.2/5	Lightweight scan found 0 sanitized finding(s) across 107 file(s); controls: CI workflow.	Review high/medium findings, add CodeQL/Dependabot/SECURITY.md, and keep secrets out of source.
Repository documentation	4.1/5	102 documentation artifact(s) were inventoried.	Keep README, architecture, operational, and module-level specs current.
Testing	3.0/5	18 test source file(s) were detected.	Publish test reports and coverage artifacts with release evidence.
Observability	2.4/5	No explicit observability stack marker was detected.	Add trace IDs, spans, metrics, dashboards, and release observability notes.
Persistence	3.2/5	Persistence or storage markers are visible.	Document schemas, migrations, backup, and retention expectations.
Deployment packaging	3.7/5	Docker, Helm, or Kubernetes packaging is visible.	Add production values, probes, limits, and release pipeline artifacts.

5. Change History From Repository Evidence

Visible repository history converted into business-friendly release history.

Tag / Commit	Date	Commit	Release theme	Commercial value / change summary
specs	2026-05-25	571cc8d	Foundation	Foundation milestone: specs.
phase0-foundation	2026-05-26	e74d61b	Foundation	Foundation milestone: Phase 0 foundation.
phase1-mcp-api	2026-05-26	2761063	MCP/API Contract	MCP/API Contract milestone: Phase 1 mcp api.
phase03-snapshot-reader	2026-05-28	9adeec3	Evidence	Evidence milestone: Phase 03 snapshot reader.
phase04-mcp-enrichment	2026-05-28	15765fa	MCP/API Contract	MCP/API Contract milestone: Phase 04 mcp enrichment.
phase05-classification-and-safety	2026-05-29	bd9510e	Safety/Classification	Safety/Classification milestone: Phase 05 classification and safety.
phase06-manifest-and-helm-reconstruction	2026-06-02	6a2b4f1	Deployment	Deployment milestone: Phase 06 manifest and helm reconstruction.
phase08-markdown-installation-notes-renderer	2026-06-02	2d69e25	Doc Rendering	Doc Rendering milestone: Phase 08 markdown installation notes renderer.
phase09-qdrant-read-only-reference-lookup	2026-06-03	9c9313e	Evidence	Evidence milestone: Phase 09 qdrant read only reference lookup.
phase10-llm-reasoning	2026-06-03	e680d05	Reasoning	Reasoning milestone: Phase 10 llm reasoning.
phase07-professional-pdf-renderer	2026-06-03	f7c5f91	Doc Rendering	Doc Rendering milestone: Phase 07 professional pdf renderer.
phase10.1-runtime-namespace-api	2026-06-04	5fc14e1	MCP/API Contract	MCP/API Contract milestone: Phase 10.1 runtime namespace api.
phase11-memory-layer	2026-06-04	caf175b	Memory	Memory milestone: Phase 11 memory layer.
phase13-observability-audit-hardening	2026-06-05	ba6c30b	Repository Change	Repository Change milestone: Phase 13 observability audit hardening.
phase13.1-validation-gates	2026-06-05	6373fdc	Repository Change	Repository Change milestone: Phase 13.1 validation gates.
phase15-release-candidate	2026-06-07	12f796f	Repository Change	Repository Change milestone: Phase 15 release candidate.
codex-skill-config	2026-06-07	233631a	Repository Change	Repository Change milestone: codex skill config.
phase16-executable-helm-reconstruction	2026-06-20	0b2eaed	Deployment	Deployment milestone: Phase 16 executable helm reconstruction.
phase16.1-ingress-pvc-reconstruction	2026-06-21	1986852	Repository Change	Repository Change milestone: Phase 16.1 ingress pvc reconstruction.
phase16.2-final-clone-reconstruction	2026-06-22	e4049fe	Repository Change	Repository Change milestone: Phase 16.2 final clone reconstruction.

6. Technical Capability Map

What the repository enables today and what remains clearly marked as future or partial scope.

Capability area	Delivered / visible in repo evidence	Commercial interpretation
REST service shell	HTTP routes detected.	Establishes service interface for demos, smoke tests, and integration discussion.
MCP-style integration	No explicit MCP tools detected.	Allows MCP-aware clients to call bounded repository or release-note operations.
Document outputs	Markdown/HTML/PDF artifacts are supported by the release-note agent renderer.	Creates dual-persona documentation: human operations and future agent execution.
Kubernetes/Helm posture	Docker image + Helm chart + Kubernetes deployment	Aligns with BOS Genesis reproducibility and deployment review use cases.
Quality tooling	pytest, Ruff	Supports quality-gate and CI readiness discussion.
Safety posture	Lightweight scan found 0 sanitized finding(s); controls: CI workflow.	Strong fit for controlled enterprise automation and audit requirements.


Non-functional notes

- Spec-driven implementation
 - Traceability-oriented design
 - Artifact-oriented output
- Read-only discovery
 - Helm/Kubernetes deployment path
 - Future observability hooks

Architecture evidence diagrams


Repository Analysis Flow

Repository evidence is collected before analytics and report rendering. Confidence: 0.95.




C4 Context

High-level context for repository scanning and release-note production. Confidence: 0.80.




C4 Container

Runtime containers and their main data flows. Confidence: 0.75.




Component Analysis

Analyzer components feeding the normalized analytics bundle. Confidence: 0.85.



Deployment Topology

Deployment topology derived only from detected deployment evidence. Confidence: 0.80.



7. Deployment, Validation, And Rollback Notes

Operator-ready release details for a professional deployment note.

Purpose	Command
Local install	<code>python -m pip install -e "[dev]"</code>
Local run	<code>bosgenesis-mop-creation-agent</code>
Helm deploy	<code>IMAGE_REPOSITORY=... IMAGE_TAG=... ./playbook/deploy.sh</code>
REST contract test	<code>curl -X POST http://localhost:8080/api/v1/scans ...</code>
MCP-style test	<code>curl http://localhost:8090/mcp/tools</code>

Recommended production-readiness checklist

Gate	Status to validate before promotion
Build integrity	Docker image built, scanned, and mapped to exact Git commit.
API health	<code>/health</code> returns healthy status after deployment.
Config safety	Sensitive values are redacted from effective configuration.
MCP contract	Tool list and health tool calls succeed.
Artifact output	PDF and Markdown output paths are created, validated, and retained.
Safety test	Agent cannot mutate Kubernetes, Helm, databases, streams, or application data.
Observability	Correlation IDs, logs, traces, and metrics visible in target tools.
Rollback	Uninstaller and Helm rollback path tested in non-production namespace.

8. Known Limitations, Risks, And Controls

Transparent release-note section for commercial-grade governance.

Risk / limitation	Impact	Recommended control
Generation behavior may be partially contract/stub-oriented.	Users may expect full repository-to-artifact automation before it is wired.	Mark release as foundation capability; label production readiness clearly.
No full coverage report evidence detected.	Harder to prove runtime quality from repository files alone.	Publish test reports and coverage artifacts in CI.
LLM or reasoning features require guardrails.	Risk of nondeterministic or overreaching recommendations.	Add bounded prompts, policy checks, and regression evaluations.
Kubernetes/Helm reconstruction must avoid secrets and mutation.	Potential compliance risk if evidence export is too broad.	Namespace-only RBAC, secret redaction, deny-list and audit events.

Known evidence gaps

- Missing HLD documentation.
- Missing LLD documentation.
- No ADR documentation detected.
- No coverage report evidence detected.
- No module-level specs.md documentation detected.
- No pytest or JUnit test report evidence detected.
- Unsupported source extension for structure parsing: .sh

Release classification

Classification	Recommended wording
External demo	Safe for controlled demo as an initial agent package and release-history example.
Internal platform pilot	Suitable for sandbox validation where read-only boundaries and artifact outputs are verified.
Production automation	Not yet recommended unless evidence collection, artifacts, security, and observability are validated.

9. Recommended Next Release Scope

Commercially useful roadmap derived from gaps and existing repository direction.

Priority	Theme	Recommended next capability	Business value
P1	Formal release management	Create GitHub Releases with notes, artifact links, SBOM and checksums.	Improves commercial credibility and traceable delivery.
P1	Evidence engine	Complete repository and runtime evidence collection.	Makes generated notes grounded in runtime and source facts.
P1	Artifact generation	Wire end-to-end Markdown, HTML, and PDF generation into worker/API flow.	Turns the agent from contract demo into usable documentation factory.
P1	Security	Add redaction, secret deny-list, read-only RBAC and policy tests.	Makes enterprise adoption safer.
P2	Observability	Add OpenTelemetry spans, Langfuse traces, dashboards and correlation IDs.	Improves supportability and executive demo evidence.
P2	Persistence	Store runs, artifacts, evidence bundles, decisions and audit records.	Supports history, audit, and repeatability.
P2	Evaluation	Add reproducibility, grounding, safety and PDF quality evaluation suites.	Improves confidence before promotion.

Suggested next release title

v0.2.0 - Evidence-Grounded Release Artifact Generation: complete repository evidence extraction, deterministic PDF/Markdown generation, artifact retention, and smoke-test verification.

Appendix A. Evidence Sources And Assumptions

ev_0146105832155f4be295

Source: src/bosgenesis_mop_creation_agent/evidence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/evidence/SPEC.md (1421 bytes)

ev_01eb766cc75cd06890a2

Source: src/bosgenesis_mop_creation_agent/sources/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/sources/SPEC.md (1073 bytes)

ev_022f6c6e150b6ce3d79b

Source: src/bosgenesis_mop_creation_agent/rendering/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/rendering/SPEC.md (4875 bytes)

ev_028cc74fcb753e698ba6

Source: src/bosgenesis_mop_creation_agent/observability/service.py (file)
source file src/bosgenesis_mop_creation_agent/observability/service.py (17472 bytes)

ev_039d34ea5f40a5f3f7da

Source: src/bosgenesis_mop_creation_agent/retrieval/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/__init__.py (258 bytes)

ev_05a275dce66e58f75d4a

Source: src/bosgenesis_mop_creation_agent/llm/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/llm/SPEC.md (5822 bytes)

ev_0cf17f93dd0ba1885497

Source: src/bosgenesis_mop_creation_agent/api/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/api/__init__.py (25 bytes)

ev_0f49a571f7e8e79b2070

Source: tests/SPEC.md (test_report)
test file tests/SPEC.md (1442 bytes)

ev_1135262a2d379e6748d2

Source: AGENTS.md (file)
docs file AGENTS.md (1880 bytes)

ev_115a3f7911fab6b08f9a

Source: config/settings.yaml (file)
config file config/settings.yaml (2375 bytes)

ev_11ec5bcd61ad2ed0e2c1

Source: src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (file)
source file src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (15011 bytes)

ev_132c76756412c7513340

Source: tests/test_phase13_observability.py (test_report)
test file tests/test_phase13_observability.py (6492 bytes)

ev_13943e0ee15a9e70424c

Source: src/bosgenesis_mop_creation_agent/common/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/common/__init__.py (25 bytes)

ev_15ff2abb7299d5394420

Source: skills/SPEC.md (spec_document)
docs file skills/SPEC.md (243 bytes)

ev_16a895c2442dcf955feb

Source: playbook/operations/SPEC.md (spec_document)
docs file playbook/operations/SPEC.md (259 bytes)

ev_17b7b5b0369c36fcaaf1

Source: charts/bosgenesis-mop-creation-agent/values.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.yaml (5875 bytes)

ev_17e9ce4bfd9b31a4c957

Source: evaluations/safety/SPEC.md (spec_document)
docs file evaluations/safety/SPEC.md (161 bytes)

ev_193e7b4378b74d23628a

Source: tests/test_phase7_pdf_renderer.py (test_report)
test file tests/test_phase7_pdf_renderer.py (8692 bytes)

ev_194efe7802196d59a379

Source: src/bosgenesis_mop_creation_agent/api/app.py (file)
source file src/bosgenesis_mop_creation_agent/api/app.py (1172 bytes)

ev_1bad9665507cd9a4e99f

Source: src/bosgenesis_mop_creation_agent/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/SPEC.md (2009 bytes)

ev_1cffc45aaec82f50504

Source: src/bosgenesis_mop_creation_agent/classification/models.py (file)
source file src/bosgenesis_mop_creation_agent/classification/models.py (1779 bytes)

ev_1d0c7efd88107d2ee076

Source: docs/DEPLOYMENT.md (file)
docs file docs/DEPLOYMENT.md (3993 bytes)

ev_1e1457f85d6754df37bc

Source: docs/05_OUTPUT_CONTRACTS.md (file)
docs file docs/05_OUTPUT_CONTRACTS.md (18495 bytes)

ev_1e9fc0764c03df938b8e

Source: artifacts/human-mop/human_mop_pdf_template.md (file)
docs file artifacts/human-mop/human_mop_pdf_template.md (11469 bytes)

ev_1f20c82caa8f38e42090

Source: skills/mop-creation/SPEC.md (spec_document)
docs file skills/mop-creation/SPEC.md (292 bytes)

ev_1f70ed188df9c41ad79c

Source: src/bosgenesis_mop_creation_agent/documents/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/documents/SPEC.md (2776 bytes)

ev_201006f8f34aff73a2f4

Source: Dockerfile (file)
deployment file Dockerfile (553 bytes)

ev_201ab5309ba694245f0d

Source: src/bosgenesis_mop_creation_agent/application/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/application/SPEC.md (1429 bytes)

ev_203db3664a8c5bbcf37e

Source: src/bosgenesis_mop_creation_agent/memory/adapters.py (file)
source file src/bosgenesis_mop_creation_agent/memory/adapters.py (12648 bytes)

ev_20a4040834401b04b25d

Source: tests/fixtures/SPEC.md (test_report)
test file tests/fixtures/SPEC.md (231 bytes)

ev_20a6b7675c509194568e

Source: README.md (spec_document)
docs file README.md (4415 bytes)

ev_211ce91d3fc6e0c6f884

Source: playbook/test-report.ps1 (file)
other file playbook/test-report.ps1 (958 bytes)

ev_2164b3cbcc3f428da7c9

Source: src/bosgenesis_mop_creation_agent/core/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/core/__init__.py (35 bytes)

ev_22e0347cc8d2a26d5df2

Source: src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (88609 bytes)

ev_23cb139a944f4c738f54

Source: src/bosgenesis_mop_creation_agent/entrypoints/main.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/main.py (311 bytes)

ev_241cf4f5a60f905cad17

Source: src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (2783 bytes)

ev_25174f58bd60c9a97ddc

Source: deploy/k8s/base/SPEC.md (file)
deployment file deploy/k8s/base/SPEC.md (196 bytes)

ev_254f9437eb8cf665aa0c

Source: samples/requests/application-mode-smoke-generate.json (file)
config file samples/requests/application-mode-smoke-generate.json (388 bytes)

ev_25a99a8db88d55cb0a7d

Source: artifacts/installation-notes/installation_notes_template.md (file)
docs file artifacts/installation-notes/installation_notes_template.md (10092 bytes)

ev_2653254f5aa71aaeef2b

Source: src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (1505 bytes)

ev_27a1cb9dc07673d332b3

Source: src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (6669 bytes)

ev_298cfa71872eda43d664

Source: src/bosgenesis_mop_creation_agent/security/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/security/SPEC.md (1567 bytes)

ev_2bad4a9da92ee8f30d69

Source: tests/test_phase62_llm_repair.py (test_report)
test file tests/test_phase62_llm_repair.py (9549 bytes)

ev_2c69daac2c19582f1fe7

Source: src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (4107 bytes)

ev_2db9af9a74ee16489643

Source: src/bosgenesis_mop_creation_agent/llm/models.py (file)
source file src/bosgenesis_mop_creation_agent/llm/models.py (3526 bytes)

ev_2df1822e08182fef0845

Source: src/bosgenesis_mop_creation_agent/memory/models.py (file)
source file src/bosgenesis_mop_creation_agent/memory/models.py (1367 bytes)

ev_30bba5f12c3ab8546b50

Source: docs/CREDENTIALS.md (file)
docs file docs/CREDENTIALS.md (13166 bytes)

ev_31fe612f79396dd8d571

Source: charts/bosgenesis-mop-creation-agent/templates/service.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/service.yaml (428 bytes)

ev_3295fb1ff1cf08932237

Source: playbook/test-report.sh (file)
source file playbook/test-report.sh (761 bytes)

ev_3352fc52e095f06247f8

Source: charts/SPEC.md (file)
deployment file charts/SPEC.md (228 bytes)

ev_3510748200e5e9f6c41d

Source: playbook/rollback/SPEC.md (spec_document)
docs file playbook/rollback/SPEC.md (224 bytes)

ev_354430affbd21392188a

Source: reports/.gitkeep (file)
other file reports/.gitkeep (1 bytes)

ev_3555cc33edfa634c1ca1

Source: src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (7148 bytes)

ev_3612903d576703b12734

Source: src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (1995 bytes)

ev_37d32a6f2a259c152bba

Source: deploy/SPEC.md (file)
deployment file deploy/SPEC.md (199 bytes)

ev_37d37ea14dba9bcf9529

Source: src/bosgenesis_mop_creation_agent/langchain/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langchain/SPEC.md (1133 bytes)

ev_39fcda861370f8e46600

Source: src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (4764 bytes)

ev_3a894335c68cfe984dd1

Source: src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (1637 bytes)

ev_3c09f5c3c47bfd76027e

Source: src/bosgenesis_mop_creation_agent/classification/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/classification/SPEC.md (2676 bytes)

ev_3d4022da0b076ff45c7f

Source: charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (1481 bytes)

ev_3e4ffc7e5d99f4b9f03

Source: PROJECT_STRUCTURE.md (file)
docs file PROJECT_STRUCTURE.md (1340 bytes)

ev_3e686e326561f485a5b7

Source: knowledge-base/decisions/SPEC.md (spec_document)
docs file knowledge-base/decisions/SPEC.md (192 bytes)

ev_3e6cc82f52d45fec4feb

Source: TECH_STACK.md (file)
docs file TECH_STACK.md (1192 bytes)

ev_3eca9885c39c5fdbd1c7

Source: samples/requests/SPEC.md (spec_document)
docs file samples/requests/SPEC.md (355 bytes)

ev_41a59dc8c183db91ce9d

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (3064 bytes)

ev_42586a8848ca25826927

Source: tests/test_artifact_writer_inventory.py (test_report)
test file tests/test_artifact_writer_inventory.py (29274 bytes)

ev_45dac091ca9d49acc345

Source: knowledge-base/design/SPEC.md (spec_document)
docs file knowledge-base/design/SPEC.md (104 bytes)

ev_467480369ae920a5a21b

Source: src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (9463 bytes)

ev_48dc84807fa2183be481

Source: docs/SAMPLE_REQUESTS.md (file)
docs file docs/SAMPLE_REQUESTS.md (5143 bytes)

ev_49b1dfb0184ff05ff4c0

Source: src/bosgenesis_mop_creation_agent/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/__init__.py (62 bytes)

ev_4a8f3deb39656750680a

Source: artifacts/human-mop/SPEC.md (spec_document)
docs file artifacts/human-mop/SPEC.md (2238 bytes)

ev_4f502f0e3deca1489453

Source: tests/contracts/SPEC.md (test_report)
test file tests/contracts/SPEC.md (273 bytes)

ev_52c25934b00154698419

Source: memory/SPEC.md (spec_document)
docs file memory/SPEC.md (631 bytes)

ev_56995f7c8b6eda3f755d

Source: config/SPEC.md (spec_document)
docs file config/SPEC.md (572 bytes)

ev_57fe4c3e33a5ad462600

Source: codex/config/config.toml (file)
config file codex/config/config.toml (937 bytes)

ev_597b80e4ee1706d7bcdd

Source: src/bosgenesis_mop_creation_agent/config/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/config/SPEC.md (4578 bytes)

ev_5c5fabcc203e8d789db1

Source: src/bosgenesis_mop_creation_agent/collectors/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/collectors/SPEC.md (1181 bytes)

ev_5d883be0cfb7f475cd79

Source: src/bosgenesis_mop_creation_agent/llm/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/llm/__init__.py (243 bytes)

ev_5e1f3a8268ad05dd2927

Source: src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (12202 bytes)

ev_5e8158c70f38ab9a5e44

Source: tests/test_health.py (test_report)
test file tests/test_health.py (1746 bytes)

ev_5f27cef51d8e75038cb2

Source: tests/test_phase5_classification.py (test_report)
test file tests/test_phase5_classification.py (6655 bytes)

ev_61b1e1c93b24fdfa8bf1

Source: src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (960 bytes)

ev_62aa4a2cbd94ae31c3ee

Source: src/bosgenesis_mop_creation_agent/models/requests.py (file)
source file src/bosgenesis_mop_creation_agent/models/requests.py (2539 bytes)

ev_64255b5847e3866a21b5

Source: codex/SPEC.md (spec_document)
docs file codex/SPEC.md (474 bytes)

ev_64a15c7d3cb09e6bf262

Source: evaluations/SPEC.md (spec_document)
docs file evaluations/SPEC.md (303 bytes)

ev_656cfb27f0fccb9063a5

Source: knowledge-base/interfaces/SPEC.md (spec_document)
docs file knowledge-base/interfaces/SPEC.md (252 bytes)

ev_699e6760b342db3c25b0

Source: tests/test_phase9_qdrant_references.py (test_report)
test file tests/test_phase9_qdrant_references.py (9989 bytes)

ev_69f6dcc37ea40faffbaa

Source: memory/mongodb/SPEC.md (spec_document)
docs file memory/mongodb/SPEC.md (277 bytes)

ev_6be9709a63fedad9ed8e

Source: knowledge-base/schemas/SPEC.md (spec_document)
docs file knowledge-base/schemas/SPEC.md (196 bytes)

ev_6c9df83cad0b8316cd3c

Source: artifacts/human-mop/professional_mop_pdf_template.yaml (file)
config file artifacts/human-mop/professional_mop_pdf_template.yaml (1794 bytes)

ev_7319afc97f1faed777d2

Source: artifacts/installation-notes/SPEC.md (spec_document)
docs file artifacts/installation-notes/SPEC.md (1174 bytes)

ev_7542ccdd9ec5f2619cc6

Source: certs/README.md (spec_document)
docs file certs/README.md (740 bytes)

ev_7700f51e8255022bcb20

Source: tests/test_phase15_release_candidate.py (test_report)
test file tests/test_phase15_release_candidate.py (2251 bytes)

ev_775717382acafb855b86

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (3372 bytes)

ev_77d140b28ed3b8084f0b

Source: src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (8191 bytes)

ev_782f3cfd268c1cbf8b7f

Source: charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (2581 bytes)

ev_788604e61aa28f59f633

Source: tests/test_phase1_contract.py (test_report)
test file tests/test_phase1_contract.py (15627 bytes)

ev_7a1bffa2c3b95e857023

Source: charts/bosgenesis-mop-creation-agent/.helmignore (file)
deployment file charts/bosgenesis-mop-creation-agent/.helmignore (65 bytes)

ev_7b0f9943b88e386b954f

Source: knowledge-base/SPEC.md (spec_document)
docs file knowledge-base/SPEC.md (262 bytes)

ev_7c9f8db437e40f22e15f

Source: src/bosgenesis_mop_creation_agent/models/responses.py (file)
source file src/bosgenesis_mop_creation_agent/models/responses.py (2024 bytes)

ev_7cc53e0e15675f7454d5

Source: .agents/skills/SKILLS.md (file)
docs file .agents/skills/SKILLS.md (9902 bytes)

ev_804c19db6dbeece95994

Source: src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (2231 bytes)

ev_80dbdc7ffddd8021f593

Source: src/bosgenesis_mop_creation_agent/observability/models.py (file)
source file src/bosgenesis_mop_creation_agent/observability/models.py (1517 bytes)

ev_81491826abc400ce8f62

Source: docs/RELEASE_CANDIDATE_RUNBOOK.md (file)
docs file docs/RELEASE_CANDIDATE_RUNBOOK.md (7686 bytes)

ev_8181fabe1bdeb64638b9

Source: src/bosgenesis_mop_creation_agent/api/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/api/SPEC.md (5261 bytes)

ev_83070dae6b2b9acaa230

Source: charts/bosgenesis-mop-creation-agent/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/SPEC.md (363 bytes)

ev_85a0c65e4054357b293a

Source: pyproject.toml (file)
config file pyproject.toml (1409 bytes)

ev_866de4d6e31c0e368a47

Source: charts/bosgenesis-mop-creation-agent/templates/secret.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/secret.yaml (560 bytes)

ev_879ba23766ad677f1210

Source: src/bosgenesis_mop_creation_agent/classification/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/classification/__init__.py (357 bytes)

ev_885bcde5c491e80f2335

Source: src/bosgenesis_mop_creation_agent/models/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/models/SPEC.md (2302 bytes)

ev_885d1765cb6312b6b720

Source: src/bosgenesis_mop_creation_agent/models/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/models/__init__.py (37 bytes)

ev_89c6e98759d615624537

Source: src/bosgenesis_mop_creation_agent/reconstruction/models.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/models.py (1494 bytes)

ev_8a68a6a600c7fd354070

Source: charts/bosgenesis-mop-creation-agent/Chart.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/Chart.yaml (149 bytes)

ev_8f9cfa26ca24a8cc4a11

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (2361 bytes)

ev_903cf04ac43aca5e9890

Source: src/bosgenesis_mop_creation_agent/api/routes.py (file)
source file src/bosgenesis_mop_creation_agent/api/routes.py (13892 bytes)

ev_916e745d563dda1c902b

Source: .github/workflows/SPEC.md (file)
ci file .github/workflows/SPEC.md (574 bytes)

ev_917b7e8f92d1d261d637

Source: reports/SPEC.md (spec_document)
docs file reports/SPEC.md (901 bytes)

ev_94b8954436ec76d98112

Source: src/bosgenesis_mop_creation_agent/llm/model_gateway.py (file)
source file src/bosgenesis_mop_creation_agent/llm/model_gateway.py (3217 bytes)

ev_96cd759cc3bf8cb19af3

Source: src/bosgenesis_mop_creation_agent/__main__.py (file)
source file src/bosgenesis_mop_creation_agent/__main__.py (105 bytes)

ev_9a65b907f14c03274f36

Source: src/bosgenesis_mop_creation_agent/validation/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/validation/SPEC.md (1964 bytes)

ev_9a8be3e20754fa86caf5

Source: certs/SPEC.md (spec_document)
docs file certs/SPEC.md (1369 bytes)

ev_9b1b2e6de0923f28f5e0

Source: src/SPEC.md (spec_document)
docs file src/SPEC.md (2511 bytes)

ev_9c6920ff0029a9ae310a

Source: tests/test_phase6_reconstruction.py (test_report)
test file tests/test_phase6_reconstruction.py (14039 bytes)

ev_9c7fb55fdd7971a64a6b

Source: memory/redis/SPEC.md (spec_document)
docs file memory/redis/SPEC.md (390 bytes)

ev_9ee3faa4a9a9dd7eed44

Source: SPEC.md (spec_document)
docs file SPEC.md (1808 bytes)

ev_a4a53dd3c9639fe4dd55

Source: LICENSE (file)
other file LICENSE (2417 bytes)

ev_a4d3988232175c4045ba

Source: charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (680 bytes)

ev_a5b7f249e1d06a78872f

Source: docs/SPEC.md (spec_document)
docs file docs/SPEC.md (3905 bytes)

ev_a6696c840a52957323a6

Source: src/bosgenesis_mop_creation_agent/observability/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/observability/__init__.py (213 bytes)

ev_a6c3b965a387d3030e40

Source: deploy/k8s/SPEC.md (file)
deployment file deploy/k8s/SPEC.md (219 bytes)

ev_aaf91001d9083b18a9d7

Source: playbook/deploy.sh (file)
source file playbook/deploy.sh (8003 bytes)

ev_ab6a7ba99af51b8af39f

Source: src/bosgenesis_mop_creation_agent/memory/service.py (file)
source file src/bosgenesis_mop_creation_agent/memory/service.py (8584 bytes)

ev_abe1919ac01e8f2db926

Source: src/bosgenesis_mop_creation_agent/core/orchestrator.py (file)
source file src/bosgenesis_mop_creation_agent/core/orchestrator.py (36273 bytes)

ev_adcf006b16182e99d821

Source: src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (1991 bytes)

ev_adcf4cca0c9b94a00fb7

Source: src/bosgenesis_mop_creation_agent/retrieval/models.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/models.py (1771 bytes)

ev_ae053c52532bc8d2071c

Source: src/bosgenesis_mop_creation_agent/memory/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/memory/__init__.py (267 bytes)

ev_ae346ce820a17cbe4193

Source: docs/CONTEXT_SNAPSHOT.md (file)
docs file docs/CONTEXT_SNAPSHOT.md (7259 bytes)

ev_ae8cf4640a2f59133733

Source: docs/01_SPEC_MOP_CREATION_AGENT.md (file)
docs file docs/01_SPEC_MOP_CREATION_AGENT.md (25454 bytes)

ev_af038e2a54c567bf3aa4

Source: src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (file)
source file src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (11083 bytes)

ev_af2be7168cb0efc9f8d0

Source: charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (596 bytes)

ev_b3d4caa93e9f68c65175

Source: .agents/skills/SKILL.md (file)
docs file .agents/skills/SKILL.md (8207 bytes)

ev_b42f676a61a37666f3d4

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (1811 bytes)

ev_b4a45e091322e847793f

Source: playbook/validation/SPEC.md (spec_document)
docs file playbook/validation/SPEC.md (300 bytes)

ev_b4d707d49956529a42ad

Source: charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (991 bytes)

ev_b718f7060805bb532f3b

Source: src/bosgenesis_mop_creation_agent/config/settings.py (file)
source file src/bosgenesis_mop_creation_agent/config/settings.py (15051 bytes)

ev_b71e1a2c8c082140b74b

Source: tests/e2e/SPEC.md (test_report)
test file tests/e2e/SPEC.md (294 bytes)

ev_b8bb204b6832d537d288

Source: deploy/k8s/overlays/SPEC.md (file)
deployment file deploy/k8s/overlays/SPEC.md (185 bytes)

ev_b9e130c311ca345a252e

Source: src/bosgenesis_mop_creation_agent/core/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/core/SPEC.md (4204 bytes)

ev_bb8f25c646298133da0c

Source: src/bosgenesis_mop_creation_agent/api/mcp.py (file)
source file src/bosgenesis_mop_creation_agent/api/mcp.py (7200 bytes)

ev_bcedb79e4c27c1f614b5

Source: memory/clickhouse/SPEC.md (spec_document)
docs file memory/clickhouse/SPEC.md (318 bytes)

ev_beff559c0b1b4d9fb21f

Source: tests/test_snapshot_selector.py (test_report)
test file tests/test_snapshot_selector.py (3163 bytes)

ev_bffdd593e9e29736782e

Source: src/bosgenesis_mop_creation_agent/reconstruction/planner.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/planner.py (11834 bytes)

ev_c086cf52fd8046c885cc

Source: src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (39550 bytes)

ev_c28896ae9d8ef82e3f80

Source: docs/07_SAMPLE_MOP_TEMPLATE.md (file)
docs file docs/07_SAMPLE_MOP_TEMPLATE.md (3754 bytes)

ev_c38db9281c4696e54e44

Source: src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (file)
source file src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (9076 bytes)

ev_c6aa11ff5f210bf187f3

Source: docs/04_ALGORITHM_MOP_CREATION_AGENT.md (file)
docs file docs/04_ALGORITHM_MOP_CREATION_AGENT.md (28900 bytes)

ev_c7fb20472714d6ec182e

Source: evaluations/grounding/SPEC.md (spec_document)
docs file evaluations/grounding/SPEC.md (161 bytes)

ev_c8e3ca4a23de78035063

Source: tests/test_phase11_memory_layer.py (test_report)
test file tests/test_phase11_memory_layer.py (7555 bytes)

ev_c97a1cba1d41cf9cc3a5

Source: src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (132 bytes)

ev_ca3ee59990c693f129b6

Source: playbook/SPEC.md (spec_document)
docs file playbook/SPEC.md (220 bytes)

ev_cb5b41071ab66dcee7e4

Source: src/bosgenesis_mop_creation_agent/memory/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/memory/SPEC.md (3714 bytes)

ev_cb6960661c7dd343e35e

Source: charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (779 bytes)

ev_cc4e3293606a3f3486ec

Source: charts/bosgenesis-mop-creation-agent/values/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/values/SPEC.md (310 bytes)

ev_ce201c651209346563ce

Source: src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (1594 bytes)

ev_ce2fe2ffc313a83d8fe1

Source: docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (file)
docs file docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (8029 bytes)

ev_d0460b2cc9a5077efec2

Source: src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (7628 bytes)

ev_d2152fe30d775da505f9

Source: .gitignore (file)
config file .gitignore (218 bytes)

ev_d22e6ffada3f12f7ad05

Source: certs/.gitkeep (file)
other file certs/.gitkeep (1 bytes)

ev_d2a06bcbfc4d69f38b67

Source: src/bosgenesis_mop_creation_agent/persistence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/persistence/SPEC.md (1919 bytes)

ev_d402ee6854e999a72c84

Source: src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (28 bytes)

ev_d403ffc127f56c7db719

Source: .agents/skills/SPEC.md (spec_document)
docs file .agents/skills/SPEC.md (265 bytes)

ev_d480c47b73d0c18286db

Source: src/bosgenesis_mop_creation_agent/mcp_clients/base.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/base.py (8295 bytes)

ev_d5f81b9e14843b2a96be

Source: codex/prompts/SPEC.md (spec_document)
docs file codex/prompts/SPEC.md (313 bytes)

ev_d7fb107d38c08abfc3b5

Source: docs/03_LLD_MOP_CREATION_AGENT.md (file)
docs file docs/03_LLD_MOP_CREATION_AGENT.md (23592 bytes)

ev_d8ca2e0f7f24a2f6de97

Source: codex/config/SPEC.md (spec_document)
docs file codex/config/SPEC.md (186 bytes)

ev_d904ca554295c74a0178

Source: samples/SPEC.md (spec_document)
docs file samples/SPEC.md (431 bytes)

ev_da9fb4ad17600c5fe98e

Source: docs/kubernetes-mop-sample.md (file)
docs file docs/kubernetes-mop-sample.md (9285 bytes)

ev_db190aa4b3118ab3a28a

Source: charts/bosgenesis-mop-creation-agent/templates/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/SPEC.md (218 bytes)

ev_dd42cec2cc80744b3307

Source: docs/02_HLD_MOP_CREATION_AGENT.md (file)
docs file docs/02_HLD_MOP_CREATION_AGENT.md (14244 bytes)

ev_dda6685f008fc2f86b51

Source: knowledge-base/session/SPEC.md (spec_document)
docs file knowledge-base/session/SPEC.md (199 bytes)

ev_dfe457c907b8ff865b98

Source: docs/06_APPLICATION_MODE.md (file)
docs file docs/06_APPLICATION_MODE.md (7498 bytes)

ev_e12e86b0a352933eeec6

Source: tests/test_phase4_mcp_enrichment.py (test_report)
test file tests/test_phase4_mcp_enrichment.py (10444 bytes)

ev_e3655316bd877fa6be15

Source: src/bosgenesis_mop_creation_agent/common/logging.py (file)
source file src/bosgenesis_mop_creation_agent/common/logging.py (1803 bytes)

ev_e3783521b07d99172c1f

Source: tests/test_phase10_bounded_reasoning.py (test_report)
test file tests/test_phase10_bounded_reasoning.py (9367 bytes)

ev_e4932fc2064e8da4f4dc

Source: .github/workflows/ci.yml (file)
ci file .github/workflows/ci.yml (1079 bytes)

ev_e5c5040ed911b457a188

Source: samples/requests/platform-only-generate.json (file)
config file samples/requests/platform-only-generate.json (379 bytes)

ev_ea04bad51e72f69966f5

Source: codex/skills/SPEC.md (spec_document)
docs file codex/skills/SPEC.md (221 bytes)

ev_eca55fb783a9582a2580

Source: src/bosgenesis_mop_creation_agent/config/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/config/__init__.py (38 bytes)

ev_edf83e1e68fd2ab54c20

Source: playbook/deployment/SPEC.md (spec_document)
docs file playbook/deployment/SPEC.md (303 bytes)

ev_ef42a55d5022b1eddba1

Source: .github/SPEC.md (spec_document)
docs file .github/SPEC.md (272 bytes)

ev_f1427029e213e79d544b

Source: artifacts/SPEC.md (spec_document)
docs file artifacts/SPEC.md (449 bytes)

ev_f14da9fc9652c183f3ad

Source: memory/postgresql/SPEC.md (spec_document)
docs file memory/postgresql/SPEC.md (477 bytes)

ev_f31189a1753147077f49

Source: src/bosgenesis_mop_creation_agent/observability/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/observability/SPEC.md (2536 bytes)

ev_f3dceef3dfb8c9cdcef8

Source: src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (2454 bytes)

ev_f3eea28938c6d6e24853

Source: .dockerignore (file)
config file .dockerignore (103 bytes)

ev_f4ef8c15ee53e883ffd6

Source: src/bosgenesis_mop_creation_agent/common/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/common/SPEC.md (714 bytes)

ev_f79cadad51e2b8de71ef

Source: src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (5788 bytes)

ev_faea43427c013b484a72

Source: playbook/uninstaller.sh (file)
source file playbook/uninstaller.sh (3091 bytes)

ev_fc1de4df23348bbb6d27

Source: codex/skills/SKILL.md (file)
docs file codex/skills/SKILL.md (2712 bytes)

ev_fe80c2322398ac7cb083

Source: memory/langmem/SPEC.md (spec_document)
docs file memory/langmem/SPEC.md (275 bytes)