

Bosgenesis MoP Creation Agent Professional Release Notes and Package Intelligence Report

v0.0.1 | Public GitHub repository analysis | Generated 2026-06-27

20

PUBLIC TAGS

21

COMMITTS

0.0.1

PACKAGE VERSION

Py 3.11+

RUNTIME

Release positioning

This document packages the visible repository evolution into an executive-ready release note with change history from repository evidence, package metadata, capability analysis, deployment posture, safety notes, validation checklist, risks, and next-release recommendations.

Metric	Value
Engineering Leaders	Understand release maturity, delivery velocity, and technical scope.
DevOps / Platform	Review packaging, Kubernetes/Helm posture, validation, and rollback readiness.
Citizen Development / Agent Platform Teams	Understand how this agent contributes to reproducible BOS Genesis documentation.

1. Executive Summary

Commercial summary of the v0.0.1 package, based on public repository evidence.

`bosgenesis-mop-creation-agent` is a spec-first, LLM-assisted agent for reconstructing how a single BOS Genesis Kubernetes namespace was installed and generating reproducible installation documentation. Intent source: stated. Evidence: ev_784bcd339ec39a4de542.

The current public repository describes a foundation release with FastAPI service shell, REST endpoints, MCP-style tools, Dockerfile, Helm skeleton, Kubernetes deployment posture, pytest, Ruff CI readiness.

11 days

Release window

20

Visible tags

95.9%

Python

Codebase mix

Read-only

Safety mode

REST-triggered generation	MCP-style agent contract	Helm/Kubernetes deployment path	Container packaging
pytest quality baseline	Ruff CI readiness	Spec-first operating model	Read-only safety posture

Release recommendation

This release can be presented commercially as an initial platform-capability release. The strongest story is visible delivery progress and contracts; production readiness should remain clearly gated by the listed evidence gaps.


2. Release And Package Information

Metric	Value
Product / Component	Bosgenesis MoP Creation Agent
Repository	github.com/aveeshek/bosgenesis-mop-creation-agent
Package name	bosgenesis-mop-creation-agent
Current package version	0.0.1
Release type	Foundation / repository capability release
Runtime requirement	Py 3.11+
Primary interface	FastAPI REST service
Target deployment model	Docker image + Helm chart + Kubernetes deployment
Security posture	Read-only repository analysis; no repository code execution
Detected technology	GitHub Actions, Docker, Helm, Kubernetes, FastAPI, MCP, Pydantic, Python, Shell, Ruff, Python packaging, pytest


3. Analytical Release Dashboard

Delivery velocity, capability mix, and maturity signals inferred from public repo evidence.

Tag Velocity: New tags/day with cumulative release growth



Capability Distribution by Tag Theme




Note: classification inferred from public tag names and commit messages; not a formal GitHub release taxonomy.

4. Release Readiness Assessment

Analytical maturity scoring; intended for planning and review, not as a formal audit.

Release Readiness Assessment (Analytical Estimate)

Score based on public repo evidence: contracts, source documentation coverage, lightweight security scan findings, tests, dependencies, and deployment files.



Dimension	Score	Evidence-based interpretation	Recommended action
API contract	4.0/5	REST or MCP-style contracts are visible and testable.	Add formal API or MCP examples and backward compatibility policy.
Documentation coverage	2.0/5	11/290 documentable source symbols include docstrings or Javadoc-style comments (3.8%). LLM advisory: Extremely low documentation coverage (3.8%) across 56 analyzed Python files, with only 11/290 symbols documented.	Add docstrings or Javadoc-style comments to public modules, classes, functions, and services.
Security scan	3.2/5	Lightweight scan found 0 sanitized finding(s) across 107 file(s); controls: CI workflow.	Review high/medium findings, add CodeQL/Dependabot/SECURITY.md, and keep secrets out of source.
Repository documentation	4.1/5	102 documentation artifact(s) were inventoried.	Keep README, architecture, operational, and module-level specs current.
Testing	3.0/5	18 test source file(s) were detected.	Publish test reports and coverage artifacts with release evidence.
Observability	2.4/5	No explicit observability stack marker was detected.	Add trace IDs, spans, metrics, dashboards, and release observability notes.
Persistence	3.2/5	Persistence or storage markers are visible.	Document schemas, migrations, backup, and retention expectations.
Deployment packaging	3.7/5	Docker, Helm, or Kubernetes packaging is visible.	Add production values, probes, limits, and release pipeline artifacts.

5. Change History From Repository Evidence

Visible repository history converted into business-friendly release history.

Tag / Commit	Date	Commit	Release theme	Commercial value / change summary
specs	2026-05-25	571cc8d	Foundation	Foundation milestone: specs.
phase0-foundation	2026-05-26	e74d61b	Foundation	Foundation milestone: Phase 0 foundation.
phase1-mcp-api	2026-05-26	2761063	MCP/API Contract	MCP/API Contract milestone: Phase 1 mcp api.
phase03-snapshot-reader	2026-05-28	9adeec3	Evidence	Evidence milestone: Phase 03 snapshot reader.
phase04-mcp-enrichment	2026-05-28	15765fa	MCP/API Contract	MCP/API Contract milestone: Phase 04 mcp enrichment.
phase05-classification-and-safety	2026-05-29	bd9510e	Safety/Classification	Safety/Classification milestone: Phase 05 classification and safety.
phase06-manifest-and-helm-reconstruction	2026-06-02	6a2b4f1	Deployment	Deployment milestone: Phase 06 manifest and helm reconstruction.
phase08-markdown-installation-notes-renderer	2026-06-02	2d69e25	Doc Rendering	Doc Rendering milestone: Phase 08 markdown installation notes renderer.
phase09-qdrant-read-only-reference-lookup	2026-06-03	9c9313e	Evidence	Evidence milestone: Phase 09 qdrant read only reference lookup.
phase10-llm-reasoning	2026-06-03	e680d05	Reasoning	Reasoning milestone: Phase 10 llm reasoning.
phase07-professional-pdf-renderer	2026-06-03	f7c5f91	Doc Rendering	Doc Rendering milestone: Phase 07 professional pdf renderer.
phase10.1-runtime-namespace-api	2026-06-04	5fc14e1	MCP/API Contract	MCP/API Contract milestone: Phase 10.1 runtime namespace api.
phase11-memory-layer	2026-06-04	caf175b	Memory	Memory milestone: Phase 11 memory layer.
phase13-observability-audit-hardening	2026-06-05	ba6c30b	Repository Change	Repository Change milestone: Phase 13 observability audit hardening.
phase13.1-validation-gates	2026-06-05	6373fdc	Repository Change	Repository Change milestone: Phase 13.1 validation gates.
phase15-release-candidate	2026-06-07	12f796f	Repository Change	Repository Change milestone: Phase 15 release candidate.
codex-skill-config	2026-06-07	233631a	Repository Change	Repository Change milestone: codex skill config.
phase16-executable-helm-reconstruction	2026-06-20	0b2eaed	Deployment	Deployment milestone: Phase 16 executable helm reconstruction.
phase16.1-ingress-pvc-reconstruction	2026-06-21	1986852	Repository Change	Repository Change milestone: Phase 16.1 ingress pvc reconstruction.
phase16.2-final-clone-reconstruction	2026-06-22	e4049fe	Repository Change	Repository Change milestone: Phase 16.2 final clone reconstruction.

6. Technical Capability Map

What the repository enables today and what remains clearly marked as future or partial scope.

Capability area	Delivered / visible in repo evidence	Commercial interpretation
REST service shell	HTTP routes detected.	Establishes service interface for demos, smoke tests, and integration discussion.
MCP-style integration	No explicit MCP tools detected.	Allows MCP-aware clients to call bounded repository or release-note operations.
Document outputs	Markdown/HTML/PDF artifacts are supported by the release-note agent renderer.	Creates dual-persona documentation: human operations and future agent execution.
Kubernetes/Helm posture	Docker image + Helm chart + Kubernetes deployment	Aligns with BOS Genesis reproducibility and deployment review use cases.
Quality tooling	pytest, Ruff	Supports quality-gate and CI readiness discussion.
Safety posture	Lightweight scan found 0 sanitized finding(s); controls: CI workflow.	Strong fit for controlled enterprise automation and audit requirements.


Non-functional notes

- Spec-driven implementation
- Traceability-oriented design
- Artifact-oriented output
- Read-only discovery
- Helm/Kubernetes deployment path
- Future observability hooks

Architecture evidence diagrams


Repository Analysis Flow

Repository evidence is collected before analytics and report rendering. Confidence: 0.95.




C4 Context

High-level context for repository scanning and release-note production. Confidence: 0.80.




C4 Container

Runtime containers and their main data flows. Confidence: 0.75.




Component Analysis

Analyzer components feeding the normalized analytics bundle. Confidence: 0.85.



Deployment Topology

Deployment topology derived only from detected deployment evidence. Confidence: 0.80.



7. Deployment, Validation, And Rollback Notes

Operator-ready release details for a professional deployment note.

Purpose	Command
Local install	<code>python -m pip install -e "[dev]"</code>
Local run	<code>bosgenesis-mop-creation-agent</code>
Helm deploy	<code>IMAGE_REPOSITORY=... IMAGE_TAG=... ./playbook/deploy.sh</code>
REST contract test	<code>curl -X POST http://localhost:8080/api/v1/scans ...</code>
MCP-style test	<code>curl http://localhost:8090/mcp/tools</code>

Recommended production-readiness checklist

Gate	Status to validate before promotion
Build integrity	Docker image built, scanned, and mapped to exact Git commit.
API health	<code>/health</code> returns healthy status after deployment.
Config safety	Sensitive values are redacted from effective configuration.
MCP contract	Tool list and health tool calls succeed.
Artifact output	PDF and Markdown output paths are created, validated, and retained.
Safety test	Agent cannot mutate Kubernetes, Helm, databases, streams, or application data.
Observability	Correlation IDs, logs, traces, and metrics visible in target tools.
Rollback	Uninstaller and Helm rollback path tested in non-production namespace.

8. Known Limitations, Risks, And Controls

Transparent release-note section for commercial-grade governance.

Risk / limitation	Impact	Recommended control
Generation behavior may be partially contract/stub-oriented.	Users may expect full repository-to-artifact automation before it is wired.	Mark release as foundation capability; label production readiness clearly.
No full coverage report evidence detected.	Harder to prove runtime quality from repository files alone.	Publish test reports and coverage artifacts in CI.
LLM or reasoning features require guardrails.	Risk of nondeterministic or overreaching recommendations.	Add bounded prompts, policy checks, and regression evaluations.
Kubernetes/Helm reconstruction must avoid secrets and mutation.	Potential compliance risk if evidence export is too broad.	Namespace-only RBAC, secret redaction, deny-list and audit events.

Known evidence gaps

- Missing HLD documentation.
- Missing LLD documentation.
- No ADR documentation detected.
- No coverage report evidence detected.
- No module-level specs.md documentation detected.
- No pytest or JUnit test report evidence detected.
- Unsupported source extension for structure parsing: .sh

Release classification

Classification	Recommended wording
External demo	Safe for controlled demo as an initial agent package and release-history example.
Internal platform pilot	Suitable for sandbox validation where read-only boundaries and artifact outputs are verified.
Production automation	Not yet recommended unless evidence collection, artifacts, security, and observability are validated.

9. Recommended Next Release Scope

Commercially useful roadmap derived from gaps and existing repository direction.

Priority	Theme	Recommended next capability	Business value
P1	Formal release management	Create GitHub Releases with notes, artifact links, SBOM and checksums.	Improves commercial credibility and traceable delivery.
P1	Evidence engine	Complete repository and runtime evidence collection.	Makes generated notes grounded in runtime and source facts.
P1	Artifact generation	Wire end-to-end Markdown, HTML, and PDF generation into worker/API flow.	Turns the agent from contract demo into usable documentation factory.
P1	Security	Add redaction, secret deny-list, read-only RBAC and policy tests.	Makes enterprise adoption safer.
P2	Observability	Add OpenTelemetry spans, Langfuse traces, dashboards and correlation IDs.	Improves supportability and executive demo evidence.
P2	Persistence	Store runs, artifacts, evidence bundles, decisions and audit records.	Supports history, audit, and repeatability.
P2	Evaluation	Add reproducibility, grounding, safety and PDF quality evaluation suites.	Improves confidence before promotion.

Suggested next release title

v0.2.0 - Evidence-Grounded Release Artifact Generation: complete repository evidence extraction, deterministic PDF/Markdown generation, artifact retention, and smoke-test verification.

Appendix A. Evidence Sources And Assumptions

ev_0052151b5e12085aa258

Source: src/bosgenesis_mop_creation_agent/classification/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/classification/SPEC.md (2676 bytes)

ev_0268ef00d0b3f78fc84b

Source: src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (file)
source file src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (11083 bytes)

ev_0426130389f4d0aacd78

Source: tests/test_phase6_reconstruction.py (test_report)
test file tests/test_phase6_reconstruction.py (14039 bytes)

ev_0600ed6d76975e46309d

Source: src/bosgenesis_mop_creation_agent/classification/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/classification/__init__.py (357 bytes)

ev_071dd68631972175d22f

Source: config/SPEC.md (spec_document)
docs file config/SPEC.md (572 bytes)

ev_077a9f07d4d4e3d0d8ca

Source: src/bosgenesis_mop_creation_agent/common/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/common/SPEC.md (714 bytes)

ev_07863b09db4c80034aa5

Source: PROJECT_STRUCTURE.md (file)
docs file PROJECT_STRUCTURE.md (1340 bytes)

ev_080569528f836580f2de

Source: charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (991 bytes)

ev_08d654cf8ab52e33f6f6

Source: src/bosgenesis_mop_creation_agent/api/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/api/SPEC.md (5261 bytes)

ev_0baa91fababa31cf2e8b

Source: playbook/SPEC.md (spec_document)
docs file playbook/SPEC.md (220 bytes)

ev_0ce98553f4a554d64679

Source: artifacts/SPEC.md (spec_document)
docs file artifacts/SPEC.md (449 bytes)

ev_0cfd03f419df3f97a5c2

Source: charts/bosgenesis-mop-creation-agent/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/SPEC.md (363 bytes)

ev_0d2d520f4802afb65d0a

Source: .agents/skills/SKILL.md (file)
docs file .agents/skills/SKILL.md (8207 bytes)

ev_1089d33f10f8a6fc3202

Source: docs/kubernetes-mop-sample.md (file)
docs file docs/kubernetes-mop-sample.md (9285 bytes)

ev_1662c963f3d60ebd023d

Source: src/bosgenesis_mop_creation_agent/evidence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/evidence/SPEC.md (1421 bytes)

ev_188f1f63248192013cef

Source: src/bosgenesis_mop_creation_agent/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/__init__.py (62 bytes)

ev_18cf9a3425e290665102

Source: memory/postgresql/SPEC.md (spec_document)
docs file memory/postgresql/SPEC.md (477 bytes)

ev_19f0943d047c77f2add9

Source: config/settings.yaml (file)
config file config/settings.yaml (2375 bytes)

ev_1ab3c0e6e71d8548f0f0

Source: src/bosgenesis_mop_creation_agent/config/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/config/SPEC.md (4578 bytes)

ev_1ab481bc0908d6697cc7

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (3064 bytes)

ev_1bd84fd91f82b3d653d6

Source: tests/test_phase9_qdrant_references.py (test_report)
test file tests/test_phase9_qdrant_references.py (9989 bytes)

ev_1c2f5f91625fa7f1f778

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (1811 bytes)

ev_1cdd1e60c1a9aeae5588

Source: tests/test_phase1_contract.py (test_report)
test file tests/test_phase1_contract.py (15627 bytes)

ev_1d90d02bbe80f7957409

Source: charts/bosgenesis-mop-creation-agent/templates/secret.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/secret.yaml (560 bytes)

ev_1e4e1c4734b674670fe5

Source: src/bosgenesis_mop_creation_agent/core/orchestrator.py (file)
source file src/bosgenesis_mop_creation_agent/core/orchestrator.py (36273 bytes)

ev_204bd7f6231e70f87416

Source: knowledge-base/schemas/SPEC.md (spec_document)
docs file knowledge-base/schemas/SPEC.md (196 bytes)

ev_209b5f6df212d83380f7

Source: src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (1991 bytes)

ev_22a6ed4ca7f3adbfae2c

Source: deploy/k8s/base/SPEC.md (file)
deployment file deploy/k8s/base/SPEC.md (196 bytes)

ev_23d76f1ffce6a88c1d69

Source: evaluations/safety/SPEC.md (spec_document)
docs file evaluations/safety/SPEC.md (161 bytes)

ev_23f5748979e6b700c1ca

Source: docs/06_APPLICATION_MODE.md (file)
docs file docs/06_APPLICATION_MODE.md (7498 bytes)

ev_24117bc58fec8430636

Source: src/bosgenesis_mop_creation_agent/memory/models.py (file)
source file src/bosgenesis_mop_creation_agent/memory/models.py (1367 bytes)

ev_26e23036bd3aaaea5648

Source: src/bosgenesis_mop_creation_agent/models/responses.py (file)
source file src/bosgenesis_mop_creation_agent/models/responses.py (2024 bytes)

ev_2a6862218ee75791692a

Source: certs/.gitkeep (file)
other file certs/.gitkeep (1 bytes)

ev_2d565ff4b30cd08e0e35

Source: src/bosgenesis_mop_creation_agent/memory/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/memory/__init__.py (267 bytes)

ev_2defab49cec4132c1a18

Source: tests/test_artifact_writer_inventory.py (test_report)
test file tests/test_artifact_writer_inventory.py (29274 bytes)

ev_2fd1feeaf0447d1316a9

Source: deploy/k8s/SPEC.md (file)
deployment file deploy/k8s/SPEC.md (219 bytes)

ev_2fe6483b679c3d0eee1a

Source: .github/workflows/ci.yml (file)
ci file .github/workflows/ci.yml (1079 bytes)

ev_3105396696b38db042bc

Source: docs/DEPLOYMENT.md (file)
docs file docs/DEPLOYMENT.md (3993 bytes)

ev_31d22bb87ee1bae2311e

Source: src/bosgenesis_mop_creation_agent/mcp_clients/base.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/base.py (8295 bytes)

ev_323a5329d0caebf27b10

Source: tests/test_phase11_memory_layer.py (test_report)
test file tests/test_phase11_memory_layer.py (7555 bytes)

ev_32c1c9679f073de29886

Source: src/SPEC.md (spec_document)
docs file src/SPEC.md (2511 bytes)

ev_33366c91a95b94a95ca1

Source: src/bosgenesis_mop_creation_agent/core/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/core/__init__.py (35 bytes)

ev_351ded425fdd78780ada

Source: src/bosgenesis_mop_creation_agent/llm/models.py (file)
source file src/bosgenesis_mop_creation_agent/llm/models.py (3526 bytes)

ev_35cf13e21b009035f3db

Source: playbook/operations/SPEC.md (spec_document)
docs file playbook/operations/SPEC.md (259 bytes)

ev_3625d4555a5c8e282fa6

Source: src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (4764 bytes)

ev_3a359b24505fd582a59f

Source: src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (1637 bytes)

ev_3a7a9157b56a4d5222ff

Source: src/bosgenesis_mop_creation_agent/api/routes.py (file)
source file src/bosgenesis_mop_creation_agent/api/routes.py (13892 bytes)

ev_3c4b17539ba9cd2c957f

Source: docs/RELEASE_CANDIDATE_RUNBOOK.md (file)
docs file docs/RELEASE_CANDIDATE_RUNBOOK.md (7686 bytes)

ev_3d2320fd55836fa05f41

Source: evaluations/SPEC.md (spec_document)
docs file evaluations/SPEC.md (303 bytes)

ev_4036b33b55862bade6b0

Source: docs/03_LLD_MOP_CREATION_AGENT.md (file)
docs file docs/03_LLD_MOP_CREATION_AGENT.md (23592 bytes)

ev_40ee17e1e86637e5691d

Source: memory/SPEC.md (spec_document)
docs file memory/SPEC.md (631 bytes)

ev_425fe81a2288ad60ba5e

Source: charts/bosgenesis-mop-creation-agent/templates/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/SPEC.md (218 bytes)

ev_43194ea4572f975ba7e2

Source: deploy/SPEC.md (file)
deployment file deploy/SPEC.md (199 bytes)

ev_45de8e26b35d0ad2547f

Source: skills/mop-creation/SPEC.md (spec_document)
docs file skills/mop-creation/SPEC.md (292 bytes)

ev_472f2f5bcb4789336aec

Source: src/bosgenesis_mop_creation_agent/reconstruction/models.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/models.py (1494 bytes)

ev_47a55b015be5c7c9b877

Source: src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (2783 bytes)

ev_49d1302acbb72f60b55a

Source: src/bosgenesis_mop_creation_agent/api/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/api/__init__.py (25 bytes)

ev_49f679337a2007a8f9e5

Source: src/bosgenesis_mop_creation_agent/security/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/security/SPEC.md (1567 bytes)

ev_4b0761b9b085017889ce

Source: src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (960 bytes)

ev_4ddf60a6253d6652e61e

Source: docs/SAMPLE_REQUESTS.md (file)
docs file docs/SAMPLE_REQUESTS.md (5143 bytes)

ev_4ea23b78fadc76b6f1c8

Source: knowledge-base/design/SPEC.md (spec_document)
docs file knowledge-base/design/SPEC.md (104 bytes)

ev_4f15b0bddbdcee98d9d9

Source: playbook/uninstaller.sh (file)
source file playbook/uninstaller.sh (3091 bytes)

ev_4f4a1ac64636e19d0092

Source: memory/mongodb/SPEC.md (spec_document)
docs file memory/mongodb/SPEC.md (277 bytes)

ev_4fdc15181faf64dc392f

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (2361 bytes)

ev_50874f584ece2a88c538

Source: codex/SPEC.md (spec_document)
docs file codex/SPEC.md (474 bytes)

ev_5152219a6b59ac74e3f9

Source: docs/04_ALGORITHM_MOP_CREATION_AGENT.md (file)
docs file docs/04_ALGORITHM_MOP_CREATION_AGENT.md (28900 bytes)

ev_5187ae36c871f2a962be

Source: evaluations/grounding/SPEC.md (spec_document)
docs file evaluations/grounding/SPEC.md (161 bytes)

ev_5222678b89b2017f2c9b

Source: docs/07_SAMPLE_MOP_TEMPLATE.md (file)
docs file docs/07_SAMPLE_MOP_TEMPLATE.md (3754 bytes)

ev_535961a4de6d42b11496

Source: .agents/skills/SPEC.md (spec_document)
docs file .agents/skills/SPEC.md (265 bytes)

ev_537b41a49d80a94a02e4

Source: tests/test_phase13_observability.py (test_report)
test file tests/test_phase13_observability.py (6492 bytes)

ev_54e5aa57dfaf97dc61e1

Source: knowledge-base/interfaces/SPEC.md (spec_document)
docs file knowledge-base/interfaces/SPEC.md (252 bytes)

ev_58b0ba454d3fe1d774c1

Source: src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (39550 bytes)

ev_59592bf4d8603b0c3b48

Source: src/bosgenesis_mop_creation_agent/memory/adapters.py (file)
source file src/bosgenesis_mop_creation_agent/memory/adapters.py (12648 bytes)

ev_5969eee61170facc2105

Source: artifacts/human-mop/human_mop_pdf_template.md (file)
docs file artifacts/human-mop/human_mop_pdf_template.md (11469 bytes)

ev_5ac192b6c38bc9f76279

Source: codex/config/SPEC.md (spec_document)
docs file codex/config/SPEC.md (186 bytes)

ev_5d3bcf199598ad75c971

Source: certs/README.md (spec_document)
docs file certs/README.md (740 bytes)

ev_5ecdb5cc186c2f4ba2f0

Source: deploy/k8s/overlays/SPEC.md (file)
deployment file deploy/k8s/overlays/SPEC.md (185 bytes)

ev_5f4d0996376ac962dc32

Source: knowledge-base/decisions/SPEC.md (spec_document)
docs file knowledge-base/decisions/SPEC.md (192 bytes)

ev_60deab477ca0f2f90d36

Source: docs/01_SPEC_MOP_CREATION_AGENT.md (file)
docs file docs/01_SPEC_MOP_CREATION_AGENT.md (25454 bytes)

ev_6201ae1638354df3ce6a

Source: src/bosgenesis_mop_creation_agent/observability/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/observability/__init__.py (213 bytes)

ev_635e807355e97026e947

Source: src/bosgenesis_mop_creation_agent/memory/service.py (file)
source file src/bosgenesis_mop_creation_agent/memory/service.py (8584 bytes)

ev_63b1d511b852aa169db2

Source: src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (4107 bytes)

ev_65772b76deecb54e00d9

Source: src/bosgenesis_mop_creation_agent/classification/models.py (file)
source file src/bosgenesis_mop_creation_agent/classification/models.py (1779 bytes)

ev_66a74100a17577b21924

Source: src/bosgenesis_mop_creation_agent/models/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/models/SPEC.md (2302 bytes)

ev_681224dd4ca29aac7785

Source: tests/test_phase15_release_candidate.py (test_report)
test file tests/test_phase15_release_candidate.py (2251 bytes)

ev_69e34c08ae190364e14a

Source: src/bosgenesis_mop_creation_agent/llm/model_gateway.py (file)
source file src/bosgenesis_mop_creation_agent/llm/model_gateway.py (3217 bytes)

ev_6b2de3cb4d549c514fda

Source: src/bosgenesis_mop_creation_agent/llm/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/llm/__init__.py (243 bytes)

ev_6c3070e694d7a0cbe2c6

Source: charts/bosgenesis-mop-creation-agent/Chart.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/Chart.yaml (149 bytes)

ev_707fbdda3e011de136bd

Source: src/bosgenesis_mop_creation_agent/observability/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/observability/SPEC.md (2536 bytes)

ev_732ddcc97564a0954303

Source: memory/redis/SPEC.md (spec_document)
docs file memory/redis/SPEC.md (390 bytes)

ev_75e2ff0f75a728e6a0b8

Source: src/bosgenesis_mop_creation_agent/core/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/core/SPEC.md (4204 bytes)

ev_776fd8634ea0437dd6ac

Source: knowledge-base/SPEC.md (spec_document)
docs file knowledge-base/SPEC.md (262 bytes)

ev_77a46d62e0d953597781

Source: src/bosgenesis_mop_creation_agent/retrieval/models.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/models.py (1771 bytes)

ev_784bcd339ec39a4de542

Source: README.md (spec_document)
docs file README.md (4415 bytes)

ev_78b681e1edb3b4b58cfe

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (3372 bytes)

ev_79917ab68fe3c64468bc

Source: .gitignore (file)
config file .gitignore (218 bytes)

ev_7bc567ecda851f06167f

Source: .dockerignore (file)
config file .dockerignore (103 bytes)

ev_7f277d97a6b7b73b927e

Source: charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (779 bytes)

ev_7f577645775b751d677b

Source: artifacts/installation-notes/installation_notes_template.md (file)
docs file artifacts/installation-notes/installation_notes_template.md (10092 bytes)

ev_813c33c146f8da3a345c

Source: samples/requests/SPEC.md (spec_document)
docs file samples/requests/SPEC.md (355 bytes)

ev_831ef514432fb46e6b39

Source: charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (680 bytes)

ev_8377e9c7cf974a6288aa

Source: docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (file)
docs file docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (8029 bytes)

ev_83d9a81bf35eeab55ef1

Source: src/bosgenesis_mop_creation_agent/reconstruction/planner.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/planner.py (11834 bytes)

ev_843094d33be707a9c8d6

Source: .github/SPEC.md (spec_document)
docs file .github/SPEC.md (272 bytes)

ev_86e912012e520b41cf1e

Source: TECH_STACK.md (file)
docs file TECH_STACK.md (1192 bytes)

ev_87f5728e02f306e0be56

Source: src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (12202 bytes)

ev_89d8f11fd5b2aa7b8e06

Source: src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (2231 bytes)

ev_8b556e29b2d52c75f70a

Source: tests/SPEC.md (test_report)
test file tests/SPEC.md (1442 bytes)

ev_8c1ddef981e289ee78a3

Source: codex/prompts/SPEC.md (spec_document)
docs file codex/prompts/SPEC.md (313 bytes)

ev_8da7de31d192770cf492

Source: docs/SPEC.md (spec_document)
docs file docs/SPEC.md (3905 bytes)

ev_8e81e3cd124cf792c7bb

Source: samples/requests/platform-only-generate.json (file)
config file samples/requests/platform-only-generate.json (379 bytes)

ev_8f5a941a994ffc5ac673

Source: src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (8191 bytes)

ev_8f611a615db80afd0300

Source: charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (2581 bytes)

ev_901a3e8f90aaf0db2251

Source: Dockerfile (file)
deployment file Dockerfile (553 bytes)

ev_92ff6998cf2c8e2081a5

Source: charts/bosgenesis-mop-creation-agent/.helmignore (file)
deployment file charts/bosgenesis-mop-creation-agent/.helmignore (65 bytes)

ev_93b2807fb3eccdf552ac

Source: docs/05_OUTPUT_CONTRACTS.md (file)
docs file docs/05_OUTPUT_CONTRACTS.md (18495 bytes)

ev_93cfe9181c773def1c26

Source: src/bosgenesis_mop_creation_agent/entrypoints/main.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/main.py (311 bytes)

ev_963e05b2097802f6492a

Source: AGENTS.md (file)
docs file AGENTS.md (1880 bytes)

ev_9b1d206994d0c4741e43

Source: samples/requests/application-mode-smoke-generate.json (file)
config file samples/requests/application-mode-smoke-generate.json (388 bytes)

ev_9bdb461f26af1745d311

Source: docs/CREDENTIALS.md (file)
docs file docs/CREDENTIALS.md (13166 bytes)

ev_9f5d412c3b8a17da11e5

Source: samples/SPEC.md (spec_document)
docs file samples/SPEC.md (431 bytes)

ev_9fdaa8164931276f96a7

Source: charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (596 bytes)

ev_9fe451c9946826eba016

Source: memory/clickhouse/SPEC.md (spec_document)
docs file memory/clickhouse/SPEC.md (318 bytes)

ev_a11d3e77680922020905

Source: reports/SPEC.md (spec_document)
docs file reports/SPEC.md (901 bytes)

ev_a11f9d98cfc000e33443

Source: src/bosgenesis_mop_creation_agent/api/mcp.py (file)
source file src/bosgenesis_mop_creation_agent/api/mcp.py (7200 bytes)

ev_a1af6972dc8cb9e5401d

Source: src/bosgenesis_mop_creation_agent/memory/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/memory/SPEC.md (3714 bytes)

ev_a2497a189af5f9bd0cc3

Source: src/bosgenesis_mop_creation_agent/observability/service.py (file)
source file src/bosgenesis_mop_creation_agent/observability/service.py (17472 bytes)

ev_a588cd793317376b1b22

Source: src/bosgenesis_mop_creation_agent/validation/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/validation/SPEC.md (1964 bytes)

ev_a77917e72b9b76b297c2

Source: memory/langmem/SPEC.md (spec_document)
docs file memory/langmem/SPEC.md (275 bytes)

ev_aab9a060d9ddd7d708c3

Source: tests/test_phase7_pdf_renderer.py (test_report)
test file tests/test_phase7_pdf_renderer.py (8692 bytes)

ev_aaba0018cf37b7ff1381

Source: playbook/rollback/SPEC.md (spec_document)
docs file playbook/rollback/SPEC.md (224 bytes)

ev_aafcea1494a97a48f6da

Source: src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (9463 bytes)

ev_ad0c06e792966a329074

Source: tests/test_health.py (test_report)
test file tests/test_health.py (1746 bytes)

ev_ad8f40f472dbb94150ed

Source: charts/SPEC.md (file)
deployment file charts/SPEC.md (228 bytes)

ev_aee062aa5d7fde8e1eed

Source: src/bosgenesis_mop_creation_agent/langchain/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langchain/SPEC.md (1133 bytes)

ev_b13287a515459389d159

Source: docs/02_HLD_MOP_CREATION_AGENT.md (file)
docs file docs/02_HLD_MOP_CREATION_AGENT.md (14244 bytes)

ev_b24751f49c2614350135

Source: src/bosgenesis_mop_creation_agent/config/settings.py (file)
source file src/bosgenesis_mop_creation_agent/config/settings.py (15051 bytes)

ev_b2578dc17cc6380ab609

Source: charts/bosgenesis-mop-creation-agent/values.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.yaml (5875 bytes)

ev_b3b68b37cb6bf895acb1

Source: src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (file)
source file src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (15011 bytes)

ev_b3c8afcc9fd21a2007b5

Source: tests/e2e/SPEC.md (test_report)
test file tests/e2e/SPEC.md (294 bytes)

ev_b5d280e9c5caed320e66

Source: artifacts/installation-notes/SPEC.md (spec_document)
docs file artifacts/installation-notes/SPEC.md (1174 bytes)

ev_b6086acea1efeb5ef57e

Source: .github/workflows/SPEC.md (file)
ci file .github/workflows/SPEC.md (574 bytes)

ev_b638899422695f552e63

Source: src/bosgenesis_mop_creation_agent/config/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/config/__init__.py (38 bytes)

ev_b6aac2c4e6a1e70406be

Source: charts/bosgenesis-mop-creation-agent/values/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/values/SPEC.md (310 bytes)

ev_b6be84dc55db09360c62

Source: codex/config/config.toml (file)
config file codex/config/config.toml (937 bytes)

ev_b8567446c169ff854087

Source: codex/skills/SPEC.md (spec_document)
docs file codex/skills/SPEC.md (221 bytes)

ev_b96eed54e2c70b0cfaab

Source: playbook/validation/SPEC.md (spec_document)
docs file playbook/validation/SPEC.md (300 bytes)

ev_b9f026a2c436932aa44a

Source: src/bosgenesis_mop_creation_agent/models/requests.py (file)
source file src/bosgenesis_mop_creation_agent/models/requests.py (2539 bytes)

ev_bb5b1a01b00d13daf967

Source: src/bosgenesis_mop_creation_agent/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/SPEC.md (2009 bytes)

ev_bd4111b36edaf96dd28d

Source: src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (5788 bytes)

ev_bd6589d7eb3e36aa08ed

Source: tests/test_phase10_bounded_reasoning.py (test_report)
test file tests/test_phase10_bounded_reasoning.py (9367 bytes)

ev_c0faf9dead52752d1d85

Source: .agents/skills/SKILLS.md (file)
docs file .agents/skills/SKILLS.md (9902 bytes)

ev_c1fead4531e5a980efb5

Source: src/bosgenesis_mop_creation_agent/documents/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/documents/SPEC.md (2776 bytes)

ev_c3c4a84d699aa057bac7

Source: docs/CONTEXT_SNAPSHOT.md (file)
docs file docs/CONTEXT_SNAPSHOT.md (7259 bytes)

ev_c40a78e6528090e2dda2

Source: skills/SPEC.md (spec_document)
docs file skills/SPEC.md (243 bytes)

ev_c48f4dfdee2b10227748

Source: src/bosgenesis_mop_creation_agent/common/logging.py (file)
source file src/bosgenesis_mop_creation_agent/common/logging.py (1803 bytes)

ev_c4a55394f862bd3a26e2

Source: tests/test_phase62_llm_repair.py (test_report)
test file tests/test_phase62_llm_repair.py (9549 bytes)

ev_c6511f6183395609dc05

Source: artifacts/human-mop/professional_mop_pdf_template.yaml (file)
config file artifacts/human-mop/professional_mop_pdf_template.yaml (1794 bytes)

ev_c7070f25eda8ec86c932

Source: playbook/test-report.ps1 (file)
other file playbook/test-report.ps1 (958 bytes)

ev_c7a2370e16068b1f56dd

Source: tests/test_phase5_classification.py (test_report)
test file tests/test_phase5_classification.py (6655 bytes)

ev_c80bdb153028a01186fa

Source: src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (6669 bytes)

ev_ca8f988bf0ee6fa7da0b

Source: src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (file)
source file src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (9076 bytes)

ev_cd8705cceb6993043643

Source: src/bosgenesis_mop_creation_agent/api/app.py (file)
source file src/bosgenesis_mop_creation_agent/api/app.py (1172 bytes)

ev_cdf98740f776746aa8b8

Source: tests/contracts/SPEC.md (test_report)
test file tests/contracts/SPEC.md (273 bytes)

ev_d169351b3d3afbec5260

Source: src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (1505 bytes)

ev_d29aab70b93c5cb45015

Source: playbook/test-report.sh (file)
source file playbook/test-report.sh (761 bytes)

ev_d4aeb8ff586d14d935e1

Source: src/bosgenesis_mop_creation_agent/sources/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/sources/SPEC.md (1073 bytes)

ev_d6af70821f6ace6df788

Source: tests/test_phase4_mcp_enrichment.py (test_report)
test file tests/test_phase4_mcp_enrichment.py (10444 bytes)

ev_d74dca40437c40bf6ace

Source: codex/skills/SKILL.md (file)
docs file codex/skills/SKILL.md (2712 bytes)

ev_d87951ae1935c8fa6e4a

Source: playbook/deploy.sh (file)
source file playbook/deploy.sh (8003 bytes)

ev_d94e978aedda0ced089b

Source: src/bosgenesis_mop_creation_agent/persistence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/persistence/SPEC.md (1919 bytes)

ev_d97eb06e292203c63406

Source: src/bosgenesis_mop_creation_agent/retrieval/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/__init__.py (258 bytes)

ev_da1bcdbc5d75fa7c17c2

Source: certs/SPEC.md (spec_document)
docs file certs/SPEC.md (1369 bytes)

ev_db883cb6662b135c6ce4

Source: playbook/deployment/SPEC.md (spec_document)
docs file playbook/deployment/SPEC.md (303 bytes)

ev_dba91b6f03ea7cb64899

Source: src/bosgenesis_mop_creation_agent/collectors/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/collectors/SPEC.md (1181 bytes)

ev_dbb943129126628d5776

Source: src/bosgenesis_mop_creation_agent/models/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/models/__init__.py (37 bytes)

ev_e147960401a8293a097c

Source: src/bosgenesis_mop_creation_agent/application/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/application/SPEC.md (1429 bytes)

ev_e2988186b47bc2e12e42

Source: src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (28 bytes)

ev_e2d1523744154f31e828

Source: src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (1995 bytes)

ev_e74a9740d2db995eaa9b

Source: tests/test_snapshot_selector.py (test_report)
test file tests/test_snapshot_selector.py (3163 bytes)

ev_e7d05bb30e5b7c6bb6cc

Source: reports/.gitkeep (file)
other file reports/.gitkeep (1 bytes)

ev_ea00b02c4f9ffcc23fce

Source: src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (132 bytes)

ev_ec30f4346576227f0811

Source: pyproject.toml (file)
config file pyproject.toml (1409 bytes)

ev_ee60d0ddf3ee67fa9148

Source: LICENSE (file)
other file LICENSE (2417 bytes)

ev_f059dcdc5cb985152c02

Source: SPEC.md (spec_document)
docs file SPEC.md (1808 bytes)

ev_f0c67287b563fc5ce61c

Source: src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (2454 bytes)

ev_f170d111816a9d0d5365

Source: src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (7628 bytes)

ev_f1e00e3f33471b21c765

Source: artifacts/human-mop/SPEC.md (spec_document)
docs file artifacts/human-mop/SPEC.md (2238 bytes)

ev_f1e2bc7dd72c1baaef83

Source: knowledge-base/session/SPEC.md (spec_document)
docs file knowledge-base/session/SPEC.md (199 bytes)

ev_f20ea1a560613cd3ab05

Source: src/bosgenesis_mop_creation_agent/__main__.py (file)
source file src/bosgenesis_mop_creation_agent/__main__.py (105 bytes)

ev_f2994c4d1447ab09f328

Source: charts/bosgenesis-mop-creation-agent/templates/service.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/service.yaml (428 bytes)

ev_f2e79cdfa111f615987d

Source: charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (1481 bytes)

ev_f35ab2db1933a6d4e3d6

Source: src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (88609 bytes)

ev_f4405de3ace79e3f44b0

Source: src/bosgenesis_mop_creation_agent/rendering/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/rendering/SPEC.md (4875 bytes)

ev_f5d8d8e328821429380f

Source: src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (7148 bytes)

ev_f91486fe021397fa0c94

Source: src/bosgenesis_mop_creation_agent/common/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/common/__init__.py (25 bytes)

ev_fa057454d41ad452e9ba

Source: src/bosgenesis_mop_creation_agent/llm/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/llm/SPEC.md (5822 bytes)

ev_fbf6509cc8f9052736bc

Source: src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (1594 bytes)

ev_fc3beb93daa4fb4c5410

Source: tests/fixtures/SPEC.md (test_report)
test file tests/fixtures/SPEC.md (231 bytes)

ev_fcbe160049fc17fa731c

Source: src/bosgenesis_mop_creation_agent/observability/models.py (file)
source file src/bosgenesis_mop_creation_agent/observability/models.py (1517 bytes)