

Bosgenesis MoP Creation Agent Professional Release Notes and Package Intelligence Report

v0.0.1 | Public GitHub repository analysis | Generated 2026-08-12

20

PUBLIC TAGS

21

COMMITTS

0.0.1

PACKAGE VERSION

Py 3.11+

RUNTIME

Release positioning
This document packages the visible repository evolution into an executive-ready release note with change history from repository evidence, package metadata, capability analysis, deployment posture, safety notes, validation checklist, risks, and next-release recommendations.

Metric	Value
Engineering Leaders	Understand release maturity, delivery velocity, and technical scope.
DevOps / Platform	Review packaging, Kubernetes/Helm posture, validation, and rollback readiness.
Citizen Development / Agent Platform Teams	Understand how this agent contributes to reproducible BOS Genesis documentation.

1. Executive Summary

Commercial summary of the v0.0.1 package, based on public repository evidence.

`bosgenesis-mop-creation-agent` is a spec-first, LLM-assisted agent for reconstructing how a single BOS Genesis Kubernetes namespace was installed and generating reproducible installation documentation. Intent source: stated. Evidence: ev_77c14aac2d368cd30e3d.

The current public repository describes a foundation release with FastAPI service shell, REST endpoints, MCP-style tools, Dockerfile, Helm skeleton, Kubernetes deployment posture, pytest, Ruff CI readiness.

11 days

Release window

20

Visible tags

95.9%

Python

Codebase mix

Read-only

Safety mode

REST-triggered generation	MCP-style agent contract	Helm/Kubernetes deployment path	Container packaging
pytest quality baseline	Ruff CI readiness	Spec-first operating model	Read-only safety posture

Release recommendation

This release can be presented commercially as an initial platform-capability release. The strongest story is visible delivery progress and contracts; production readiness should remain clearly gated by the listed evidence gaps.


2. Release And Package Information

Metric	Value
Product / Component	Bosgenesis MoP Creation Agent
Repository	github.com/aveeshek/bosgenesis-mop-creation-agent
Package name	bosgenesis-mop-creation-agent
Current package version	0.0.1
Release type	Foundation / repository capability release
Runtime requirement	Py 3.11+
Primary interface	FastAPI REST service
Target deployment model	Docker image + Helm chart + Kubernetes deployment
Security posture	Read-only repository analysis; no repository code execution
Detected technology	GitHub Actions, Docker, Helm, Kubernetes, FastAPI, MCP, Pydantic, Python, Shell, Ruff, Python packaging, pytest


3. Analytical Release Dashboard

Delivery velocity, capability mix, and maturity signals inferred from public repo evidence.

Tag Velocity: New tags/day with cumulative release growth



Capability Distribution by Tag Theme




Note: classification inferred from public tag names and commit messages; not a formal GitHub release taxonomy.

4. Release Readiness Assessment

Analytical maturity scoring; intended for planning and review, not as a formal audit.

Release Readiness Assessment (Analytical Estimate)

Score based on public repo evidence: contracts, source documentation coverage, lightweight security scan findings, tests, dependencies, and deployment files.



Dimension	Score	Evidence-based interpretation	Recommended action
API contract	4.0/5	REST or MCP-style contracts are visible and testable.	Add formal API or MCP examples and backward compatibility policy.
Documentation coverage	2.0/5	11/290 documentable source symbols include docstrings or Javadoc-style comments (3.8%). LLM advisory: Extremely low documentation coverage (3.8%) across 56 analyzed Python files, with only 11/290 symbols documented.	Add docstrings or Javadoc-style comments to public modules, classes, functions, and services.
Security scan	3.2/5	Lightweight scan found 0 sanitized finding(s) across 107 file(s); controls: CI workflow.	Review high/medium findings, add CodeQL/Dependabot/SECURITY.md, and keep secrets out of source.
Repository documentation	4.1/5	102 documentation artifact(s) were inventoried.	Keep README, architecture, operational, and module-level specs current.
Testing	3.0/5	18 test source file(s) were detected.	Publish test reports and coverage artifacts with release evidence.
Observability	2.4/5	No explicit observability stack marker was detected.	Add trace IDs, spans, metrics, dashboards, and release observability notes.
Persistence	3.2/5	Persistence or storage markers are visible.	Document schemas, migrations, backup, and retention expectations.
Deployment packaging	3.7/5	Docker, Helm, or Kubernetes packaging is visible.	Add production values, probes, limits, and release pipeline artifacts.

5. Change History From Repository Evidence

Visible repository history converted into business-friendly release history.

Tag / Commit	Date	Commit	Release theme	Commercial value / change summary
specs	2026-05-25	571cc8d	Foundation	Foundation milestone: specs.
phase0-foundation	2026-05-26	e74d61b	Foundation	Foundation milestone: Phase 0 foundation.
phase1-mcp-api	2026-05-26	2761063	MCP/API Contract	MCP/API Contract milestone: Phase 1 mcp api.
phase03-snapshot-reader	2026-05-28	9adeec3	Evidence	Evidence milestone: Phase 03 snapshot reader.
phase04-mcp-enrichment	2026-05-28	15765fa	MCP/API Contract	MCP/API Contract milestone: Phase 04 mcp enrichment.
phase05-classification-and-safety	2026-05-29	bd9510e	Safety/Classification	Safety/Classification milestone: Phase 05 classification and safety.
phase06-manifest-and-helm-reconstruction	2026-06-02	6a2b4f1	Deployment	Deployment milestone: Phase 06 manifest and helm reconstruction.
phase08-markdown-installation-notes-renderer	2026-06-02	2d69e25	Doc Rendering	Doc Rendering milestone: Phase 08 markdown installation notes renderer.
phase09-qdrant-read-only-reference-lookup	2026-06-03	9c9313e	Evidence	Evidence milestone: Phase 09 qdrant read only reference lookup.
phase10-llm-reasoning	2026-06-03	e680d05	Reasoning	Reasoning milestone: Phase 10 llm reasoning.
phase07-professional-pdf-renderer	2026-06-03	f7c5f91	Doc Rendering	Doc Rendering milestone: Phase 07 professional pdf renderer.
phase10.1-runtime-namespace-api	2026-06-04	5fc14e1	MCP/API Contract	MCP/API Contract milestone: Phase 10.1 runtime namespace api.
phase11-memory-layer	2026-06-04	caf175b	Memory	Memory milestone: Phase 11 memory layer.
phase13-observability-audit-hardening	2026-06-05	ba6c30b	Repository Change	Repository Change milestone: Phase 13 observability audit hardening.
phase13.1-validation-gates	2026-06-05	6373fdc	Repository Change	Repository Change milestone: Phase 13.1 validation gates.
phase15-release-candidate	2026-06-07	12f796f	Repository Change	Repository Change milestone: Phase 15 release candidate.
codex-skill-config	2026-06-07	233631a	Repository Change	Repository Change milestone: codex skill config.
phase16-executable-helm-reconstruction	2026-06-20	0b2eaed	Deployment	Deployment milestone: Phase 16 executable helm reconstruction.
phase16.1-ingress-pvc-reconstruction	2026-06-21	1986852	Repository Change	Repository Change milestone: Phase 16.1 ingress pvc reconstruction.
phase16.2-final-clone-reconstruction	2026-06-22	e4049fe	Repository Change	Repository Change milestone: Phase 16.2 final clone reconstruction.

6. Technical Capability Map

What the repository enables today and what remains clearly marked as future or partial scope.

Capability area	Delivered / visible in repo evidence	Commercial interpretation
REST service shell	HTTP routes detected.	Establishes service interface for demos, smoke tests, and integration discussion.
MCP-style integration	No explicit MCP tools detected.	Allows MCP-aware clients to call bounded repository or release-note operations.
Document outputs	Markdown/HTML/PDF artifacts are supported by the release-note agent renderer.	Creates dual-persona documentation: human operations and future agent execution.
Kubernetes/Helm posture	Docker image + Helm chart + Kubernetes deployment	Aligns with BOS Genesis reproducibility and deployment review use cases.
Quality tooling	pytest, Ruff	Supports quality-gate and CI readiness discussion.
Safety posture	Lightweight scan found 0 sanitized finding(s); controls: CI workflow.	Strong fit for controlled enterprise automation and audit requirements.


Non-functional notes

- Spec-driven implementation
- Traceability-oriented design
- Artifact-oriented output
- Read-only discovery
- Helm/Kubernetes deployment path
- Future observability hooks

Architecture evidence diagrams


Repository Analysis Flow

Repository evidence is collected before analytics and report rendering. Confidence: 0.95.




C4 Context

High-level context for repository scanning and release-note production. Confidence: 0.80.




C4 Container

Runtime containers and their main data flows. Confidence: 0.75.




Component Analysis

Analyzer components feeding the normalized analytics bundle. Confidence: 0.85.



Deployment Topology

Deployment topology derived only from detected deployment evidence. Confidence: 0.80.



7. Deployment, Validation, And Rollback Notes

Operator-ready release details for a professional deployment note.

Purpose	Command
Local install	<code>python -m pip install -e "[dev]"</code>
Local run	<code>bosgenesis-mop-creation-agent</code>
Helm deploy	<code>IMAGE_REPOSITORY=... IMAGE_TAG=... ./playbook/deploy.sh</code>
REST contract test	<code>curl -X POST http://localhost:8080/api/v1/scans ...</code>
MCP-style test	<code>curl http://localhost:8090/mcp/tools</code>

Recommended production-readiness checklist

Gate	Status to validate before promotion
Build integrity	Docker image built, scanned, and mapped to exact Git commit.
API health	<code>/health</code> returns healthy status after deployment.
Config safety	Sensitive values are redacted from effective configuration.
MCP contract	Tool list and health tool calls succeed.
Artifact output	PDF and Markdown output paths are created, validated, and retained.
Safety test	Agent cannot mutate Kubernetes, Helm, databases, streams, or application data.
Observability	Correlation IDs, logs, traces, and metrics visible in target tools.
Rollback	Uninstaller and Helm rollback path tested in non-production namespace.

8. Known Limitations, Risks, And Controls

Transparent release-note section for commercial-grade governance.

Risk / limitation	Impact	Recommended control
Generation behavior may be partially contract/stub-oriented.	Users may expect full repository-to-artifact automation before it is wired.	Mark release as foundation capability; label production readiness clearly.
No full coverage report evidence detected.	Harder to prove runtime quality from repository files alone.	Publish test reports and coverage artifacts in CI.
LLM or reasoning features require guardrails.	Risk of nondeterministic or overreaching recommendations.	Add bounded prompts, policy checks, and regression evaluations.
Kubernetes/Helm reconstruction must avoid secrets and mutation.	Potential compliance risk if evidence export is too broad.	Namespace-only RBAC, secret redaction, deny-list and audit events.

Known evidence gaps

- Missing HLD documentation.
- Missing LLD documentation.
- No ADR documentation detected.
- No coverage report evidence detected.
- No module-level specs.md documentation detected.
- No pytest or JUnit test report evidence detected.
- Unsupported source extension for structure parsing: .sh

Release classification

Classification	Recommended wording
External demo	Safe for controlled demo as an initial agent package and release-history example.
Internal platform pilot	Suitable for sandbox validation where read-only boundaries and artifact outputs are verified.
Production automation	Not yet recommended unless evidence collection, artifacts, security, and observability are validated.

9. Recommended Next Release Scope

Commercially useful roadmap derived from gaps and existing repository direction.

Priority	Theme	Recommended next capability	Business value
P1	Formal release management	Create GitHub Releases with notes, artifact links, SBOM and checksums.	Improves commercial credibility and traceable delivery.
P1	Evidence engine	Complete repository and runtime evidence collection.	Makes generated notes grounded in runtime and source facts.
P1	Artifact generation	Wire end-to-end Markdown, HTML, and PDF generation into worker/API flow.	Turns the agent from contract demo into usable documentation factory.
P1	Security	Add redaction, secret deny-list, read-only RBAC and policy tests.	Makes enterprise adoption safer.
P2	Observability	Add OpenTelemetry spans, Langfuse traces, dashboards and correlation IDs.	Improves supportability and executive demo evidence.
P2	Persistence	Store runs, artifacts, evidence bundles, decisions and audit records.	Supports history, audit, and repeatability.
P2	Evaluation	Add reproducibility, grounding, safety and PDF quality evaluation suites.	Improves confidence before promotion.

Suggested next release title

v0.2.0 - Evidence-Grounded Release Artifact Generation: complete repository evidence extraction, deterministic PDF/Markdown generation, artifact retention, and smoke-test verification.

Appendix A. Evidence Sources And Assumptions

ev_01118e20eab4f0bc8720

Source: tests/fixtures/SPEC.md (test_report)
test file tests/fixtures/SPEC.md (231 bytes)

ev_0215fa6c313f3095bc0e

Source: src/bosgenesis_mop_creation_agent/observability/models.py (file)
source file src/bosgenesis_mop_creation_agent/observability/models.py (1517 bytes)

ev_0249e91dac294405038f

Source: charts/bosgenesis-mop-creation-agent/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/SPEC.md (363 bytes)

ev_02b5b20ed23a3108c05e

Source: src/bosgenesis_mop_creation_agent/api/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/api/SPEC.md (5261 bytes)

ev_04f7d197d717080e2ed2

Source: docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (file)
docs file docs/K8S_INSPECTOR_RESOURCE_DETAIL_ENRICHMENT_PLAN.md (8029 bytes)

ev_05d874164f8ced6b81e0

Source: src/bosgenesis_mop_creation_agent/retrieval/models.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/models.py (1771 bytes)

ev_06080d69eed49b278bc0

Source: playbook/uninstaller.sh (file)
source file playbook/uninstaller.sh (3091 bytes)

ev_0695455bf63159073903

Source: playbook/operations/SPEC.md (spec_document)
docs file playbook/operations/SPEC.md (259 bytes)

ev_08dbb6440ccd7683b217

Source: src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reasoning/SPEC.md (2231 bytes)

ev_097570598ae58d4da79f

Source: src/bosgenesis_mop_creation_agent/core/orchestrator.py (file)
source file src/bosgenesis_mop_creation_agent/core/orchestrator.py (36273 bytes)

ev_0a2bf858b71044d9b4f1

Source: src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/reconstruction/SPEC.md (1637 bytes)

ev_0b15b315a16f5f0cd2f7

Source: charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.credentials.example.yaml (596 bytes)

ev_0c772b34fd3362153680

Source: memory/langmem/SPEC.md (spec_document)
docs file memory/langmem/SPEC.md (275 bytes)

ev_0f2b20e2cfb1a7376f6f

Source: src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/postgres_snapshot_reader.py (7148 bytes)

ev_1148c5080a899a4919c5

Source: playbook/deploy.sh (file)
source file playbook/deploy.sh (8003 bytes)

ev_11d0d4c6b8f68f375052

Source: src/bosgenesis_mop_creation_agent/persistence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/persistence/SPEC.md (1919 bytes)

ev_132ae72cdc6e4a860beb

Source: src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/qdrant_client.py (4764 bytes)

ev_143e9f9de18dfda8371b

Source: src/bosgenesis_mop_creation_agent/llm/models.py (file)
source file src/bosgenesis_mop_creation_agent/llm/models.py (3526 bytes)

ev_1582e0a9c331893896a6

Source: src/bosgenesis_mop_creation_agent/retrieval/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/__init__.py (258 bytes)

ev_172bfcf340c09d4c26fb

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_selector.py (3372 bytes)

ev_17fae9fa2895c58541a5

Source: src/bosgenesis_mop_creation_agent/common/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/common/__init__.py (25 bytes)

ev_18eedfb78c251bc35efe

Source: src/bosgenesis_mop_creation_agent/mcp_clients/base.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/base.py (8295 bytes)

ev_1b0adf6dcca7a262769e

Source: src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/component_query_builder.py (5788 bytes)

ev_1c6fa065335d601bf53b

Source: src/bosgenesis_mop_creation_agent/memory/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/memory/SPEC.md (3714 bytes)

ev_1ca50c7fb20cd38e37e2

Source: src/bosgenesis_mop_creation_agent/memory/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/memory/__init__.py (267 bytes)

ev_1d04999b553ab7a56325

Source: charts/bosgenesis-mop-creation-agent/Chart.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/Chart.yaml (149 bytes)

ev_1dae5891b36c58d17441

Source: src/bosgenesis_mop_creation_agent/classification/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/classification/SPEC.md (2676 bytes)

ev_1db017b528e4dfb2de7a

Source: src/bosgenesis_mop_creation_agent/entrypoints/main.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/main.py (311 bytes)

ev_1eab7c630a9a1737d2f9

Source: tests/test_phase11_memory_layer.py (test_report)
test file tests/test_phase11_memory_layer.py (7555 bytes)

ev_22061d541372115a8cbf

Source: PROJECT_STRUCTURE.md (file)
docs file PROJECT_STRUCTURE.md (1340 bytes)

ev_2429afca15c9e9586b17

Source: artifacts/SPEC.md (spec_document)
docs file artifacts/SPEC.md (449 bytes)

ev_24a4e6a5c7c937abe691

Source: src/bosgenesis_mop_creation_agent/documents/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/documents/SPEC.md (2776 bytes)

ev_2833156485dcc3fb4f88

Source: tests/e2e/SPEC.md (test_report)
test file tests/e2e/SPEC.md (294 bytes)

ev_2996a363a882780923f6

Source: src/bosgenesis_mop_creation_agent/rendering/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/rendering/SPEC.md (4875 bytes)

ev_2a66fe37e73b5c99a8a0

Source: docs/DEPLOYMENT.md (file)
docs file docs/DEPLOYMENT.md (3993 bytes)

ev_2c7894d4b494d1058e80

Source: codex/skills/SPEC.md (spec_document)
docs file codex/skills/SPEC.md (221 bytes)

ev_2ca82a81d06161df4a4f

Source: src/bosgenesis_mop_creation_agent/core/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/core/__init__.py (35 bytes)

ev_2cda1ade681501743bc0

Source: playbook/rollback/SPEC.md (spec_document)
docs file playbook/rollback/SPEC.md (224 bytes)

ev_2e74cc4ca705b1d4b36d

Source: .github/workflows/ci.yml (file)
ci file .github/workflows/ci.yml (1079 bytes)

ev_2f58f7014aee8f5d22f2

Source: src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/data_ingestion_client.py (1995 bytes)

ev_30dbd1996cef303046b6

Source: src/bosgenesis_mop_creation_agent/config/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/config/__init__.py (38 bytes)

ev_37e2f81e3b52a374cd14

Source: src/bosgenesis_mop_creation_agent/api/routes.py (file)
source file src/bosgenesis_mop_creation_agent/api/routes.py (13892 bytes)

ev_38d93fea68a7c005e3da

Source: src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/entrypoints/SPEC.md (960 bytes)

ev_39d0ca56036a5b64840e

Source: src/bosgenesis_mop_creation_agent/models/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/models/SPEC.md (2302 bytes)

ev_3b92380b81605754d621

Source: artifacts/installation-notes/installation_notes_template.md (file)
docs file artifacts/installation-notes/installation_notes_template.md (10092 bytes)

ev_3c82bd1762065638e950

Source: samples/SPEC.md (spec_document)
docs file samples/SPEC.md (431 bytes)

ev_401e0b136694e1625184

Source: charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/ingress.yaml (991 bytes)

ev_418ca48b79187aea39f9

Source: artifacts/human-mop/SPEC.md (spec_document)
docs file artifacts/human-mop/SPEC.md (2238 bytes)

ev_418d6c6575b49e9e21fa

Source: src/bosgenesis_mop_creation_agent/api/app.py (file)
source file src/bosgenesis_mop_creation_agent/api/app.py (1172 bytes)

ev_43df8394db8690aa241a

Source: .gitignore (file)
config file .gitignore (218 bytes)

ev_44de9a4e550de1274416

Source: tests/test_snapshot_selector.py (test_report)
test file tests/test_snapshot_selector.py (3163 bytes)

ev_4622ba924cad79fdcf56

Source: evaluations/SPEC.md (spec_document)
docs file evaluations/SPEC.md (303 bytes)

ev_4771559bab81167c57ab

Source: playbook/deployment/SPEC.md (spec_document)
docs file playbook/deployment/SPEC.md (303 bytes)

ev_47b514ff5edcc68d93ef

Source: charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/deployment.yaml (2581 bytes)

ev_48615a8eab93fb62b806

Source: src/bosgenesis_mop_creation_agent/classification/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/classification/__init__.py (357 bytes)

ev_4875eebb2b386b4ea83e

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_values.py (2361 bytes)

ev_490380b7e52afd530cd0

Source: knowledge-base/design/SPEC.md (spec_document)
docs file knowledge-base/design/SPEC.md (104 bytes)

ev_4cb163cd63993f517641

Source: src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/helm_hints.py (3064 bytes)

ev_4d124872f00415d1d306

Source: .agents/skills/SPEC.md (spec_document)
docs file .agents/skills/SPEC.md (265 bytes)

ev_5016e3cf5cffaf3e5918

Source: docs/SPEC.md (spec_document)
docs file docs/SPEC.md (3905 bytes)

ev_50510afcd8a01b09d338

Source: docs/kubernetes-mop-sample.md (file)
docs file docs/kubernetes-mop-sample.md (9285 bytes)

ev_5081caa55a4fe427a88e

Source: src/bosgenesis_mop_creation_agent/llm/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/llm/SPEC.md (5822 bytes)

ev_5194ac74912280518d08

Source: playbook/test-report.ps1 (file)
other file playbook/test-report.ps1 (958 bytes)

ev_528efde344130ba696ad

Source: src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/retrieval/SPEC.md (1991 bytes)

ev_5818a72b05c62593265b

Source: docs/06_APPLICATION_MODE.md (file)
docs file docs/06_APPLICATION_MODE.md (7498 bytes)

ev_5a1389eb4f6c94d3cec8

Source: docs/CONTEXT_SNAPSHOT.md (file)
docs file docs/CONTEXT_SNAPSHOT.md (7259 bytes)

ev_5a655a71453b298dc22e

Source: memory/SPEC.md (spec_document)
docs file memory/SPEC.md (631 bytes)

ev_5a95997b5e3895f8c95e

Source: src/bosgenesis_mop_creation_agent/common/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/common/SPEC.md (714 bytes)

ev_5be03f712bf6a75abe2a

Source: src/bosgenesis_mop_creation_agent/memory/service.py (file)
source file src/bosgenesis_mop_creation_agent/memory/service.py (8584 bytes)

ev_5d89b9a84edb146a6c40

Source: src/bosgenesis_mop_creation_agent/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/__init__.py (62 bytes)

ev_5e429446e99412ad7873

Source: tests/contracts/SPEC.md (test_report)
test file tests/contracts/SPEC.md (273 bytes)

ev_5ebb6117f46f025f1cd2

Source: src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/k8s_inspector_client.py (7628 bytes)

ev_5f86f1e8af21e1c135b9

Source: knowledge-base/interfaces/SPEC.md (spec_document)
docs file knowledge-base/interfaces/SPEC.md (252 bytes)

ev_615dd8aa37eb9f615f5e

Source: codex/SPEC.md (spec_document)
docs file codex/SPEC.md (474 bytes)

ev_6217b5407b2bef6f388a

Source: tests/SPEC.md (test_report)
test file tests/SPEC.md (1442 bytes)

ev_62efa8daf9ca8d43c7d3

Source: charts/bosgenesis-mop-creation-agent/templates/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/SPEC.md (218 bytes)

ev_630b8f5d9948b5b99174

Source: src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (file)
source file src/bosgenesis_mop_creation_agent/sources/clickhouse_snapshot_reader.py (6669 bytes)

ev_642a44a2cde9530c382c

Source: knowledge-base/schemas/SPEC.md (spec_document)
docs file knowledge-base/schemas/SPEC.md (196 bytes)

ev_64b0478c45d72c281264

Source: .agents/skills/SKILLS.md (file)
docs file .agents/skills/SKILLS.md (9902 bytes)

ev_67479049fcdb98f4ac71

Source: docs/03_LLD_MOP_CREATION_AGENT.md (file)
docs file docs/03_LLD_MOP_CREATION_AGENT.md (23592 bytes)

ev_67ad3e78257ca02be394

Source: Dockerfile (file)
deployment file Dockerfile (553 bytes)

ev_67cd7ad58e7147e7976b

Source: SPEC.md (spec_document)
docs file SPEC.md (1808 bytes)

ev_68f3f5c70d08cccf79ca

Source: src/bosgenesis_mop_creation_agent/llm/model_gateway.py (file)
source file src/bosgenesis_mop_creation_agent/llm/model_gateway.py (3217 bytes)

ev_6a49280da88cd3ab7ae3

Source: docs/SAMPLE_REQUESTS.md (file)
docs file docs/SAMPLE_REQUESTS.md (5143 bytes)

ev_6bd8cfc46345312f3fea

Source: src/bosgenesis_mop_creation_agent/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/SPEC.md (2009 bytes)

ev_6bf32e7ff54ce5f7ee1f

Source: deploy/k8s/overlays/SPEC.md (file)
deployment file deploy/k8s/overlays/SPEC.md (185 bytes)

ev_6d038bdd77f781ab1d19

Source: tests/test_phase62_llm_repair.py (test_report)
test file tests/test_phase62_llm_repair.py (9549 bytes)

ev_6d6c64dbacb27870e0c1

Source: src/bosgenesis_mop_creation_agent/__main__.py (file)
source file src/bosgenesis_mop_creation_agent/__main__.py (105 bytes)

ev_6d919211ed47d1ab370f

Source: samples/requests/SPEC.md (spec_document)
docs file samples/requests/SPEC.md (355 bytes)

ev_6e21fb6eef712b685656

Source: artifacts/installation-notes/SPEC.md (spec_document)
docs file artifacts/installation-notes/SPEC.md (1174 bytes)

ev_6f1fb66f9e1813caf484

Source: src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/pdf_renderer.py (39550 bytes)

ev_6fae49a8869ae2448170

Source: samples/requests/application-mode-smoke-generate.json (file)
config file samples/requests/application-mode-smoke-generate.json (388 bytes)

ev_70722b242a66f71cff62

Source: src/bosgenesis_mop_creation_agent/reconstruction/models.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/models.py (1494 bytes)

ev_72d2020c68fccc239a3a

Source: AGENTS.md (file)
docs file AGENTS.md (1880 bytes)

ev_73c142ce98f76b1a9769

Source: deploy/SPEC.md (file)
deployment file deploy/SPEC.md (199 bytes)

ev_74b6bab69c1de1e41eb0

Source: src/bosgenesis_mop_creation_agent/llm/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/llm/__init__.py (243 bytes)

ev_75f30a2ebccc6225edce

Source: tests/test_health.py (test_report)
test file tests/test_health.py (1746 bytes)

ev_761443aae444673e6777

Source: src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (file)
source file src/bosgenesis_mop_creation_agent/retrieval/reference_lookup.py (12202 bytes)

ev_77a7b06d27a01a5785ef

Source: tests/test_artifact_writer_inventory.py (test_report)
test file tests/test_artifact_writer_inventory.py (29274 bytes)

ev_77ada1c1236970706128

Source: charts/bosgenesis-mop-creation-agent/.helmignore (file)
deployment file charts/bosgenesis-mop-creation-agent/.helmignore (65 bytes)

ev_77c14aac2d368cd30e3d

Source: README.md (spec_document)
docs file README.md (4415 bytes)

ev_77f71bf88050d2415537

Source: artifacts/human-mop/human_mop_pdf_template.md (file)
docs file artifacts/human-mop/human_mop_pdf_template.md (11469 bytes)

ev_7acb9fd66f09134783a2

Source: config/SPEC.md (spec_document)
docs file config/SPEC.md (572 bytes)

ev_7bc8d242369c0305dc5a

Source: codex/config/SPEC.md (spec_document)
docs file codex/config/SPEC.md (186 bytes)

ev_7bca3cac3d1595b99d5c

Source: docs/07_SAMPLE_MOP_TEMPLATE.md (file)
docs file docs/07_SAMPLE_MOP_TEMPLATE.md (3754 bytes)

ev_7d40d7503a24176d65e1

Source: playbook/SPEC.md (spec_document)
docs file playbook/SPEC.md (220 bytes)

ev_7f4d2a3ddaecd94b2aa9

Source: src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/manifest_normalizer.py (8191 bytes)

ev_7fb596b29c3b0514ba9a

Source: knowledge-base/SPEC.md (spec_document)
docs file knowledge-base/SPEC.md (262 bytes)

ev_80845fce5111ce5e4117

Source: tests/test_phase4_mcp_enrichment.py (test_report)
test file tests/test_phase4_mcp_enrichment.py (10444 bytes)

ev_80b594f1eeac5e9e731f

Source: src/bosgenesis_mop_creation_agent/config/settings.py (file)
source file src/bosgenesis_mop_creation_agent/config/settings.py (15051 bytes)

ev_80be0eb49d4ce239861d

Source: knowledge-base/session/SPEC.md (spec_document)
docs file knowledge-base/session/SPEC.md (199 bytes)

ev_82b86dd7bcfeaf458384

Source: evaluations/grounding/SPEC.md (spec_document)
docs file evaluations/grounding/SPEC.md (161 bytes)

ev_841551ced5d7411a553b

Source: artifacts/human-mop/professional_mop_pdf_template.yaml (file)
config file artifacts/human-mop/professional_mop_pdf_template.yaml (1794 bytes)

ev_871b5f123fb8c8f20d27

Source: memory/clickhouse/SPEC.md (spec_document)
docs file memory/clickhouse/SPEC.md (318 bytes)

ev_8762f0ea2f342c45bc63

Source: .dockerignore (file)
config file .dockerignore (103 bytes)

ev_8b252db36f94a9f82ca6

Source: charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/configmap.yaml (779 bytes)

ev_8b65515df99887a64402

Source: certs/.gitkeep (file)
other file certs/.gitkeep (1 bytes)

ev_8b69f8cdeab7ae0e7747

Source: LICENSE (file)
other file LICENSE (2417 bytes)

ev_8c7ffc3860875f47cea9

Source: codex/prompts/SPEC.md (spec_document)
docs file codex/prompts/SPEC.md (313 bytes)

ev_8caf21e684f3c4f49706

Source: .github/SPEC.md (spec_document)
docs file .github/SPEC.md (272 bytes)

ev_8d4ac890822f20c7f611

Source: src/bosgenesis_mop_creation_agent/models/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/models/__init__.py (37 bytes)

ev_923c00a0c11c7f1cc147

Source: charts/bosgenesis-mop-creation-agent/templates/secret.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/secret.yaml (560 bytes)

ev_9335f2926048d2f73603

Source: docs/02_HLD_MOP_CREATION_AGENT.md (file)
docs file docs/02_HLD_MOP_CREATION_AGENT.md (14244 bytes)

ev_93407a87c67224ea658e

Source: src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (file)
source file src/bosgenesis_mop_creation_agent/llm/repair_suggester.py (11083 bytes)

ev_94b0633a0ed3e5f94bfd

Source: tests/test_phase13_observability.py (test_report)
test file tests/test_phase13_observability.py (6492 bytes)

ev_95171e4888c964267997

Source: src/bosgenesis_mop_creation_agent/models/responses.py (file)
source file src/bosgenesis_mop_creation_agent/models/responses.py (2024 bytes)

ev_95815d20869391588781

Source: tests/test_phase6_reconstruction.py (test_report)
test file tests/test_phase6_reconstruction.py (14039 bytes)

ev_9675925aa23196696794

Source: memory/redis/SPEC.md (spec_document)
docs file memory/redis/SPEC.md (390 bytes)

ev_98b864d4c66e6b09e8de

Source: skills/mop-creation/SPEC.md (spec_document)
docs file skills/mop-creation/SPEC.md (292 bytes)

ev_9cd7542c812a820a0258

Source: src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (file)
source file src/bosgenesis_mop_creation_agent/classification/resource_classifier.py (9076 bytes)

ev_9d5c6f7779115d67c7d9

Source: docs/04_ALGORITHM_MOP_CREATION_AGENT.md (file)
docs file docs/04_ALGORITHM_MOP_CREATION_AGENT.md (28900 bytes)

ev_9e6633d3717f15547820

Source: reports/.gitkeep (file)
other file reports/.gitkeep (1 bytes)

ev_9ffbf4ead9766395774d

Source: skills/SPEC.md (spec_document)
docs file skills/SPEC.md (243 bytes)

ev_a1bd050cd2afa224a7cf

Source: samples/requests/platform-only-generate.json (file)
config file samples/requests/platform-only-generate.json (379 bytes)

ev_a2e3c18582c6e7c9d77c

Source: src/bosgenesis_mop_creation_agent/api/mcp.py (file)
source file src/bosgenesis_mop_creation_agent/api/mcp.py (7200 bytes)

ev_a73258a057bcc30dce10

Source: evaluations/safety/SPEC.md (spec_document)
docs file evaluations/safety/SPEC.md (161 bytes)

ev_a75afa9fc4a33974f10b

Source: src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (file)
source file src/bosgenesis_mop_creation_agent/rendering/artifact_writer.py (88609 bytes)

ev_a8c000a5f3dfa40a7e

Source: src/bosgenesis_mop_creation_agent/observability/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/observability/SPEC.md (2536 bytes)

ev_a973711b12e8be97e090

Source: .agents/skills/SKILL.md (file)
docs file .agents/skills/SKILL.md (8207 bytes)

ev_a9af905b811d2917df56

Source: src/bosgenesis_mop_creation_agent/memory/adapters.py (file)
source file src/bosgenesis_mop_creation_agent/memory/adapters.py (12648 bytes)

ev_ada2596a98142cf139dc

Source: src/bosgenesis_mop_creation_agent/observability/service.py (file)
source file src/bosgenesis_mop_creation_agent/observability/service.py (17472 bytes)

ev_af8a42fedc3cf4774cb8

Source: src/bosgenesis_mop_creation_agent/observability/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/observability/__init__.py (213 bytes)

ev_b01c473f0e677ee7a5d5

Source: config/settings.yaml (file)
config file config/settings.yaml (2375 bytes)

ev_b05c864663904ab889ac

Source: TECH_STACK.md (file)
docs file TECH_STACK.md (1192 bytes)

ev_b288d30e9d1eaae09f8

Source: tests/test_phase9_qdrant_references.py (test_report)
test file tests/test_phase9_qdrant_references.py (9989 bytes)

ev_b68ec4a56e79749fcc34

Source: codex/skills/SKILL.md (file)
docs file codex/skills/SKILL.md (2712 bytes)

ev_b6c1682075f0f5680a4e

Source: src/bosgenesis_mop_creation_agent/models/requests.py (file)
source file src/bosgenesis_mop_creation_agent/models/requests.py (2539 bytes)

ev_b715c8723998e2082501

Source: charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/_helpers.tpl (1481 bytes)

ev_b8513d34d9b95ab98637

Source: .github/workflows/SPEC.md (file)
ci file .github/workflows/SPEC.md (574 bytes)

ev_ba46f86871725f12e5c4

Source: reports/SPEC.md (spec_document)
docs file reports/SPEC.md (901 bytes)

ev_c00641e969917c77831b

Source: src/bosgenesis_mop_creation_agent/collectors/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/collectors/SPEC.md (1181 bytes)

ev_c743d62eda0886a14f3b

Source: docs/05_OUTPUT_CONTRACTS.md (file)
docs file docs/05_OUTPUT_CONTRACTS.md (18495 bytes)

ev_c76be62b04e9e08064aa

Source: docs/RELEASE_CANDIDATE_RUNBOOK.md (file)
docs file docs/RELEASE_CANDIDATE_RUNBOOK.md (7686 bytes)

ev_c876173f9f4250fd150a

Source: src/bosgenesis_mop_creation_agent/sources/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/sources/SPEC.md (1073 bytes)

ev_c9ae493335a3c0044d39

Source: deploy/k8s/SPEC.md (file)
deployment file deploy/k8s/SPEC.md (219 bytes)

ev_cad346541c768e8f18d3

Source: src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/command_builder.py (2783 bytes)

ev_cdab1d7083ef714c9634

Source: src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (file)
source file src/bosgenesis_mop_creation_agent/sources/snapshot_models.py (1811 bytes)

ev_ce28964d034b488cbac5

Source: playbook/validation/SPEC.md (spec_document)
docs file playbook/validation/SPEC.md (300 bytes)

ev_cf0853efe31871336051

Source: src/bosgenesis_mop_creation_agent/reconstruction/planner.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/planner.py (11834 bytes)

ev_cfe2e1583e86a5c5cffb

Source: src/bosgenesis_mop_creation_agent/common/logging.py (file)
source file src/bosgenesis_mop_creation_agent/common/logging.py (1803 bytes)

ev_d050b98a38c3651eb17b

Source: src/bosgenesis_mop_creation_agent/api/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/api/__init__.py (25 bytes)

ev_d05390013b2e2b4285fc

Source: tests/test_phase1_contract.py (test_report)
test file tests/test_phase1_contract.py (15627 bytes)

ev_d0e234662d43268194c8

Source: src/bosgenesis_mop_creation_agent/memory/models.py (file)
source file src/bosgenesis_mop_creation_agent/memory/models.py (1367 bytes)

ev_d3223e02e6f0c8dad858

Source: charts/SPEC.md (file)
deployment file charts/SPEC.md (228 bytes)

ev_d383bef7bd60b28b17ea

Source: src/bosgenesis_mop_creation_agent/evidence/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/evidence/SPEC.md (1421 bytes)

ev_d3b18866aa6bc7eac0cb

Source: src/bosgenesis_mop_creation_agent/security/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/security/SPEC.md (1567 bytes)

ev_d5fb452ba4241cfac238

Source: certs/SPEC.md (spec_document)
docs file certs/SPEC.md (1369 bytes)

ev_d694304b72aa837a9797

Source: src/bosgenesis_mop_creation_agent/core/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/core/SPEC.md (4204 bytes)

ev_d9592264d7b970a1a914

Source: charts/bosgenesis-mop-creation-agent/values.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/values.yaml (5875 bytes)

ev_daa30eebf0bb3dfaa572

Source: src/SPEC.md (spec_document)
docs file src/SPEC.md (2511 bytes)

ev_dbd8ed295c1004a4737c

Source: src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langgraph/SPEC.md (1505 bytes)

ev_de3f418f6c823d06fb75

Source: deploy/k8s/base/SPEC.md (file)
deployment file deploy/k8s/base/SPEC.md (196 bytes)

ev_e1d968cf6eec5fc52851

Source: knowledge-base/decisions/SPEC.md (spec_document)
docs file knowledge-base/decisions/SPEC.md (192 bytes)

ev_e4e5f13cd620408787e2

Source: src/bosgenesis_mop_creation_agent/classification/models.py (file)
source file src/bosgenesis_mop_creation_agent/classification/models.py (1779 bytes)

ev_e5ba743c1a24827662ad

Source: src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/entrypoints/__init__.py (28 bytes)

ev_e649840c1203eb43ab2b

Source: charts/bosgenesis-mop-creation-agent/values/SPEC.md (file)
deployment file charts/bosgenesis-mop-creation-agent/values/SPEC.md (310 bytes)

ev_e6999749f9dee0df2a84

Source: tests/test_phase7_pdf_renderer.py (test_report)
test file tests/test_phase7_pdf_renderer.py (8692 bytes)

ev_e7e6131415c9c4a71766

Source: src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/enrichment.py (9463 bytes)

ev_e83ed2ea26f6c98e46c8

Source: tests/test_phase5_classification.py (test_report)
test file tests/test_phase5_classification.py (6655 bytes)

ev_e9b851f90cc1915837fd

Source: memory/mongodb/SPEC.md (spec_document)
docs file memory/mongodb/SPEC.md (277 bytes)

ev_e9c3c74df325df0b6f3c

Source: charts/bosgenesis-mop-creation-agent/templates/service.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/service.yaml (428 bytes)

ev_e9f8e943d6e8bcb67304

Source: src/bosgenesis_mop_creation_agent/application/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/application/SPEC.md (1429 bytes)

ev_ead6398fa6e8b1c706ae

Source: docs/01_SPEC_MOP_CREATION_AGENT.md (file)
docs file docs/01_SPEC_MOP_CREATION_AGENT.md (25454 bytes)

ev_f1c0badc9aed43ce2c8a

Source: codex/config/config.toml (file)
config file codex/config/config.toml (937 bytes)

ev_f228b1e45d03ea9b32cb

Source: src/bosgenesis_mop_creation_agent/validation/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/validation/SPEC.md (1964 bytes)

ev_f37ebe3ba4deabd4fe3c

Source: tests/test_phase15_release_candidate.py (test_report)
test file tests/test_phase15_release_candidate.py (2251 bytes)

ev_f3fe3da5e759848201a6

Source: pyproject.toml (file)
config file pyproject.toml (1409 bytes)

ev_f4686b71511f63a00f7b

Source: playbook/test-report.sh (file)
source file playbook/test-report.sh (761 bytes)

ev_f568d5c846f2e0bceb8e

Source: tests/test_phase10_bounded_reasoning.py (test_report)
test file tests/test_phase10_bounded_reasoning.py (9367 bytes)

ev_f5b611838cbb0bfa27dc

Source: docs/CREDENTIALS.md (file)
docs file docs/CREDENTIALS.md (13166 bytes)

ev_f62144b57f95f2fd9ee1

Source: src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/__init__.py (132 bytes)

ev_f6f219cb179c05b0692f

Source: src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (file)
source file src/bosgenesis_mop_creation_agent/llm/bounded_reasoning.py (15011 bytes)

ev_f9e68a8418255c1f4033

Source: src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (file)
source file src/bosgenesis_mop_creation_agent/mcp_clients/helm_manager_client.py (4107 bytes)

ev_fa1603ff30c1ecdc1e93

Source: src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (file)
source file src/bosgenesis_mop_creation_agent/reconstruction/quality_gate.py (2454 bytes)

ev_fa5263faa5170961ef94

Source: certs/README.md (spec_document)
docs file certs/README.md (740 bytes)

ev_fa6a99a541553f8930c5

Source: charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (file)
deployment file charts/bosgenesis-mop-creation-agent/templates/pvc.yaml (680 bytes)

ev_fbc042ea28fb3288e30b

Source: src/bosgenesis_mop_creation_agent/langchain/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/langchain/SPEC.md (1133 bytes)

ev_fc0972fd59a82c0a2bf4

Source: src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/mcp_clients/SPEC.md (1594 bytes)

ev_fc8e94f6796ba0df803d

Source: src/bosgenesis_mop_creation_agent/config/SPEC.md (spec_document)
docs file src/bosgenesis_mop_creation_agent/config/SPEC.md (4578 bytes)

ev_fcaca492fec4448433e

Source: memory/postgresql/SPEC.md (spec_document)
docs file memory/postgresql/SPEC.md (477 bytes)