Android Fundamentals

Chapter Objectives

Understand the architecture with MVC model of Android.

Architecture

1. Application:

- Description: written in Java, where to make the app
- Example: Contacts, Phone, Browser,...

2. Application Framework

- Description: in Java, higher level, UI, location service, notification
- Example: Window manager, Resource manager, ...

3. Librearies:

- Description: mostly in C/C++, low level, render text, play media, local database, ...
- Example: SQLite stores relational database, OpenGL - Open Graphics Library, ...

4. Linux Kernel *Description: well shaped, secured and activity development

- Example: Display driver, Audio driver, ...

Compilation

1. Description
   - Java source code => Java compiler
   - Reason: compile once run everywhere - on many different platform.
2. Example
   - Dalvik VM : used very long time ago
   - ART VM: now change to Android Runtime Virtual Machine

MVC

- Model: store
- View: display

- Controller: process actions in UI



Architecture Compilation Context & Application

Simple « MVC » Model

User Input

User interacts with view object

Views

View sends message to controller

Controller

Controller updates model objects

Model

Controller updates view with changes in model objects

Controller takes data from model objects that its views are interested in

Android Programming: The Big Nerd Ranch Guide, 2nd Edition

Android Fundamentals Tran Giang Son, tran-giang.son@usth.edu.vn 15 / 25

Controller

1. Context

- Central command center
- System services
- Access application-specific data
  Example: setting, private files, resources, assets



Architecture Compilation Context & Application

Android Application's Components

Android Fundamentals Tran Giang Son, tran-giang.son@usth.edu.vn 17 / 25

- Access application-specific data Example: setting, private files, resources, assets

2. Application

- Subclass - child class of context
  Example: Global data, early initialization of libraries

- Android memory management
  Example:
  Garbage collector: collect objects no used
  Upper limit for each application
  "Kill" activities when low on memory
  Out-of-memory exception: very popular

- AndroidManifest.xml Example:
  Metadata about the app
  Target SDK
  "Entry point" of the app
  Permissions, activities, services, receivers. . .

- Declare permission

3. Activity

- A kind of controller - mean in the middle of model and view, update model to UI

- In Android do not have a main(), all codes are in different activities Example: like different webpages in the website, each page is an UI and can click button to go to another UI

- Activity:
  - Is fundamental building block
  - Has a unique task or purpose
  - Need at least one per application
  - Handle display of single screen
  - Controls UI
- Activity lifecycle: states different from webpage (all content cleared when closed)
  - onCreate() : initialization
    @override: polymorphism call parent
    Always choose which view to use/control

  - onStart(): visible state
  - onPause(): do not have to override (just cases you need)
    Example1: Facebook messenger with small circle icon Example2: Camera in Facebook - only when want to push image
  - onStop() Example: Gmail Switch activity: pause then stop
  - onResume(): continue Example: When you need camera start it in onResume() *Screen orientaion
    onSaveInstanceState()
    onDestroy() - will be called if no memory leak
  - Create a new activity instance
    onCreate()
    onRestoreInstanceState()

  - Close current activity: finish()
    Example: Dialog share on Facebook

- Intent: pass information from one activity to another
  - Asynchronous messaging mechanism
  - Message to pass to other activities/services
  - Contains data
    Example: In Gmail has a list of email, you can click to show details
    4.Fragment
- Description
  - Represents a behavior or a portion of user interface
  - Is building block of the Fundamental building blocks
  - Is officially supported from Honeycomb [API 11]
  - Is optional
    Example some apps do not need fragment: games, camera, calculator, ...
- Example: Contact with list on the left and details on the right
- Purpose
  - Adapt UI according to devices - explosion in the variety of devices
  - Screen size, resolution, density, orientation differs
- Lifecycle: similar to Activity
- Activity with fragments: is simplified, coordinates fragments, uses FragmentManager
- Put inside a layout XML
- Dynamically created using codes
- Example popular fragment classes: DialogFragment, ListFragment, PreferenceFragment

5. View

- Description: basic building blocks of UI - what user interacts with
- Attributes *id: findViewById()
  - width, height
  - padding (distance between border and content) and margin (distance of border of the view to another view)
  - visibility: visible, invisible, non
  - alpha: classic transparent
  - rotation
  - background
  - click
- TextView (like span in HTML)
  - setText()
  - can contain one and only one icon
  - drawable, font, gravity, style, align
- ImageView
  - src: setImageResource()
  - scaleType: fitXY, fitStart, fitEnd, centerCrop, centerIn side
  - tint, crop, viewBounds
- Button
  - Push-button
  - State-list
  - onClick()
- EditText
  - TextBoxes: allow to edit a text
  - getText()
  - Selection