




Since 1952

We Manufacture a Quality Made in the U.S.A. Steam Generator



All of our 100% electric Steam Generators are built in accordance with the highest possible approvals ASME Miniature Code, National Board of PVI Shop Inspection UL, ETL, CSA and meet OSHA requirements. CE Available

Oven & Proofers Typical Oven Installations

Revolving Oven



Multiple Decks



Convection or Single Deck

Any oven, no matter its age, can be retro-fitted. If you have an oven that originally contained flash or float steam it can be retro-fitted.


"Hearth Steam" Package Generators for Oven & Proof Boxes

- 100% Culinary Steam ideal for proofing and baking hard crusted bread and rolls.
- Easy to install-all you need is water & electricity.
- Safe to use no flame, fuel or ventilation required.
- Completely Automatic - Your apprentice bakers or helpers can operate.
- Increase your profits through better quality bread baking.
- Heat up time 8-10 minutes.
- Can be put on timer or push button.
- No fire wall.

| Equipment | Steam Generator Model | | | |
|-----------------------------|-----------------------|---------------|----------|---------------|
| | Capacity | Electric Oven | Gas Oven | Humidity Heat |
| Single Deck or Convection | 6 Bun Pan | LG-5 | LG-10 | |
| | 9 Bun Pan | LG-10 | LG-15 | |
| | 12 Bun Pan | LG-15 | LG-20 | |
| Multiple Deck or Convection | 9 Bun Pan | LG-10 | LG-10 | |
| | 12 Bun Pan | LG-10 | LG-15 | |
| | 18 Bun Pan | LG-20 | LG-30 | |
| | 24 Bun Pan | LG-25 | LB-40 | |
| | 30 Bun Pan | LB-40 | LB-50 | |
| Rotary | 9 Bun Pan | LG-15 | LG-25 | |
| | 18 Bun Pan | LG-20 | LG-30 | |
| | 24 Bun Pan | LG-25 | LB-40 | |
| | 36 Bun Pan | LB-50 | LB-60 | |
| Revolving | 15 Bun Pan | LG-15 | LG-25 | |
| | 20 Bun Pan | LG-20 | LG-30 | |
| | 24 Bun Pan | LG-25 | LB-40 | |
| | 36 Bun Pan | LB-40 | LB-50 | |
| | 48 Bun Pan | LB-60 | LB-80 | |
| Proof Boxes | 250 Cu. Ft. | LG-5 | | LG-10 |
| | 450 Cu. Ft. | LG-10 | | LG-20 |
| | 600 Cu. Ft. | LG-15 | | LG-30 |
| | 1000 Cu. Ft. | LG-30 | | LB-60 |
| | 2600 Cu. Ft. | LB-60 | | LB-100 |

NOTE: Generators can be installed at top or on side of oven/ proofer. State configuration and capacity when ordering. Subject to change without notice.

NOTE: Direct fire gas ovens should increase sizing by minimum of one BHP



REVISIONS

| NO. | DATE | DESCRIPTION |
|-----|------|-------------|
| | | |
| | | |
| | | |
| | | |

ELECTRO-STEAM GENERATOR CORP.

1000 BERNARD STREET ALEXANDRIA, VA 22314

TITLE

WATER DIVERTER FOR BAKING OVEN (TRAP)

DRAWN BY **JAK**


CHECKED BY

DRAWING NO.

DATE

SCALE

COMP-9503-A



REVISIONS

| NO. | DATE | DESCRIPTION |
|-----|------|-------------|
| | | |
| | | |
| | | |
| | | |

ELECTRO-STEAM GENERATOR CORP.

1000 BERNARD STREET ALEXANDRIA, VA 22314

TITLE **STEAM / WATER DIVERTER
AND TRAP ASSEMBLY**

DRAWN BY **JAK**

CHECKED BY

DRAWING NO.

DATE

SCALE

COMP-9503-B