1. In class, we fit a factor-numeric model to the housing data. Below is output from fitting that model, but only to data from zip codes 63105, 63122, and 63130.

Call: lm(log(sale_price) ~ zip_code + log(total_living_area))

| Coefficients: E | stimate | Std. Error | t value | Pr(> t) |
|-----------------------|---------|------------|---------|------------|
| (Intercept) | 5.14 | 0.11 | 45.41 | <2e-16 *** |
| zip_code63122 | -0.22 | 0.01 | -11.56 | <2e-16 *** |
| zip_code63130 | -0.42 | 0.01 | -21.44 | <2e-16 *** |
| log(total_living_area | 1.08 | 0.01 | 77.16 | <2e-16 *** |

Residual standard error: 0.2307 on 1565 degrees of freedom Multiple R-squared: 0.8355, Adjusted R-squared: 0.8352 F-statistic: 2650 on 3 and 1565 DF, p-value: < 2.2e-16

(i) (4) Write down the statistical model for y_i (logarithm of sale price) that corresponds to the output above. Define all of your notation.

$$Y_i = bot b_{i(i)} + C_i X_i + E_i$$
 $J(i) = levels$ for $Z_i p$ code

 $X_i = log total living area$
 $E_i \sim N(o, 0^2)$

(ii) (2) How many observations (home sales) were used in this analysis?

(iii) (3) How do you interpret the (Intercept) coefficient?

Expected log sale price when log totalliving area is zero for zip code 63105 intercept for 63105.


(iv) (3) What is the intercept for 63122?

(v) (3) What is the estimated expected log sale price for a 3000 sq ft house in zip code 63122? $\log(3000) \approx 8$. You may leave your answer as a mathematical expression.

$$5.14 - 0.22 + 1.08(8)$$

 $4.92 + 8 + 0.64 = 13.56$

(vi) (3) As best you can, draw and label the 3 regression lines for the 3 zip codes on the plot below.



(vii) (3) Write the definition of an additive model, and say how that definition applies to this model.

2. Below is a table of estimated expected values for a two-factor additive model

| | | | k | | |
|---|---|---|----|----|----|
| | | 1 | 2 | 3 | 4 |
| | 1 | 2 | -4 | -1 | 4 |
| j | 2 | 8 | 2_ | 5 | 10 |
| | 3 | 6 | 0 | 3 | 8 |

- (i) (3) Fill in the missing estimated expected values.
- (ii) (3) Write down the two-factor additive model using mathematical notation. Define all terms.

$$Y_i = b_0 + b_j(i) + c_{k(i)} + \epsilon_i$$
 $j(i) = level$ factor 1

 $k(i) = level$ of Factor 2

 $\epsilon_i \approx N(o, o^2)$

(iii) (3) Write out the parameter estimates for all of the regression coefficients, using R's convention for setting certain parameters to zero. (Hint: Check that your answers are consistent with the table.)

$$\hat{b}_{0} = 2$$
 $\hat{c}_{1} = 0$
 $\hat{c}_{2} = -6$
 $\hat{b}_{1} = 6$
 $\hat{c}_{3} = -3$
 $\hat{c}_{3} = -3$
 $\hat{c}_{3} = -3$

(2) Bonus, Problem 1. According to the model, if you have two houses in the same zip code, but one is twice the size of the other, do you expect the larger one to cost more than double, or less than double, and why?

ntiones

House 2 has double size of house I

$$\frac{e^{X_2}}{e^{X_1}} = 2 = \frac{2}{e^{X_2 - X_1}} = 2 = \frac{2}{e^{X_2 - X_1}} = \frac{2}{e^{X_2$$

Interested in votio of prices

$$\frac{e^{(x_2)}}{e^{E(x_1)}} = \exp\left(E(x_2) - E(x_1)\right)$$

$$= \exp\left(b_0 + b_1 + c_1 x_2 - b_0 * b_1 - c_1 x_1\right)$$

$$= \exp\left(c_1(x_2 - x_1)\right)$$

$$= \exp\left(c_1(g_2)^{c_1} = 2^{c_1} = 2^{1.08} > 2$$

More than double