ZORELLA TRAVEL AND TOURS
CALUMPANG LILIW LAGUNA
Laguna, Philippines 4004
+639237374423
zorellatravelandtours@gmail.com

CONFIRMATION BOOKING
(BOOKING ORDER)

Date: **September 19, 2024**   BOOKING ORDER NO: **5**

Good Day!

We are pleased to confirm your booking as shown below:

Days: **6 Days, 5 Nights**   <mark>**PER PERSON RATE**</mark>
Date: **December 28, 2024**   PHP 10000 / PAX
PAX: **1**

<mark>**TOTAL AMOUNT**</mark>
<mark>PHP 10000</mark>

DOWNPAYMENT: **PHP 2000** to be paid at your earliest convenience	REMAINING BALANCE: **PHP 8000**
	NOT APPLICABLE: **PHP 2,000.00**

PASSENGERS		
FIRSTNAME	**SURNAME**	**BIRTHDAY**
Odyseus	Meriquen	1999-03-18

However, if `due_date` is set but contains a value that evaluates to `false` (like `0` or an empty string), the condition will still execute.
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

\r\n
```php
<?php
if (empty($bookingData[\'due_date\'])): // or use is_null($bookingData[\'due_date\'])
   foreach ($dueDatesArray as $date) :
      $formattedDate = trim($date);
      echo \"{$formattedDate}: <strong>PHP \" . number_format($bookingData[\'price_to_pay\'], 2) .
\"</strong><br>\";
   endforeach;
endif;
?>
```

\r\n
```php
<?php
if (empty($bookingData[\'due_date\'])): // or use is_null($bookingData[\'due_date\'])
   foreach ($dueDatesArray as $date) :
      $formattedDate = trim($date);
      echo \"{$formattedDate}: <strong>PHP \" . number_format($bookingData[\'price_to_pay\'], 2) .
\"</strong><br>\";
   endforeach;
endif;
```

?>

Prepared by: **Janine Rabajante**
Marketing Executive

Conforme: **Ms. Bernadette Cagampan**
Operations Manager