
$$k_h \approx$$

$$= \cdot (\quad / \quad)$$

$$= \quad (\quad) \quad \frac{(\quad)}{\quad} = \quad \begin{pmatrix} (\quad) \\ (\quad) \end{pmatrix}$$

$$= \quad + \quad \text{---} \quad \begin{pmatrix} (\quad) \\ (\quad) \end{pmatrix}$$

$$= \quad \frac{+ \sqrt{\quad}}{\quad} = \quad \begin{pmatrix} (\quad) \\ (\quad) \end{pmatrix}$$

$$= \kappa \quad /$$

$$\kappa$$

$$_1 = \begin{pmatrix} 1 \\ \end{pmatrix} \quad T = 1s$$

$$= \quad (\quad \cdot \quad)$$

$$T = \quad T_s \quad = \quad /$$

$$= \quad (\quad) + \quad [\quad] + \quad [\quad] \quad (\quad) = \quad \begin{pmatrix} (\quad) \\ (\quad) \end{pmatrix}$$

$$k_y=k_y\left(D_a\;k_h\;PGV\right)$$

$$\begin{aligned} (D_a)\qquad \frac{k_y}{k_h} \; + \qquad \frac{k_y}{k_h} \qquad (k_h) + \qquad (PGV) = \\ \\ = \qquad (\qquad) \qquad k_h = \qquad g(SSE) \\ \\ k_h = \qquad k_h = \qquad g(SSE) \end{aligned}$$

$$T_s = \frac{1}{\omega_s} = \frac{1}{2\pi f_s} = \frac{1}{2\pi \times 1000} = 0.159 \text{ ms}$$

k_h

$$S_a \approx g$$

$$S_a \approx g$$

$$M_w = \quad M_w =$$

$$= \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} + \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} + \begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix} + \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$$

$$k_h = \begin{matrix} \neq k_h & g(OBE) \\ \neq k_h & g(SSE) \end{matrix}$$

$$k_h = + h \frac{S}{k_h} \frac{k_h}{\cancel{k_h}} = \frac{\cancel{k_h}}{g(OBE)}$$

$$S = S_a(T = s) = g \quad S = S_a(T = s) = g$$
