

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                        | Part Description           | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|---------------------------------------|----------------------------|------------|------------------|--------------------|----------------|
| <b>120938</b>                         |                            |            |                  |                    |                |
| Main                                  | PT2X 12OZ FLT GRY PRIMER   | 12         | 915              | 6,938.75           | 0.01311        |
| <b>120938 Totals:</b>                 |                            | <b>12</b>  | <b>915</b>       | <b>6,938.75</b>    | <b>0.01311</b> |
| <b>12729 725464</b>                   |                            |            |                  |                    |                |
| Main                                  | C&C MATCHED GRAY PRIMER    | 0          | 132              | 0                  | 0              |
| <b>12729 725464 Totals:</b>           |                            | <b>0</b>   | <b>132</b>       | <b>0</b>           | <b>0</b>       |
| <b>180 MINUTE DOOR LABEL</b>          |                            |            |                  |                    |                |
| Main                                  | 180 MINUTE DOOR LABEL      | 12         | 186.25           | 1,412.39583        | 0.06443        |
| <b>180 MINUTE DOOR LABEL Totals:</b>  |                            | <b>12</b>  | <b>186.25</b>    | <b>1,412.39583</b> | <b>0.06443</b> |
| <b>180 MINUTE FRAME LABEL</b>         |                            |            |                  |                    |                |
| Main                                  | 180 MINUTE FRAME LABEL     | 5          | 126.85714        | 2,308.8            | 0.03941        |
| <b>180 MINUTE FRAME LABEL Totals:</b> |                            | <b>5</b>   | <b>126.85714</b> | <b>2,308.8</b>     | <b>0.03941</b> |
| <b>18GPF21070MEC</b>                  |                            |            |                  |                    |                |
| Main                                  | 21070 161 PREP MESKER      | 2          | 5.33333          | 242.66667          | 0.375          |
| <b>18GPF21070MEC Totals:</b>          |                            | <b>2</b>   | <b>5.33333</b>   | <b>242.66667</b>   | <b>0.375</b>   |
| <b>18GPF2870MEC - SEM</b>             |                            |            |                  |                    |                |
| Main                                  | 2870 161 PREP MESKER - SEM | 0          | 6                | 0                  | 0              |
| <b>18GPF2870MEC - SEM Totals:</b>     |                            | <b>0</b>   | <b>6</b>         | <b>0</b>           | <b>0</b>       |
| <b>18GPF2870MEM</b>                   |                            |            |                  |                    |                |
| Main                                  | 2870 86 PREP MESKER        | 1          | 0.75             | 68.25              | 1.33333        |
| <b>18GPF2870MEM Totals:</b>           |                            | <b>1</b>   | <b>0.75</b>      | <b>68.25</b>       | <b>1.33333</b> |
| <b>18GPF3080MEC</b>                   |                            |            |                  |                    |                |
| Main                                  | 3080 161 PREP MESKER       | 2          | 15               | 682.5              | 0.13333        |
| <b>18GPF3080MEC Totals:</b>           |                            | <b>2</b>   | <b>15</b>        | <b>682.5</b>       | <b>0.13333</b> |
| <b>18GPF3670MEC</b>                   |                            |            |                  |                    |                |
| Main                                  | 3670 161 PREP MESKER       | 3          | 15.375           | 466.375            | 0.19512        |
| <b>18GPF3670MEC Totals:</b>           |                            | <b>3</b>   | <b>15.375</b>    | <b>466.375</b>     | <b>0.19512</b> |
| <b>18GPF3868MEC</b>                   |                            |            |                  |                    |                |
| Main                                  | 3868 161 PREP MESKER       | 0          | 3                | 0                  | 0              |
| <b>18GPF3868MEC Totals:</b>           |                            | <b>0</b>   | <b>3</b>         | <b>0</b>           | <b>0</b>       |
| <b>18GPF3868MEM</b>                   |                            |            |                  |                    |                |
| Main                                  | 3868 86 PREP MESKER        | 0          | 5                | 0                  | 0              |
| <b>18GPF3868MEM Totals:</b>           |                            | <b>0</b>   | <b>5</b>         | <b>0</b>           | <b>0</b>       |
| <b>18GPF4068MEC</b>                   |                            |            |                  |                    |                |
| Main                                  | 4068 161 PREP MESKER       | 2          | 5                | 227.5              | 0.4            |
| <b>18GPF4068MEC Totals:</b>           |                            | <b>2</b>   | <b>5</b>         | <b>227.5</b>       | <b>0.4</b>     |
| <b>18GPF4070MEM</b>                   |                            |            |                  |                    |                |
| Main                                  | 4070 86 PREP MESKER        | 4          | 14.22222         | 323.55556          | 0.28125        |
| <b>18GPF4070MEM Totals:</b>           |                            | <b>4</b>   | <b>14.22222</b>  | <b>323.55556</b>   | <b>0.28125</b> |
| <b>18GPF4080MEC</b>                   |                            |            |                  |                    |                |
| Main                                  | 4080 161 PREP MESKER       | 0          | 1                | 0                  | 0              |
| <b>18GPF4080MEC Totals:</b>           |                            | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                               | Part Description                                     | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|--------------------------------------------------------------|------------------------------------------------------|------------|------------------|------------------|----------------|
| <b>230</b>                                                   |                                                      |            |                  |                  |                |
| Main                                                         | 5/8 x 5/8 x 5/8 x 10' - 18 GAUGE GLAZING BEAD        | 32         | 108.91667        | 309.73177        | 0.2938         |
| <b>230 Totals:</b>                                           |                                                      | <b>32</b>  | <b>108.91667</b> | <b>309.73177</b> | <b>0.2938</b>  |
| <b>300-3</b>                                                 |                                                      |            |                  |                  |                |
| Main                                                         | 3' SPREADER BAR                                      | 400        | 424.48052        | 96.56932         | 0.94233        |
| <b>300-3 Totals:</b>                                         |                                                      | <b>400</b> | <b>424.48052</b> | <b>96.56932</b>  | <b>0.94233</b> |
| <b>300-6</b>                                                 |                                                      |            |                  |                  |                |
| Main                                                         | 6' SPREADER BAR                                      | 144        | 201.71429        | 127.47222        | 0.71388        |
| <b>300-6 Totals:</b>                                         |                                                      | <b>144</b> | <b>201.71429</b> | <b>127.47222</b> | <b>0.71388</b> |
| <b>3070 X 5-7/8" LH KD BUNDLED FRAME. - PREMIER.</b>         |                                                      |            |                  |                  |                |
| Main                                                         | 3070 X 5-7/8" LH KD BUNDLED FRAME. - PREMIER.        | 1          | 7.33333          | 667.33333        | 0.13636        |
| <b>3070 X 5-7/8" LH KD BUNDLED FRAME. - PREMIER. Totals:</b> |                                                      | <b>1</b>   | <b>7.33333</b>   | <b>667.33333</b> | <b>0.13636</b> |
| <b>3070 X 5-7/8" RH KD BUNDLED FRAME. - PREMIER.</b>         |                                                      |            |                  |                  |                |
| Main                                                         | 3070 X 5-7/8" RH KD BUNDLED FRAME. - PREMIER.        | 5          | 13.4             | 243.88           | 0.37313        |
| <b>3070 X 5-7/8" RH KD BUNDLED FRAME. - PREMIER. Totals:</b> |                                                      | <b>5</b>   | <b>13.4</b>      | <b>243.88</b>    | <b>0.37313</b> |
| <b>418</b>                                                   |                                                      |            |                  |                  |                |
| Main                                                         | BUTTERFLY ANCHOR/EO ANCHOR                           | 200        | 171.64444        | 78.09822         | 1.1652         |
| <b>418 Totals:</b>                                           |                                                      | <b>200</b> | <b>171.64444</b> | <b>78.09822</b>  | <b>1.1652</b>  |
| <b>420-5.</b>                                                |                                                      |            |                  |                  |                |
| Main                                                         | 5-3/4" PIPE SLEEVE ANCHOR                            | 802        | 504.19718        | 57.20941         | 1.59065        |
| <b>420-5. Totals:</b>                                        |                                                      | <b>802</b> | <b>504.19718</b> | <b>57.20941</b>  | <b>1.59065</b> |
| <b>420-8</b>                                                 |                                                      |            |                  |                  |                |
| Main                                                         | 8-3/4 PIPE SLEEVE ANCHOR                             | 32         | 179.45455        | 510.32386        | 0.17832        |
| <b>420-8 Totals:</b>                                         |                                                      | <b>32</b>  | <b>179.45455</b> | <b>510.32386</b> | <b>0.17832</b> |
| <b>440</b>                                                   |                                                      |            |                  |                  |                |
| Main                                                         | 1-3/8" X 1-3/4" X 5" BASE FRAME WELD IN ANCHOR 16 GA | 24         | 174.61905        | 662.09722        | 0.13744        |
| <b>440 Totals:</b>                                           |                                                      | <b>24</b>  | <b>174.61905</b> | <b>662.09722</b> | <b>0.13744</b> |
| <b>45 MINUTE DOOR LABEL</b>                                  |                                                      |            |                  |                  |                |
| Main                                                         | 45 MINUTE DOOR LABEL                                 | 52         | 84.2             | 147.35           | 0.61758        |
| <b>45 MINUTE DOOR LABEL Totals:</b>                          |                                                      | <b>52</b>  | <b>84.2</b>      | <b>147.35</b>    | <b>0.61758</b> |
| <b>45 MINUTE FRAME LABEL</b>                                 |                                                      |            |                  |                  |                |
| Main                                                         | 45 MINUTE FRAME LABEL                                | 47         | 155.64286        | 301.35106        | 0.30197        |
| <b>45 MINUTE FRAME LABEL Totals:</b>                         |                                                      | <b>47</b>  | <b>155.64286</b> | <b>301.35106</b> | <b>0.30197</b> |
| <b>500</b>                                                   |                                                      |            |                  |                  |                |
| Main                                                         | #8 X 1 1/4" TEK SCREWS FOR GLAZING BEAD              | 261        | 886.68182        | 309.1496         | 0.29436        |
| <b>500 Totals:</b>                                           |                                                      | <b>261</b> | <b>886.68182</b> | <b>309.1496</b>  | <b>0.29436</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                       | Part Description                                  | Units Sold | Avg QOH            | Avg. TO Days       | TO Rate        |
|--------------------------------------|---------------------------------------------------|------------|--------------------|--------------------|----------------|
| <b>511</b>                           |                                                   |            |                    |                    |                |
| Main                                 | 3/8" X 5" DYNABOLTS                               | 526        | 373.35417          | 64.59169           | 1.40885        |
| <b>511 Totals:</b>                   |                                                   | <b>526</b> | <b>373.35417</b>   | <b>64.59169</b>    | <b>1.40885</b> |
| <b>521</b>                           |                                                   |            |                    |                    |                |
| Main                                 | #24 X 5" WOOD SCREWS - ALL PHILLIPS FLAT          | 58         | 163.75             | 256.9181           | 0.3542         |
| <b>521 Totals:</b>                   |                                                   | <b>58</b>  | <b>163.75</b>      | <b>256.9181</b>    | <b>0.3542</b>  |
| <b>531</b>                           |                                                   |            |                    |                    |                |
| Main                                 | #6 X 1/2" - OVAL ASTRAGAL SCREW                   | 87         | 4,202.53846        | 4,395.75862        | 0.0207         |
| <b>531 Totals:</b>                   |                                                   | <b>87</b>  | <b>4,202.53846</b> | <b>4,395.75862</b> | <b>0.0207</b>  |
| <b>540</b>                           |                                                   |            |                    |                    |                |
| Main                                 | #6 X 1/2" SELF DRILL #2 PT PAN PHIL Z/P           | 60         | 808.28571          | 1,225.9            | 0.07423        |
| <b>540 Totals:</b>                   |                                                   | <b>60</b>  | <b>808.28571</b>   | <b>1,225.9</b>     | <b>0.07423</b> |
| <b>548</b>                           |                                                   |            |                    |                    |                |
| Main                                 | 6-20 X 1/2" SELF DRILL #2PT FLAT PHIL ZP          | 251        | 1,340              | 485.81673          | 0.18731        |
| <b>548 Totals:</b>                   |                                                   | <b>251</b> | <b>1,340</b>       | <b>485.81673</b>   | <b>0.18731</b> |
| <b>570</b>                           |                                                   |            |                    |                    |                |
| Main                                 | PRESSURE CLAMP ASSEMBLY                           | 18         | 231.88889          | 1,172.32716        | 0.07762        |
| <b>570 Totals:</b>                   |                                                   | <b>18</b>  | <b>231.88889</b>   | <b>1,172.32716</b> | <b>0.07762</b> |
| <b>60 MINUTE DOOR LABEL</b>          |                                                   |            |                    |                    |                |
| Main                                 | 60 MINUTE DOOR LABEL                              | 1          | 33.83333           | 3,078.83333        | 0.02956        |
| <b>60 MINUTE DOOR LABEL Totals:</b>  |                                                   | <b>1</b>   | <b>33.83333</b>    | <b>3,078.83333</b> | <b>0.02956</b> |
| <b>60 MINUTE FRAME LABEL</b>         |                                                   |            |                    |                    |                |
| Main                                 | 60 MINUTE FRAME LABEL                             | 19         | 49                 | 234.68421          | 0.38776        |
| <b>60 MINUTE FRAME LABEL Totals:</b> |                                                   | <b>19</b>  | <b>49</b>          | <b>234.68421</b>   | <b>0.38776</b> |
| <b>601</b>                           |                                                   |            |                    |                    |                |
| Main                                 | 4-1/2" X 1-3/4" DOOR FILLER                       | 20         | 200.85714          | 913.9              | 0.09957        |
| <b>601 Totals:</b>                   |                                                   | <b>20</b>  | <b>200.85714</b>   | <b>913.9</b>       | <b>0.09957</b> |
| <b>607</b>                           |                                                   |            |                    |                    |                |
| Main                                 | 8" FILLER PLATE                                   | 29         | 187.85417          | 589.47342          | 0.15438        |
| <b>607 Totals:</b>                   |                                                   | <b>29</b>  | <b>187.85417</b>   | <b>589.47342</b>   | <b>0.15438</b> |
| <b>608</b>                           |                                                   |            |                    |                    |                |
| Main                                 | 2-1/4" FILLER PLATE                               | 3          | 32.66667           | 990.88889          | 0.09184        |
| <b>608 Totals:</b>                   |                                                   | <b>3</b>   | <b>32.66667</b>    | <b>990.88889</b>   | <b>0.09184</b> |
| <b>609-B</b>                         |                                                   |            |                    |                    |                |
| Main                                 | 4-7/8" ASA FILLER PLATE                           | 17         | 162.71053          | 870.97988          | 0.10448        |
| <b>609-B Totals:</b>                 |                                                   | <b>17</b>  | <b>162.71053</b>   | <b>870.97988</b>   | <b>0.10448</b> |
| <b>611</b>                           |                                                   |            |                    |                    |                |
| Main                                 | PRIMED REVERSIBLE FLUSH BOLT STRIKE REINFORCEMENT | 25         | 24.1               | 87.724             | 1.03734        |
| <b>611 Totals:</b>                   |                                                   | <b>25</b>  | <b>24.1</b>        | <b>87.724</b>      | <b>1.03734</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group             | Part Description                                             | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|----------------------------|--------------------------------------------------------------|------------|-----------------|--------------------|----------------|
| <b>612</b>                 |                                                              |            |                 |                    |                |
| Main                       | 4-7/8" STRIKE REINFORCEMENT WITH MUD BOX                     | 5          | 130.8           | 2,380.56           | 0.03823        |
| <b>612 Totals:</b>         |                                                              | <b>5</b>   | <b>130.8</b>    | <b>2,380.56</b>    | <b>0.03823</b> |
| <b>613</b>                 |                                                              |            |                 |                    |                |
| Main                       | 2-3/4" STRIKE REINFORCEMENT WITH MUD BOX                     | 12         | 80.10526        | 607.46491          | 0.1498         |
| <b>613 Totals:</b>         |                                                              | <b>12</b>  | <b>80.10526</b> | <b>607.46491</b>   | <b>0.1498</b>  |
| <b>614</b>                 |                                                              |            |                 |                    |                |
| Main                       | 2-3/4" DEAD BOLT FILLER PLATE                                | 1          | 24.6            | 2,238.6            | 0.04065        |
| <b>614 Totals:</b>         |                                                              | <b>1</b>   | <b>24.6</b>     | <b>2,238.6</b>     | <b>0.04065</b> |
| <b>6GDBJ68578L</b>         |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - BLANK JAMB - 68 - 5-7/8" - L | 0          | 25              | 0                  | 0              |
| <b>6GDBJ68578L Totals:</b> |                                                              | <b>0</b>   | <b>25</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDBJ68578R</b>         |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - BLANK JAMB - 68 - 5-7/8" - R | 0          | 26              | 0                  | 0              |
| <b>6GDBJ68578R Totals:</b> |                                                              | <b>0</b>   | <b>26</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDBJ70578L</b>         |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - BLANK JAMB - 70 - 5-7/8" - L | 0          | 27.5            | 0                  | 0              |
| <b>6GDBJ70578L Totals:</b> |                                                              | <b>0</b>   | <b>27.5</b>     | <b>0</b>           | <b>0</b>       |
| <b>6GDBJ70578R</b>         |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - BLANK JAMB - 70 - 5-7/8" - R | 0          | 25.2            | 0                  | 0              |
| <b>6GDBJ70578R Totals:</b> |                                                              | <b>0</b>   | <b>25.2</b>     | <b>0</b>           | <b>0</b>       |
| <b>6GDH26578</b>           |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - HEADER - 26 - 5-7/8"         | 1          | 18.25           | 1,660.75           | 0.05479        |
| <b>6GDH26578 Totals:</b>   |                                                              | <b>1</b>   | <b>18.25</b>    | <b>1,660.75</b>    | <b>0.05479</b> |
| <b>6GDH30578</b>           |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - HEADER - 30 - 5-7/8"         | 47         | 53.06897        | 102.75055          | 0.88564        |
| <b>6GDH30578 Totals:</b>   |                                                              | <b>47</b>  | <b>53.06897</b> | <b>102.75055</b>   | <b>0.88564</b> |
| <b>6GDH30718</b>           |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - HEADER - 30 - 7-1/8"         | 1          | 25.66667        | 2,335.66667        | 0.03896        |
| <b>6GDH30718 Totals:</b>   |                                                              | <b>1</b>   | <b>25.66667</b> | <b>2,335.66667</b> | <b>0.03896</b> |
| <b>6GDH30814</b>           |                                                              |            |                 |                    |                |
| Main                       | 16GA GALVANIZED DRYWALL FRAME - HEADER - 30 - 8-1/4"         | 0          | 20              | 0                  | 0              |
| <b>6GDH30814 Totals:</b>   |                                                              | <b>0</b>   | <b>20</b>       | <b>0</b>           | <b>0</b>       |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group               | Part Description                                                     | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|------------------------------|----------------------------------------------------------------------|------------|-----------------|--------------------|----------------|
| <b>6GDH40578</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 40 - 5-7/8"              | 2          | 23.85714        | 1,085.5            | 0.08383        |
| <b>6GDH40578 Totals:</b>     |                                                                      | <b>2</b>   | <b>23.85714</b> | <b>1,085.5</b>     | <b>0.08383</b> |
| <b>6GDH40718</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 40 - 7-1/8"              | 0          | 10              | 0                  | 0              |
| <b>6GDH40718 Totals:</b>     |                                                                      | <b>0</b>   | <b>10</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDH40814</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 40 - 8-1/4"              | 0          | 7               | 0                  | 0              |
| <b>6GDH40814 Totals:</b>     |                                                                      | <b>0</b>   | <b>7</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GDH60578</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 60 - 5-7/8"              | 0          | 53              | 0                  | 0              |
| <b>6GDH60578 Totals:</b>     |                                                                      | <b>0</b>   | <b>53</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDH60814</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 60 - 8-1/4"              | 0          | 11              | 0                  | 0              |
| <b>6GDH60814 Totals:</b>     |                                                                      | <b>0</b>   | <b>11</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDH80578</b>             |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HEADER - 80 - 5-7/8"              | 0          | 5               | 0                  | 0              |
| <b>6GDH80578 Totals:</b>     |                                                                      | <b>0</b>   | <b>5</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GDHJ68578MEL</b>         |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 68 - 5-7/8" L - ME   | 10         | 97              | 882.7              | 0.10309        |
| <b>6GDHJ68578MEL Totals:</b> |                                                                      | <b>10</b>  | <b>97</b>       | <b>882.7</b>       | <b>0.10309</b> |
| <b>6GDHJ68578MER</b>         |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 68 - 5-7/8" - R - ME | 6          | 117.2           | 1,777.53333        | 0.05119        |
| <b>6GDHJ68578MER Totals:</b> |                                                                      | <b>6</b>   | <b>117.2</b>    | <b>1,777.53333</b> | <b>0.05119</b> |
| <b>6GDHJ68718MEL</b>         |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 68 - 7-1/8" - ME - L | 1          | 5.66667         | 515.66667          | 0.17647        |
| <b>6GDHJ68718MEL Totals:</b> |                                                                      | <b>1</b>   | <b>5.66667</b>  | <b>515.66667</b>   | <b>0.17647</b> |
| <b>6GDHJ68814MER</b>         |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 68 - 8-1/4" - ME - R | 0          | 10              | 0                  | 0              |
| <b>6GDHJ68814MER Totals:</b> |                                                                      | <b>0</b>   | <b>10</b>       | <b>0</b>           | <b>0</b>       |
| <b>6GDHJ70578MEL</b>         |                                                                      |            |                 |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 5-7/8" - L - ME | 17         | 146.2           | 782.6              | 0.11628        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group               | Part Description                                                      | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|------------------------------|-----------------------------------------------------------------------|------------|------------------|--------------------|----------------|
| <b>6GDHJ70578MEL Totals:</b> |                                                                       | <b>17</b>  | <b>146.2</b>     | <b>782.6</b>       | <b>0.11628</b> |
| <b>6GDHJ70578MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 5-7/8" - R - ME  | 16         | 133.92308        | 761.6875           | 0.11947        |
| <b>6GDHJ70578MER Totals:</b> |                                                                       | <b>16</b>  | <b>133.92308</b> | <b>761.6875</b>    | <b>0.11947</b> |
| <b>6GDHJ70718MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 7-1/8" - ME - L  | 0          | 32.33333         | 0                  | 0              |
| <b>6GDHJ70718MEL Totals:</b> |                                                                       | <b>0</b>   | <b>32.33333</b>  | <b>0</b>           | <b>0</b>       |
| <b>6GDHJ70718MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 7-1/8" - ME - R  | 0          | 20.5             | 0                  | 0              |
| <b>6GDHJ70718MER Totals:</b> |                                                                       | <b>0</b>   | <b>20.5</b>      | <b>0</b>           | <b>0</b>       |
| <b>6GDHJ70814MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 8-1/4" - ME - L  | 0          | 1                | 0                  | 0              |
| <b>6GDHJ70814MEL Totals:</b> |                                                                       | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GDHJ70814MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>HINGE JAMB - 70 - 8-1/4" - ME - R  | 0          | 6                | 0                  | 0              |
| <b>6GDHJ70814MER Totals:</b> |                                                                       | <b>0</b>   | <b>6</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GDSJ68578MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 68 - 5-7/8" - L - ME | 11         | 98.81818         | 817.49587          | 0.11132        |
| <b>6GDSJ68578MEL Totals:</b> |                                                                       | <b>11</b>  | <b>98.81818</b>  | <b>817.49587</b>   | <b>0.11132</b> |
| <b>6GDSJ68578MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 68 - 5-7/8" - R - ME | 5          | 111.83333        | 2,035.36667        | 0.04471        |
| <b>6GDSJ68578MER Totals:</b> |                                                                       | <b>5</b>   | <b>111.83333</b> | <b>2,035.36667</b> | <b>0.04471</b> |
| <b>6GDSJ68718MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 68 - 7-1/8" - ME - L | 1          | 6.5              | 591.5              | 0.15385        |
| <b>6GDSJ68718MEL Totals:</b> |                                                                       | <b>1</b>   | <b>6.5</b>       | <b>591.5</b>       | <b>0.15385</b> |
| <b>6GDSJ68718MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 68 - 7-1/8" - ME - R | 0          | 5                | 0                  | 0              |
| <b>6GDSJ68718MER Totals:</b> |                                                                       | <b>0</b>   | <b>5</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GDSJ68814MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 68 - 8-1/4" - ME - R | 0          | 7                | 0                  | 0              |
| <b>6GDSJ68814MER Totals:</b> |                                                                       | <b>0</b>   | <b>7</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GDSJ70578MEL</b>         |                                                                       |            |                  |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                  | Part Description                                                       | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|---------------------------------|------------------------------------------------------------------------|------------|------------------|------------------|----------------|
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 5-7/8" - L - ME  | 17         | 180.66667        | 967.09804        | 0.0941         |
| <b>6GDSJ70578MEL Totals:</b>    |                                                                        | <b>17</b>  | <b>180.66667</b> | <b>967.09804</b> | <b>0.0941</b>  |
| <b>6GDSJ70578MER</b>            |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 5-7/8" - R - ME  | 16         | 172.91667        | 983.46354        | 0.09253        |
| <b>6GDSJ70578MER Totals:</b>    |                                                                        | <b>16</b>  | <b>172.91667</b> | <b>983.46354</b> | <b>0.09253</b> |
| <b>6GDSJ70718MEL</b>            |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 7-1/8" - ME - L  | 0          | 36               | 0                | 0              |
| <b>6GDSJ70718MEL Totals:</b>    |                                                                        | <b>0</b>   | <b>36</b>        | <b>0</b>         | <b>0</b>       |
| <b>6GDSJ70718MER</b>            |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 7-1/8" - ME - R  | 0          | 31               | 0                | 0              |
| <b>6GDSJ70718MER Totals:</b>    |                                                                        | <b>0</b>   | <b>31</b>        | <b>0</b>         | <b>0</b>       |
| <b>6GDSJ70814MEL</b>            |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 8-1/4" - ME - L  | 0          | 9                | 0                | 0              |
| <b>6GDSJ70814MEL Totals:</b>    |                                                                        | <b>0</b>   | <b>9</b>         | <b>0</b>         | <b>0</b>       |
| <b>6GDSJ70814MER</b>            |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED DRYWALL FRAME -<br>STRIKE JAMB - 70 - 8-1/4" - ME - R  | 0          | 8                | 0                | 0              |
| <b>6GDSJ70814MER Totals:</b>    |                                                                        | <b>0</b>   | <b>8</b>         | <b>0</b>         | <b>0</b>       |
| <b>6GM4H60534</b>               |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED MASONRY FRAME -<br>4" FACE HEADER - 60 - 5-3/4"        | 2          | 47               | 2,138.5          | 0.04255        |
| <b>6GM4H60534 Totals:</b>       |                                                                        | <b>2</b>   | <b>47</b>        | <b>2,138.5</b>   | <b>0.04255</b> |
| <b>6GMBJ68534L</b>              |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED MASONRY FRAME -<br>BLANK JAMB - 68 - 5-3/4" - L        | 0          | 1                | 0                | 0              |
| <b>6GMBJ68534L Totals:</b>      |                                                                        | <b>0</b>   | <b>1</b>         | <b>0</b>         | <b>0</b>       |
| <b>6GMBJ70534L</b>              |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED MASONRY FRAME -<br>BLANK JAMB - 70 - 5-3/4" - L        | 6          | 10.23077         | 155.16667        | 0.58647        |
| <b>6GMBJ70534L Totals:</b>      |                                                                        | <b>6</b>   | <b>10.23077</b>  | <b>155.16667</b> | <b>0.58647</b> |
| <b>6GMBJ70534ME134L</b>         |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED MASONRY FRAME -<br>1-3/4" BLANK JAMB - 70 - 5-3/4" - L | 3          | 20.11111         | 610.03704        | 0.14917        |
| <b>6GMBJ70534ME134L Totals:</b> |                                                                        | <b>3</b>   | <b>20.11111</b>  | <b>610.03704</b> | <b>0.14917</b> |
| <b>6GMBJ70534ME134R</b>         |                                                                        |            |                  |                  |                |
| Main                            | 16GA GALVANIZED MASONRY FRAME -<br>1-3/4" BLANK JAMB - 70 - 5-3/4" - R | 3          | 27.88889         | 845.96296        | 0.10757        |
| <b>6GMBJ70534ME134R Totals:</b> |                                                                        | <b>3</b>   | <b>27.88889</b>  | <b>845.96296</b> | <b>0.10757</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group               | Part Description                                               | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|------------------------------|----------------------------------------------------------------|------------|------------------|--------------------|----------------|
| <b>6GMH28534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 28 - 5-3/4"        | 0          | 8                | 0                  | 0              |
| <b>6GMH28534 Totals:</b>     |                                                                | <b>0</b>   | <b>8</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMH30534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 30 - 5-3/4"        | 41         | 55.86842         | 124.00064          | 0.73387        |
| <b>6GMH30534 Totals:</b>     |                                                                | <b>41</b>  | <b>55.86842</b>  | <b>124.00064</b>   | <b>0.73387</b> |
| <b>6GMH30534-134</b>         |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>1-3/4" HEADER - 30 - 5-3/4" | 3          | 34.77778         | 1,054.92593        | 0.08626        |
| <b>6GMH30534-134 Totals:</b> |                                                                | <b>3</b>   | <b>34.77778</b>  | <b>1,054.92593</b> | <b>0.08626</b> |
| <b>6GMH34534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 34 - 5-3/4"        | 0          | 13               | 0                  | 0              |
| <b>6GMH34534 Totals:</b>     |                                                                | <b>0</b>   | <b>13</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GMH40434</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 40 - 4-3/4"        | 0          | 14               | 0                  | 0              |
| <b>6GMH40434 Totals:</b>     |                                                                | <b>0</b>   | <b>14</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GMH50534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 50 - 5-3/4"        | 1          | 38.8             | 3,530.8            | 0.02577        |
| <b>6GMH50534 Totals:</b>     |                                                                | <b>1</b>   | <b>38.8</b>      | <b>3,530.8</b>     | <b>0.02577</b> |
| <b>6GMH60434</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 60 - 4-3/4"        | 0          | 11               | 0                  | 0              |
| <b>6GMH60434 Totals:</b>     |                                                                | <b>0</b>   | <b>11</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GMH60534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 60 - 5-3/4"        | 11         | 116.89286        | 967.02273          | 0.0941         |
| <b>6GMH60534 Totals:</b>     |                                                                | <b>11</b>  | <b>116.89286</b> | <b>967.02273</b>   | <b>0.0941</b>  |
| <b>6GMH60534-134</b>         |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>1-3/4" HEADER - 60 - 5-3/4" | 0          | 4                | 0                  | 0              |
| <b>6GMH60534-134 Totals:</b> |                                                                | <b>0</b>   | <b>4</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMH60814</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 60 - 8-1/4"        | 0          | 11               | 0                  | 0              |
| <b>6GMH60814 Totals:</b>     |                                                                | <b>0</b>   | <b>11</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GMH80534</b>             |                                                                |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HEADER - 80 - 5-3/4"        | 1          | 20.5             | 1,865.5            | 0.04878        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group               | Part Description                                                     | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|------------------------------|----------------------------------------------------------------------|------------|-----------------|------------------|----------------|
| <b>6GMH80534 Totals:</b>     |                                                                      | <b>1</b>   | <b>20.5</b>     | <b>1,865.5</b>   | <b>0.04878</b> |
| <b>6GMHJ68434MEL</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 4-3/4" - ME - L | 0          | 12              | 0                | 0              |
| <b>6GMHJ68434MEL Totals:</b> |                                                                      | <b>0</b>   | <b>12</b>       | <b>0</b>         | <b>0</b>       |
| <b>6GMHJ68434MER</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 4-3/4" - ME - R | 1          | 9.33333         | 849.33333        | 0.10714        |
| <b>6GMHJ68434MER Totals:</b> |                                                                      | <b>1</b>   | <b>9.33333</b>  | <b>849.33333</b> | <b>0.10714</b> |
| <b>6GMHJ68534MEL</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 5-3/4" - L-ME   | 10         | 72.7619         | 662.13333        | 0.13743        |
| <b>6GMHJ68534MEL Totals:</b> |                                                                      | <b>10</b>  | <b>72.7619</b>  | <b>662.13333</b> | <b>0.13743</b> |
| <b>6GMHJ68534MER</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 5-3/4" - R - ME | 10         | 63.33333        | 576.33333        | 0.15789        |
| <b>6GMHJ68534MER Totals:</b> |                                                                      | <b>10</b>  | <b>63.33333</b> | <b>576.33333</b> | <b>0.15789</b> |
| <b>6GMHJ68814MEL</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 8-1/4" - ME - L | 0          | 5               | 0                | 0              |
| <b>6GMHJ68814MEL Totals:</b> |                                                                      | <b>0</b>   | <b>5</b>        | <b>0</b>         | <b>0</b>       |
| <b>6GMHJ68814MER</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 68 - 8-1/4" - ME - R | 0          | 9               | 0                | 0              |
| <b>6GMHJ68814MER Totals:</b> |                                                                      | <b>0</b>   | <b>9</b>        | <b>0</b>         | <b>0</b>       |
| <b>6GMHJ70534MEL</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 70 - 5-3/4" - L - ME | 32         | 50.71186        | 144.21186        | 0.63102        |
| <b>6GMHJ70534MEL Totals:</b> |                                                                      | <b>32</b>  | <b>50.71186</b> | <b>144.21186</b> | <b>0.63102</b> |
| <b>6GMHJ70534MER</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 70 - 5-3/4" - R - ME | 29         | 17.92157        | 56.23665         | 1.61816        |
| <b>6GMHJ70534MER Totals:</b> |                                                                      | <b>29</b>  | <b>17.92157</b> | <b>56.23665</b>  | <b>1.61816</b> |
| <b>6GMHJ80534MEL</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 80 - 5-3/4" - ME - L | 6          | 9.4             | 142.56667        | 0.6383         |
| <b>6GMHJ80534MEL Totals:</b> |                                                                      | <b>6</b>   | <b>9.4</b>      | <b>142.56667</b> | <b>0.6383</b>  |
| <b>6GMHJ80534MER</b>         |                                                                      |            |                 |                  |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>HINGE JAMB - 80 - 5-3/4" - ME - R | 7          | 15.82353        | 205.70588        | 0.44238        |
| <b>6GMHJ80534MER Totals:</b> |                                                                      | <b>7</b>   | <b>15.82353</b> | <b>205.70588</b> | <b>0.44238</b> |
| <b>6GMSJ68434MEL</b>         |                                                                      |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group               | Part Description                                                      | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|------------------------------|-----------------------------------------------------------------------|------------|------------------|--------------------|----------------|
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 4-3/4" - ME - L | 0          | 6                | 0                  | 0              |
| <b>6GMSJ68434MEL Totals:</b> |                                                                       | <b>0</b>   | <b>6</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMSJ68434MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 4-3/4" - ME - R | 1          | 12.25            | 1,114.75           | 0.08163        |
| <b>6GMSJ68434MER Totals:</b> |                                                                       | <b>1</b>   | <b>12.25</b>     | <b>1,114.75</b>    | <b>0.08163</b> |
| <b>6GMSJ68534MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 5-3/4" - L - ME | 5          | 114              | 2,074.8            | 0.04386        |
| <b>6GMSJ68534MEL Totals:</b> |                                                                       | <b>5</b>   | <b>114</b>       | <b>2,074.8</b>     | <b>0.04386</b> |
| <b>6GMSJ68534MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 5-3/4" - R - ME | 8          | 101.90909        | 1,159.21591        | 0.0785         |
| <b>6GMSJ68534MER Totals:</b> |                                                                       | <b>8</b>   | <b>101.90909</b> | <b>1,159.21591</b> | <b>0.0785</b>  |
| <b>6GMSJ68814MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 8-1/4" - ME - L | 0          | 7                | 0                  | 0              |
| <b>6GMSJ68814MEL Totals:</b> |                                                                       | <b>0</b>   | <b>7</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMSJ68814MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 68 - 8-1/4" - ME - R | 0          | 10               | 0                  | 0              |
| <b>6GMSJ68814MER Totals:</b> |                                                                       | <b>0</b>   | <b>10</b>        | <b>0</b>           | <b>0</b>       |
| <b>6GMSJ70434MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 70 - 4-3/4" - ME - L | 0          | 5                | 0                  | 0              |
| <b>6GMSJ70434MEL Totals:</b> |                                                                       | <b>0</b>   | <b>5</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMSJ70434MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 70 - 4-3/4" - ME - R | 0          | 2                | 0                  | 0              |
| <b>6GMSJ70434MER Totals:</b> |                                                                       | <b>0</b>   | <b>2</b>         | <b>0</b>           | <b>0</b>       |
| <b>6GMSJ70534MEL</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 70 - 5-3/4" - L - ME | 19         | 83.32258         | 399.07131          | 0.22803        |
| <b>6GMSJ70534MEL Totals:</b> |                                                                       | <b>19</b>  | <b>83.32258</b>  | <b>399.07131</b>   | <b>0.22803</b> |
| <b>6GMSJ70534MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 70 - 5-3/4" - R - ME | 19         | 45.53571         | 218.09211          | 0.41725        |
| <b>6GMSJ70534MER Totals:</b> |                                                                       | <b>19</b>  | <b>45.53571</b>  | <b>218.09211</b>   | <b>0.41725</b> |
| <b>6GMSJ70814MER</b>         |                                                                       |            |                  |                    |                |
| Main                         | 16GA GALVANIZED MASONRY FRAME -<br>STRIKE JAMB - 70 - 8-1/4" - ME - R | 0          | 1                | 0                  | 0              |
| <b>6GMSJ70814MER Totals:</b> |                                                                       | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                                    | Part Description                                                   | Units Sold   | Avg QOH          | Avg. TO Days       | TO Rate        |
|-------------------------------------------------------------------|--------------------------------------------------------------------|--------------|------------------|--------------------|----------------|
| <b>6GMSJ80534MEL</b>                                              |                                                                    |              |                  |                    |                |
| Main                                                              | 16GA GALVANIZED MASONRY FRAME - STRIKE JAMB - 80 - 5-3/4" - ME - L | 2            | 21.75            | 989.625            | 0.09195        |
| <b>6GMSJ80534MEL Totals:</b>                                      |                                                                    | <b>2</b>     | <b>21.75</b>     | <b>989.625</b>     | <b>0.09195</b> |
| <b>6GMSJ80534MER</b>                                              |                                                                    |              |                  |                    |                |
| Main                                                              | 16GA GALVANIZED MASONRY FRAME - STRIKE JAMB - 80 - 5-3/4" - ME - R | 4            | 25.75            | 585.8125           | 0.15534        |
| <b>6GMSJ80534MER Totals:</b>                                      |                                                                    | <b>4</b>     | <b>25.75</b>     | <b>585.8125</b>    | <b>0.15534</b> |
| <b>6GMULB100534</b>                                               |                                                                    |              |                  |                    |                |
| Main                                                              | 16GA GALVANIZED BLANK MULLION - 10'0" - 5-3/4"                     | 0            | 8                | 0                  | 0              |
| <b>6GMULB100534 Totals:</b>                                       |                                                                    | <b>0</b>     | <b>8</b>         | <b>0</b>           | <b>0</b>       |
| <b>701</b>                                                        |                                                                    |              |                  |                    |                |
| Main                                                              | FB-01 8-32 3/32" OFFSET 2-1/2" L X 7/8" W                          | 6            | 190.42857        | 2,888.16667        | 0.03151        |
| <b>701 Totals:</b>                                                |                                                                    | <b>6</b>     | <b>190.42857</b> | <b>2,888.16667</b> | <b>0.03151</b> |
| <b>705</b>                                                        |                                                                    |              |                  |                    |                |
| Main                                                              | SR-02 8-32 DEADBOLT REINFORCEMENT 3/32" OFFSET 2-1/2" L X 7/8" W   | 4            | 180              | 4,095              | 0.02222        |
| <b>705 Totals:</b>                                                |                                                                    | <b>4</b>     | <b>180</b>       | <b>4,095</b>       | <b>0.02222</b> |
| <b>706</b>                                                        |                                                                    |              |                  |                    |                |
| Main                                                              | FB-D HOLE 5/16" OFFSET 2-1/2" L X 7/8" W                           | 58           | 119.77358        | 187.92062          | 0.48425        |
| <b>706 Totals:</b>                                                |                                                                    | <b>58</b>    | <b>119.77358</b> | <b>187.92062</b>   | <b>0.48425</b> |
| <b>90 MINUTE DOOR LABEL</b>                                       |                                                                    |              |                  |                    |                |
| Main                                                              | 90 MINUTE DOOR LABEL                                               | 155          | 181.50625        | 106.56173          | 0.85397        |
| <b>90 MINUTE DOOR LABEL Totals:</b>                               |                                                                    | <b>155</b>   | <b>181.50625</b> | <b>106.56173</b>   | <b>0.85397</b> |
| <b>90 MINUTE FRAME LABEL</b>                                      |                                                                    |              |                  |                    |                |
| Main                                                              | 90 MINUTE FRAME LABEL                                              | 116          | 211.08148        | 165.58978          | 0.54955        |
| <b>90 MINUTE FRAME LABEL Totals:</b>                              |                                                                    | <b>116</b>   | <b>211.08148</b> | <b>165.58978</b>   | <b>0.54955</b> |
| <b>90 MINUTE TRANSOM/SIDELITE WITH FIRE RATED GLAZING</b>         |                                                                    |              |                  |                    |                |
| Main                                                              | 90 MINUTE TRANSOM/SIDELITE WITH FIRE RATED GLAZING                 | 1            | 14               | 1,274              | 0.07143        |
| <b>90 MINUTE TRANSOM/SIDELITE WITH FIRE RATED GLAZING Totals:</b> |                                                                    | <b>1</b>     | <b>14</b>        | <b>1,274</b>       | <b>0.07143</b> |
| <b>900.</b>                                                       |                                                                    |              |                  |                    |                |
| Main                                                              | CLOSER REINFORCEMENT/SR8                                           | 1,095        | 644.44589        | 53.55669           | 1.69913        |
| <b>900. Totals:</b>                                               |                                                                    | <b>1,095</b> | <b>644.44589</b> | <b>53.55669</b>    | <b>1.69913</b> |
| <b>978</b>                                                        |                                                                    |              |                  |                    |                |
| Main                                                              | 5" HINGE REINFORCEMENT 1.25 X 8.5, .62 OFFSET 7GA                  | 14           | 15.85714         | 103.07143          | 0.88288        |
| <b>978 Totals:</b>                                                |                                                                    | <b>14</b>    | <b>15.85714</b>  | <b>103.07143</b>   | <b>0.88288</b> |
| <b>C-CHANNEL</b>                                                  |                                                                    |              |                  |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                         | Part Description                        | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|--------------------------------------------------------|-----------------------------------------|------------|-----------------|------------------|----------------|
| Main                                                   | 16G 3/4" X 1-11/16" X 3/4" X 108"       | 36         | 36.79365        | 93.00617         | 0.97843        |
| <b>C-CHANNEL Totals:</b>                               |                                         | <b>36</b>  | <b>36.79365</b> | <b>93.00617</b>  | <b>0.97843</b> |
| <b>CAP PLUGS - WHITE</b>                               |                                         |            |                 |                  |                |
| Main                                                   | CAP PLUGS - WHITE                       | 0          | 285             | 0                | 0              |
| <b>CAP PLUGS - WHITE Totals:</b>                       |                                         | <b>0</b>   | <b>285</b>      | <b>0</b>         | <b>0</b>       |
| <b>D3068CY</b>                                         |                                         |            |                 |                  |                |
| Main                                                   | S-18-4-3068-NH-CY                       | 0          | 57.2            | 0                | 0              |
| <b>D3068CY Totals:</b>                                 |                                         | <b>0</b>   | <b>57.2</b>     | <b>0</b>         | <b>0</b>       |
| <b>F 416 5-3/4 BLANK JAMB 70W1-3/4FL GALV</b>          |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 BLANK JAMB 70W1-3/4FL GALV  | 6          | 28.92857        | 438.75           | 0.20741        |
| <b>F 416 5-3/4 BLANK JAMB 70W1-3/4FL GALV Totals:</b>  |                                         | <b>6</b>   | <b>28.92857</b> | <b>438.75</b>    | <b>0.20741</b> |
| <b>F 416 5-3/4 BLANK JAMB 70W1-3/4FR GALV</b>          |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 BLANK JAMB 70W1-3/4FR GALV  | 1          | 22.75           | 2,070.25         | 0.04396        |
| <b>F 416 5-3/4 BLANK JAMB 70W1-3/4FR GALV Totals:</b>  |                                         | <b>1</b>   | <b>22.75</b>    | <b>2,070.25</b>  | <b>0.04396</b> |
| <b>F 416 5-3/4 HEADER 30W1-3/4F GALV</b>               |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 HEADER 30W1-3/4F GALV       | 54         | 35.16667        | 59.26235         | 1.53555        |
| <b>F 416 5-3/4 HEADER 30W1-3/4F GALV Totals:</b>       |                                         | <b>54</b>  | <b>35.16667</b> | <b>59.26235</b>  | <b>1.53555</b> |
| <b>F 416 5-3/4 HEADER 60W1-3/4F</b>                    |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 HEADER 60W1-3/4F            | 1          | 11.75           | 1,069.25         | 0.08511        |
| <b>F 416 5-3/4 HEADER 60W1-3/4F Totals:</b>            |                                         | <b>1</b>   | <b>11.75</b>    | <b>1,069.25</b>  | <b>0.08511</b> |
| <b>F 416 5-3/4 HINGE JAMB 70W1-3/4FL GALV</b>          |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 HINGE JAMB 70W1-3/4FL GALV  | 9          | 43.375          | 438.56944        | 0.20749        |
| <b>F 416 5-3/4 HINGE JAMB 70W1-3/4FL GALV Totals:</b>  |                                         | <b>9</b>   | <b>43.375</b>   | <b>438.56944</b> | <b>0.20749</b> |
| <b>F 416 5-3/4 HINGE JAMB 70W1-3/4FR GALV</b>          |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 HINGE JAMB 70W1-3/4FR GALV  | 13         | 39.42857        | 276              | 0.32971        |
| <b>F 416 5-3/4 HINGE JAMB 70W1-3/4FR GALV Totals:</b>  |                                         | <b>13</b>  | <b>39.42857</b> | <b>276</b>       | <b>0.32971</b> |
| <b>F 416 5-3/4 STRIKE JAMB 70W1-3/4FL GALV</b>         |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 STRIKE JAMB 70W1-3/4FL GALV | 16         | 33.95833        | 193.13802        | 0.47117        |
| <b>F 416 5-3/4 STRIKE JAMB 70W1-3/4FL GALV Totals:</b> |                                         | <b>16</b>  | <b>33.95833</b> | <b>193.13802</b> | <b>0.47117</b> |
| <b>F 416 5-3/4 STRIKE JAMB 70W1-3/4FR GALV</b>         |                                         |            |                 |                  |                |
| Main                                                   | F 416 5-3/4 STRIKE JAMB 70W1-3/4FR GALV | 6          | 42.13333        | 639.02222        | 0.14241        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                | Part Description                          | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|-------------------------------|-------------------------------------------|------------|-----------------|------------------|----------------|
|                               | <b>F 416 5-3/4 STRIKE JAMB 70W1-3/4FR</b> | <b>6</b>   | <b>42.13333</b> | <b>639.02222</b> | <b>0.14241</b> |
|                               | <b>GALV Totals:</b>                       |            |                 |                  |                |
| <b>F016 8 1/4 BJ 7'0" COS</b> |                                           |            |                 |                  |                |
| Main                          | F016 8 1/4 BJ 7'0" COS                    | 12         | 19.2            | 145.6            | 0.625          |
|                               | <b>F016 8 1/4 BJ 7'0" COS Totals:</b>     | <b>12</b>  | <b>19.2</b>     | <b>145.6</b>     | <b>0.625</b>   |
| <b>F016 8 1/4 FH 3'0" COS</b> |                                           |            |                 |                  |                |
| Main                          | F016 8 1/4 FH 3'0" COS                    | 0          | 21.5            | 0                | 0              |
|                               | <b>F016 8 1/4 FH 3'0" COS Totals:</b>     | <b>0</b>   | <b>21.5</b>     | <b>0</b>         | <b>0</b>       |
| <b>F016 8 1/4 FH 6'0" COS</b> |                                           |            |                 |                  |                |
| Main                          | F016 8 1/4 FH 6'0" COS                    | 6          | 9.6             | 145.6            | 0.625          |
|                               | <b>F016 8 1/4 FH 6'0" COS Totals:</b>     | <b>6</b>   | <b>9.6</b>      | <b>145.6</b>     | <b>0.625</b>   |
| <b>F6475A07 GALV</b>          |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 FH 30 GALV                     | 22         | 8               | 33.09091         | 2.75           |
|                               | <b>F6475A07 GALV Totals:</b>              | <b>22</b>  | <b>8</b>        | <b>33.09091</b>  | <b>2.75</b>    |
| <b>F6475A13 GALV</b>          |                                           |            |                 |                  |                |
| Main                          | F 416 4-3/4" FH 40 GALV                   | 2          | 9               | 409.5            | 0.22222        |
|                               | <b>F6475A13 GALV Totals:</b>              | <b>2</b>   | <b>9</b>        | <b>409.5</b>     | <b>0.22222</b> |
| <b>F6475A19 GALV</b>          |                                           |            |                 |                  |                |
| Main                          | F 416 4-3/4" FH 60 GALV                   | 1          | 15              | 1,365            | 0.06667        |
|                               | <b>F6475A19 GALV Totals:</b>              | <b>1</b>   | <b>15</b>       | <b>1,365</b>     | <b>0.06667</b> |
| <b>F6475H21L GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 HJ 68L GALV                    | 0          | 12              | 0                | 0              |
|                               | <b>F6475H21L GALV Totals:</b>             | <b>0</b>   | <b>12</b>       | <b>0</b>         | <b>0</b>       |
| <b>F6475H21R GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F 416 4-3/4" HJ 68R GALV                  | 0          | 23              | 0                | 0              |
|                               | <b>F6475H21R GALV Totals:</b>             | <b>0</b>   | <b>23</b>       | <b>0</b>         | <b>0</b>       |
| <b>F6475H23L GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 HJ 70L GALV                    | 4          | 18.57143        | 422.5            | 0.21538        |
|                               | <b>F6475H23L GALV Totals:</b>             | <b>4</b>   | <b>18.57143</b> | <b>422.5</b>     | <b>0.21538</b> |
| <b>F6475H23R GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 HJ 70R GALV                    | 5          | 18.9375         | 344.6625         | 0.26403        |
|                               | <b>F6475H23R GALV Totals:</b>             | <b>5</b>   | <b>18.9375</b>  | <b>344.6625</b>  | <b>0.26403</b> |
| <b>F6475U23L GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 SJ 70L GALV                    | 4          | 20.28571        | 461.5            | 0.19718        |
|                               | <b>F6475U23L GALV Totals:</b>             | <b>4</b>   | <b>20.28571</b> | <b>461.5</b>     | <b>0.19718</b> |
| <b>F6475U23R GALV</b>         |                                           |            |                 |                  |                |
| Main                          | F416 4 3/4 SJ 70R GALV                    | 5          | 21.14286        | 384.8            | 0.23649        |
|                               | <b>F6475U23R GALV Totals:</b>             | <b>5</b>   | <b>21.14286</b> | <b>384.8</b>     | <b>0.23649</b> |
| <b>F6575A03</b>               |                                           |            |                 |                  |                |
| Main                          | F416 5 3/4 FH 24                          | 1          | 6.5             | 591.5            | 0.15385        |
|                               | <b>F6575A03 Totals:</b>                   | <b>1</b>   | <b>6.5</b>      | <b>591.5</b>     | <b>0.15385</b> |
| <b>F6575H21LSC</b>            |                                           |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                | Part Description             | Units Sold | Avg QOH        | Avg. TO Days  | TO Rate        |
|-------------------------------|------------------------------|------------|----------------|---------------|----------------|
| Main                          | F416 5 3/4 HJ 68L STEELCRAFT | 0          | 135            | 0             | 0              |
| <b>F6575H21LSC Totals:</b>    |                              | <b>0</b>   | <b>135</b>     | <b>0</b>      | <b>0</b>       |
| <b>F6575H21RSC</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 HJ 68R STEELCRAFT | 0          | 129            | 0             | 0              |
| <b>F6575H21RSC Totals:</b>    |                              | <b>0</b>   | <b>129</b>     | <b>0</b>      | <b>0</b>       |
| <b>F6575H30LCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 HJ 80L CECO       | 0          | 9              | 0             | 0              |
| <b>F6575H30LCE Totals:</b>    |                              | <b>0</b>   | <b>9</b>       | <b>0</b>      | <b>0</b>       |
| <b>F6575H30LSC</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 HJ 80L STEELCRAFT | 0          | 34             | 0             | 0              |
| <b>F6575H30LSC Totals:</b>    |                              | <b>0</b>   | <b>34</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6575H30RCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 HJ 80R CECO       | 0          | 6.66667        | 0             | 0              |
| <b>F6575H30RCE Totals:</b>    |                              | <b>0</b>   | <b>6.66667</b> | <b>0</b>      | <b>0</b>       |
| <b>F6575U21LCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 SJ 68L CECO       | 0          | 57             | 0             | 0              |
| <b>F6575U21LCE Totals:</b>    |                              | <b>0</b>   | <b>57</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6575U21RCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 SJ 68R CECO       | 0          | 44             | 0             | 0              |
| <b>F6575U21RCE Totals:</b>    |                              | <b>0</b>   | <b>44</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6575U30LCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 SJU 80L CECO      | 0          | 17             | 0             | 0              |
| <b>F6575U30LCE Totals:</b>    |                              | <b>0</b>   | <b>17</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6575U30RCE</b>            |                              |            |                |               |                |
| Main                          | F416 5 3/4 SJU 80R CECO      | 0          | 13             | 0             | 0              |
| <b>F6575U30RCE Totals:</b>    |                              | <b>0</b>   | <b>13</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6675A07 GALV</b>          |                              |            |                |               |                |
| Main                          | F Z 416 6-3/4" FH 30 GALV    | 5          | 9.15385        | 166.6         | 0.54622        |
| <b>F6675A07 GALV Totals:</b>  |                              | <b>5</b>   | <b>9.15385</b> | <b>166.6</b>  | <b>0.54622</b> |
| <b>F6675A13 GALV</b>          |                              |            |                |               |                |
| Main                          | F 416 6-3/4" FH 40 GALV      | 0          | 2              | 0             | 0              |
| <b>F6675A13 GALV Totals:</b>  |                              | <b>0</b>   | <b>2</b>       | <b>0</b>      | <b>0</b>       |
| <b>F6675A19 GALV</b>          |                              |            |                |               |                |
| Main                          | F416 6 3/4 FH 60 GALV        | 0          | 12             | 0             | 0              |
| <b>F6675A19 GALV Totals:</b>  |                              | <b>0</b>   | <b>12</b>      | <b>0</b>      | <b>0</b>       |
| <b>F6675H21L GALV</b>         |                              |            |                |               |                |
| Main                          | F 416 6-3/4" HJ 68L GALV     | 1          | 3.25           | 295.75        | 0.30769        |
| <b>F6675H21L GALV Totals:</b> |                              | <b>1</b>   | <b>3.25</b>    | <b>295.75</b> | <b>0.30769</b> |
| <b>F6675H21R GALV</b>         |                              |            |                |               |                |
| Main                          | F 416 6-3/4" HJ 68R GALV     | 0          | 4              | 0             | 0              |
| <b>F6675H21R GALV Totals:</b> |                              | <b>0</b>   | <b>4</b>       | <b>0</b>      | <b>0</b>       |
| <b>F6675H23L GALV</b>         |                              |            |                |               |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                 | Part Description           | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|--------------------------------|----------------------------|------------|-----------------|--------------------|----------------|
| Main                           | F 416 6-3/4" HJ 70L GALV   | 8          | 10.57143        | 120.25             | 0.75676        |
| <b>F6675H23L GALV Totals:</b>  |                            | <b>8</b>   | <b>10.57143</b> | <b>120.25</b>      | <b>0.75676</b> |
| <b>F6675H23R GALV</b>          |                            |            |                 |                    |                |
| Main                           | F 416 6-3/4" HJ 70R GALV   | 14         | 5.90909         | 38.40909           | 2.36923        |
| <b>F6675H23R GALV Totals:</b>  |                            | <b>14</b>  | <b>5.90909</b>  | <b>38.40909</b>    | <b>2.36923</b> |
| <b>F6675U21L GALV.</b>         |                            |            |                 |                    |                |
| Main                           | F416 6 3/4 SJ 68L GALV.    | 1          | 3.33333         | 303.33333          | 0.3            |
| <b>F6675U21L GALV. Totals:</b> |                            | <b>1</b>   | <b>3.33333</b>  | <b>303.33333</b>   | <b>0.3</b>     |
| <b>F6675U21R GALV</b>          |                            |            |                 |                    |                |
| Main                           | F 416 6-3/4" SJ 68R GALV   | 0          | 5               | 0                  | 0              |
| <b>F6675U21R GALV Totals:</b>  |                            | <b>0</b>   | <b>5</b>        | <b>0</b>           | <b>0</b>       |
| <b>F6675U23L GALV</b>          |                            |            |                 |                    |                |
| Main                           | F 416 6-3/4" SJ 70L GALV   | 8          | 9.57143         | 108.875            | 0.83582        |
| <b>F6675U23L GALV Totals:</b>  |                            | <b>8</b>   | <b>9.57143</b>  | <b>108.875</b>     | <b>0.83582</b> |
| <b>F6675U23R GALV</b>          |                            |            |                 |                    |                |
| Main                           | F 416 6-3/4" SJ 70R GALV   | 8          | 8.5             | 96.6875            | 0.94118        |
| <b>F6675U23R GALV Totals:</b>  |                            | <b>8</b>   | <b>8.5</b>      | <b>96.6875</b>     | <b>0.94118</b> |
| <b>F6775A07 GALV</b>           |                            |            |                 |                    |                |
| Main                           | F416 7 3/4 FH 30 GALV      | 2          | 22.83333        | 1,038.91667        | 0.08759        |
| <b>F6775A07 GALV Totals:</b>   |                            | <b>2</b>   | <b>22.83333</b> | <b>1,038.91667</b> | <b>0.08759</b> |
| <b>F6775A13 GALV</b>           |                            |            |                 |                    |                |
| Main                           | F 416 7 3/4" FH 40 GALV    | 2          | 4.83333         | 219.91667          | 0.41379        |
| <b>F6775A13 GALV Totals:</b>   |                            | <b>2</b>   | <b>4.83333</b>  | <b>219.91667</b>   | <b>0.41379</b> |
| <b>F6775A19 GALV</b>           |                            |            |                 |                    |                |
| Main                           | F416 7 3/4 FH 60 GALV      | 1          | 11              | 1,001              | 0.09091        |
| <b>F6775A19 GALV Totals:</b>   |                            | <b>1</b>   | <b>11</b>       | <b>1,001</b>       | <b>0.09091</b> |
| <b>F6775H21L GALV</b>          |                            |            |                 |                    |                |
| Main                           | F 416 7 3/4" HJ 68L GALV   | 1          | 5.33333         | 485.33333          | 0.1875         |
| <b>F6775H21L GALV Totals:</b>  |                            | <b>1</b>   | <b>5.33333</b>  | <b>485.33333</b>   | <b>0.1875</b>  |
| <b>F6775H21R GALV</b>          |                            |            |                 |                    |                |
| Main                           | F Z 416 7-3/4" HJ 68R GALV | 1          | 7.75            | 705.25             | 0.12903        |
| <b>F6775H21R GALV Totals:</b>  |                            | <b>1</b>   | <b>7.75</b>     | <b>705.25</b>      | <b>0.12903</b> |
| <b>F6775H23L GALV</b>          |                            |            |                 |                    |                |
| Main                           | F416 7 3/4 HJ 70L GALV     | 10         | 6.66667         | 60.66667           | 1.5            |
| <b>F6775H23L GALV Totals:</b>  |                            | <b>10</b>  | <b>6.66667</b>  | <b>60.66667</b>    | <b>1.5</b>     |
| <b>F6775H23R GALV</b>          |                            |            |                 |                    |                |
| Main                           | F416 7 3/4 HJ 70R GALV     | 14         | 6.66667         | 43.33333           | 2.1            |
| <b>F6775H23R GALV Totals:</b>  |                            | <b>14</b>  | <b>6.66667</b>  | <b>43.33333</b>    | <b>2.1</b>     |
| <b>F6775U21L GALV</b>          |                            |            |                 |                    |                |
| Main                           | F416 7 3/4 SJ 68L GALV     | 1          | 7.5             | 682.5              | 0.13333        |
| <b>F6775U21L GALV Totals:</b>  |                            | <b>1</b>   | <b>7.5</b>      | <b>682.5</b>       | <b>0.13333</b> |
| <b>F6775U21R GALV</b>          |                            |            |                 |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                | Part Description         | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|-------------------------------|--------------------------|------------|-----------------|--------------------|----------------|
| Main                          | F416 7 3/4 SJ 68R GALV   | 1          | 12.66667        | 1,152.66667        | 0.07895        |
| <b>F6775U21R GALV Totals:</b> |                          | <b>1</b>   | <b>12.66667</b> | <b>1,152.66667</b> | <b>0.07895</b> |
| <b>F6775U23L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 7 3/4 SJ 70L GALV   | 0          | 18              | 0                  | 0              |
| <b>F6775U23L GALV Totals:</b> |                          | <b>0</b>   | <b>18</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6775U23R GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 7 3/4 SJ 70R GALV   | 0          | 13.33333        | 0                  | 0              |
| <b>F6775U23R GALV Totals:</b> |                          | <b>0</b>   | <b>13.33333</b> | <b>0</b>           | <b>0</b>       |
| <b>F6825A07 GALV</b>          |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 FH 30 GALV    | 24         | 30.31579        | 114.94737          | 0.79167        |
| <b>F6825A07 GALV Totals:</b>  |                          | <b>24</b>  | <b>30.31579</b> | <b>114.94737</b>   | <b>0.79167</b> |
| <b>F6825A13 GALV</b>          |                          |            |                 |                    |                |
| Main                          | F 416 8-1/4" FH 40 GALV  | 1          | 4               | 364                | 0.25           |
| <b>F6825A13 GALV Totals:</b>  |                          | <b>1</b>   | <b>4</b>        | <b>364</b>         | <b>0.25</b>    |
| <b>F6825A19 GALV</b>          |                          |            |                 |                    |                |
| Main                          | F 416 8-1/4" FH 60 GALV  | 12         | 28              | 212.33333          | 0.42857        |
| <b>F6825A19 GALV Totals:</b>  |                          | <b>12</b>  | <b>28</b>       | <b>212.33333</b>   | <b>0.42857</b> |
| <b>F6825H21L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F 416 8-1/4" HJ 68L GALV | 2          | 8.28571         | 377                | 0.24138        |
| <b>F6825H21L GALV Totals:</b> |                          | <b>2</b>   | <b>8.28571</b>  | <b>377</b>         | <b>0.24138</b> |
| <b>F6825H21LCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 68L CECO   | 0          | 15.66667        | 0                  | 0              |
| <b>F6825H21LCE Totals:</b>    |                          | <b>0</b>   | <b>15.66667</b> | <b>0</b>           | <b>0</b>       |
| <b>F6825H21R</b>              |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 68R        | 1          | 8               | 728                | 0.125          |
| <b>F6825H21R Totals:</b>      |                          | <b>1</b>   | <b>8</b>        | <b>728</b>         | <b>0.125</b>   |
| <b>F6825H21RCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 68R CECO   | 0          | 15.66667        | 0                  | 0              |
| <b>F6825H21RCE Totals:</b>    |                          | <b>0</b>   | <b>15.66667</b> | <b>0</b>           | <b>0</b>       |
| <b>F6825H23L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 70L GALV   | 14         | 19.15789        | 124.52632          | 0.73077        |
| <b>F6825H23L GALV Totals:</b> |                          | <b>14</b>  | <b>19.15789</b> | <b>124.52632</b>   | <b>0.73077</b> |
| <b>F6825H23R GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 70R GALV   | 13         | 12.1875         | 85.3125            | 1.06667        |
| <b>F6825H23R GALV Totals:</b> |                          | <b>13</b>  | <b>12.1875</b>  | <b>85.3125</b>     | <b>1.06667</b> |
| <b>F6825H23RCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 HJ 70R CECO   | 0          | 10              | 0                  | 0              |
| <b>F6825H23RCE Totals:</b>    |                          | <b>0</b>   | <b>10</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6825H23RSC</b>            |                          |            |                 |                    |                |
| Main                          | F 416 8-1/4" HJ 70R SCT  | 0          | 1               | 0                  | 0              |
| <b>F6825H23RSC Totals:</b>    |                          | <b>0</b>   | <b>1</b>        | <b>0</b>           | <b>0</b>       |
| <b>F6825U21L GALV</b>         |                          |            |                 |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                | Part Description         | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|-------------------------------|--------------------------|------------|-----------------|--------------------|----------------|
| Main                          | F416 8 1/4 SJ 68L GALV   | 0          | 11              | 0                  | 0              |
| <b>F6825U21L GALV Totals:</b> |                          | <b>0</b>   | <b>11</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6825U21LCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJU 68L CECO  | 0          | 15              | 0                  | 0              |
| <b>F6825U21LCE Totals:</b>    |                          | <b>0</b>   | <b>15</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6825U21R GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJ 68R GALV   | 0          | 10.5            | 0                  | 0              |
| <b>F6825U21R GALV Totals:</b> |                          | <b>0</b>   | <b>10.5</b>     | <b>0</b>           | <b>0</b>       |
| <b>F6825U21RCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJU 68R CECO  | 0          | 17              | 0                  | 0              |
| <b>F6825U21RCE Totals:</b>    |                          | <b>0</b>   | <b>17</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6825U23L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJ 70L GALV   | 22         | 14.23529        | 58.88235           | 1.54545        |
| <b>F6825U23L GALV Totals:</b> |                          | <b>22</b>  | <b>14.23529</b> | <b>58.88235</b>    | <b>1.54545</b> |
| <b>F6825U23LCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJU 70L CECO  | 0          | 1               | 0                  | 0              |
| <b>F6825U23LCE Totals:</b>    |                          | <b>0</b>   | <b>1</b>        | <b>0</b>           | <b>0</b>       |
| <b>F6825U23R GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJ 70R GALV   | 9          | 17              | 171.88889          | 0.52941        |
| <b>F6825U23R GALV Totals:</b> |                          | <b>9</b>   | <b>17</b>       | <b>171.88889</b>   | <b>0.52941</b> |
| <b>F6825U23RCE</b>            |                          |            |                 |                    |                |
| Main                          | F416 8 1/4 SJU 70R CECO  | 0          | 9               | 0                  | 0              |
| <b>F6825U23RCE Totals:</b>    |                          | <b>0</b>   | <b>9</b>        | <b>0</b>           | <b>0</b>       |
| <b>F6875A07 GALV</b>          |                          |            |                 |                    |                |
| Main                          | FZ416 8-3/4" FH 30 GALV  | 3          | 14.09091        | 427.42424          | 0.2129         |
| <b>F6875A07 GALV Totals:</b>  |                          | <b>3</b>   | <b>14.09091</b> | <b>427.42424</b>   | <b>0.2129</b>  |
| <b>F6875A13 GALV</b>          |                          |            |                 |                    |                |
| Main                          | F416 8 3/4 FH 40 GALV    | 2          | 8               | 364                | 0.25           |
| <b>F6875A13 GALV Totals:</b>  |                          | <b>2</b>   | <b>8</b>        | <b>364</b>         | <b>0.25</b>    |
| <b>F6875A19 GALV</b>          |                          |            |                 |                    |                |
| Main                          | F 416 8-3/4" FH 60 GALV  | 0          | 18              | 0                  | 0              |
| <b>F6875A19 GALV Totals:</b>  |                          | <b>0</b>   | <b>18</b>       | <b>0</b>           | <b>0</b>       |
| <b>F6875H21L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 3/4 HJ 68L GALV   | 1          | 15.66667        | 1,425.66667        | 0.06383        |
| <b>F6875H21L GALV Totals:</b> |                          | <b>1</b>   | <b>15.66667</b> | <b>1,425.66667</b> | <b>0.06383</b> |
| <b>F6875H21R GALV</b>         |                          |            |                 |                    |                |
| Main                          | F416 8 3/4 HJ 68R GALV   | 2          | 2.6             | 118.3              | 0.76923        |
| <b>F6875H21R GALV Totals:</b> |                          | <b>2</b>   | <b>2.6</b>      | <b>118.3</b>       | <b>0.76923</b> |
| <b>F6875H23L GALV</b>         |                          |            |                 |                    |                |
| Main                          | F 416 8-3/4" HJ 70L GALV | 4          | 9.33333         | 212.33333          | 0.42857        |
| <b>F6875H23L GALV Totals:</b> |                          | <b>4</b>   | <b>9.33333</b>  | <b>212.33333</b>   | <b>0.42857</b> |
| <b>F6875H23R GALV</b>         |                          |            |                 |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                          | Part Description          | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|-----------------------------------------|---------------------------|------------|------------------|--------------------|----------------|
| Main                                    | F416 8 3/4 HJ 70R GALV    | 5          | 9.30769          | 169.4              | 0.53719        |
| <b>F6875H23R GALV Totals:</b>           |                           | <b>5</b>   | <b>9.30769</b>   | <b>169.4</b>       | <b>0.53719</b> |
| <b>F6875U21L GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | F416 8 3/4 SJ 68L GALV    | 0          | 11               | 0                  | 0              |
| <b>F6875U21L GALV Totals:</b>           |                           | <b>0</b>   | <b>11</b>        | <b>0</b>           | <b>0</b>       |
| <b>F6875U21R GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | F416 8 3/4 SJ 68R GALV    | 1          | 7.75             | 705.25             | 0.12903        |
| <b>F6875U21R GALV Totals:</b>           |                           | <b>1</b>   | <b>7.75</b>      | <b>705.25</b>      | <b>0.12903</b> |
| <b>F6875U23L GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FZ416 8 3/4 SJ 70L GALV   | 7          | 16               | 208                | 0.4375         |
| <b>F6875U23L GALV Totals:</b>           |                           | <b>7</b>   | <b>16</b>        | <b>208</b>         | <b>0.4375</b>  |
| <b>F6875U23R GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | F416 8 3/4 SJ 70R GALV    | 3          | 10.77778         | 326.92593          | 0.27835        |
| <b>F6875U23R GALV Totals:</b>           |                           | <b>3</b>   | <b>10.77778</b>  | <b>326.92593</b>   | <b>0.27835</b> |
| <b>FC6575A07 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FCO 016 5-3/4" FH 30 GALV | 3          | 20.45455         | 620.45455          | 0.14667        |
| <b>FC6575A07 GALV Totals:</b>           |                           | <b>3</b>   | <b>20.45455</b>  | <b>620.45455</b>   | <b>0.14667</b> |
| <b>FC6575A19 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FCO 016 5-3/4" FH 60 GALV | 1          | 11.83333         | 1,076.83333        | 0.08451        |
| <b>FC6575A19 GALV Totals:</b>           |                           | <b>1</b>   | <b>11.83333</b>  | <b>1,076.83333</b> | <b>0.08451</b> |
| <b>FC6575N23 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FCO 016 5-3/4" BJ 70 GALV | 4          | 46.7             | 1,062.425          | 0.08565        |
| <b>FC6575N23 GALV Totals:</b>           |                           | <b>4</b>   | <b>46.7</b>      | <b>1,062.425</b>   | <b>0.08565</b> |
| <b>FD6587A03</b>                        |                           |            |                  |                    |                |
| Main                                    | FDJ416 5 7/8 FH 24        | 1          | 7.25             | 659.75             | 0.13793        |
| <b>FD6587A03 Totals:</b>                |                           | <b>1</b>   | <b>7.25</b>      | <b>659.75</b>      | <b>0.13793</b> |
| <b>FD6587A04 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FDJ416 5 7/8 FH 26 GALV   | 2          | 8                | 364                | 0.25           |
| <b>FD6587A04 GALV Totals:</b>           |                           | <b>2</b>   | <b>8</b>         | <b>364</b>         | <b>0.25</b>    |
| <b>FD6587A05 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FDJ 416 5-7/8" FH 28 GALV | 4          | 21               | 477.75             | 0.19048        |
| <b>FD6587A05 GALV Totals:</b>           |                           | <b>4</b>   | <b>21</b>        | <b>477.75</b>      | <b>0.19048</b> |
| <b>FD6587A06 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FDJ416 5 7/8 FH 210 GALV  | 2          | 13.25            | 602.875            | 0.15094        |
| <b>FD6587A06 GALV Totals:</b>           |                           | <b>2</b>   | <b>13.25</b>     | <b>602.875</b>     | <b>0.15094</b> |
| <b>FD6587A07 GALV</b>                   |                           |            |                  |                    |                |
| Main                                    | FDJ 416 5-7/8" FH 30      | 134        | 181.83077        | 123.48209          | 0.73695        |
| <b>FD6587A07 GALV Totals:</b>           |                           | <b>134</b> | <b>181.83077</b> | <b>123.48209</b>   | <b>0.73695</b> |
| <b>FD6587A07 GALV NEW STYLE</b>         |                           |            |                  |                    |                |
| Main                                    | DWA16 5 7/8 FH 30 GALV    | 90         | 270.125          | 273.12639          | 0.33318        |
| <b>FD6587A07 GALV NEW STYLE Totals:</b> |                           | <b>90</b>  | <b>270.125</b>   | <b>273.12639</b>   | <b>0.33318</b> |
| <b>FD6587A09 GALV NEW STYLE</b>         |                           |            |                  |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                   | Part Description                         | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|----------------------------------|------------------------------------------|------------|-----------------|------------------|----------------|
| Main                             | FDJ 416 5 7/8 FH 34 NEW STYLE            | 0          | 6               | 0                | 0              |
|                                  | <b>FD6587A09 GALV NEW STYLE Totals:</b>  | <b>0</b>   | <b>6</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587A10 GALV NEW STYLE</b>  |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5 7/8 FH 36 GALV NEW STYLE       | 6          | 14.33333        | 217.38889        | 0.4186         |
|                                  | <b>FD6587A10 GALV NEW STYLE Totals:</b>  | <b>6</b>   | <b>14.33333</b> | <b>217.38889</b> | <b>0.4186</b>  |
| <b>FD6587A11 NEW STYLE</b>       |                                          |            |                 |                  |                |
| Main                             | FDJ416 5 7/8 FH 38 NEW STYLE             | 5          | 3.8             | 69.16            | 1.31579        |
|                                  | <b>FD6587A11 NEW STYLE Totals:</b>       | <b>5</b>   | <b>3.8</b>      | <b>69.16</b>     | <b>1.31579</b> |
| <b>FD6587A13 GALV NEW STYLE</b>  |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5-7/8" FH 40 GALV NEW STYLE      | 0          | 24              | 0                | 0              |
|                                  | <b>FD6587A13 GALV NEW STYLE Totals:</b>  | <b>0</b>   | <b>24</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587A16 GALV NEW STYLE</b>  |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5-7/8" FH 50 GALV NEW STYLE      | 1          | 10.75           | 978.25           | 0.09302        |
|                                  | <b>FD6587A16 GALV NEW STYLE Totals:</b>  | <b>1</b>   | <b>10.75</b>    | <b>978.25</b>    | <b>0.09302</b> |
| <b>FD6587A19 GALV</b>            |                                          |            |                 |                  |                |
| Main                             | FDJ416 5 7/8 FH 60 GALV                  | 6          | 34              | 515.66667        | 0.17647        |
|                                  | <b>FD6587A19 GALV Totals:</b>            | <b>6</b>   | <b>34</b>       | <b>515.66667</b> | <b>0.17647</b> |
| <b>FD6587A19 GALV NEW STYLE</b>  |                                          |            |                 |                  |                |
| Main                             | DWA16 5 7/8 FH 60 GALV NEW STYLE         | 29         | 37.5625         | 117.86853        | 0.77205        |
|                                  | <b>FD6587A19 GALV NEW STYLE Totals:</b>  | <b>29</b>  | <b>37.5625</b>  | <b>117.86853</b> | <b>0.77205</b> |
| <b>FD6587A30 GALV</b>            |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5-7/8" FH 80 GALV                | 1          | 3.33333         | 303.33333        | 0.3            |
|                                  | <b>FD6587A30 GALV Totals:</b>            | <b>1</b>   | <b>3.33333</b>  | <b>303.33333</b> | <b>0.3</b>     |
| <b>FD6587A30 GALV NEW STYLE</b>  |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5-7/8" FH 80 GALV NEW STYLE      | 0          | 4               | 0                | 0              |
|                                  | <b>FD6587A30 GALV NEW STYLE Totals:</b>  | <b>0</b>   | <b>4</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21L GALV</b>           |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5 7/8 HJ 68L GALV                | 25         | 63.65517        | 231.70483        | 0.39274        |
|                                  | <b>FD6587H21L GALV Totals:</b>           | <b>25</b>  | <b>63.65517</b> | <b>231.70483</b> | <b>0.39274</b> |
| <b>FD6587H21L GALV NEW STYLE</b> |                                          |            |                 |                  |                |
| Main                             | DWA16 5 7/8 HJ 68L ME                    | 0          | 105             | 0                | 0              |
|                                  | <b>FD6587H21L GALV NEW STYLE Totals:</b> | <b>0</b>   | <b>105</b>      | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21LCE</b>              |                                          |            |                 |                  |                |
| Main                             | FDJ416 5 7/8 HJ 68L CECO                 | 0          | 59              | 0                | 0              |
|                                  | <b>FD6587H21LCE Totals:</b>              | <b>0</b>   | <b>59</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21LSC</b>              |                                          |            |                 |                  |                |
| Main                             | FDJ416 5 7/8 HJ 68L STEELCRAFT           | 0          | 48              | 0                | 0              |
|                                  | <b>FD6587H21LSC Totals:</b>              | <b>0</b>   | <b>48</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21R GALV</b>           |                                          |            |                 |                  |                |
| Main                             | FDJ 416 5 7/8 HJ 68R GALV                | 13         | 62.66667        | 438.66667        | 0.20745        |
|                                  | <b>FD6587H21R GALV Totals:</b>           | <b>13</b>  | <b>62.66667</b> | <b>438.66667</b> | <b>0.20745</b> |
| <b>FD6587H21R GALV NEW STYLE</b> |                                          |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                    | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|------------------------------------------|-------------------------------------|------------|------------------|------------------|----------------|
| Main                                     | DWA16 5 7/8 HJ 68R ME               | 0          | 97.6             | 0                | 0              |
| <b>FD6587H21R GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>97.6</b>      | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21RCE</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 HJ 68R CECO            | 0          | 56               | 0                | 0              |
| <b>FD6587H21RCE Totals:</b>              |                                     | <b>0</b>   | <b>56</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587H21RSC</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 HJ 68R STEELCRAFT      | 0          | 37.33333         | 0                | 0              |
| <b>FD6587H21RSC Totals:</b>              |                                     | <b>0</b>   | <b>37.33333</b>  | <b>0</b>         | <b>0</b>       |
| <b>FD6587H23L GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5-7/8" HJ 70L GALV          | 14         | 52.04348         | 338.28261        | 0.26901        |
| <b>FD6587H23L GALV Totals:</b>           |                                     | <b>14</b>  | <b>52.04348</b>  | <b>338.28261</b> | <b>0.26901</b> |
| <b>FD6587H23L GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | DWA16 5 7/8 HJ 70L ME               | 42         | 231.28571        | 501.11905        | 0.18159        |
| <b>FD6587H23L GALV NEW STYLE Totals:</b> |                                     | <b>42</b>  | <b>231.28571</b> | <b>501.11905</b> | <b>0.18159</b> |
| <b>FD6587H23R GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5-7/8" HJ 70R GALV          | 8          | 89               | 1,012.375        | 0.08989        |
| <b>FD6587H23R GALV Totals:</b>           |                                     | <b>8</b>   | <b>89</b>        | <b>1,012.375</b> | <b>0.08989</b> |
| <b>FD6587H23R GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | DWA16 5 7/8 HJ 70R ME               | 63         | 227.05882        | 327.97386        | 0.27746        |
| <b>FD6587H23R GALV NEW STYLE Totals:</b> |                                     | <b>63</b>  | <b>227.05882</b> | <b>327.97386</b> | <b>0.27746</b> |
| <b>FD6587H23RCE</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 HJ 70R CECO            | 0          | 23               | 0                | 0              |
| <b>FD6587H23RCE Totals:</b>              |                                     | <b>0</b>   | <b>23</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587H23RSC</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 HJ 70R STEELCRAFT      | 4          | 20.7             | 470.925          | 0.19324        |
| <b>FD6587H23RSC Totals:</b>              |                                     | <b>4</b>   | <b>20.7</b>      | <b>470.925</b>   | <b>0.19324</b> |
| <b>FD6587H30L GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 HJ 80L GALV           | 4          | 12               | 273              | 0.33333        |
| <b>FD6587H30L GALV Totals:</b>           |                                     | <b>4</b>   | <b>12</b>        | <b>273</b>       | <b>0.33333</b> |
| <b>FD6587H30L GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 HJ 80L GALV NEW STYLE | 4          | 40.77778         | 927.69444        | 0.09809        |
| <b>FD6587H30L GALV NEW STYLE Totals:</b> |                                     | <b>4</b>   | <b>40.77778</b>  | <b>927.69444</b> | <b>0.09809</b> |
| <b>FD6587H30R GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 HJ 80R GALV NEW STYLE | 13         | 40               | 280              | 0.325          |
| <b>FD6587H30R GALV NEW STYLE Totals:</b> |                                     | <b>13</b>  | <b>40</b>        | <b>280</b>       | <b>0.325</b>   |
| <b>FD6587N21L</b>                        |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 BJ 68L                 | 3          | 4                | 121.33333        | 0.75           |
| <b>FD6587N21L Totals:</b>                |                                     | <b>3</b>   | <b>4</b>         | <b>121.33333</b> | <b>0.75</b>    |
| <b>FD6587N21L NEW STYLE</b>              |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 BJ 68L NEW STYLE       | 0          | 6                | 0                | 0              |
| <b>FD6587N21L NEW STYLE Totals:</b>      |                                     | <b>0</b>   | <b>6</b>         | <b>0</b>         | <b>0</b>       |
| <b>FD6587N21R NEW STYLE</b>              |                                     |            |                  |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                    | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|------------------------------------------|-------------------------------------|------------|-----------------|------------------|----------------|
| Main                                     | FDJ416 5 7/8 BJ 68R NEW STYLE       | 0          | 6               | 0                | 0              |
| <b>FD6587N21R NEW STYLE Totals:</b>      |                                     | <b>0</b>   | <b>6</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587N23L GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | DWA16 5 7/8 BL 70L NEW STYLE        | 6          | 39.25           | 595.29167        | 0.15287        |
| <b>FD6587N23L GALV NEW STYLE Totals:</b> |                                     | <b>6</b>   | <b>39.25</b>    | <b>595.29167</b> | <b>0.15287</b> |
| <b>FD6587N23R GALV</b>                   |                                     |            |                 |                  |                |
| Main                                     | FDJ416 5 7/8 BJ 70R GALV            | 5          | 19.11111        | 347.82222        | 0.26163        |
| <b>FD6587N23R GALV Totals:</b>           |                                     | <b>5</b>   | <b>19.11111</b> | <b>347.82222</b> | <b>0.26163</b> |
| <b>FD6587N23R GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | DWA16 5 7/8 BL 70R NEW STYLE        | 0          | 41              | 0                | 0              |
| <b>FD6587N23R GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>41</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587N30L GALV</b>                   |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5 7/8 BLANK JAMB 80L        | 0          | 19              | 0                | 0              |
| <b>FD6587N30L GALV Totals:</b>           |                                     | <b>0</b>   | <b>19</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587N30L GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5 7/8 BJ 80L GALV NEW STYLE | 0          | 24              | 0                | 0              |
| <b>FD6587N30L GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>24</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587N30R GALV</b>                   |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5 7/8 BLANK JAMB 80R        | 0          | 49              | 0                | 0              |
| <b>FD6587N30R GALV Totals:</b>           |                                     | <b>0</b>   | <b>49</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587N30R GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5 7/8 BJ 80R GALV NEW STYLE | 0          | 24              | 0                | 0              |
| <b>FD6587N30R GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>24</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587U21L GALV</b>                   |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5-7/8" SJ 68L GALV          | 23         | 68.34783        | 270.41966        | 0.33651        |
| <b>FD6587U21L GALV Totals:</b>           |                                     | <b>23</b>  | <b>68.34783</b> | <b>270.41966</b> | <b>0.33651</b> |
| <b>FD6587U21L GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | DWA16 5 7/8 SJ 68L ME               | 0          | 94              | 0                | 0              |
| <b>FD6587U21L GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>94</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587U21LCE</b>                      |                                     |            |                 |                  |                |
| Main                                     | FDJ416 5 7/8 SJ 68L CECO            | 0          | 65              | 0                | 0              |
| <b>FD6587U21LCE Totals:</b>              |                                     | <b>0</b>   | <b>65</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587U21R GALV</b>                   |                                     |            |                 |                  |                |
| Main                                     | FDJ 416 5-7/8" SJ 68R GALV          | 13         | 66.66667        | 466.66667        | 0.195          |
| <b>FD6587U21R GALV Totals:</b>           |                                     | <b>13</b>  | <b>66.66667</b> | <b>466.66667</b> | <b>0.195</b>   |
| <b>FD6587U21R GALV NEW STYLE</b>         |                                     |            |                 |                  |                |
| Main                                     | DWA16 5 7/8 SJ 68R ME               | 0          | 97              | 0                | 0              |
| <b>FD6587U21R GALV NEW STYLE Totals:</b> |                                     | <b>0</b>   | <b>97</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6587U21RCE</b>                      |                                     |            |                 |                  |                |
| Main                                     | FDJ416 5 7/8 SJ 68R CECO            | 0          | 57.33333        | 0                | 0              |
| <b>FD6587U21RCE Totals:</b>              |                                     | <b>0</b>   | <b>57.33333</b> | <b>0</b>         | <b>0</b>       |
| <b>FD6587U23L GALV</b>                   |                                     |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                    | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|------------------------------------------|-------------------------------------|------------|------------------|------------------|----------------|
| Main                                     | FDJ 416 5-7/8" SJ 70L GALV          | 12         | 54.65217         | 414.44565        | 0.21957        |
| <b>FD6587U23L GALV Totals:</b>           |                                     | <b>12</b>  | <b>54.65217</b>  | <b>414.44565</b> | <b>0.21957</b> |
| <b>FD6587U23L GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | DWA16 5 7/8 SJ 70L ME               | 48         | 247.09091        | 468.44318        | 0.19426        |
| <b>FD6587U23L GALV NEW STYLE Totals:</b> |                                     | <b>48</b>  | <b>247.09091</b> | <b>468.44318</b> | <b>0.19426</b> |
| <b>FD6587U23LCE</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 SJ 70L CECO            | 4          | 4.8              | 109.2            | 0.83333        |
| <b>FD6587U23LCE Totals:</b>              |                                     | <b>4</b>   | <b>4.8</b>       | <b>109.2</b>     | <b>0.83333</b> |
| <b>FD6587U23R GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 SJ 70R GALV            | 9          | 85.375           | 863.23611        | 0.10542        |
| <b>FD6587U23R GALV Totals:</b>           |                                     | <b>9</b>   | <b>85.375</b>    | <b>863.23611</b> | <b>0.10542</b> |
| <b>FD6587U23R GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | DWA16 5 7/8 SJ 70R ME               | 57         | 239.73333        | 382.73216        | 0.23776        |
| <b>FD6587U23R GALV NEW STYLE Totals:</b> |                                     | <b>57</b>  | <b>239.73333</b> | <b>382.73216</b> | <b>0.23776</b> |
| <b>FD6587U23RCE</b>                      |                                     |            |                  |                  |                |
| Main                                     | FDJ416 5 7/8 SJ 70R CECO            | 0          | 31.66667         | 0                | 0              |
| <b>FD6587U23RCE Totals:</b>              |                                     | <b>0</b>   | <b>31.66667</b>  | <b>0</b>         | <b>0</b>       |
| <b>FD6587U30L GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 SJ 80L GALV           | 0          | 17               | 0                | 0              |
| <b>FD6587U30L GALV Totals:</b>           |                                     | <b>0</b>   | <b>17</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6587U30L GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 SJ 80L GALV NEW STYLE | 2          | 38.5             | 1,751.75         | 0.05195        |
| <b>FD6587U30L GALV NEW STYLE Totals:</b> |                                     | <b>2</b>   | <b>38.5</b>      | <b>1,751.75</b>  | <b>0.05195</b> |
| <b>FD6587U30R GALV</b>                   |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 SJ 80R GALV           | 6          | 27               | 409.5            | 0.22222        |
| <b>FD6587U30R GALV Totals:</b>           |                                     | <b>6</b>   | <b>27</b>        | <b>409.5</b>     | <b>0.22222</b> |
| <b>FD6587U30R GALV NEW STYLE</b>         |                                     |            |                  |                  |                |
| Main                                     | FDJ 416 5 7/8 SJ 80R GALV NEW STYLE | 11         | 39.33333         | 325.39394        | 0.27966        |
| <b>FD6587U30R GALV NEW STYLE Totals:</b> |                                     | <b>11</b>  | <b>39.33333</b>  | <b>325.39394</b> | <b>0.27966</b> |
| <b>FD6625A19</b>                         |                                     |            |                  |                  |                |
| Main                                     | FDJ416 6 1/4 FH 60                  | 0          | 14               | 0                | 0              |
| <b>FD6625A19 Totals:</b>                 |                                     | <b>0</b>   | <b>14</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6625H21L</b>                        |                                     |            |                  |                  |                |
| Main                                     | FDJ416 6 1/4 HJ 68L                 | 3          | 13               | 394.33333        | 0.23077        |
| <b>FD6625H21L Totals:</b>                |                                     | <b>3</b>   | <b>13</b>        | <b>394.33333</b> | <b>0.23077</b> |
| <b>FD6625H21R</b>                        |                                     |            |                  |                  |                |
| Main                                     | FDJ416 6 1/4 HJ 68R                 | 3          | 19.42857         | 589.33333        | 0.15441        |
| <b>FD6625H21R Totals:</b>                |                                     | <b>3</b>   | <b>19.42857</b>  | <b>589.33333</b> | <b>0.15441</b> |
| <b>FD6625H23L</b>                        |                                     |            |                  |                  |                |
| Main                                     | FDJ416 6 1/4 HJ 70L                 | 1          | 10.33333         | 940.33333        | 0.09677        |
| <b>FD6625H23L Totals:</b>                |                                     | <b>1</b>   | <b>10.33333</b>  | <b>940.33333</b> | <b>0.09677</b> |
| <b>FD6625H23R</b>                        |                                     |            |                  |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                    | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|------------------------------------------|-------------------------------------|------------|-----------------|--------------------|----------------|
| Main                                     | FDJ416 6 1/4 HJ 70R                 | 1          | 11.66667        | 1,061.66667        | 0.08571        |
| <b>FD6625H23R Totals:</b>                |                                     | <b>1</b>   | <b>11.66667</b> | <b>1,061.66667</b> | <b>0.08571</b> |
| <b>FD6625U21L</b>                        |                                     |            |                 |                    |                |
| Main                                     | FDJ416 6 1/4 SJ 68L                 | 3          | 13              | 394.33333          | 0.23077        |
| <b>FD6625U21L Totals:</b>                |                                     | <b>3</b>   | <b>13</b>       | <b>394.33333</b>   | <b>0.23077</b> |
| <b>FD6625U21R</b>                        |                                     |            |                 |                    |                |
| Main                                     | FDJ416 6 1/4 SJ 68R                 | 3          | 19.42857        | 589.33333          | 0.15441        |
| <b>FD6625U21R Totals:</b>                |                                     | <b>3</b>   | <b>19.42857</b> | <b>589.33333</b>   | <b>0.15441</b> |
| <b>FD6625U23L</b>                        |                                     |            |                 |                    |                |
| Main                                     | FDJ416 6 1/4 SJ 70L                 | 1          | 6.33333         | 576.33333          | 0.15789        |
| <b>FD6625U23L Totals:</b>                |                                     | <b>1</b>   | <b>6.33333</b>  | <b>576.33333</b>   | <b>0.15789</b> |
| <b>FD6625U23R</b>                        |                                     |            |                 |                    |                |
| Main                                     | FDJ416 6 1/4 SJ 70R                 | 1          | 1.66667         | 151.66667          | 0.6            |
| <b>FD6625U23R Totals:</b>                |                                     | <b>1</b>   | <b>1.66667</b>  | <b>151.66667</b>   | <b>0.6</b>     |
| <b>FD6712A07 GALV</b>                    |                                     |            |                 |                    |                |
| Main                                     | FDJ 416 7-1/8" FH 30 GALV           | 3          | 23.71429        | 719.33333          | 0.12651        |
| <b>FD6712A07 GALV Totals:</b>            |                                     | <b>3</b>   | <b>23.71429</b> | <b>719.33333</b>   | <b>0.12651</b> |
| <b>FD6712A07 GALV NEW STYLE</b>          |                                     |            |                 |                    |                |
| Main                                     | FDJ 416 7-1/8" FH 30 GALV NEW STYLE | 14         | 36.2            | 235.3              | 0.38674        |
| <b>FD6712A07 GALV NEW STYLE Totals:</b>  |                                     | <b>14</b>  | <b>36.2</b>     | <b>235.3</b>       | <b>0.38674</b> |
| <b>FD6712A19 GALV</b>                    |                                     |            |                 |                    |                |
| Main                                     | FDJ416 7 1/8 FH 60 GALV             | 0          | 4               | 0                  | 0              |
| <b>FD6712A19 GALV Totals:</b>            |                                     | <b>0</b>   | <b>4</b>        | <b>0</b>           | <b>0</b>       |
| <b>FD6712A19 GALV NEW STYLE</b>          |                                     |            |                 |                    |                |
| Main                                     | FDJ416 7 1/8 FH 60 GALV NEW STYLE   | 6          | 4.66667         | 70.77778           | 1.28571        |
| <b>FD6712A19 GALV NEW STYLE Totals:</b>  |                                     | <b>6</b>   | <b>4.66667</b>  | <b>70.77778</b>    | <b>1.28571</b> |
| <b>FD6712H21L GALV NEW STYLE</b>         |                                     |            |                 |                    |                |
| Main                                     | FDJ 416 7 1/8 HJ 68L GALV NEW STYLE | 6          | 5.2             | 78.86667           | 1.15385        |
| <b>FD6712H21L GALV NEW STYLE Totals:</b> |                                     | <b>6</b>   | <b>5.2</b>      | <b>78.86667</b>    | <b>1.15385</b> |
| <b>FD6712H21LCE</b>                      |                                     |            |                 |                    |                |
| Main                                     | FDJ416 7 1/8 HJ 68L CECO            | 0          | 16              | 0                  | 0              |
| <b>FD6712H21LCE Totals:</b>              |                                     | <b>0</b>   | <b>16</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6712H21R GALV</b>                   |                                     |            |                 |                    |                |
| Main                                     | FDJ416 7 1/8 HJ 68R GALV            | 0          | 4               | 0                  | 0              |
| <b>FD6712H21R GALV Totals:</b>           |                                     | <b>0</b>   | <b>4</b>        | <b>0</b>           | <b>0</b>       |
| <b>FD6712H21R GALV NEW STYLE</b>         |                                     |            |                 |                    |                |
| Main                                     | FDJ 416 7 1/8 HJ 68R GALV NEW STYLE | 12         | 7               | 53.08333           | 1.71429        |
| <b>FD6712H21R GALV NEW STYLE Totals:</b> |                                     | <b>12</b>  | <b>7</b>        | <b>53.08333</b>    | <b>1.71429</b> |
| <b>FD6712H21RCE</b>                      |                                     |            |                 |                    |                |
| Main                                     | FDJ416 7 1/8 HJ 68R CECO            | 0          | 15              | 0                  | 0              |
| <b>FD6712H21RCE Totals:</b>              |                                     | <b>0</b>   | <b>15</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6712H23L GALV NEW STYLE</b>         |                                     |            |                 |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                   | Part Description                            | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|----------------------------------|---------------------------------------------|------------|-----------------|------------------|----------------|
| Main                             | FDJ 416 7-1/8" HJ 70L GALV NEW STYLE        | 8          | 11.6            | 131.95           | 0.68966        |
|                                  | <b>FD6712H23L GALV NEW STYLE Totals:</b>    | <b>8</b>   | <b>11.6</b>     | <b>131.95</b>    | <b>0.68966</b> |
| <b>FD6712H23R GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7-1/8" HJ 70R GALV NEW STYLE        | 6          | 16.5            | 250.25           | 0.36364        |
|                                  | <b>FD6712H23R GALV NEW STYLE Totals:</b>    | <b>6</b>   | <b>16.5</b>     | <b>250.25</b>    | <b>0.36364</b> |
| <b>FD6712H23RCE</b>              |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 HJ 70R CECO                    | 0          | 3               | 0                | 0              |
|                                  | <b>FD6712H23RCE Totals:</b>                 | <b>0</b>   | <b>3</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6712N30L GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7 1/8 BLANK JAMB 80L GALV NEW STYLE | 7          | 3.5             | 45.5             | 2              |
|                                  | <b>FD6712N30L GALV NEW STYLE Totals:</b>    | <b>7</b>   | <b>3.5</b>      | <b>45.5</b>      | <b>2</b>       |
| <b>FD6712N30R GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7 1/8 BLANK JAMB 80R GALV NEW STYLE | 6          | 3               | 45.5             | 2              |
|                                  | <b>FD6712N30R GALV NEW STYLE Totals:</b>    | <b>6</b>   | <b>3</b>        | <b>45.5</b>      | <b>2</b>       |
| <b>FD6712U21L GALV</b>           |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 SJ 68L GALV                    | 0          | 10              | 0                | 0              |
|                                  | <b>FD6712U21L GALV Totals:</b>              | <b>0</b>   | <b>10</b>       | <b>0</b>         | <b>0</b>       |
| <b>FD6712U21L GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7 1/8 SJ 68L GALV NEW STYLE         | 6          | 6               | 91               | 1              |
|                                  | <b>FD6712U21L GALV NEW STYLE Totals:</b>    | <b>6</b>   | <b>6</b>        | <b>91</b>        | <b>1</b>       |
| <b>FD6712U21LCE</b>              |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 SJU 68L CECO                   | 1          | 7.6             | 691.6            | 0.13158        |
|                                  | <b>FD6712U21LCE Totals:</b>                 | <b>1</b>   | <b>7.6</b>      | <b>691.6</b>     | <b>0.13158</b> |
| <b>FD6712U21R GALV</b>           |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 SJ 68R GALV                    | 0          | 7.42857         | 0                | 0              |
|                                  | <b>FD6712U21R GALV Totals:</b>              | <b>0</b>   | <b>7.42857</b>  | <b>0</b>         | <b>0</b>       |
| <b>FD6712U21R GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7 1/8 SJ 68R GALV NEW STYLE         | 6          | 6               | 91               | 1              |
|                                  | <b>FD6712U21R GALV NEW STYLE Totals:</b>    | <b>6</b>   | <b>6</b>        | <b>91</b>        | <b>1</b>       |
| <b>FD6712U21RCE</b>              |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 SJU 68R CECO                   | 1          | 16              | 1,456            | 0.0625         |
|                                  | <b>FD6712U21RCE Totals:</b>                 | <b>1</b>   | <b>16</b>       | <b>1,456</b>     | <b>0.0625</b>  |
| <b>FD6712U23L GALV</b>           |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7-1/8" SJ 70L GALV                  | 0          | 8               | 0                | 0              |
|                                  | <b>FD6712U23L GALV Totals:</b>              | <b>0</b>   | <b>8</b>        | <b>0</b>         | <b>0</b>       |
| <b>FD6712U23L GALV NEW STYLE</b> |                                             |            |                 |                  |                |
| Main                             | FDJ 416 7-1/8" SJ 70L GALV NEW STYLE        | 9          | 16.84615        | 170.33333        | 0.53425        |
|                                  | <b>FD6712U23L GALV NEW STYLE Totals:</b>    | <b>9</b>   | <b>16.84615</b> | <b>170.33333</b> | <b>0.53425</b> |
| <b>FD6712U23LCE</b>              |                                             |            |                 |                  |                |
| Main                             | FDJ416 7 1/8 SJU 70L CECO                   | 2          | 6.16667         | 280.58333        | 0.32432        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                     | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|------------------------------------------|--------------------------------------|------------|-----------------|--------------------|----------------|
| <b>FD6712U23LCE Totals:</b>              |                                      | <b>2</b>   | <b>6.16667</b>  | <b>280.58333</b>   | <b>0.32432</b> |
| <b>FD6712U23R GALV</b>                   |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 7-1/8" SJ 70R GALV           | 0          | 10              | 0                  | 0              |
| <b>FD6712U23R GALV Totals:</b>           |                                      | <b>0</b>   | <b>10</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6712U23R GALV NEW STYLE</b>         |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 7-1/8" SJ 70R GALV NEW STYLE | 15         | 13.69231        | 83.06667           | 1.09551        |
| <b>FD6712U23R GALV NEW STYLE Totals:</b> |                                      | <b>15</b>  | <b>13.69231</b> | <b>83.06667</b>    | <b>1.09551</b> |
| <b>FD6825A07 GALV</b>                    |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 FH 30 GALV              | 2          | 39.5            | 1,797.25           | 0.05063        |
| <b>FD6825A07 GALV Totals:</b>            |                                      | <b>2</b>   | <b>39.5</b>     | <b>1,797.25</b>    | <b>0.05063</b> |
| <b>FD6825A07 GALV NEW STYLE</b>          |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 FH 30 GALV NEW STYLE    | 12         | 46.36364        | 351.59091          | 0.25882        |
| <b>FD6825A07 GALV NEW STYLE Totals:</b>  |                                      | <b>12</b>  | <b>46.36364</b> | <b>351.59091</b>   | <b>0.25882</b> |
| <b>FD6825A13 GALV NEW STYLE</b>          |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 8 1/4 FH 40 GALV NEW STYLE   | 2          | 8.66667         | 394.33333          | 0.23077        |
| <b>FD6825A13 GALV NEW STYLE Totals:</b>  |                                      | <b>2</b>   | <b>8.66667</b>  | <b>394.33333</b>   | <b>0.23077</b> |
| <b>FD6825A19 GALV NEW STYLE</b>          |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 FH 60 GALV NEW STYLE    | 2          | 22.11111        | 1,006.05556        | 0.09045        |
| <b>FD6825A19 GALV NEW STYLE Totals:</b>  |                                      | <b>2</b>   | <b>22.11111</b> | <b>1,006.05556</b> | <b>0.09045</b> |
| <b>FD6825H21L GALV</b>                   |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 HJ 68L GALV             | 1          | 5.33333         | 485.33333          | 0.1875         |
| <b>FD6825H21L GALV Totals:</b>           |                                      | <b>1</b>   | <b>5.33333</b>  | <b>485.33333</b>   | <b>0.1875</b>  |
| <b>FD6825H21LCE</b>                      |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 HJ 68L CECO             | 0          | 14.5            | 0                  | 0              |
| <b>FD6825H21LCE Totals:</b>              |                                      | <b>0</b>   | <b>14.5</b>     | <b>0</b>           | <b>0</b>       |
| <b>FD6825H21LSC</b>                      |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" HJ 68L SCT            | 0          | 18              | 0                  | 0              |
| <b>FD6825H21LSC Totals:</b>              |                                      | <b>0</b>   | <b>18</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6825H21R GALV</b>                   |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 HJ 68R GALV             | 1          | 8.33333         | 758.33333          | 0.12           |
| <b>FD6825H21R GALV Totals:</b>           |                                      | <b>1</b>   | <b>8.33333</b>  | <b>758.33333</b>   | <b>0.12</b>    |
| <b>FD6825H21RCE</b>                      |                                      |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 HJ 68R CECO             | 0          | 15              | 0                  | 0              |
| <b>FD6825H21RCE Totals:</b>              |                                      | <b>0</b>   | <b>15</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6825H23L GALV NEW STYLE</b>         |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" HJ 70L GALV NEW STYLE | 8          | 52.5            | 597.1875           | 0.15238        |
| <b>FD6825H23L GALV NEW STYLE Totals:</b> |                                      | <b>8</b>   | <b>52.5</b>     | <b>597.1875</b>    | <b>0.15238</b> |
| <b>FD6825H23R GALV</b>                   |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" HJ 70R GALV           | 0          | 4               | 0                  | 0              |
| <b>FD6825H23R GALV Totals:</b>           |                                      | <b>0</b>   | <b>4</b>        | <b>0</b>           | <b>0</b>       |
| <b>FD6825H23R GALV NEW STYLE</b>         |                                      |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" HJ 70R GALV NEW STYLE | 7          | 53.14286        | 690.85714          | 0.13172        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                               | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|------------------------------------------|------------------------------------------------|------------|-----------------|--------------------|----------------|
| <b>FD6825H23R GALV NEW STYLE Totals:</b> |                                                | <b>7</b>   | <b>53.14286</b> | <b>690.85714</b>   | <b>0.13172</b> |
| <b>FD6825H23RCE</b>                      |                                                |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 HJ 70R CECO                       | 0          | 4               | 0                  | 0              |
| <b>FD6825H23RCE Totals:</b>              |                                                | <b>0</b>   | <b>4</b>        | <b>0</b>           | <b>0</b>       |
| <b>FD6825N30L GALV</b>                   |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8 1/4 BLANK JAMB 80L GALV              | 1          | 11.75           | 1,069.25           | 0.08511        |
| <b>FD6825N30L GALV Totals:</b>           |                                                | <b>1</b>   | <b>11.75</b>    | <b>1,069.25</b>    | <b>0.08511</b> |
| <b>FD6825N30L GALV NEW STYLE</b>         |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8 1/4 BLANK JAMB 80L GALV<br>NEW STYLE | 1          | 11.33333        | 1,031.33333        | 0.08824        |
| <b>FD6825N30L GALV NEW STYLE Totals:</b> |                                                | <b>1</b>   | <b>11.33333</b> | <b>1,031.33333</b> | <b>0.08824</b> |
| <b>FD6825N30R GALV</b>                   |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8 1/4 BLANK JAMB 80R GALV              | 0          | 12              | 0                  | 0              |
| <b>FD6825N30R GALV Totals:</b>           |                                                | <b>0</b>   | <b>12</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6825N30R GALV NEW STYLE</b>         |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8 1/4 BLANK JAMB 80R GALV<br>NEW STYLE | 3          | 10.2            | 309.4              | 0.29412        |
| <b>FD6825N30R GALV NEW STYLE Totals:</b> |                                                | <b>3</b>   | <b>10.2</b>     | <b>309.4</b>       | <b>0.29412</b> |
| <b>FD6825U21L</b>                        |                                                |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 SJ 68L                            | 1          | 10.25           | 932.75             | 0.09756        |
| <b>FD6825U21L Totals:</b>                |                                                | <b>1</b>   | <b>10.25</b>    | <b>932.75</b>      | <b>0.09756</b> |
| <b>FD6825U21LCE</b>                      |                                                |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 SJU 68L CECO                      | 0          | 21.33333        | 0                  | 0              |
| <b>FD6825U21LCE Totals:</b>              |                                                | <b>0</b>   | <b>21.33333</b> | <b>0</b>           | <b>0</b>       |
| <b>FD6825U21RCE</b>                      |                                                |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 SJU 68R CECO                      | 0          | 14              | 0                  | 0              |
| <b>FD6825U21RCE Totals:</b>              |                                                | <b>0</b>   | <b>14</b>       | <b>0</b>           | <b>0</b>       |
| <b>FD6825U23L GALV NEW STYLE</b>         |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" SJ 70L GALV NEW STYLE           | 8          | 53.57895        | 609.46053          | 0.14931        |
| <b>FD6825U23L GALV NEW STYLE Totals:</b> |                                                | <b>8</b>   | <b>53.57895</b> | <b>609.46053</b>   | <b>0.14931</b> |
| <b>FD6825U23R GALV</b>                   |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" SJ 70R GALV                     | 0          | 6               | 0                  | 0              |
| <b>FD6825U23R GALV Totals:</b>           |                                                | <b>0</b>   | <b>6</b>        | <b>0</b>           | <b>0</b>       |
| <b>FD6825U23R GALV NEW STYLE</b>         |                                                |            |                 |                    |                |
| Main                                     | FDJ 416 8-1/4" SJ 70R GALV NEW STYLE           | 5          | 53              | 964.6              | 0.09434        |
| <b>FD6825U23R GALV NEW STYLE Totals:</b> |                                                | <b>5</b>   | <b>53</b>       | <b>964.6</b>       | <b>0.09434</b> |
| <b>FD6825U23RCE</b>                      |                                                |            |                 |                    |                |
| Main                                     | FDJ416 8 1/4 SJU 70R CECO                      | 0          | 2               | 0                  | 0              |
| <b>FD6825U23RCE Totals:</b>              |                                                | <b>0</b>   | <b>2</b>        | <b>0</b>           | <b>0</b>       |
| <b>FDC6587A07</b>                        |                                                |            |                 |                    |                |
| Main                                     | FDJ016 5 7/8 COS FH 30                         | 1          | 24.5            | 2,229.5            | 0.04082        |
| <b>FDC6587A07 Totals:</b>                |                                                | <b>1</b>   | <b>24.5</b>     | <b>2,229.5</b>     | <b>0.04082</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                 | Part Description             | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|--------------------------------|------------------------------|------------|------------------|------------------|----------------|
| <b>FDC6587N23 GALV</b>         |                              |            |                  |                  |                |
| Main                           | FDJCO 016 5-7/8" BJ 70N GALV | 2          | 14.66667         | 667.33333        | 0.13636        |
| <b>FDC6587N23 GALV Totals:</b> |                              | <b>2</b>   | <b>14.66667</b>  | <b>667.33333</b> | <b>0.13636</b> |
| <b>FLAT70</b>                  |                              |            |                  |                  |                |
| Main                           | FLAT ASTRAGAL - 7'0"         | 10         | 15               | 136.5            | 0.66667        |
| <b>FLAT70 Totals:</b>          |                              | <b>10</b>  | <b>15</b>        | <b>136.5</b>     | <b>0.66667</b> |
| <b>FZ6575A04</b>               |                              |            |                  |                  |                |
| Main                           | F Z 416 5 3/4" FH 26 GALV    | 1          | 15.75            | 1,433.25         | 0.06349        |
| <b>FZ6575A04 Totals:</b>       |                              | <b>1</b>   | <b>15.75</b>     | <b>1,433.25</b>  | <b>0.06349</b> |
| <b>FZ6575A05</b>               |                              |            |                  |                  |                |
| Main                           | FZ416 5 3/4 FH 28            | 0          | 27.66667         | 0                | 0              |
| <b>FZ6575A05 Totals:</b>       |                              | <b>0</b>   | <b>27.66667</b>  | <b>0</b>         | <b>0</b>       |
| <b>FZ6575A06</b>               |                              |            |                  |                  |                |
| Main                           | FZ416 5 3/4 FH 210           | 1          | 11               | 1,001            | 0.09091        |
| <b>FZ6575A06 Totals:</b>       |                              | <b>1</b>   | <b>11</b>        | <b>1,001</b>     | <b>0.09091</b> |
| <b>FZ6575A07</b>               |                              |            |                  |                  |                |
| Main                           | FA416 5 3/4 FH 30 GALV       | 306        | 597.91525        | 177.8114         | 0.51178        |
| <b>FZ6575A07 Totals:</b>       |                              | <b>306</b> | <b>597.91525</b> | <b>177.8114</b>  | <b>0.51178</b> |
| <b>FZ6575A09</b>               |                              |            |                  |                  |                |
| Main                           | F 416 5-3/4" FH 34 GALV      | 7          | 10.33333         | 134.33333        | 0.67742        |
| <b>FZ6575A09 Totals:</b>       |                              | <b>7</b>   | <b>10.33333</b>  | <b>134.33333</b> | <b>0.67742</b> |
| <b>FZ6575A10</b>               |                              |            |                  |                  |                |
| Main                           | F Z 416 5-3/4" FH 36         | 12         | 30.23333         | 229.26944        | 0.39691        |
| <b>FZ6575A10 Totals:</b>       |                              | <b>12</b>  | <b>30.23333</b>  | <b>229.26944</b> | <b>0.39691</b> |
| <b>FZ6575A11</b>               |                              |            |                  |                  |                |
| Main                           | F Z 416 5 3/4" FH 38 GALV    | 3          | 8.42857          | 255.66667        | 0.35593        |
| <b>FZ6575A11 Totals:</b>       |                              | <b>3</b>   | <b>8.42857</b>   | <b>255.66667</b> | <b>0.35593</b> |
| <b>FZ6575A13</b>               |                              |            |                  |                  |                |
| Main                           | F Z 416 5 3/4" FH 40 GALV    | 18         | 77.69697         | 392.80135        | 0.23167        |
| <b>FZ6575A13 Totals:</b>       |                              | <b>18</b>  | <b>77.69697</b>  | <b>392.80135</b> | <b>0.23167</b> |
| <b>FZ6575A16</b>               |                              |            |                  |                  |                |
| Main                           | FZ416 5 3/4 FH 50            | 6          | 23.91667         | 362.73611        | 0.25087        |
| <b>FZ6575A16 Totals:</b>       |                              | <b>6</b>   | <b>23.91667</b>  | <b>362.73611</b> | <b>0.25087</b> |
| <b>FZ6575A19</b>               |                              |            |                  |                  |                |
| Main                           | FZ416 5 3/4 FH 60 GALV       | 48         | 84.66667         | 160.51389        | 0.56693        |
| <b>FZ6575A19 Totals:</b>       |                              | <b>48</b>  | <b>84.66667</b>  | <b>160.51389</b> | <b>0.56693</b> |
| <b>FZ6575A30</b>               |                              |            |                  |                  |                |
| Main                           | F Z 416 5 -3/4" FH 80        | 1          | 7.6              | 691.6            | 0.13158        |
| <b>FZ6575A30 Totals:</b>       |                              | <b>1</b>   | <b>7.6</b>       | <b>691.6</b>     | <b>0.13158</b> |
| <b>FZ6575B07</b>               |                              |            |                  |                  |                |
| Main                           | FA416 5-3/4" FH 30 W4F GALV  | 82         | 199.56667        | 221.47033        | 0.41089        |
| <b>FZ6575B07 Totals:</b>       |                              | <b>82</b>  | <b>199.56667</b> | <b>221.47033</b> | <b>0.41089</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group              | Part Description               | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|-----------------------------|--------------------------------|------------|------------------|------------------|----------------|
| <b>FZ6575B13</b>            |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" FH 40 W4F GALV  | 24         | 27.88235         | 105.72059        | 0.86076        |
| <b>FZ6575B13 Totals:</b>    |                                | <b>24</b>  | <b>27.88235</b>  | <b>105.72059</b> | <b>0.86076</b> |
| <b>FZ6575B19</b>            |                                |            |                  |                  |                |
| Main                        | FZ416 5-3/4" FH 60 W4F GALV    | 11         | 28.82609         | 238.47036        | 0.3816         |
| <b>FZ6575B19 Totals:</b>    |                                | <b>11</b>  | <b>28.82609</b>  | <b>238.47036</b> | <b>0.3816</b>  |
| <b>FZ6575H21L</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 HJ 68L GALV        | 36         | 127.51429        | 322.32778        | 0.28232        |
| <b>FZ6575H21L Totals:</b>   |                                | <b>36</b>  | <b>127.51429</b> | <b>322.32778</b> | <b>0.28232</b> |
| <b>FZ6575H21LCE</b>         |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 68L GALV CEC | 0          | 32               | 0                | 0              |
| <b>FZ6575H21LCE Totals:</b> |                                | <b>0</b>   | <b>32</b>        | <b>0</b>         | <b>0</b>       |
| <b>FZ6575H21R</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 HJ 68R GALV        | 37         | 118.15789        | 290.60455        | 0.31314        |
| <b>FZ6575H21R Totals:</b>   |                                | <b>37</b>  | <b>118.15789</b> | <b>290.60455</b> | <b>0.31314</b> |
| <b>FZ6575H21RCE</b>         |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 68R GALV CEC | 0          | 20               | 0                | 0              |
| <b>FZ6575H21RCE Totals:</b> |                                | <b>0</b>   | <b>20</b>        | <b>0</b>         | <b>0</b>       |
| <b>FZ6575H23L</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 70L GALV     | 252        | 371.69167        | 134.22199        | 0.67798        |
| <b>FZ6575H23L Totals:</b>   |                                | <b>252</b> | <b>371.69167</b> | <b>134.22199</b> | <b>0.67798</b> |
| <b>FZ6575H23LCE</b>         |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 HJ 70L GALV CECO   | 0          | 27               | 0                | 0              |
| <b>FZ6575H23LCE Totals:</b> |                                | <b>0</b>   | <b>27</b>        | <b>0</b>         | <b>0</b>       |
| <b>FZ6575H23LSC</b>         |                                |            |                  |                  |                |
| Main                        | F 416 5-3/4" HJ 70L SCT        | 1          | 4.33333          | 394.33333        | 0.23077        |
| <b>FZ6575H23LSC Totals:</b> |                                | <b>1</b>   | <b>4.33333</b>   | <b>394.33333</b> | <b>0.23077</b> |
| <b>FZ6575H23R</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 70R GALV     | 248        | 259.07692        | 95.06452         | 0.95724        |
| <b>FZ6575H23R Totals:</b>   |                                | <b>248</b> | <b>259.07692</b> | <b>95.06452</b>  | <b>0.95724</b> |
| <b>FZ6575H23RCE</b>         |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 HJ 70R GALV CECO   | 1          | 23.8             | 2,165.8          | 0.04202        |
| <b>FZ6575H23RCE Totals:</b> |                                | <b>1</b>   | <b>23.8</b>      | <b>2,165.8</b>   | <b>0.04202</b> |
| <b>FZ6575H23RSC</b>         |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 HJ 70R STEELCRAFT  | 3          | 8.42857          | 255.66667        | 0.35593        |
| <b>FZ6575H23RSC Totals:</b> |                                | <b>3</b>   | <b>8.42857</b>   | <b>255.66667</b> | <b>0.35593</b> |
| <b>FZ6575H30L</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 80L GALV     | 10         | 46.21429         | 420.55           | 0.21638        |
| <b>FZ6575H30L Totals:</b>   |                                | <b>10</b>  | <b>46.21429</b>  | <b>420.55</b>    | <b>0.21638</b> |
| <b>FZ6575H30R</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" HJ 80R GALV     | 11         | 50.31579         | 416.2488         | 0.21862        |
| <b>FZ6575H30R Totals:</b>   |                                | <b>11</b>  | <b>50.31579</b>  | <b>416.2488</b>  | <b>0.21862</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group              | Part Description               | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|-----------------------------|--------------------------------|------------|------------------|------------------|----------------|
| <b>FZ6575N21L</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 BJ 68L GALV        | 2          | 43.5             | 1,979.25         | 0.04598        |
| <b>FZ6575N21L Totals:</b>   |                                | <b>2</b>   | <b>43.5</b>      | <b>1,979.25</b>  | <b>0.04598</b> |
| <b>FZ6575N21R</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 BJ 68R GALV        | 9          | 40.42105         | 408.70175        | 0.22266        |
| <b>FZ6575N21R Totals:</b>   |                                | <b>9</b>   | <b>40.42105</b>  | <b>408.70175</b> | <b>0.22266</b> |
| <b>FZ6575N23L</b>           |                                |            |                  |                  |                |
| Main                        | FA416 5 3/4 BJ 70L GALV        | 115        | 163.46154        | 129.34783        | 0.70353        |
| <b>FZ6575N23L Totals:</b>   |                                | <b>115</b> | <b>163.46154</b> | <b>129.34783</b> | <b>0.70353</b> |
| <b>FZ6575N23R</b>           |                                |            |                  |                  |                |
| Main                        | FA416 5 3/4 BJ 70R GALV        | 101        | 91.28571         | 82.24752         | 1.10642        |
| <b>FZ6575N23R Totals:</b>   |                                | <b>101</b> | <b>91.28571</b>  | <b>82.24752</b>  | <b>1.10642</b> |
| <b>FZ6575N30L</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 BJ 80L GALV        | 0          | 24.66667         | 0                | 0              |
| <b>FZ6575N30L Totals:</b>   |                                | <b>0</b>   | <b>24.66667</b>  | <b>0</b>         | <b>0</b>       |
| <b>FZ6575N30R</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 BJ 80R GALV        | 1          | 14.9             | 1,355.9          | 0.06711        |
| <b>FZ6575N30R Totals:</b>   |                                | <b>1</b>   | <b>14.9</b>      | <b>1,355.9</b>   | <b>0.06711</b> |
| <b>FZ6575U21L</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 SJ 68L GALV        | 14         | 130.125          | 845.8125         | 0.10759        |
| <b>FZ6575U21L Totals:</b>   |                                | <b>14</b>  | <b>130.125</b>   | <b>845.8125</b>  | <b>0.10759</b> |
| <b>FZ6575U21LCE</b>         |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" SJ 68L GALV CEC | 0          | 9                | 0                | 0              |
| <b>FZ6575U21LCE Totals:</b> |                                | <b>0</b>   | <b>9</b>         | <b>0</b>         | <b>0</b>       |
| <b>FZ6575U21R</b>           |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 SJ 68R GALV        | 11         | 115.25           | 953.43182        | 0.09544        |
| <b>FZ6575U21R Totals:</b>   |                                | <b>11</b>  | <b>115.25</b>    | <b>953.43182</b> | <b>0.09544</b> |
| <b>FZ6575U21RCE</b>         |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" SJ 68R GALV CEC | 0          | 8                | 0                | 0              |
| <b>FZ6575U21RCE Totals:</b> |                                | <b>0</b>   | <b>8</b>         | <b>0</b>         | <b>0</b>       |
| <b>FZ6575U23L</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" SJ 70L GALV     | 147        | 284.63636        | 176.20346        | 0.51645        |
| <b>FZ6575U23L Totals:</b>   |                                | <b>147</b> | <b>284.63636</b> | <b>176.20346</b> | <b>0.51645</b> |
| <b>FZ6575U23LCE</b>         |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 SJU 70L GALV CECO  | 2          | 27.6             | 1,255.8          | 0.07246        |
| <b>FZ6575U23LCE Totals:</b> |                                | <b>2</b>   | <b>27.6</b>      | <b>1,255.8</b>   | <b>0.07246</b> |
| <b>FZ6575U23R</b>           |                                |            |                  |                  |                |
| Main                        | F Z 416 5-3/4" SJ 70R GALV     | 151        | 329.70492        | 198.69634        | 0.45799        |
| <b>FZ6575U23R Totals:</b>   |                                | <b>151</b> | <b>329.70492</b> | <b>198.69634</b> | <b>0.45799</b> |
| <b>FZ6575U23RCE</b>         |                                |            |                  |                  |                |
| Main                        | FZ416 5 3/4 SJU 70R GALV CECO  | 5          | 27               | 491.4            | 0.18519        |
| <b>FZ6575U23RCE Totals:</b> |                                | <b>5</b>   | <b>27</b>        | <b>491.4</b>     | <b>0.18519</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group            | Part Description           | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|---------------------------|----------------------------|------------|------------------|------------------|----------------|
| <b>FZ6575U30L</b>         |                            |            |                  |                  |                |
| Main                      | F Z 416 5-3/4" SJ 80L GALV | 9          | 67.3             | 680.47778        | 0.13373        |
| <b>FZ6575U30L Totals:</b> |                            | <b>9</b>   | <b>67.3</b>      | <b>680.47778</b> | <b>0.13373</b> |
| <b>FZ6575U30R</b>         |                            |            |                  |                  |                |
| Main                      | F Z 416 5-3/4" SJ 80R GALV | 9          | 49.69231         | 502.44444        | 0.18111        |
| <b>FZ6575U30R Totals:</b> |                            | <b>9</b>   | <b>49.69231</b>  | <b>502.44444</b> | <b>0.18111</b> |
| <b>GLASS</b>              |                            |            |                  |                  |                |
| Main                      | GLASS                      | 17         | 4.7551           | 25.45378         | 3.57511        |
| <b>GLASS Totals:</b>      |                            | <b>17</b>  | <b>4.7551</b>    | <b>25.45378</b>  | <b>3.57511</b> |
| <b>H243440</b>            |                            |            |                  |                  |                |
| Main                      | F-16-4-40-H2-4 3/4         | 0          | 5                | 0                | 0              |
| <b>H243440 Totals:</b>    |                            | <b>0</b>   | <b>5</b>         | <b>0</b>         | <b>0</b>       |
| <b>H243460</b>            |                            |            |                  |                  |                |
| Main                      | F-16-4-60-H2-4 3/4         | 0          | 7                | 0                | 0              |
| <b>H243460 Totals:</b>    |                            | <b>0</b>   | <b>7</b>         | <b>0</b>         | <b>0</b>       |
| <b>H253430</b>            |                            |            |                  |                  |                |
| Main                      | F-16-4-30-H2-5 3/4         | 0          | 130.25           | 0                | 0              |
| <b>H253430 Totals:</b>    |                            | <b>0</b>   | <b>130.25</b>    | <b>0</b>         | <b>0</b>       |
| <b>H253440</b>            |                            |            |                  |                  |                |
| Main                      | F-16-4-40-H2-5 3/4         | 0          | 22               | 0                | 0              |
| <b>H253440 Totals:</b>    |                            | <b>0</b>   | <b>22</b>        | <b>0</b>         | <b>0</b>       |
| <b>H2D57830</b>           |                            |            |                  |                  |                |
| Main                      | FE-16-4-30-H2-5 7/8        | 18         | 158.55556        | 801.58642        | 0.11352        |
| <b>H2D57830 Totals:</b>   |                            | <b>18</b>  | <b>158.55556</b> | <b>801.58642</b> | <b>0.11352</b> |
| <b>H2D57840</b>           |                            |            |                  |                  |                |
| Main                      | FE-16-4-40-H2-5 7/8        | 0          | 8                | 0                | 0              |
| <b>H2D57840 Totals:</b>   |                            | <b>0</b>   | <b>8</b>         | <b>0</b>         | <b>0</b>       |
| <b>H2D57860</b>           |                            |            |                  |                  |                |
| Main                      | FE-16-4-60-H2-5 7/8        | 0          | 11               | 0                | 0              |
| <b>H2D57860 Totals:</b>   |                            | <b>0</b>   | <b>11</b>        | <b>0</b>         | <b>0</b>       |
| <b>H453430</b>            |                            |            |                  |                  |                |
| Main                      | F-16-4-30-H4-5 3/4         | 0          | 30               | 0                | 0              |
| <b>H453430 Totals:</b>    |                            | <b>0</b>   | <b>30</b>        | <b>0</b>         | <b>0</b>       |
| <b>HARDWARE</b>           |                            |            |                  |                  |                |
| Main                      | HARDWARE                   | 35         | 6.525            | 16.965           | 5.36398        |
| <b>HARDWARE Totals:</b>   |                            | <b>35</b>  | <b>6.525</b>     | <b>16.965</b>    | <b>5.36398</b> |
| <b>LHB53468</b>           |                            |            |                  |                  |                |
| Main                      | F-16-4-68-LHB-5 3/4        | 0          | 24               | 0                | 0              |
| <b>LHB53468 Totals:</b>   |                            | <b>0</b>   | <b>24</b>        | <b>0</b>         | <b>0</b>       |
| <b>LHBD57868</b>          |                            |            |                  |                  |                |
| Main                      | FE-16-4-68-LHB-5 7/8       | 0          | 24               | 0                | 0              |
| <b>LHBD57868 Totals:</b>  |                            | <b>0</b>   | <b>24</b>        | <b>0</b>         | <b>0</b>       |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                           | Part Description                  | Units Sold | Avg QOH        | Avg. TO Days    | TO Rate        |
|------------------------------------------|-----------------------------------|------------|----------------|-----------------|----------------|
| <b>LHBD57870</b>                         |                                   |            |                |                 |                |
| Main                                     | FE-16-4-70-5 7/8-LHB              | 4          | 17.75          | 403.8125        | 0.22535        |
| <b>LHBD57870 Totals:</b>                 |                                   | <b>4</b>   | <b>17.75</b>   | <b>403.8125</b> | <b>0.22535</b> |
| <b>LHH43468</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-68-LHH-4 3/4               | 0          | 10             | 0               | 0              |
| <b>LHH43468 Totals:</b>                  |                                   | <b>0</b>   | <b>10</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHH43470</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-70-LHH-4 3/4               | 0          | 9.66667        | 0               | 0              |
| <b>LHH43470 Totals:</b>                  |                                   | <b>0</b>   | <b>9.66667</b> | <b>0</b>        | <b>0</b>       |
| <b>LHH53468</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-68-LHH-5 3/4               | 0          | 16             | 0               | 0              |
| <b>LHH53468 Totals:</b>                  |                                   | <b>0</b>   | <b>16</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHH53470</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-70-LHH-5 3/4               | 0          | 32             | 0               | 0              |
| <b>LHH53470 Totals:</b>                  |                                   | <b>0</b>   | <b>32</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHHD57868</b>                         |                                   |            |                |                 |                |
| Main                                     | FE-16-4-68-LHH-5 7/8              | 0          | 52             | 0               | 0              |
| <b>LHHD57868 Totals:</b>                 |                                   | <b>0</b>   | <b>52</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHHD57870</b>                         |                                   |            |                |                 |                |
| Main                                     | FE-16-4-70-LHH-5 7/8              | 7          | 31.8           | 413.4           | 0.22013        |
| <b>LHHD57870 Totals:</b>                 |                                   | <b>7</b>   | <b>31.8</b>    | <b>413.4</b>    | <b>0.22013</b> |
| <b>LHS43468</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-68-LHS-4 3/4               | 0          | 9              | 0               | 0              |
| <b>LHS43468 Totals:</b>                  |                                   | <b>0</b>   | <b>9</b>       | <b>0</b>        | <b>0</b>       |
| <b>LHS43470</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-70-LHS-4 3/4               | 0          | 16             | 0               | 0              |
| <b>LHS43470 Totals:</b>                  |                                   | <b>0</b>   | <b>16</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHS53468</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-68-LHS-5 3/4               | 0          | 28             | 0               | 0              |
| <b>LHS53468 Totals:</b>                  |                                   | <b>0</b>   | <b>28</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHS53470</b>                          |                                   |            |                |                 |                |
| Main                                     | F-16-4-70-LHS-5 3/4               | 0          | 32             | 0               | 0              |
| <b>LHS53470 Totals:</b>                  |                                   | <b>0</b>   | <b>32</b>      | <b>0</b>        | <b>0</b>       |
| <b>LHSD57868</b>                         |                                   |            |                |                 |                |
| Main                                     | FE-16-4-68-LHS-5 7/8              | 0          | 22             | 0               | 0              |
| <b>LHSD57868 Totals:</b>                 |                                   | <b>0</b>   | <b>22</b>      | <b>0</b>        | <b>0</b>       |
| <b>LITE KIT</b>                          |                                   |            |                |                 |                |
| Main                                     | LITE KIT                          | 16         | 4.21739        | 23.98641        | 3.79381        |
| <b>LITE KIT Totals:</b>                  |                                   | <b>16</b>  | <b>4.21739</b> | <b>23.98641</b> | <b>3.79381</b> |
| <b>M 016 5 3/4 BLANK MULLION 0107W4F</b> |                                   |            |                |                 |                |
| Main                                     | M 016 5 3/4 BLANK MULLION 0107W4F | 0          | 5              | 0               | 0              |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group | Part Description                         | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|----------------|------------------------------------------|------------|-----------------|------------------|----------------|
|                | <b>M 016 5 3/4 BLANK MULLION 0107W4F</b> | <b>0</b>   | <b>5</b>        | <b>0</b>         | <b>0</b>       |
|                | <b>Totals:</b>                           |            |                 |                  |                |
|                | <b>M 416 5-3/4 HINGE MULLION 0107L</b>   |            |                 |                  |                |
| Main           | M 416 5-3/4 HINGE MULLION 0107L          | 11         | 11.75           | 97.20455         | 0.93617        |
|                | <b>M 416 5-3/4 HINGE MULLION 0107L</b>   | <b>11</b>  | <b>11.75</b>    | <b>97.20455</b>  | <b>0.93617</b> |
|                | <b>Totals:</b>                           |            |                 |                  |                |
|                | <b>M 416 5-3/4 HINGE MULLION 0107R</b>   |            |                 |                  |                |
| Main           | M 416 5-3/4 HINGE MULLION 0107R          | 10         | 14              | 127.4            | 0.71429        |
|                | <b>M 416 5-3/4 HINGE MULLION 0107R</b>   | <b>10</b>  | <b>14</b>       | <b>127.4</b>     | <b>0.71429</b> |
|                | <b>Totals:</b>                           |            |                 |                  |                |
|                | <b>M 416 5-3/4 STRIKE MULLION 0107L</b>  |            |                 |                  |                |
| Main           | M 416 5-3/4 STRIKE MULLION 0107L         | 13         | 19.22222        | 134.55556        | 0.6763         |
|                | <b>M 416 5-3/4 STRIKE MULLION 0107L</b>  | <b>13</b>  | <b>19.22222</b> | <b>134.55556</b> | <b>0.6763</b>  |
|                | <b>Totals:</b>                           |            |                 |                  |                |
|                | <b>M 416 5-3/4 STRIKE MULLION 0107R</b>  |            |                 |                  |                |
| Main           | M 416 5-3/4 STRIKE MULLION 0107R         | 13         | 20.875          | 146.125          | 0.62275        |
|                | <b>M 416 5-3/4 STRIKE MULLION 0107R</b>  | <b>13</b>  | <b>20.875</b>   | <b>146.125</b>   | <b>0.62275</b> |
|                | <b>Totals:</b>                           |            |                 |                  |                |
|                | <b>M6475N06 GALV</b>                     |            |                 |                  |                |
| Main           | M 016 4-3/4' BM 10'7" GALV               | 0          | 5               | 0                | 0              |
|                | <b>M6475N06 GALV Totals:</b>             | <b>0</b>   | <b>5</b>        | <b>0</b>         | <b>0</b>       |
|                | <b>M6575N06 GALV</b>                     |            |                 |                  |                |
| Main           | MA416 5 3/4 BM 108 GALV                  | 40         | 55.09091        | 125.33182        | 0.72607        |
|                | <b>M6575N06 GALV Totals:</b>             | <b>40</b>  | <b>55.09091</b> | <b>125.33182</b> | <b>0.72607</b> |
|                | <b>M6675N06</b>                          |            |                 |                  |                |
| Main           | M416 6 3/4 BM 109                        | 0          | 4               | 0                | 0              |
|                | <b>M6675N06 Totals:</b>                  | <b>0</b>   | <b>4</b>        | <b>0</b>         | <b>0</b>       |
|                | <b>M6775N06</b>                          |            |                 |                  |                |
| Main           | M416 7 3/4 BM 110                        | 0          | 8               | 0                | 0              |
|                | <b>M6775N06 Totals:</b>                  | <b>0</b>   | <b>8</b>        | <b>0</b>         | <b>0</b>       |
|                | <b>M6825N06</b>                          |            |                 |                  |                |
| Main           | M416 8 1/4 BM 111                        | 2          | 18.4            | 837.2            | 0.1087         |
|                | <b>M6825N06 Totals:</b>                  | <b>2</b>   | <b>18.4</b>     | <b>837.2</b>     | <b>0.1087</b>  |
|                | <b>M6875N06</b>                          |            |                 |                  |                |
| Main           | M416 8 3/4 BM 112                        | 2          | 6.5             | 295.75           | 0.30769        |
|                | <b>M6875N06 Totals:</b>                  | <b>2</b>   | <b>6.5</b>      | <b>295.75</b>    | <b>0.30769</b> |
|                | <b>N801P1</b>                            |            |                 |                  |                |
| Main           | NP418 C4 2068F                           | 0          | 4               | 0                | 0              |
|                | <b>N801P1 Totals:</b>                    | <b>0</b>   | <b>4</b>        | <b>0</b>         | <b>0</b>       |
|                | <b>N801P2 GALV</b>                       |            |                 |                  |                |
| Main           | NP418 MB 2068F                           | 2          | 3.5             | 159.25           | 0.57143        |
|                | <b>N801P2 GALV Totals:</b>               | <b>2</b>   | <b>3.5</b>      | <b>159.25</b>    | <b>0.57143</b> |
|                | <b>N803P1 GALV</b>                       |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group             | Part Description         | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|----------------------------|--------------------------|------------|-----------------|------------------|----------------|
| Main                       | N P 418 C4 2468F GALV    | 1          | 3.5             | 318.5            | 0.28571        |
| <b>N803P1 GALV Totals:</b> |                          | <b>1</b>   | <b>3.5</b>      | <b>318.5</b>     | <b>0.28571</b> |
| <b>N803P2</b>              |                          |            |                 |                  |                |
| Main                       | NP418 MB 2468F           | 1          | 6.5             | 591.5            | 0.15385        |
| <b>N803P2 Totals:</b>      |                          | <b>1</b>   | <b>6.5</b>      | <b>591.5</b>     | <b>0.15385</b> |
| <b>N804P1 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 C4 2668F GALV      | 3          | 12              | 364              | 0.25           |
| <b>N804P1 GALV Totals:</b> |                          | <b>3</b>   | <b>12</b>       | <b>364</b>       | <b>0.25</b>    |
| <b>N804P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 MB 2668F GALV      | 5          | 11.11111        | 202.22222        | 0.45           |
| <b>N804P2 GALV Totals:</b> |                          | <b>5</b>   | <b>11.11111</b> | <b>202.22222</b> | <b>0.45</b>    |
| <b>N805P1 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NPZ418 C4 2868F GALV     | 1          | 27              | 2,457            | 0.03704        |
| <b>N805P1 GALV Totals:</b> |                          | <b>1</b>   | <b>27</b>       | <b>2,457</b>     | <b>0.03704</b> |
| <b>N805P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | N P 418 MB 2868F GALV    | 0          | 9.66667         | 0                | 0              |
| <b>N805P2 GALV Totals:</b> |                          | <b>0</b>   | <b>9.66667</b>  | <b>0</b>         | <b>0</b>       |
| <b>N806P1 GALV</b>         |                          |            |                 |                  |                |
| Main                       | N P 418 C4 21068F T GALV | 5          | 7.23077         | 131.6            | 0.69149        |
| <b>N806P1 GALV Totals:</b> |                          | <b>5</b>   | <b>7.23077</b>  | <b>131.6</b>     | <b>0.69149</b> |
| <b>N806P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 MB 21068F GALV     | 3          | 6.57143         | 199.33333        | 0.45652        |
| <b>N806P2 GALV Totals:</b> |                          | <b>3</b>   | <b>6.57143</b>  | <b>199.33333</b> | <b>0.45652</b> |
| <b>N809P1 GALV</b>         |                          |            |                 |                  |                |
| Main                       | N P 418 C4 3468F T GALV  | 6          | 6.21429         | 94.25            | 0.96552        |
| <b>N809P1 GALV Totals:</b> |                          | <b>6</b>   | <b>6.21429</b>  | <b>94.25</b>     | <b>0.96552</b> |
| <b>N809P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 MB 3468F GALV      | 3          | 5.57143         | 169              | 0.53846        |
| <b>N809P2 GALV Totals:</b> |                          | <b>3</b>   | <b>5.57143</b>  | <b>169</b>       | <b>0.53846</b> |
| <b>N810P1 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 C4 3668F GALV      | 8          | 13              | 147.875          | 0.61538        |
| <b>N810P1 GALV Totals:</b> |                          | <b>8</b>   | <b>13</b>       | <b>147.875</b>   | <b>0.61538</b> |
| <b>N810P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | N P 418 MB 3668F GALV    | 3          | 19.6            | 594.53333        | 0.15306        |
| <b>N810P2 GALV Totals:</b> |                          | <b>3</b>   | <b>19.6</b>     | <b>594.53333</b> | <b>0.15306</b> |
| <b>N811P1</b>              |                          |            |                 |                  |                |
| Main                       | NP418 C4 3868F           | 1          | 4.5             | 409.5            | 0.22222        |
| <b>N811P1 Totals:</b>      |                          | <b>1</b>   | <b>4.5</b>      | <b>409.5</b>     | <b>0.22222</b> |
| <b>N811P2 GALV</b>         |                          |            |                 |                  |                |
| Main                       | NP418 MB 3868F GALV      | 4          | 3.7             | 84.175           | 1.08108        |
| <b>N811P2 GALV Totals:</b> |                          | <b>4</b>   | <b>3.7</b>      | <b>84.175</b>    | <b>1.08108</b> |
| <b>N813P1 GALV</b>         |                          |            |                 |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group             | Part Description        | Units Sold | Avg QOH         | Avg. TO Days       | TO Rate        |
|----------------------------|-------------------------|------------|-----------------|--------------------|----------------|
| Main                       | NP418 C4 4068F GALV     | 0          | 8               | 0                  | 0              |
| <b>N813P1 GALV Totals:</b> |                         | <b>0</b>   | <b>8</b>        | <b>0</b>           | <b>0</b>       |
| <b>N813P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 MB 4068F T GALV | 2          | 5.5             | 250.25             | 0.36364        |
| <b>N813P2 GALV Totals:</b> |                         | <b>2</b>   | <b>5.5</b>      | <b>250.25</b>      | <b>0.36364</b> |
| <b>N827P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 C4 2070F GALV     | 0          | 6               | 0                  | 0              |
| <b>N827P1 GALV Totals:</b> |                         | <b>0</b>   | <b>6</b>        | <b>0</b>           | <b>0</b>       |
| <b>N827P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 MB 2070F T GALV | 13         | 6.30769         | 44.15385           | 2.06098        |
| <b>N827P2 GALV Totals:</b> |                         | <b>13</b>  | <b>6.30769</b>  | <b>44.15385</b>    | <b>2.06098</b> |
| <b>N829P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 C4 2470F GALV     | 1          | 6.66667         | 606.66667          | 0.15           |
| <b>N829P1 GALV Totals:</b> |                         | <b>1</b>   | <b>6.66667</b>  | <b>606.66667</b>   | <b>0.15</b>    |
| <b>N829P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 MB 2470F GALV     | 3          | 5.875           | 178.20833          | 0.51064        |
| <b>N829P2 GALV Totals:</b> |                         | <b>3</b>   | <b>5.875</b>    | <b>178.20833</b>   | <b>0.51064</b> |
| <b>N830P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 C4 2670F T GALV | 1          | 17.5            | 1,592.5            | 0.05714        |
| <b>N830P1 GALV Totals:</b> |                         | <b>1</b>   | <b>17.5</b>     | <b>1,592.5</b>     | <b>0.05714</b> |
| <b>N830P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 MB 2670F GALV     | 0          | 15.8            | 0                  | 0              |
| <b>N830P2 GALV Totals:</b> |                         | <b>0</b>   | <b>15.8</b>     | <b>0</b>           | <b>0</b>       |
| <b>N831P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 C4 2870F T GALV | 0          | 6.5             | 0                  | 0              |
| <b>N831P1 GALV Totals:</b> |                         | <b>0</b>   | <b>6.5</b>      | <b>0</b>           | <b>0</b>       |
| <b>N831P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 MB 2870F GALV   | 2          | 10.33333        | 470.16667          | 0.19355        |
| <b>N831P2 GALV Totals:</b> |                         | <b>2</b>   | <b>10.33333</b> | <b>470.16667</b>   | <b>0.19355</b> |
| <b>N832P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 C4 21070F GALV    | 2          | 7.33333         | 333.66667          | 0.27273        |
| <b>N832P1 GALV Totals:</b> |                         | <b>2</b>   | <b>7.33333</b>  | <b>333.66667</b>   | <b>0.27273</b> |
| <b>N832P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 MB 21070F GALV    | 8          | 8.5             | 96.6875            | 0.94118        |
| <b>N832P2 GALV Totals:</b> |                         | <b>8</b>   | <b>8.5</b>      | <b>96.6875</b>     | <b>0.94118</b> |
| <b>N835P1 GALV</b>         |                         |            |                 |                    |                |
| Main                       | N P 418 C4 3470F T GALV | 8          | 8.9375          | 101.66406          | 0.8951         |
| <b>N835P1 GALV Totals:</b> |                         | <b>8</b>   | <b>8.9375</b>   | <b>101.66406</b>   | <b>0.8951</b>  |
| <b>N835P2 GALV</b>         |                         |            |                 |                    |                |
| Main                       | NP418 MB 3470F GALV     | 3          | 33.14286        | 1,005.33333        | 0.09052        |
| <b>N835P2 GALV Totals:</b> |                         | <b>3</b>   | <b>33.14286</b> | <b>1,005.33333</b> | <b>0.09052</b> |
| <b>N836P1 GALV</b>         |                         |            |                 |                    |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                                       | Part Description                                        | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|----------------------------------------------------------------------|---------------------------------------------------------|------------|------------------|------------------|----------------|
| Main                                                                 | NP418 C4 3670F GALV                                     | 11         | 43.72222         | 361.70202        | 0.25159        |
| <b>N836P1 GALV Totals:</b>                                           |                                                         | <b>11</b>  | <b>43.72222</b>  | <b>361.70202</b> | <b>0.25159</b> |
| <b>N836P2 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NPZ418 MB 3670F GALV                                    | 26         | 32.92            | 115.22           | 0.78979        |
| <b>N836P2 GALV Totals:</b>                                           |                                                         | <b>26</b>  | <b>32.92</b>     | <b>115.22</b>    | <b>0.78979</b> |
| <b>N837P1 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 C4 3870F GALV                                     | 0          | 12               | 0                | 0              |
| <b>N837P1 GALV Totals:</b>                                           |                                                         | <b>0</b>   | <b>12</b>        | <b>0</b>         | <b>0</b>       |
| <b>N837P2 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | N P 418 MB 3870F GALV                                   | 5          | 7.63636          | 138.98182        | 0.65476        |
| <b>N837P2 GALV Totals:</b>                                           |                                                         | <b>5</b>   | <b>7.63636</b>   | <b>138.98182</b> | <b>0.65476</b> |
| <b>N839P1 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 C4 4070F GALV                                     | 26         | 48.44444         | 169.55556        | 0.5367         |
| <b>N839P1 GALV Totals:</b>                                           |                                                         | <b>26</b>  | <b>48.44444</b>  | <b>169.55556</b> | <b>0.5367</b>  |
| <b>N839P2 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 MB 4070F GALV                                     | 30         | 37.11429         | 112.58           | 0.80831        |
| <b>N839P2 GALV Totals:</b>                                           |                                                         | <b>30</b>  | <b>37.11429</b>  | <b>112.58</b>    | <b>0.80831</b> |
| <b>N872P1 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 C4 3080F GALV                                     | 21         | 97.84211         | 423.98246        | 0.21463        |
| <b>N872P1 GALV Totals:</b>                                           |                                                         | <b>21</b>  | <b>97.84211</b>  | <b>423.98246</b> | <b>0.21463</b> |
| <b>N872P1SC</b>                                                      |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 C4 3080F STEELCRAFT                               | 4          | 8                | 182              | 0.5            |
| <b>N872P1SC Totals:</b>                                              |                                                         | <b>4</b>   | <b>8</b>         | <b>182</b>       | <b>0.5</b>     |
| <b>N872P2 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 MB 3080F GALV                                     | 18         | 96.56667         | 488.19815        | 0.1864         |
| <b>N872P2 GALV Totals:</b>                                           |                                                         | <b>18</b>  | <b>96.56667</b>  | <b>488.19815</b> | <b>0.1864</b>  |
| <b>N878P1 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | N P 418 C4 4080F T GALV                                 | 7          | 6.44444          | 83.77778         | 1.08621        |
| <b>N878P1 GALV Totals:</b>                                           |                                                         | <b>7</b>   | <b>6.44444</b>   | <b>83.77778</b>  | <b>1.08621</b> |
| <b>N878P2 GALV</b>                                                   |                                                         |            |                  |                  |                |
| Main                                                                 | N P 418 MB 4080F T GALV                                 | 8          | 20.27273         | 230.60227        | 0.39462        |
| <b>N878P2 GALV Totals:</b>                                           |                                                         | <b>8</b>   | <b>20.27273</b>  | <b>230.60227</b> | <b>0.39462</b> |
| <b>NP A418 MB 31070F FLUSH TOP STANDARD CL, FM MYLAR</b>             |                                                         |            |                  |                  |                |
| Main                                                                 | NP A418 MB 31070F FLUSH TOP<br>STANDARD CL, FM MYLAR    | 0          | 9.5              | 0                | 0              |
| <b>NP A418 MB 31070F FLUSH TOP<br/>STANDARD CL, FM MYLAR Totals:</b> |                                                         | <b>0</b>   | <b>9.5</b>       | <b>0</b>         | <b>0</b>       |
| <b>NP18NLB21170 GALV</b>                                             |                                                         |            |                  |                  |                |
| Main                                                                 | NP418 MBN 2'11-3/4" X 7'0" BLANK<br>HINGE AND LOCK GALV | 61         | 142.35897        | 212.37158        | 0.42849        |
| <b>NP18NLB21170 GALV Totals:</b>                                     |                                                         | <b>61</b>  | <b>142.35897</b> | <b>212.37158</b> | <b>0.42849</b> |
| <b>NP18NLB3070 GALV</b>                                              |                                                         |            |                  |                  |                |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                                  | Part Description                                  | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|-----------------------------------------------------------------|---------------------------------------------------|------------|------------------|--------------------|----------------|
| Main                                                            | NP418 MBN 3'0" X 7'0" BLANK HINGE AND LOCK        | 33         | 79.67925         | 219.72156          | 0.41416        |
| <b>NP18NLB3070 GALV Totals:</b>                                 |                                                   | <b>33</b>  | <b>79.67925</b>  | <b>219.72156</b>   | <b>0.41416</b> |
| <b>NP18NLB3080 GALV</b>                                         |                                                   |            |                  |                    |                |
| Main                                                            | N P 418 MBN 3'0" X 8'0" BLANK HINGE AND LOCK GALV | 1          | 22.33333         | 2,032.33333        | 0.04478        |
| <b>NP18NLB3080 GALV Totals:</b>                                 |                                                   | <b>1</b>   | <b>22.33333</b>  | <b>2,032.33333</b> | <b>0.04478</b> |
| <b>NP18NLB3090 GALV</b>                                         |                                                   |            |                  |                    |                |
| Main                                                            | N P 418 MBN 3090F BLANK HINGE AND LOCK            | 0          | 22               | 0                  | 0              |
| <b>NP18NLB3090 GALV Totals:</b>                                 |                                                   | <b>0</b>   | <b>22</b>        | <b>0</b>           | <b>0</b>       |
| <b>NP418 MBN 2'11" X 7'0-3/4" BLANK HINGE FLUSH TOP</b>         |                                                   |            |                  |                    |                |
| Main                                                            | NP418 MBN 2'11" X 7'0-3/4" BLANK HINGE FLUSH TOP  | 1          | 4.5              | 409.5              | 0.22222        |
| <b>NP418 MBN 2'11" X 7'0-3/4" BLANK HINGE FLUSH TOP Totals:</b> |                                                   | <b>1</b>   | <b>4.5</b>       | <b>409.5</b>       | <b>0.22222</b> |
| <b>NZ807P1</b>                                                  |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 C4 3068F MESKER FLUSH                      | 48         | 106.21739        | 201.37047          | 0.4519         |
| <b>NZ807P1 Totals:</b>                                          |                                                   | <b>48</b>  | <b>106.21739</b> | <b>201.37047</b>   | <b>0.4519</b>  |
| <b>NZ807P2</b>                                                  |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 MB 3068F MESKER FLUSH                      | 23         | 58.11905         | 229.94928          | 0.39574        |
| <b>NZ807P2 Totals:</b>                                          |                                                   | <b>23</b>  | <b>58.11905</b>  | <b>229.94928</b>   | <b>0.39574</b> |
| <b>NZ807P2CE</b>                                                |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 MB 3068F CECO FLUSHTOP                     | 3          | 89.28571         | 2,708.33333        | 0.0336         |
| <b>NZ807P2CE Totals:</b>                                        |                                                   | <b>3</b>   | <b>89.28571</b>  | <b>2,708.33333</b> | <b>0.0336</b>  |
| <b>NZ807P2SC</b>                                                |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 MB 3068F STEELCRAFT FLU                    | 7          | 13.66667         | 177.66667          | 0.5122         |
| <b>NZ807P2SC Totals:</b>                                        |                                                   | <b>7</b>   | <b>13.66667</b>  | <b>177.66667</b>   | <b>0.5122</b>  |
| <b>NZ807P3</b>                                                  |                                                   |            |                  |                    |                |
| Main                                                            | DZP418 MBN 3068F MESKER FLUSH                     | 27         | 41.09375         | 138.50116          | 0.65703        |
| <b>NZ807P3 Totals:</b>                                          |                                                   | <b>27</b>  | <b>41.09375</b>  | <b>138.50116</b>   | <b>0.65703</b> |
| <b>NZ807P4CEFT</b>                                              |                                                   |            |                  |                    |                |
| Main                                                            | N P Z418 RP 3068 T CEC GALV                       | 0          | 31               | 0                  | 0              |
| <b>NZ807P4CEFT Totals:</b>                                      |                                                   | <b>0</b>   | <b>31</b>        | <b>0</b>           | <b>0</b>       |
| <b>NZ833P1</b>                                                  |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 C4 3070F MESKER FLUSH                      | 211        | 239.2803         | 103.19672          | 0.88181        |
| <b>NZ833P1 Totals:</b>                                          |                                                   | <b>211</b> | <b>239.2803</b>  | <b>103.19672</b>   | <b>0.88181</b> |
| <b>NZ833P1CE</b>                                                |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 C4 3070F CECO FLUSHTOP                     | 7          | 27.82353         | 361.70588          | 0.25159        |
| <b>NZ833P1CE Totals:</b>                                        |                                                   | <b>7</b>   | <b>27.82353</b>  | <b>361.70588</b>   | <b>0.25159</b> |
| <b>NZ833P1SC</b>                                                |                                                   |            |                  |                    |                |
| Main                                                            | DPZ418 C4 3070F STEELCRAFT FLU                    | 22         | 20.52174         | 84.88538           | 1.07203        |
| <b>NZ833P1SC Totals:</b>                                        |                                                   | <b>22</b>  | <b>20.52174</b>  | <b>84.88538</b>    | <b>1.07203</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group           | Part Description                | Units Sold | Avg QOH          | Avg. TO Days     | TO Rate        |
|--------------------------|---------------------------------|------------|------------------|------------------|----------------|
| <b>NZ833P2</b>           |                                 |            |                  |                  |                |
| Main                     | DPZ418 MB 3070F MESKER FLUSH    | 110        | 139.34146        | 115.27339        | 0.78943        |
| <b>NZ833P2 Totals:</b>   |                                 | <b>110</b> | <b>139.34146</b> | <b>115.27339</b> | <b>0.78943</b> |
| <b>NZ833P2CE</b>         |                                 |            |                  |                  |                |
| Main                     | DPZ418 MB 3070F CECO FLUSHTOP   | 11         | 49.45714         | 409.14545        | 0.22241        |
| <b>NZ833P2CE Totals:</b> |                                 | <b>11</b>  | <b>49.45714</b>  | <b>409.14545</b> | <b>0.22241</b> |
| <b>NZ833P2SC</b>         |                                 |            |                  |                  |                |
| Main                     | DPZ418 MB 3070F STEELCRAFT FLU  | 13         | 30.58824         | 214.11765        | 0.425          |
| <b>NZ833P2SC Totals:</b> |                                 | <b>13</b>  | <b>30.58824</b>  | <b>214.11765</b> | <b>0.425</b>   |
| <b>NZ833P3</b>           |                                 |            |                  |                  |                |
| Main                     | DZP418 MBN 3070F MESKER FLUSH   | 182        | 109.58182        | 54.79091         | 1.66086        |
| <b>NZ833P3 Totals:</b>   |                                 | <b>182</b> | <b>109.58182</b> | <b>54.79091</b>  | <b>1.66086</b> |
| <b>PD86SA</b>            |                                 |            |                  |                  |                |
| Main                     | ADAPTER STRIKE CONVERSION PLATE | 2          | 41.2             | 1,874.6          | 0.04854        |
| <b>PD86SA Totals:</b>    |                                 | <b>2</b>   | <b>41.2</b>      | <b>1,874.6</b>   | <b>0.04854</b> |
| <b>PDCLB</b>             |                                 |            |                  |                  |                |
| Main                     | LOCK BOX CYLINDER (C4)          | 52         | 188.78846        | 330.37981        | 0.27544        |
| <b>PDCLB Totals:</b>     |                                 | <b>52</b>  | <b>188.78846</b> | <b>330.37981</b> | <b>0.27544</b> |
| <b>PDFA68</b>            |                                 |            |                  |                  |                |
| Main                     | ASTRAGAL FLAT 68                | 2          | 16.5             | 750.75           | 0.12121        |
| <b>PDFA68 Totals:</b>    |                                 | <b>2</b>   | <b>16.5</b>      | <b>750.75</b>    | <b>0.12121</b> |
| <b>PDFA70</b>            |                                 |            |                  |                  |                |
| Main                     | ASTRAGAL FLAT 70                | 1          | 29.6             | 2,693.6          | 0.03378        |
| <b>PDFA70 Totals:</b>    |                                 | <b>1</b>   | <b>29.6</b>      | <b>2,693.6</b>   | <b>0.03378</b> |
| <b>PDFA80</b>            |                                 |            |                  |                  |                |
| Main                     | ASTRAGAL FLAT 80                | 0          | 45               | 0                | 0              |
| <b>PDFA80 Totals:</b>    |                                 | <b>0</b>   | <b>45</b>        | <b>0</b>         | <b>0</b>       |
| <b>PDLMC</b>             |                                 |            |                  |                  |                |
| Main                     | FILLER CHANGE MB TO C4 EDGE     | 2          | 27               | 1,228.5          | 0.07407        |
| <b>PDLMC Totals:</b>     |                                 | <b>2</b>   | <b>27</b>        | <b>1,228.5</b>   | <b>0.07407</b> |
| <b>PDZAB68</b>           |                                 |            |                  |                  |                |
| Main                     | Z ASTRAGAL BLANK 68             | 1          | 8.5              | 773.5            | 0.11765        |
| <b>PDZAB68 Totals:</b>   |                                 | <b>1</b>   | <b>8.5</b>       | <b>773.5</b>     | <b>0.11765</b> |
| <b>PDZAB70</b>           |                                 |            |                  |                  |                |
| Main                     | Z ASTRAGAL BLANK 70             | 2          | 16               | 728              | 0.125          |
| <b>PDZAB70 Totals:</b>   |                                 | <b>2</b>   | <b>16</b>        | <b>728</b>       | <b>0.125</b>   |
| <b>PDZAB80</b>           |                                 |            |                  |                  |                |
| Main                     | Z ASTRAGAL BLANK 80             | 0          | 15               | 0                | 0              |
| <b>PDZAB80 Totals:</b>   |                                 | <b>0</b>   | <b>15</b>        | <b>0</b>         | <b>0</b>       |
| <b>PDZAU68L</b>          |                                 |            |                  |                  |                |
| Main                     | Z astragal + U strike 6'8" LH   | 1          | 19.5             | 1,774.5          | 0.05128        |
| <b>PDZAU68L Totals:</b>  |                                 | <b>1</b>   | <b>19.5</b>      | <b>1,774.5</b>   | <b>0.05128</b> |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group              | Part Description                      | Units Sold | Avg QOH            | Avg. TO Days        | TO Rate        |
|-----------------------------|---------------------------------------|------------|--------------------|---------------------|----------------|
| <b>PDZAU68LFB.</b>          |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL U-STRK 68L W/FB            | 10         | 8.5                | 77.35               | 1.17647        |
| <b>PDZAU68LFB. Totals:</b>  |                                       | <b>10</b>  | <b>8.5</b>         | <b>77.35</b>        | <b>1.17647</b> |
| <b>PDZAU68RFB.</b>          |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL U-STRK 68R W/FB            | 7          | 11.4               | 148.2               | 0.61404        |
| <b>PDZAU68RFB. Totals:</b>  |                                       | <b>7</b>   | <b>11.4</b>        | <b>148.2</b>        | <b>0.61404</b> |
| <b>PDZAU70LFB</b>           |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL U-STRK 70L W/FB            | 14         | 9.72727            | 63.22727            | 1.43925        |
| <b>PDZAU70LFB Totals:</b>   |                                       | <b>14</b>  | <b>9.72727</b>     | <b>63.22727</b>     | <b>1.43925</b> |
| <b>PDZAU70RFB</b>           |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL U-STRK 70R W/FB            | 5          | 25.33333           | 461.06667           | 0.19737        |
| <b>PDZAU70RFB Totals:</b>   |                                       | <b>5</b>   | <b>25.33333</b>    | <b>461.06667</b>    | <b>0.19737</b> |
| <b>PDZAU70RFBCE</b>         |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL + U STRIKE 7' RH + FB PREP | 1          | 9.5                | 864.5               | 0.10526        |
| <b>PDZAU70RFBCE Totals:</b> |                                       | <b>1</b>   | <b>9.5</b>         | <b>864.5</b>        | <b>0.10526</b> |
| <b>PDZAU80RFB</b>           |                                       |            |                    |                     |                |
| Main                        | Z ASTRAGAL U-STRK 80R W/FB            | 2          | 23.25              | 1,057.875           | 0.08602        |
| <b>PDZAU80RFB Totals:</b>   |                                       | <b>2</b>   | <b>23.25</b>       | <b>1,057.875</b>    | <b>0.08602</b> |
| <b>PF4HR</b>                |                                       |            |                    |                     |                |
| Main                        | 4 1/2 FRAME HINGE REINF BIN-4K        | 91         | 814.76596          | 814.76596           | 0.11169        |
| <b>PF4HR Totals:</b>        |                                       | <b>91</b>  | <b>814.76596</b>   | <b>814.76596</b>    | <b>0.11169</b> |
| <b>PF4PG</b>                |                                       |            |                    |                     |                |
| Main                        | 4-1/2" HINGE PLASTER GUARD (PGH-450)  | 44         | 134.63158          | 278.44258           | 0.32682        |
| <b>PF4PG Totals:</b>        |                                       | <b>44</b>  | <b>134.63158</b>   | <b>278.44258</b>    | <b>0.32682</b> |
| <b>PFMT4</b>                |                                       |            |                    |                     |                |
| Main                        | MASONARY T ANCHOR 4 3/4               | 18         | 259                | 1,309.38889         | 0.0695         |
| <b>PFMT4 Totals:</b>        |                                       | <b>18</b>  | <b>259</b>         | <b>1,309.38889</b>  | <b>0.0695</b>  |
| <b>PFMT5</b>                |                                       |            |                    |                     |                |
| Main                        | MASONARY T ANCHOR 5 3/4               | 105        | 558.625            | 484.14167           | 0.18796        |
| <b>PFMT5 Totals:</b>        |                                       | <b>105</b> | <b>558.625</b>     | <b>484.14167</b>    | <b>0.18796</b> |
| <b>PFMUA5</b>               |                                       |            |                    |                     |                |
| Main                        | MULLION ANCHOR 5 3/4                  | 9          | 292.125            | 2,953.70833         | 0.03081        |
| <b>PFMUA5 Totals:</b>       |                                       | <b>9</b>   | <b>292.125</b>     | <b>2,953.70833</b>  | <b>0.03081</b> |
| <b>PFMUA8</b>               |                                       |            |                    |                     |                |
| Main                        | MULLION ANCHOR 8 3/4                  | 3          | 342.875            | 10,400.54167        | 0.00875        |
| <b>PFMUA8 Totals:</b>       |                                       | <b>3</b>   | <b>342.875</b>     | <b>10,400.54167</b> | <b>0.00875</b> |
| <b>PFPTM</b>                |                                       |            |                    |                     |                |
| Main                        | RUBBER MUTES                          | 728        | 5,350.07335        | 668.75917           | 0.13607        |
| <b>PFPTM Totals:</b>        |                                       | <b>728</b> | <b>5,350.07335</b> | <b>668.75917</b>    | <b>0.13607</b> |
| <b>PFSSA5</b>               |                                       |            |                    |                     |                |
| Main                        | AST 5 3/4 STEEL STUD ANCHOR           | 1,182      | 411.07407          | 31.64783            | 2.87539        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group            | Part Description           | Units Sold   | Avg QOH          | Avg. TO Days       | TO Rate        |
|---------------------------|----------------------------|--------------|------------------|--------------------|----------------|
| <b>PFSSA5 Totals:</b>     |                            | <b>1,182</b> | <b>411.07407</b> | <b>31.64783</b>    | <b>2.87539</b> |
| <b>PFUA4</b>              |                            |              |                  |                    |                |
| Main                      | UNA 4 3/4 UNIVERSAL ANCHOR | 22           | 153.66667        | 635.62121          | 0.14317        |
| <b>PFUA4 Totals:</b>      |                            | <b>22</b>    | <b>153.66667</b> | <b>635.62121</b>   | <b>0.14317</b> |
| <b>PFUA5</b>              |                            |              |                  |                    |                |
| Main                      | UNA 5 3/4 UNIVERSAL ANCHOR | 1,436        | 818.70769        | 51.88189           | 1.75398        |
| <b>PFUA5 Totals:</b>      |                            | <b>1,436</b> | <b>818.70769</b> | <b>51.88189</b>    | <b>1.75398</b> |
| <b>PFUA7</b>              |                            |              |                  |                    |                |
| Main                      | UNA 7 3/4 UNIVERSAL ANCHOR | 8            | 209              | 2,377.375          | 0.03828        |
| <b>PFUA7 Totals:</b>      |                            | <b>8</b>     | <b>209</b>       | <b>2,377.375</b>   | <b>0.03828</b> |
| <b>PFUA8</b>              |                            |              |                  |                    |                |
| Main                      | UNA 8 3/4 UNIVERSAL ANCHOR | 18           | 258              | 1,304.33333        | 0.06977        |
| <b>PFUA8 Totals:</b>      |                            | <b>18</b>    | <b>258</b>       | <b>1,304.33333</b> | <b>0.06977</b> |
| <b>PFUA825</b>            |                            |              |                  |                    |                |
| Main                      | UNA 8 1/4 UNIVERSAL ANCHOR | 78           | 193.33333        | 225.55556          | 0.40345        |
| <b>PFUA825 Totals:</b>    |                            | <b>78</b>    | <b>193.33333</b> | <b>225.55556</b>   | <b>0.40345</b> |
| <b>RFB FILLER</b>         |                            |              |                  |                    |                |
| Main                      | RFB FILLER                 | 1            | 395.5            | 35,990.5           | 0.00253        |
| <b>RFB FILLER Totals:</b> |                            | <b>1</b>     | <b>395.5</b>     | <b>35,990.5</b>    | <b>0.00253</b> |
| <b>RHB53468</b>           |                            |              |                  |                    |                |
| Main                      | F-16-4-68-RHB-5 3/4        | 0            | 23               | 0                  | 0              |
| <b>RHB53468 Totals:</b>   |                            | <b>0</b>     | <b>23</b>        | <b>0</b>           | <b>0</b>       |
| <b>RHBD57868</b>          |                            |              |                  |                    |                |
| Main                      | FE-16-4-68-RHB-5 7/8       | 0            | 24               | 0                  | 0              |
| <b>RHBD57868 Totals:</b>  |                            | <b>0</b>     | <b>24</b>        | <b>0</b>           | <b>0</b>       |
| <b>RHBD57870</b>          |                            |              |                  |                    |                |
| Main                      | FE-16-4-70-5 7/8-RHB       | 5            | 18.5             | 336.7              | 0.27027        |
| <b>RHBD57870 Totals:</b>  |                            | <b>5</b>     | <b>18.5</b>      | <b>336.7</b>       | <b>0.27027</b> |
| <b>RHH43468</b>           |                            |              |                  |                    |                |
| Main                      | F-16-4-68-RHH-4 3/4        | 0            | 8                | 0                  | 0              |
| <b>RHH43468 Totals:</b>   |                            | <b>0</b>     | <b>8</b>         | <b>0</b>           | <b>0</b>       |
| <b>RHH43470</b>           |                            |              |                  |                    |                |
| Main                      | F-16-4-70-RHH-4 3/4        | 0            | 16               | 0                  | 0              |
| <b>RHH43470 Totals:</b>   |                            | <b>0</b>     | <b>16</b>        | <b>0</b>           | <b>0</b>       |
| <b>RHH53470</b>           |                            |              |                  |                    |                |
| Main                      | F-16-4-70-RHH-5 3/4        | 0            | 35               | 0                  | 0              |
| <b>RHH53470 Totals:</b>   |                            | <b>0</b>     | <b>35</b>        | <b>0</b>           | <b>0</b>       |
| <b>RHHD57868</b>          |                            |              |                  |                    |                |
| Main                      | FE-16-4-68-RHH-5 7/8       | 0            | 30               | 0                  | 0              |
| <b>RHHD57868 Totals:</b>  |                            | <b>0</b>     | <b>30</b>        | <b>0</b>           | <b>0</b>       |
| <b>RHHD57870</b>          |                            |              |                  |                    |                |
| Main                      | FE-16-4-70-RHH-5 7/8       | 11           | 48.66667         | 402.60606          | 0.22603        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                                          | Part Description                         | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|---------------------------------------------------------|------------------------------------------|------------|-----------------|------------------|----------------|
| <b>RHHD57870 Totals:</b>                                |                                          | <b>11</b>  | <b>48.66667</b> | <b>402.60606</b> | <b>0.22603</b> |
| <b>RHS43468</b>                                         |                                          |            |                 |                  |                |
| Main                                                    | F-16-4-68-RHS-4 3/4                      | 0          | 8               | 0                | 0              |
| <b>RHS43468 Totals:</b>                                 |                                          | <b>0</b>   | <b>8</b>        | <b>0</b>         | <b>0</b>       |
| <b>RHS43470</b>                                         |                                          |            |                 |                  |                |
| Main                                                    | F-16-4-70-RHS-4 3/4                      | 0          | 18.66667        | 0                | 0              |
| <b>RHS43470 Totals:</b>                                 |                                          | <b>0</b>   | <b>18.66667</b> | <b>0</b>         | <b>0</b>       |
| <b>RHS53470</b>                                         |                                          |            |                 |                  |                |
| Main                                                    | F-16-4-70-RHS-5 3/4                      | 0          | 35              | 0                | 0              |
| <b>RHS53470 Totals:</b>                                 |                                          | <b>0</b>   | <b>35</b>       | <b>0</b>         | <b>0</b>       |
| <b>RHSD57868</b>                                        |                                          |            |                 |                  |                |
| Main                                                    | FE-16-4-68-RHS-5 7/8                     | 0          | 5.66667         | 0                | 0              |
| <b>RHSD57868 Totals:</b>                                |                                          | <b>0</b>   | <b>5.66667</b>  | <b>0</b>         | <b>0</b>       |
| <b>RHSD57870</b>                                        |                                          |            |                 |                  |                |
| Main                                                    | FE-16-4-70-RHS-5 7/8                     | 6          | 23.66667        | 358.94444        | 0.25352        |
| <b>RHSD57870 Totals:</b>                                |                                          | <b>6</b>   | <b>23.66667</b> | <b>358.94444</b> | <b>0.25352</b> |
| <b>S 016 4 3/4 BLANK STICK 0107W1-3/4F</b>              |                                          |            |                 |                  |                |
| Main                                                    | S 016 4 3/4 BLANK STICK 0107W1-3/4F      | 1          | 3.5             | 318.5            | 0.28571        |
| <b>S 016 4 3/4 BLANK STICK 0107W1-3/4F Totals:</b>      |                                          | <b>1</b>   | <b>3.5</b>      | <b>318.5</b>     | <b>0.28571</b> |
| <b>S 016 5 3/4 BLANK STICK 0107W1-1/2F GALV</b>         |                                          |            |                 |                  |                |
| Main                                                    | S 016 5 3/4 BLANK STICK 0107W1-1/2F GALV | 0          | 30              | 0                | 0              |
| <b>S 016 5 3/4 BLANK STICK 0107W1-1/2F GALV Totals:</b> |                                          | <b>0</b>   | <b>30</b>       | <b>0</b>         | <b>0</b>       |
| <b>S 016 5 3/4 BLANK STICK 0107W1-1/4F</b>              |                                          |            |                 |                  |                |
| Main                                                    | S 016 5 3/4 BLANK STICK 0107W1-1/4F      | 3          | 13.125          | 398.125          | 0.22857        |
| <b>S 016 5 3/4 BLANK STICK 0107W1-1/4F Totals:</b>      |                                          | <b>3</b>   | <b>13.125</b>   | <b>398.125</b>   | <b>0.22857</b> |
| <b>S 016 5 3/4 BLANK STICK 0107W1-3/4F GALV</b>         |                                          |            |                 |                  |                |
| Main                                                    | S 016 5 3/4 BLANK STICK 0107W1-3/4F GALV | 3          | 28.42857        | 862.33333        | 0.10553        |
| <b>S 016 5 3/4 BLANK STICK 0107W1-3/4F GALV Totals:</b> |                                          | <b>3</b>   | <b>28.42857</b> | <b>862.33333</b> | <b>0.10553</b> |
| <b>S 016 7 1/8 BLANK STICK 0107 GALV</b>                |                                          |            |                 |                  |                |
| Main                                                    | S 016 7 1/8 BLANK STICK 0107 GALV        | 8          | 25              | 284.375          | 0.32           |
| <b>S 016 7 1/8 BLANK STICK 0107 GALV Totals:</b>        |                                          | <b>8</b>   | <b>25</b>       | <b>284.375</b>   | <b>0.32</b>    |
| <b>S6475A06 GALV</b>                                    |                                          |            |                 |                  |                |
| Main                                                    | S 016 4-3/4" BS 10'7" GALV               | 21         | 12.33333        | 53.44444         | 1.7027         |
| <b>S6475A06 GALV Totals:</b>                            |                                          | <b>21</b>  | <b>12.33333</b> | <b>53.44444</b>  | <b>1.7027</b>  |
| <b>S6475B06</b>                                         |                                          |            |                 |                  |                |
| Main                                                    | S016 4 3/4 BS 107 W4F                    | 20         | 29.4            | 133.77           | 0.68027        |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                        | Part Description                  | Units Sold | Avg QOH          | Avg. TO Days       | TO Rate        |
|---------------------------------------|-----------------------------------|------------|------------------|--------------------|----------------|
| <b>S6475B06 Totals:</b>               |                                   | <b>20</b>  | <b>29.4</b>      | <b>133.77</b>      | <b>0.68027</b> |
| <b>S6575A06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | SA016 5 3/4 BS 107 GALV           | 104        | 219.66667        | 192.20833          | 0.47344        |
| <b>S6575A06 GALV Totals:</b>          |                                   | <b>104</b> | <b>219.66667</b> | <b>192.20833</b>   | <b>0.47344</b> |
| <b>S6575B06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | SA016 5 3/4 BS 107 W4F GALV       | 3          | 42.81818         | 1,298.81818        | 0.07006        |
| <b>S6575B06 GALV Totals:</b>          |                                   | <b>3</b>   | <b>42.81818</b>  | <b>1,298.81818</b> | <b>0.07006</b> |
| <b>S6575E06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | S016 5 3/4 CS 107 GALV            | 19         | 31.3             | 149.91053          | 0.60703        |
| <b>S6575E06 GALV Totals:</b>          |                                   | <b>19</b>  | <b>31.3</b>      | <b>149.91053</b>   | <b>0.60703</b> |
| <b>S6675A06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | S016 6 3/4 BS 107 GALV            | 3          | 0                | 0                  |                |
| <b>S6675A06 GALV Totals:</b>          |                                   | <b>3</b>   | <b>0</b>         |                    | <b>0</b>       |
| <b>S6775A06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | S 016 7-3/4" BS 10'7" GALV        | 0          | 1                | 0                  | 0              |
| <b>S6775A06 GALV Totals:</b>          |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>S6825A06 GALV</b>                  |                                   |            |                  |                    |                |
| Main                                  | S 016 8-1/4" BS 10'7" GALV        | 11         | 45.9             | 379.71818          | 0.23965        |
| <b>S6825A06 GALV Totals:</b>          |                                   | <b>11</b>  | <b>45.9</b>      | <b>379.71818</b>   | <b>0.23965</b> |
| <b>SP64753070RIMR</b>                 |                                   |            |                  |                    |                |
| Main                                  | WELDED 4-3/4 3070 RH RIM EXIT     | 0          | 1                | 0                  | 0              |
| <b>SP64753070RIMR Totals:</b>         |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068L W234F</b>              |                                   |            |                  |                    |                |
| Main                                  | WELDED 5-3/4 3068 LH 2-3/4" FACE  | 0          | 1                | 0                  | 0              |
| <b>SP65753068L W234F Totals:</b>      |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068R DB P/D W4F</b>         |                                   |            |                  |                    |                |
| Main                                  | WELDED 5-3/4 3068 RH DB P/D W4F   | 0          | 1                | 0                  | 0              |
| <b>SP65753068R DB P/D W4F Totals:</b> |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068RIML P/D W1F</b>         |                                   |            |                  |                    |                |
| Main                                  | WELDED 5-3/4 3068 LH P/D W1F      | 0          | 1                | 0                  | 0              |
| <b>SP65753068RIML P/D W1F Totals:</b> |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068RIMLW4F</b>              |                                   |            |                  |                    |                |
| Main                                  | WELDED 5-3/4 3068 LH RIM EXIT W4F | 0          | 2                | 0                  | 0              |
| <b>SP65753068RIMLW4F Totals:</b>      |                                   | <b>0</b>   | <b>2</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068RIMRW4F</b>              |                                   |            |                  |                    |                |
| Main                                  | WELDED 5-3/4 3068 RH RIM EXIT W4F | 0          | 1                | 0                  | 0              |
| <b>SP65753068RIMRW4F Totals:</b>      |                                   | <b>0</b>   | <b>1</b>         | <b>0</b>           | <b>0</b>       |
| <b>SP65753068RSC</b>                  |                                   |            |                  |                    |                |
| Main                                  | WELDED 5 3/4 3068 RH STEELCRAFT   | 1          | 3.5              | 318.5              | 0.28571        |
| <b>SP65753068RSC Totals:</b>          |                                   | <b>1</b>   | <b>3.5</b>       | <b>318.5</b>       | <b>0.28571</b> |
| <b>SP65753070LCE</b>                  |                                   |            |                  |                    |                |
| Main                                  | WELDED 5 3/4 3070 LH CECO         | 0          | 2                | 0                  | 0              |

# Priority Commercial Doors & Hardware Inc.

## Turnover Report

Date Range: 07/01/2023 - 09/30/2023

| Location Group                        | Part Description                  | Units Sold | Avg QOH         | Avg. TO Days     | TO Rate        |
|---------------------------------------|-----------------------------------|------------|-----------------|------------------|----------------|
| <b>SP65753070LCE Totals:</b>          |                                   | <b>0</b>   | <b>2</b>        | <b>0</b>         | <b>0</b>       |
| <b>SP65753070RIMR P&amp;D</b>         |                                   |            |                 |                  |                |
| Main                                  | WELDED 5-3/4 3070 RH RIM EXIT     | 0          | 1               | 0                | 0              |
| <b>SP65753070RIMR P&amp;D Totals:</b> |                                   | <b>0</b>   | <b>1</b>        | <b>0</b>         | <b>0</b>       |
| <b>SP65753080R P/D</b>                |                                   |            |                 |                  |                |
| Main                                  | WELDED 5 3/4 3080 RH P/D          | 0          | 1.5             | 0                | 0              |
| <b>SP65753080R P/D Totals:</b>        |                                   | <b>0</b>   | <b>1.5</b>      | <b>0</b>         | <b>0</b>       |
| <b>SP65753670RIML P/D</b>             |                                   |            |                 |                  |                |
| Main                                  | WELDED 5-3/4 3670 LH RIM EXIT P/D | 0          | 1               | 0                | 0              |
| <b>SP65753670RIML P/D Totals:</b>     |                                   | <b>0</b>   | <b>1</b>        | <b>0</b>         | <b>0</b>       |
| <b>SP65754070L P/D</b>                |                                   |            |                 |                  |                |
| Main                                  | WELDED 5-3/4 4070 LH P/D          | 0          | 1               | 0                | 0              |
| <b>SP65754070L P/D Totals:</b>        |                                   | <b>0</b>   | <b>1</b>        | <b>0</b>         | <b>0</b>       |
| <b>SP66753070RIMR</b>                 |                                   |            |                 |                  |                |
| Main                                  | WELDED 6-3/4 3070 RH RIM EXIT     | 0          | 1               | 0                | 0              |
| <b>SP66753070RIMR Totals:</b>         |                                   | <b>0</b>   | <b>1</b>        | <b>0</b>         | <b>0</b>       |
| <b>WOOD DOOR</b>                      |                                   |            |                 |                  |                |
| Main                                  | WOOD DOOR                         | 112        | 32.03974        | 26.03228         | 3.49566        |
| <b>WOOD DOOR Totals:</b>              |                                   | <b>112</b> | <b>32.03974</b> | <b>26.03228</b>  | <b>3.49566</b> |
| <b>ZA68</b>                           |                                   |            |                 |                  |                |
| Main                                  | Z-ASTRAGAL - 6'8"                 | 2          | 18              | 819              | 0.11111        |
| <b>ZA68 Totals:</b>                   |                                   | <b>2</b>   | <b>18</b>       | <b>819</b>       | <b>0.11111</b> |
| <b>ZA70L</b>                          |                                   |            |                 |                  |                |
| Main                                  | Z-ASTRAGAL - 7'0" - LH            | 6          | 23.16667        | 351.36111        | 0.25899        |
| <b>ZA70L Totals:</b>                  |                                   | <b>6</b>   | <b>23.16667</b> | <b>351.36111</b> | <b>0.25899</b> |
| <b>ZA70R</b>                          |                                   |            |                 |                  |                |
| Main                                  | Z-ASTRAGAL - 7'0" - RH            | 4          | 37              | 841.75           | 0.10811        |
| <b>ZA70R Totals:</b>                  |                                   | <b>4</b>   | <b>37</b>       | <b>841.75</b>    | <b>0.10811</b> |
| <b>ZA80L</b>                          |                                   |            |                 |                  |                |
| Main                                  | Z ASTRAGAL - 8'0" - LH            | 2          | 3               | 136.5            | 0.66667        |
| <b>ZA80L Totals:</b>                  |                                   | <b>2</b>   | <b>3</b>        | <b>136.5</b>     | <b>0.66667</b> |

**Company Totals: 13,354 40,946.33686 0**