

# 4.2 Круговая диаграмма

- Пока реализован вариант с обязательным заполнением name / detail т.е. для перемножения

Query

Select ⊕

Server × Visitors direction × Event type ×

Filter ≡

Event type == detector × Visitor counted == happened ×

Visualize

VisualizeType  
Pie


Pie

Name Field / set  
Visitors direction

Detail Field / dictionary  
Server


Value Field / set  
Event type

Value op  
count



# 5. СЧЕТЧИК

- Формируем запрос так, что в response от сервера всего одна цифра
- Добавление константы
- Подсветка в сравнении с референсным значением
- Зависимый счётчик. (пока идея)  
Выбрать 2 других счетчика и использовать их значения  
Пример:  
«in» - «out» = «посетителей внутри»



The image shows a Redash interface with two counter widgets and their configuration panels. The top widget displays the value 111345 in red, with the text "sample showing total number of detector events" below it. The bottom widget displays the value 61345 in black, with the same text below it. Both widgets have a "Demo of counter widget" title and a close button in the top right corner.

The configuration panels for the widgets are as follows:

**Top Widget Configuration:**

- Query:** Select (+) Event type (x); Filter (≡) Event type == detector (x)
- Visualize:** VisualizeType: Counter
- Counter:** Note: result must contain only 1 item. This can be achieved via filters.
- Field / set:** Event type
- Value op:** count
- Offset:** 50000
- Highlight if:** (toggle on) Value: compare operation: > Reference: 100000

**Bottom Widget Configuration:**

- Visualize:** VisualizeType: Counter
- Counter:** Note: result must contain only 1 item. This can be achieved via filters.
- Field / set:** Event type
- Value op:** count
- Offset:** 0
- Highlight if:** (toggle on) Value: compare operation: > Reference: 100000