

```

select *
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

select
    replace(`unit_price`, ',', '.') as `unit_price`
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

-- CHECKING NULL VALUES
select *
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
where transaction_id is null or transaction_date is null or transaction_time is
null or transaction_qty is null or store_id is null or store_location is null
or product_id is null or unit_price is null or product_category is null or
product_type is null or product_detail is null;

select *,
    date_format(transaction_time, 'HH:MM') as time_only
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

--TOTAL REVENUE
select
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.') AS double))
as decimal(10,2)) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

--TOTAL REVENUE BASED ON TIME, REVENUE AND PRODUCT CATEGORY - 222 ---
select `product_category`,
    date_format(`transaction_time`, 'HH:MM:SS') AS time_only,
    CASE
        when date_format(`transaction_time`, 'HH:MM:SS') between '06:00:00' and
'11:59:59' then 'morning'
        when date_format(`transaction_time`, 'HH:MM:SS') between '12:00:00' and
'16:59:59' then 'afternoon'
        when date_format(`transaction_time`, 'HH:MM:SS') between '17:00:00' and
'19:59:00' then 'evening'
        else 'night'
    end as time_bucket,

```

```

        cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.')) AS
double)) as decimal(10,2)) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by all;

-- total revenue per store location
select
    `store_location`,
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.')) AS
double)) as decimal(10,2)) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by all;

--CREATING 30 MINUTE TIME
SELECT *,
    CASE
        WHEN minute(`transaction_time`) < 30 then
concat(hour(`transaction_time`), ':00')
        else concat(hour(`transaction_time`), ':30')
        end as transaction_time_bucket
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

select *,
    case
        WHEN minute(`transaction_time`) < 30
        then date_format(`transaction_time`, 'HH:00')
        else date_format(`transaction_time`, 'HH:30')
        end as transaction_time_bucket
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`;

-- most sold product
select
    `product_type`,
    sum(`transaction_qty`) as units_sold
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
GROUP BY `product_type`
ORDER BY units_sold DESC;

```

```
-- WHICH PRODUCTS GENERATES THE MOST REVENUE----111
SELECT
    `product_type`,
    ROUND(SUM(`transaction_qty` * CAST(REPLACE(`unit_price`, ',', '.') AS
DOUBLE)), 2) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
GROUP BY `product_type`
ORDER BY total_revenue DESC;
```

```
-- PRODUCT DETAIL THAT PERFORMS BEST --DASH444
SELECT `product_type`,
    ROUND(SUM(`transaction_qty` * CAST(REPLACE(`unit_price`, ',', '.') AS
DOUBLE)), 2) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
GROUP BY product_type
ORDER BY 'revenue' DESC;
```

```
-- Revenue per product category--- DASH1
select
    `product_type`,
    `product_detail`,
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.') AS
double)) as decimal(10,2)) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by all;
```

```
--sale trend across products and time interval---333
select
    `transaction_time`,
    `product_type`,
    ROUND(SUM(`transaction_qty` * CAST(REPLACE(`unit_price`, ',', '.') AS
DOUBLE)), 2) as total_revenue
```

```

from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by transaction_time, product_type
order by transaction_time, total_revenue DESC;

--sales trend
select
    HOUR(`transaction_time`) as sales_hour,
    ROUND(SUM(`transaction_qty` * CAST(REPLACE(`unit_price`, ',', '.') AS
DOUBLE)), 2) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by hour(`transaction_time`)
order by 'sales_hour';

select `product_category`,
    count(product_category) as total_number_of_products
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by `product_category`;

-- QUANTITY IF ITEMS SOLD BY CATEGORY DASH3
select `product_category`,
    SUM(transaction_qty) as quantity_sold
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by product_category
order by quantity_sold DESC;

--sales trend
select
    monthname(`transaction_date`) as month_name,
    date_format(`transaction_date`, 'yyyy-MMM') AS month_id,
    ROUND(SUM(`transaction_qty` * CAST(REPLACE(`unit_price`, ',', '.') AS
DOUBLE)), 2) as total_revenue
from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by monthname(`transaction_date`), date_format(`transaction_date`,
'yyyy-MMM')

```

```

order by month_name;

SELECT
    monthname(transaction_date) as month_name,
    date_format(transaction_date, 'yyyy-MMM') AS month_id,
    MONTH(transaction_date) AS month_number,
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.')) AS double))
as decimal(10,2)) as total_revenue
FROM `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
GROUP BY
    monthname(transaction_date),
    date_format(transaction_date, 'yyyy-MMM'),
    MONTH(transaction_date)
ORDER BY month_number;

```

```

-- date extraction(month name,month id)
select
    `transaction_date`,
    monthname(`transaction_date`) as month_name,
    date_format(transaction_date, 'yyyy-MMM') AS month_id,
    dayname(transaction_date) as day_name,
    dayofweek(transaction_date) as day_number,
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.')) AS
double)) as decimal(10,2)) as total_revenue

from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by `transaction_date`, monthname(`transaction_date`),
date_format(transaction_date, 'yyyy-MMM'), dayname(transaction_date),
dayofweek(transaction_date)
ORDER BY `transaction_date`;

```

```

-----
-----

SELECT
    `transaction_date`,
    monthname(transaction_date) as month_name,
    date_format(transaction_date, 'yyyy-MMM') AS month_id,

```

```

    dayname(transaction_date) as day_name,
    dayofweek(transaction_date) as day_number,
    COUNT(transaction_id) as transaction_count,
    COUNT(product_id) as product_sold,
    product_detail,
    product_type,
    product_category,
    store_location,
CASE
    when date_format(`transaction_time`, 'HH:MM:SS') between '06:00:00' and
'11:59:59' then 'morning'
    when date_format(`transaction_time`, 'HH:MM:SS') between '12:00:00' and
'16:59:59' then 'afternoon'
    when date_format(`transaction_time`, 'HH:MM:SS') between '17:00:00' and
'19:59:00' then 'evening'
    else 'night'
end as time_bucket,
    cast(sum(transaction_qty * cast(replace(`unit_price`, ',', '.') AS
double)) as decimal(10,2)) as total_revenue

from `casestudy`.`brightcoffee`.`bright_coffee_shop_sales`
group by all;

```