Savitribai Phule Pune University Second Year of Computer Engineering (2019 Course) 210247: Data Structures Laboratory



Teaching Scheme: Credit Examination Scheme: PR: 04 Hours/Week 02 TW: 25 Marks PR: 50 Marks

Guidelines for Instructor's Manual

The instructor's manual is to be developed as a hands-on resource and reference. The instructor's manual need to include prologue (about University/program/ institute/ department/foreword/ preface), University syllabus, conduction & Assessment guidelines, topics under consideration-concept, objectives, outcomes, set of typical applications/assignments/ guidelines, and references.

Guidelines for Student's Laboratory Journal

The laboratory assignments are to be submitted by student in the form of journal. Journal consists of prologue, Certificate, table of contents, and **handwritten write-up** of each assignment (Title, Objectives, Problem Statement, Outcomes, software & Hardware requirements, Date of Completion, Assessment grade/marks and assessor's sign, Theory- Concept in brief, algorithm, flowchart, test cases, Test Data Set(if applicable), mathematical model (if applicable), conclusion/analysis. **Program codes with sample output of all performed assignments are to be submitted as softcopy.**

As a conscious effort and little contribution towards Green IT and environment awareness, attaching printed papers as part of write-ups and program listing to journal may be avoided. Use of DVD containing students programs maintained by Laboratory In-charge is highly encouraged. For reference one or two journals may be maintained with program prints at Laboratory.

Guidelines for Laboratory /TW Assessment

Continuous assessment of laboratory work is done based on overall performance and Laboratory assignments performance of student. Each Laboratory assignment assessment will assign grade/marks based on parameters with appropriate weightage. Suggested parameters for overall assessment as well as each Laboratory assignment assessment include- timely completion, performance, innovation, efficient codes, punctuality and neatness.

Guidelines for Laboratory Conduction

The instructor is expected to frame the assignments by understanding the prerequisites, technological aspects, utility and recent trends related to the topic. The assignment framing policy need to address the average students and inclusive of an element to attract and promote the intelligent students. The instructor may set multiple sets of assignments and distribute among batches of students. It is appreciated if the assignments are based on real world problems/applications. Encourage students for appropriate use of Hungarian notation, proper indentation and comments. Use of open source software is to be encouraged. In addition to these, instructor may assign one real life application in the form of a mini-project based on the concepts learned. Instructor may also set one assignment or mini-project that is suitable to respective branch beyond the scope of syllabus.

Set of suggested assignment list is provided in groups- A, B, C, D, and E. Each student must perform at least 13 assignments as at least 3 from group A, 3 from group B, 2 from group C, 2 from group D and 3 from group E.

Group A and B assignments should be implemented in python without using built-in methods for major functionality of assignment. Use List data structure of Python as array. Group C, D and E assignments should be implemented in C++ language.

Operating System recommended: - 64-bit Open source Linux or its derivative **Programming tools recommended**: - Open Source python, Programming tool like Jupyter Notebook, Pycharm, Spyder, G++/GCC,

	Suggested List of Laboratory Experiments/Assignments						
Sr.	Group A						
No.							
1	In second year computer engineering class, group A student's play cricket, group B students play badminton and group C students play football. Write a Python program using functions to compute following: - a) List of students who play both cricket and badminton b) List of students who play either cricket or badminton but not both c) Number of students who play neither cricket nor badminton d) Number of students who play cricket and football but not badminton. (Note- While realizing the group, duplicate entries should be avoided, Do not use SET built-in functions)						
2	Write a Python program to store marks scored in subject "Fundamental of Data Structure" by N students in the class. Write functions to compute following: a) The average score of class b) Highest score and lowest score of class c) Count of students who were absent for the test d) Display mark with highest frequency						
3	 Write a Python program for department library which has N books, write functions for following: a) Delete the duplicate entries b) Display books in ascending order based on cost of books c) Count number of books with cost more than 500. d) Copy books in a new list which has cost less than 500. 						
4	Write a Python program that computes the net amount of a bank account based a transaction log from console input. The transaction log format is shown as following: D 100 W 200 (Withdrawal is not allowed if balance is going negative. Write functions for withdraw and deposit) D means deposit while W means withdrawal. Suppose the following input is supplied to the program: D 300 D 300 W 200 D 100 Then, the output should be: 500						
5	 Write a Python program to compute following operations on String: a) To display word with the longest length b) To determines the frequency of occurrence of particular character in the string c) To check whether given string is palindrome or not d) To display index of first appearance of the substring e) To count the occurrences of each word in a given string 						
6	It is decided that weekly greetings are to be furnished to wish the students having their birthdays in that week. The consolidated sorted list with desired categorical information is to be provided to the authority. Write a python program to store students PRNs with date and month of birth. Let List_A and List_B be the two list for two SE Computer divisions. Lists are sorted on date and month. Merge these two lists into third list "List_SE_Comp_DOB" resulting in sorted information about Date of Birth of SE Computer students						

	integers 1 to n2 such the figure given below is	hat the	sum of	each rov	v, colum	n, and d	an n * n matrix of the iagonal is the same. The =5. In this example, the	
	common sum is 65.		1 /	Т.	1	T	٦	
7		15	8	1	24	17	_	
,		16	14	7	5	23	_	
		22	20	13	6	4		
		3	21	19	12	10		
		9	2	25	18	11		
							lle point of matrix if one	
8	exists. An m x n matrix is said to have a saddle point if some entry a[i][j] is the smallest							
	value in row i and the largest value in j. Write a python program to compute following computation on matrix:							
	a) Addition of two ma		ipute to	llowing c	omputat	ion on n	natrix:	
9	b) Subtraction of two		c					
	c) Multiplication of two							
	d) Transpose of a ma		ces					
10	 		parse m	atrix rea	lization a	and ope	rations on it- Transpose,	
10	Fast Transpose and add	lition of	two mat	trices				
				Group	В			
	a) Write a python pro	gram to	store	roll num	bers of	student	in array who attended	
	a) Write a python program to store roll numbers of student in array who attended training program in random order. Write function for searching whether particular							
11							and Sentinel search.	
11	b) Write a python prog	gram to	store ro	ll numbe	rs of stu	dent arra	ay who attended training	
	· -					_	ether particular student	
	attended training program or not, using Binary search and Fibonacci search							
	a) Write a python program to store names and mobile numbers of your friends in sorted							
	order on names. Search your friend from list using binary search (recursive and non-							
12	recursive). Insert friend if not present in phonebook b) Write a python program to store names and mobile numbers of your friends in sorted							
	order on names. Search your friend from list using Fibonacci search. Insert friend if not							
	present in phonebook.							
	Write a python program to maintain club members, sort on roll numbers in ascending							
13	order. Write function "Ternary_Search" to search whether particular student is member							
	of club or not. Ternary search is modified binary search that divides array into 3 halves							
	instead of two.							
14			•	•	_		s in array. Write function	
	for sorting array of floating point numbers in ascending order using							
	a) Selection Sort							
	b) Bubble sort and d		-			of	aturdanta in amaru Muita	
15				-	•	_	students in array. Write	
	function for sorting array of floating point numbers in ascending order using a) Insertion sort							
	b) Shell Sort and display top five scores							
	†				ntage of	student	s in array. Write function	
16	Write a python program to store first year percentage of students in array. Write function for sorting array of floating point numbers in ascending order using quick sort and display							
	top five scores.							
	Write a python progr	am to	store 12	2 th class	percent	age of s	students in array. Write	
17	function for sorting array of floating point numbers in ascending order using bucket sort							
	and display top five sco	res.						

Department of Computer Engineering has student's club named 'Pinnacle Club'. Students of second, third and final year of department can be granted membership on request. Imilarly one may cancel the membership of club. First node is reserved for president of lub and last node is reserved for secretary of club. Write C++ program to maintain club nember's information using singly linked list. Store student PRN and Name. Write unctions to: a) Add and delete the members as well as president or even secretary. b) Compute total number of members of club c) Display members d) Two linked lists exists for two divisions. Concatenate two lists. The ticket booking system of Cinemax theater has to be implemented using C++ program. Where are 10 rows and 7 seats in each row. Doubly circular linked list has to be invalidated to keep track of free seats at rows. Assume some random booking to start with. Use array to store pointers (Head pointer) to each row. On demand a) The list of available seats is to be displayed b) The seats are to be booked c) The booking can be cancelled. Write C++ program for storing appointment schedule for day. Appointments are booked andomly using linked list. Set start and end time and min and max duration for visit slot. Write functions for- a) Display free slots b) Book appointment c) Cancel appointment (check validity, time bounds, availability) d) Sort list based on time						
of second, third and final year of department can be granted membership on request. imilarly one may cancel the membership of club. First node is reserved for president of lub and last node is reserved for secretary of club. Write C++ program to maintain club member's information using singly linked list. Store student PRN and Name. Write unctions to: a) Add and delete the members as well as president or even secretary. b) Compute total number of members of club c) Display members d) Two linked lists exists for two divisions. Concatenate two lists. The ticket booking system of Cinemax theater has to be implemented using C++ program. There are 10 rows and 7 seats in each row. Doubly circular linked list has to be maintained to keep track of free seats at rows. Assume some random booking to start with. Use array to store pointers (Head pointer) to each row. On demand a) The list of available seats is to be displayed b) The seats are to be booked c) The booking can be cancelled. Write C++ program for storing appointment schedule for day. Appointments are booked andomly using linked list. Set start and end time and min and max duration for visit slot. Write functions for- a) Display free slots b) Book appointment c) Cancel appointment (check validity, time bounds, availability) d) Sort list based on time						
the ticket booking system of Cinemax theater has to be implemented using C++ programs. There are 10 rows and 7 seats in each row. Doubly circular linked list has to be naintained to keep track of free seats at rows. Assume some random booking to start with. Use array to store pointers (Head pointer) to each row. On demand a) The list of available seats is to be displayed b) The seats are to be booked c) The booking can be cancelled. Write C++ program for storing appointment schedule for day. Appointments are booked andomly using linked list. Set start and end time and min and max duration for visit slot. Write functions for- a) Display free slots b) Book appointment c) Cancel appointment (check validity, time bounds, availability) d) Sort list based on time						
Vrite C++ program for storing appointment schedule for day. Appointments are booked andomly using linked list. Set start and end time and min and max duration for visit slot. Vrite functions for- a) Display free slots b) Book appointment c) Cancel appointment (check validity, time bounds, availability) d) Sort list based on time						
e) Sort list based on time using pointer manipulation						
Second year Computer Engineering class, set A of students like Vanilla Ice-cream and set B of students like butterscotch ice-cream. Write C++ program to store two sets using linked list. compute and display- a) Set of students who like both vanilla and butterscotch b) Set of students who like either vanilla or butterscotch or not both c) Number of students who like neither vanilla nor butterscotch						
Vrite C++ program for storing binary number using doubly linked lists. Write functions- a) To compute 1's and 2's complement b) Add two binary numbers						
Write C++ program to realize Set using Generalized Liked List (GLL) e.g. A ={ a, b, {c, d,e, {}, {f,g}, h, I, {j,k}, I, m}. Store and print as set notation.						
Group D						
a palindrome is a string of character that's the same forward and backward. Typically, punctuation, capitalization, and spaces are ignored. For example, "Poor Dan is in a droop" and a palindrome, as can be seen by examining the characters "poor danisina droop" and observing that they are the same forward and backward. One way to check for a palindrome is to reverse the characters in the string and then compare with them the priginal-in a palindrome, the sequence will be identical. Write C++ program with unctions-						
V :						

	In any language program mostly syntax error occurs due to unbalancing delimiter such as					
26	(),{},[]. Write C++ program using stack to check whether given expression is well					
	parenthesized or not.					
	Implement C++ program for expression conversion as infix to postfix and its evaluation					
27	using stack based on given conditions:					
	 Operands and operator, both must be single character. 					
	2. Input Postfix expression must be in a desired format.					
	3. Only '+', '-', '*' and '/' operators are expected.					
	A classic problem that can be solved by backtracking is called the Eight Queens problem,					
	which comes from the game of chess. The chess board consists of 64 square arranged in					
	an 8 by 8 grid. The board normally alternates between black and white square, but this is not relevant for the present problem. The queen can move as far as she wants in any					
28	direction, as long as she follows a straight line, Vertically, horizontally, or diagonally.					
	Write C++ program with recursive function for generating all possible configurations for					
	4-queen's problem.					
	Group E					
29	Queues are frequently used in computer programming, and a typical example is the					
	creation of a job queue by an operating system. If the operating system does not use					
	priorities, then the jobs are processed in the order they enter the system. Write C++					
	program for simulating job queue. Write functions to add job and delete job from queue.					
30	Write program to implement a priority queue in C++ using an inorder list to store the items in the queue. Create a class that includes the data items (which should be					
	template) and the priority (which should be int). The inorder list should contain these					
	objects, with operator <= overloaded so that the items with highest priority appear at the					
	beginning of the list (which will make it relatively easy to retrieve the highest item.)					
31	A double-ended queue (deque) is a linear list in which additions and deletions may be					
	made at either end. Obtain a data representation mapping a deque into a one-					
	dimensional array. Write C++ program to simulate deque with functions to add and					
	delete elements from either end of the deque.					
	Pizza parlor accepting maximum M orders. Orders are served in first come first served					
32	basis. Order once placed cannot be cancelled. Write C++ program to simulate the system using circular queue using array.					