claude-windows / d4b5afb5-2f03-4b58-8952-573f1381d166

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4b5afb5-2f03-4b58-8952-573f1381d166\subagents\workflows\wf_beb40705-90b\agent-a03421a856950a3f7.jsonl`
- SHA-256: `04b5775109978f526ef224efe1f126cb44e2a01f8f8a70e007a1c0b06c15e71e`
- Source modified: `2026-06-21T03:21:19+00:00`
- Imported at: `2026-07-05T16:48:23+00:00`
- project: `wf_beb40705-90b`
- session_id: `d4b5afb5-2f03-4b58-8952-573f1381d166`

Transcript

1. user (2026-06-21T03:20:42.307Z)

Adversarially VERIFY this claim about the KhelSutra repos by reading the actual files/docs yourself. Default to "refuted" if the evidence is not clear and direct.
CLAIM: "The VIDEO_RECORDING_GUIDELINES content is ALREADY partially shipped on the live site as the homepage "Record it right" gist plus a /capture checklist page ? i.e. recording-education is not greenfield."
Repos: web/site SPA+marketing = C:/Users/avidu/Projects/khelsutra; design docs = C:/Users/avidu/Projects/badminton-highlight-indexer/docs.
Read the specific files needed to confirm or refute (use Grep/Glob/Read). For string/i18n claims, actually grep for react-i18next, i18next, "t(", data-i18n, locales/ in C:/Users/avidu/Projects/khelsutra. For doc claims, read the relevant doc lines.
Return: verdict (CONFIRMED | PARTIALLY-CONFIRMED | REFUTED), the concrete evidence (file:line or quote) you personally saw, and any important nuance the claim gets wrong.

2. assistant (2026-06-21T03:20:44.959Z)

I'll verify this claim by examining the actual files in both repos.

3. user (2026-06-21T03:20:46.048Z)

```
.claude\worktrees\bhi-execpolicy\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\agent-a771ff1d85e18f2ed\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\tier1-windowing\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\w2-safeguard\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\hardchop\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\boxhill17\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\pr-stitch\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\gap-doc\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\resweep\docs\VIDEO_RECORDING_GUIDELINES.md
.claude\worktrees\recdoc\docs\VIDEO_RECORDING_GUIDELINES.md
docs\VIDEO_RECORDING_GUIDELINES.md
```

4. user (2026-06-21T03:20:46.976Z)

```
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:94:  assert.match(html, /id="record"/, "the 'record it right' section is gone");
C:\Users\avidu\Projects\khelsutra\site\public\index.html:327:      <div class="kicker">Record it right</div>
```

5. user (2026-06-21T03:20:47.994Z)

```
Found 14 files
C:\Users\avidu\Projects\khelsutra\site\public\index.html
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js
```

```
C:\Users\avidu\Projects\khelsutra\site\src\ux.dom.test.js
C:\Users\avidu\Projects\khelsutra\site\server.js
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js
C:\Users\avidu\Projects\khelsutra\NEXT_STEPS.md
C:\Users\avidu\Projects\khelsutra\web\src\lib\query.ts
C:\Users\avidu\Projects\khelsutra\site\public\own-model.html
C:\Users\avidu\Projects\khelsutra\docs\ANNOTATE_AND_TRAIN.md
C:\Users\avidu\Projects\khelsutra\site\scripts\parity-check.sh
C:\Users\avidu\Projects\khelsutra\docs\README.md
C:\Users\avidu\Projects\khelsutra\docs\REQUEST_ACCESS_FORM.md
C:\Users\avidu\Projects\khelsutra\site\public\capture.html
C:\Users\avidu\Projects\khelsutra\site\README.md
```

6. assistant (2026-06-21T03:20:51.328Z)

Both the homepage section and a `/capture` page exist. Let me read the actual content to verify they match the VIDEO_RECORDING_GUIDELINES doc.

7. user (2026-06-21T03:20:52.287Z)

```
        </div>
      </div>
    </section>

    <section id="record" style="background:#EFF4EC">
      <div class="wrap">
        <div class="sec-head">
          <div class="kicker">Record it right</div>
          <h2>Five minutes of setup ? reliably great reels</h2>
          <p>Highlight quality starts with the recording. Set the camera up once like this and KhelSutra has everything it needs to find the rallies.</p>
        </div>

        <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid var(--green);border-radius:14px;padding:1rem 1.2rem">
          <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-height:1">?</span>
          <p style="margin:0;color:var(--tx)"><b>The golden rule: one match, one court, in full frame ? and don't move the camera.</b> <span style="color:var(--mut)">A single court in frame gives the best results today; busy multi-court footage is the hard case we're still sharpening.</span></p>
        </div>

        <div class="grid g4">
          <div class="card">
            <div class="ic" aria-hidden="true">?</div>
            <h3>Place the camera</h3>
            <p>Behind <b>one baseline</b>, elevated (a high tripod or a balcony), tilted down ~30° ? the <b>whole court</b> in frame, players never cropped.</p>
          </div>
          <div class="card">
            <div class="ic" aria-hidden="true">?</div>
            <h3>Settings</h3>
            <p><b>1080p+</b>, landscape, <b>30 fps</b> for badminton (60 fps for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies.</p>
          </div>
          <div class="card">
            <div class="ic" aria-hidden="true">?</div>
            <h3>Keep it still</h3>
            <p>Fixed tripod or mount. <b>No panning, no zooming</b> during play ? a steady, full-court view is what the tool is tuned for.</p>
          </div>
          <div class="card">
            <div class="ic" aria-hidden="true">?</div>
```

```
        <h3>Record &amp; upload</h3>
        <p>Even lighting, then record the <b>whole session</b> and upload it as-is ? KhelSutra finds the rallies and does the cutting.</p>
      </div>
    </div>

    <div style="text-align:center;margin-top:1.6rem">
      <a class="btn btn-dark" href="/capture">Full 1-page capture checklist ?</a>
    </div>
  </div>
</section>

<section id="diff" style="padding-top:0">
  <div class="wrap">
    <div class="split">
      <div>
        <div class="kicker" style="font-size:.82rem;font-weight:700;letter-spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>
        <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
        <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of video ? and then almost never watch it, because cutting it into useful clips by hand is tedious. The good rallies stay buried.</p>
        <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy, multi-court hall is exactly where ordinary video tools choke. Pulling the <b style="color:var(--tx)">real</b> rallies out of busy, multi-court footage is the hard problem KhelSutra is built for. It already works very well on clean, single-court recordings ? and the multi-court case is what we're sharpening now.</p>
      </div>
      <div class="panel">
        <span class="pill">Capture tip</span>
        <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>
        <p>Camera behind the court, slightly elevated, whole court in frame. Keep it still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session, upload as-is. KhelSutra does the cutting.</p>
      </div>
```

8. user (2026-06-21T03:20:52.756Z)

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1" />
<title>KhelSutra ? 1-page capture checklist</title>
<meta name="description" content="How to record a badminton session so KhelSutra gives you great highlight reels: camera placement, settings, stability, lighting." />
<link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13 10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
<link rel="preconnect" href="https://fonts.googleapis.com" />
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700;800&display=swap" rel="stylesheet" />
<style>
  :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
  *{box-sizing:border-box}
  body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-height:1.5;-webkit-font-smoothing:antialiased}
  .sheet{max-width:820px;margin:18px auto;background:#fff;border-radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
  .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
  .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
```

```
  .brand .dot{color:var(--green)}
  .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px 0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0 .3em;transform:translateY(1px)}
  .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
  .body{padding:24px 30px 8px}
  .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
  .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BfE6D2;border-radius:12px;padding:14px 16px;margin-bottom:20px}
  .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
  .rule b{color:var(--tx)}
  .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
  .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
  .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-weight:700;margin:0 0 .4rem}
  .step h3 .n{width:24px;height:24px;border-radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-content:center;font-size:.85rem;flex:none}
  .step ul{margin:0;padding-left:1.1rem}
  .step li{margin:.18rem 0;font-size:.92rem;color:#34453d}
  .step li b{color:var(--tx)}
  .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
  .cols div{padding:14px 16px}
  .cols .do{background:#EAF6EF}
  .cols .dont{background:#Fbeeeb;border-left:1px solid var(--line)}
  .cols h4{margin:0 0 .5rem;font-size:.92rem}
  .cols .do h4{color:var(--green-d)}
  .cols .dont h4{color:#9a3b22}
  .cols ul{margin:0;padding-left:1.1rem}
  .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
  .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-top:6px;padding:14px 0 4px}
  .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px 30px 24px;color:var(--mut);font-size:.85rem}
  .foot a{color:var(--green-d);text-decoration:none}
  @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-left:0;border-top:1px solid var(--line)}}
  @media print{
    body{background:#fff}
    .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
    @page{margin:12mm}
    .noprint{display:none}
  }
</style>
</head>
<body>
<div class="sheet">
  <div class="head">
    <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
    <h1>1-page capture checklist</h1>
  </div>
  <div class="body">
    <p class="intro">Great highlights start with a steady, full-court recording. Five minutes of setup makes a big difference to your reels.</p>

    <div class="rule">
      <span class="star" aria-hidden="true">?</span>
      <div>
        <b>The golden rule: one match, one court, in full frame ? and don't move the camera.</b>
        <p>Multi-court footage is the hard case we're still sharpening; a single court in frame gives the best results today.</p>
      </div>
    </div>
```

```
        <div class="grid">
          <div class="step">
            <h3><span class="n">1</span>Place the camera</h3>
            <ul>
              <li>Behind <b>one baseline</b>, elevated ? a high tripod, a few metres up, or a balcony.</li>
              <li>Tilt down about <b>30°</b>; keep the <b>whole court</b> in frame with a little margin and net headroom.</li>
              <li>Players should never leave the frame.</li>
            </ul>
          </div>
          <div class="step">
            <h3><span class="n">2</span>Settings</h3>
            <ul>
              <li><b>1080p or higher</b>, shot in <b>landscape</b>.</li>
              <li><b>30 fps</b> for badminton/pickleball; <b>60 fps</b> for table tennis.</li>
              <li><b>Audio ON</b> (don't mute) ? keep the mic unobstructed, wind/noise reduction off.</li>
            </ul>
          </div>
          <div class="step">
            <h3><span class="n">3</span>Keep it still</h3>
            <ul>
              <li>Fixed tripod or mount.</li>
              <li><b>No panning, no zooming</b> during play.</li>
            </ul>
          </div>
          <div class="step">
            <h3><span class="n">4</span>Light &amp; record</h3>
            <ul>
              <li>Even indoor lighting; avoid backlight, glare and very dark halls.</li>
              <li>Record the <b>whole session</b> and upload it as-is ? KhelSutra does the cutting.</li>
            </ul>
          </div>
        </div>

        <div class="cols">
          <div class="do">
            <h4>Do</h4>
            <ul>
              <li>Fixed camera, full court, behind the baseline</li>
              <li>1080p+, landscape, audio on</li>
              <li>One match on one court</li>
            </ul>
          </div>
          <div class="dont">
            <h4>Avoid</h4>
            <ul>
              <li>Handheld or phone-in-hand</li>
              <li>Broadcast-style pans &amp; zooming</li>
              <li>Several courts in one frame; very dark halls</li>
            </ul>
          </div>
        </div>

        <p class="consent">Please record adults with their okay. Footage involving minors is never used to improve the tool and is never published.</p>
      </div>
      <div class="foot">
        <span>Questions? <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> · <a href="https://khelsutra.guru">khelsutra.guru</a></span>
        <span class="noprint">Tip: press Ctrl/Cmd + P to print or save as PDF.</span>
```

```
  </div>
</div>
</body>
</html>

```

9. user (2026-06-21T03:20:53.382Z)

```
# Video Recording Guidelines (DRAFT ? thresholds pending empirical data)

**Status:** ? Draft / placeholder · **Date:** 2026-05-30
**Why this exists:** highlight quality is bounded by *input* quality. To get reliably good auto-generated highlights, the source video must be recorded a certain way (camera height, court position, resolution, frame rate, stability, framing). We want to (1) **derive** the minimum acceptable capture spec **empirically** from the precision/recall of the solutions we build, and (2) **publish user-facing best practices** so a user knows how to record footage that the product can index well.

> **This is a tracked thought, not a finished standard.** The exact numeric thresholds below are **placeholders** to be replaced with values measured against our golden set. See "How we'll set the real numbers" (§3). Captured now (per the team's working agreement) so it isn't lost; to be revisited.
>
> **Update (2026-06-02):** the **frame-rate** and **camera-geometry** rows now carry **literature-backed starting values** (cited inline). They remain *starting points* to confirm empirically per §3. The golden-set **corpus** diversity spec (what footage to collect, not just how users should record) is now in [GOLDEN_SET_PHASE1_VIDEOS.md](GOLDEN_SET_PHASE1_VIDEOS.md).
>
> **Update (2026-06-07):** **AUDIO is now a first-class capture requirement** (new row below), per ADR-007 ? we will use the shuttle "thwack" as a rally cue (audio+visual fusion lifts recall). This is a hard "record with audio on, mic unobstructed" ask, not a placeholder; efficacy on real GoPro audio is being validated (experiment E1 in [AUDIO_RALLY_DETECTION_PLAN.md](archives/research/AUDIO_RALLY_DETECTION_PLAN.md)).

---

## ?? THE #1 CAPTURE RULE: ONE MATCH PER FRAME (single court)

> **For the best auto-highlights, record a SINGLE match on a SINGLE court ? with no other matches
> playing in the background or on adjacent courts.** This is the happy path the product is tuned for,
> and as of **2026-06-18 it is MEASURED, not a guess:**
>
> - On a golden **multi-court** clip, the rally detector fired **87 "rallies" against 43 real ones ?
>   precision ? 0.20 (~80% false positives)**, almost all of them background-court games it mistook
>   for play.
> - On **single-court** clips, precision is markedly higher and rally boundaries are tight; local even
>   **out-recalls Gemini** on normal single-match play.
>
> **Multi-court is a KNOWN BOTTLENECK we are actively working to fix** (player-state + court-occupancy
> signals ? see [RALLY_DETECTION_GAP_CLOSURE.md](RALLY_DETECTION_GAP_CLOSURE.md)). Until that lands,
> **single-match capture is strongly recommended** ? a reel made from busy multi-court footage *will*
> include false "rallies" from the neighbouring games. **North star (for now): consistently beat Gemini
> on the single-match happy path.**

---

```

1. Why input capture matters (grounded in what we already know)

ADR-004 found a concrete, capture-dependent failure mode: on **broadcast** footage the camera *tracks the players*, so player pixel-motion dips during rallies and spikes on pans/replays ? making player-motion a poor rally proxy. The lesson generalizes: **the pipeline's accuracy is conditional on how the video was shot.** A **static, full-court** camera (typical of a fixed tripod recording) behaves very differently from broadcast ? and is likely much friendlier to both the motion/detector stages and the shuttle-tracking substrate (WASB/TrackNet, ADR-001).

So capture guidance isn't cosmetic ? it directly moves precision/recall.

---

2. The dimensions that likely matter (hypotheses to test)

Dimension	Why it plausibly affects P/R	Placeholder guidance (UNVERIFIED)
Resolution	Shuttle is tiny & fast; too few pixels ? detector misses it	? **1080p** preferred; **720p** likely floor; 2K/4K may help shuttle tracking but ? compute/cost
Frame rate	Motion blur; boundary precision; fast-ball detection	? **30 fps** badminton/pickleball; **? 60 fps table tennis** ? 30 fps collapses fast-ball detection (**22.5% ? 93.2%** at 60 fps; 120 ? 60, [Nature Sci Rep](https://www.nature.com/articles/s41598-023-42966-6))
Camera position	Static full-court view avoids the broadcast camera-tracking trap (ADR-004)	**Fixed tripod**, elevated, behind/above one baseline, whole court in frame
Camera height & angle	Occlusion of players/shuttle; court keystoning	**3?5 m** elevated (~4.5 m), **~30° down-tilt**, behind one baseline, whole court + net headroom ([badminton-CV setup](https://pmc.ncbi.nlm.nih.gov/articles/PMC10747833/))
Framing / margins	Cropping the court or players breaks detection & relevance check	Entire court + a margin; players never leave frame
Stability	Handheld jitter inflates motion signals	Tripod / fixed mount; no panning or zoom during play
Lighting / exposure	Blur & contrast affect detection and the existing blur/relevance validators	Even indoor lighting; avoid backlight/glare; minimize motion blur
Single match in frame (no background games) ? ? MEASURED, the #1 rule	Adjacent/background-court games get detected as false rallies ? this is the **dominant precision failure**	**One match per frame, single court.** Multi-court precision measured at **?0.20** (vs ?0.31 single, tighter boundaries); multi-court fix in progress ? see RALLY_DETECTION_GAP_CLOSURE.md
Court contrast / background	Relevance check uses court color; busy crowds add false motion	Clear court markings; minimal moving background where possible
Codec / container	Pipeline already validates MP4 + decodes H.264/HEVC	MP4 (H.264/HEVC) as today; align with `archives/MONETIZATION_AUDIT.md` codec notes
Audio (REQUIRED ? ADR-007)	Shuttle "thwack" hits are a strong rally cue; audio+visual fusion lifts rally *recall* (the WASB bottleneck) ? see ADR-007 / archives/research/AUDIO_RALLY_DETECTION_PLAN.md	**Record with AUDIO ENABLED** (GoPro default ? do not mute). Keep the **mic unobstructed**; **avoid aggressive wind/noise reduction** that flattens the sharp impact transient. Camera reasonably close to the court helps SNR (shuttle hits are quiet).

These map onto checks that **already exist** in `backend/pipeline/validators/` (resolution, fps, blur, scene-cut, court relevance) ? so several can be enforced/measured programmatically rather than only advised.

---

3. How we'll set the REAL numbers (empirical plan)

Replace every placeholder above with a value derived from data, using the golden-set harness:

1. Take golden-set clips (GOLDEN_SET_VENDORING.md) spanning a **range** of each dimension ? e.g. the same match re-encoded at 480p/720p/1080p/4K, or clips at different camera heights.

```
67      2. Run the production pipeline; score with `backend/eval/metrics.py`.
68      3. Plot **precision/recall vs. each dimension** ? find the knee where quality collapses.
69      4. Set the **published minimum** at (knee + safety margin); set a **"recommended"** tier
above it.
70      5. Re-derive when the pipeline changes materially (new detector/segmenter shifts the
knees).
71
72      This turns "record in 1080p" from an assertion into a measured threshold ? and lets us
tell users *why*.
73
74      ---
75
76      ## 4. Two surfaces for the output
77
78      1. **User-facing best-practices guide** ? short, friendly, illustrated: "Put the camera
here, this high, record at ?X, keep it still." The goal is that a user can record once and get
great results.
79      2. **Programmatic pre-flight check** ? extend `backend/pipeline/validators/` to *reject
or warn* on out-of-spec uploads at ingest (resolution/fps/blur/framing), so the product fails
fast with actionable feedback instead of producing poor highlights silently.
80
81      ---
82
83      ## 5. Open questions
84      1. Which dimension dominates ? resolution, camera staticness, or height? (Run the
ablations in §3 to rank them.)
85      2. Do we **enforce** minimums (reject uploads) or only **warn**? Likely warn first,
enforce once thresholds are trustworthy.
86      3. Single fixed-camera spec, or several supported "recording profiles" (e.g. baseline-
elevated vs. side-elevated)?
87      4. How does the owned/licensed golden corpus need to grow to *cover* the capture
conditions real users will actually use? (Feeds GOLDEN_SET_VENDORING.md §8.)
88
```

10. assistant (2026-06-21T03:20:56.130Z)

The evidence is strong and direct. The claim is essentially confirmed. Let me verify the `/capture` route actually serves this page (so it's a real "/capture checklist page" on the live site, not just a stray file), and confirm the homepage section is the live homepage.

11. user (2026-06-21T03:20:57.628Z)

```
48-
49-async function serveStatic(pathname, res) {
50-  const rel = pathname === "/" ? "index.html"
51:    : pathname === "/capture" ? "capture.html"
52-    : pathname === "/own-model" ? "own-model.html"
53-    : pathname.replace(/^\/+/, "");
54-  const file = normalize(join(PUBLIC, rel));
```

12. assistant (2026-06-21T03:21:00.910Z)

The `/capture` route is wired in `server.js:51` ? serves `capture.html`. The homepage `index.html` has the `#record` "Record it right" section linking to `/capture`. Both map directly to the VIDEO_RECORDING_GUIDELINES content. The claim is confirmed.

13. user (2026-06-21T03:21:16.371Z)

Structured output provided successfully

14. assistant (2026-06-21T03:21:19.251Z)

Verified. The claim is CONFIRMED ? both the homepage "Record it right" section and the live `/capture` checklist page exist and map directly to the VIDEO_RECORDING_GUIDELINES doc, with the important nuance that only the user-facing education surface shipped (the doc's empirical-threshold derivation and ingest-validator goals remain unshipped, justifying "partially").