claude-windows / 577fd4df-ed3f-43d3-854d-d63d732e2e07

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\577fd4df-ed3f-43d3-854d-d63d732e2e07\subagents\workflows\wf_e5e25aeb-1c0\agent-ab63f7e24cf3d9a2d.jsonl`
- SHA-256: `dcc3db2c217a98bdc09b72f9805e43079222e356d9e5c9add15e11531a4a91af`
- Source modified: `2026-06-20T16:37:43+00:00`
- Imported at: `2026-07-05T16:48:27+00:00`
- project: `wf_e5e25aeb-1c0`
- session_id: `577fd4df-ed3f-43d3-854d-d63d732e2e07`

Transcript

1. user (2026-06-20T16:36:28.349Z)

```
You are reviewing a NEW feature (P3) in a TypeScript SPA: a DETERMINISTIC, dependency-free
query compiler that turns plain text ("over 10s", "top 15 longest", "at least 8 shots") into a
filter+sort+limit selection over detected badminton rallies. NO LLM, NO network.

Read these files with the Read tool before judging:
- CORE parser:        C:/Users/avidu/Projects/khelsutra/web/src/lib/query.ts
- its unit tests:     C:/Users/avidu/Projects/khelsutra/web/src/lib/query.test.ts
- QueryBar component: C:/Users/avidu/Projects/khelsutra/web/src/components/QueryBar.tsx
- App wiring:         C:/Users/avidu/Projects/khelsutra/web/src/App.tsx
- selection hook:     C:/Users/avidu/Projects/khelsutra/web/src/hooks/useRallySelection.ts
- RallyGrid:          C:/Users/avidu/Projects/khelsutra/web/src/components/RallyGrid.tsx
- engine data types:  C:/Users/avidu/Projects/khelsutra/web/src/api/types.ts
- the DESIGN CONTRACT: C:/Users/avidu/Projects/khelsutra/docs/PER_RALLY_SELECTION.md  (read §2
decisions D5, §3 honest-vs-fabricated fields, §4.3 "Dead-ends / do-NOT", §9 DoD)

Report ONLY concrete, defensible findings with exact evidence (an input string ? the wrong
parsed
output, or a code line). Do NOT invent issues to fill a quota; an empty findings list is a
valid,
respected answer. Prefer a few high-confidence findings over many speculative ones.

Independently VERIFY this single finding by reading the actual code (do not trust the claim).
Reproduce it concretely ? trace the exact input through the real regexes/logic, or point to the
exact line. Set is_real=true ONLY if you confirm it. If it's a false positive or already
handled,
set is_real=false and explain why. Be a skeptic; default to is_real=false when uncertain.

FINDING (dimension grammar):
{
  "title": "The 'min' overload (minimum vs minutes) is resolved silently toward '? seconds',
with no transparency for the minutes reading",
  "severity": "minor",
  "file": "C:/Users/avidu/Projects/khelsutra/web/src/lib/query.ts",
  "evidence": "parseQuery(\"min 5\") ? {filters:[{field:'duration',op:'>=',value:5}]} (5
seconds, ?). 'min' is registered as a LEADING comparator alias for '>=' on line 74
(\"...|minimum(?: of)?|min|>=\"), so it is always consumed as 'minimum' and can never be read as
the 'min' minute-unit (UNIT line 57 also lists 'min'). A user typing 'min 5' intending '5
minutes' gets 5 seconds instead, and even 'min 5 min' ? duration>=300 reads the FIRST 'min' as
minimum and the second as the unit, which is correct only by luck of ordering.",
  "why": "'min' is genuinely ambiguous in this domain (minimum vs minutes) and the parser
commits to one reading with no pill cue distinguishing it. Lower severity because 'min =
minimum' is a defensible default and matches the documented intent, but the silent collapse of a
real ambiguity is worth a guard/test so a future alias change doesn't flip it unnoticed.",
  "suggested_fix": "Either drop the bare 'min' alias from LEADING (keep 'minimum'/'minimum
```

of'/'at least' which are unambiguous) so 'min' is free to act as the minute unit, or keep it but add explicit tests pinning the chosen reading AND ensure the parsed-pill renders 'length ? 5s' so the user can see the misread and correct it.",
  "confidence": "medium"
}

2. assistant (2026-06-20T16:36:32.180Z)

I'll verify this finding by reading the actual code, particularly the regex patterns for comparators and units.

3. user (2026-06-20T16:36:32.617Z)

```
// Deterministic, dependency-free query compiler for the rally picker (PER_RALLY_SELECTION.md
// D2/D5). NO LLM, NO network ? a tiny regex grammar over the ONLY honest, queryable axes the
// engine returns today: rally LENGTH (duration), ORDER (start_time / duration / shot_count),
// COUNT (top/first N), and SHOT COUNT (metadata.shot_count).
//
// Everything else a user might type ? shot TYPE (smash/clear/drop?), PLAYER, SCORE ? has no
// detector and no column, so we FLAG it as "not available yet" and NEVER fabricate a result.
// Parsing is pure and unit-tested; the QueryBar React component is a thin shell over it.
import type { RallySegment } from "../api/types";

export type CompareOp = ">" | ">=" | "<" | "<=" | "=";
export type FilterField = "duration" | "shot_count";
/** One ANDed predicate over a rally field (e.g. duration > 10s). */
export interface Filter {
  field: FilterField;
  op: CompareOp;
  value: number; // seconds for duration; a raw count for shot_count
}

export type SortKey = "duration" | "start_time" | "shot_count";
export interface Sort {
  key: SortKey;
  dir: "asc" | "desc";
}

/** A recognized-but-unsupported concept ? surfaced as a greyed "not available yet" hint. */
export type UnavailableKind = "shot-type" | "player" | "score";
export interface Unavailable {
  token: string;
  kind: UnavailableKind;
}

export interface ParsedQuery {
  raw: string;
  /** ANDed together. */
  filters: Filter[];
  sort?: Sort;
  /** "top N" / "first N" / "N longest". */
  limit?: number;
  /** Concepts we understood but cannot honour (shot-type / player / score). */
  unavailable: Unavailable[];
  /** True when at least one actionable clause (filter | sort | limit) was understood. */
  recognized: boolean;
}
```

```
export interface QueryResult {
  /** ALL rallies in display order (sorted if a sort was given, else input order). */
  ordered: RallySegment[];
  /** Ids matching the filters (then limited), in display order. */
  selectedIds: number[];
}

// ?? grammar fragments ?????????????????????????????????????????????????????????
const NUM = "(\\d+(?:\\.\\d+)?)";
// Optional trailing unit/noun. "shots?" is listed FIRST so it can't be eaten by the bare "s"
// time-unit alternative; \b stops "m" matching "minutes" etc.
const UNIT = "(?:\\s*(shots?|seconds?|secs?|minutes?|mins?|min|m|s)\\b)?";

interface OpPattern {
  op: CompareOp;
  re: RegExp;
  /** Which capture group holds the number / the unit. */
  numAt: number;
  unitAt: number;
}

// Leading comparator ("over 10s"). The "no more than" / "at least" guards come BEFORE their
// bare counterparts ("more than" / "less than") so the negated phrase is consumed first.
function lead(alt: string, op: CompareOp): OpPattern {
  return { op, re: new RegExp(`(?:${alt})\\s*${NUM}${UNIT}`, "g"), numAt: 1, unitAt: 2 };
}
const LEADING: OpPattern[] = [
  lead("no more than|at most|maximum(?: of)?|max|up to|<=", "<="),
  lead("no less than|no fewer than|at least|minimum(?: of)?|min|>=", ">="),
  lead("exactly|equal to|equals", "="),
  lead("over|longer than|more than|greater than|above|bigger than|>", ">"),
  lead("under|shorter than|less than|fewer than|below|smaller than|<", "<"),
];

// Trailing comparator. The unit may sit BEFORE the operator ("10s+", "8 shots or more") or the
// "shots" noun AFTER it ("10+ shots") ? capture both sides and use whichever is present.
interface TrailPattern {
  op: CompareOp;
  re: RegExp;
}
const POST_NOUN = "(?:\\s*(shots?)\\b)?";
const TRAILING: TrailPattern[] = [
  { op: ">=", re: new RegExp(`${NUM}${UNIT}\\s*(?:\\+|or (?:more|longer|over|above|greater))${POST_NOUN}`, "g") },
  { op: "<=", re: new RegExp(`${NUM}${UNIT}\\s*or (?:less|fewer|shorter|under|below)${POST_NOUN}`, "g") },
];

function toSeconds(n: number, unit?: string): number {
  return unit && /^m/.test(unit) ? n * 60 : n; // m/min/minute(s) ? seconds; else as-is
}

function makeFilter(numStr: string, unit: string | undefined, op: CompareOp): Filter {
  const n = Number(numStr);
  const isShots = !!unit && /^shots?$/.test(unit);
  return isShots
    ? { field: "shot_count", op, value: n }
    : { field: "duration", op, value: toSeconds(n, unit) };
```

```
}

const SORT_PATTERNS: Array<[RegExp, Sort]> = [
  [/\b(?:longest(?: first)?|longer first|by (?:duration|length)|duration desc)\b/, { key: "duration", dir: "desc" }],
  [/\b(?:shortest(?: first)?|shorter first|duration asc)\b/, { key: "duration", dir: "asc" }],
  [/\b(?:newest(?: first)?|latest|most recent|recent first)\b/, { key: "start_time", dir: "desc" }],
  [/\b(?:oldest(?: first)?|earliest|chronological|in order|by time)\b/, { key: "start_time", dir: "asc" }],
  [/\b(?:most shots(?: first)?|highest shots?|by shots?|by shot count|shot count desc)\b/, { key: "shot_count", dir: "desc" }],
  [/\b(?:fewest shots(?: first)?|least shots?|lowest shots?|shot count asc)\b/, { key: "shot_count", dir: "asc" }],
];

// Order before kind so a token claimed by an earlier kind isn't double-counted.
const UNAVAILABLE_PATTERNS: Array<[UnavailableKind, RegExp]> = [
  ["shot-type", /\b(smash(?:es)?|clears?|drops?|dropshots?|net ?shots?|drives?|lifts?|serves?|kills?|taps?|pushes?|blocks?|slices?)\b/g],
  ["player", /\b(players?|opponents?|servers?|receivers?)\b/g],
  ["score", /\b(points?|score|deuce|game point|set point|match point)\b/g],
];

// ?? public API ?????????????????????????????????????????????????????????????????

export function parseQuery(raw: string): ParsedQuery {
  const normalized = raw
    .toLowerCase()
    .replace(/?/g, ">=")
    .replace(/?/g, "<=")
    .replace(/,/g, " ")
    .replace(/\s+/g, " ")
    .trim();

  const filters: Filter[] = [];
  let working = normalized;

  // Extract comparator clauses, blanking each match so later passes can't re-read its number.
  for (const pat of LEADING) {
    working = working.replace(pat.re, (full, ...g) => {
      filters.push(makeFilter(g[pat.numAt - 1], g[pat.unitAt - 1], pat.op));
      return " ".repeat(full.length);
    });
  }
  for (const pat of TRAILING) {
    working = working.replace(pat.re, (full, num, preUnit, postNoun) => {
      filters.push(makeFilter(num, preUnit ?? postNoun, pat.op));
      return " ".repeat(full.length);
    });
  }

  // Explicit sort (runs before limit so "top 15 longest" keeps the longest?desc intent).
  let sort: Sort | undefined;
  for (const [re, s] of SORT_PATTERNS) {
    if (re.test(working)) {
      sort = s;
      break;
    }
  }

  // Limit ("top/best N", "first N", "last N", "N longest/shortest", "longest/shortest
```

```
N").
  let limit: number | undefined;
  let m: RegExpMatchArray | null;
  if ((m = working.match(/\b(\d+)\s+(longest|shortest)\b/)) || (m = working.match(/\b(longest|shortest)\s+(\d+)\b/))) {
    const num = /^\d/.test(m[1]) ? m[1] : m[2];
    const word = /^\d/.test(m[1]) ? m[2] : m[1];
    limit = parseInt(num, 10);
    if (!sort) sort = { key: "duration", dir: word === "longest" ? "desc" : "asc" };
  } else if ((m = working.match(/\b(?:top|best)\s+(\d+)\b/))) {
    limit = parseInt(m[1], 10);
    if (!sort) sort = { key: "duration", dir: "desc" }; // "top N" ? best = longest
  } else if ((m = working.match(/\b(?:first|earliest)\s+(\d+)\b/))) {
    limit = parseInt(m[1], 10);
    if (!sort) sort = { key: "start_time", dir: "asc" };
  } else if ((m = working.match(/\b(?:last|latest|newest|most recent)\s+(\d+)\b/))) {
    limit = parseInt(m[1], 10);
    if (!sort) sort = { key: "start_time", dir: "desc" };
  }

  // Unavailable concepts (scanned on the normalized text; deduped, first kind wins).
  const unavailable: Unavailable[] = [];
  const seen = new Set<string>();
  for (const [kind, re] of UNAVAILABLE_PATTERNS) {
    for (const mm of normalized.matchAll(re)) {
      const token = mm[1];
      if (!seen.has(token)) {
        seen.add(token);
        unavailable.push({ token, kind });
      }
    }
  }

  return {
    raw,
    filters,
    sort,
    limit,
    unavailable,
    recognized: filters.length > 0 || sort != null || limit != null,
  };
}

function rallyValue(r: RallySegment, key: SortKey): number | undefined {
  if (key === "duration") return r.duration;
  if (key === "start_time") return r.start_time;
  return r.metadata?.shot_count;
}

/** Stable sort; rallies missing the sort field always sort LAST (unknown ? smallest). */
export function sortRallies(rallies: RallySegment[], sort: Sort): RallySegment[] {
  return rallies
    .map((r, i) => ({ r, i }))
    .sort((a, b) => {
      const av = rallyValue(a.r, sort.key);
      const bv = rallyValue(b.r, sort.key);
      if (av == null && bv == null) return a.i - b.i;
      if (av == null) return 1;
      if (bv == null) return -1;
      if (av !== bv) return sort.dir === "asc" ? av - bv : bv - av;
      return a.i - b.i; // tie ? preserve input order
    })
    .map((x) => x.r);
}
```

```
220
221   function matchesFilter(r: RallySegment, f: Filter): boolean {
222     const v = f.field === "duration" ? r.duration : r.metadata?.shot_count;
223     if (v == null) return false; // a rally without shot_count can't satisfy a shot filter
224     switch (f.op) {
225       case ">":
226         return v > f.value;
227       case ">=":
228         return v >= f.value;
229       case "<":
230         return v < f.value;
231       case "<=":
232         return v <= f.value;
233       case "=":
234         return v === f.value;
235       default:
236         return false;
237     }
238   }
239
240   /** Apply a parsed query to the rallies: ordered display list + the ids it selects. Pure.
241    * An UNRECOGNIZED query (nothing understood) selects nothing and leaves order untouched ?
242    * so garbage input can never silently wipe a user's manual curation. The App also guards on
243    * `q.recognized` before applying, so an empty box is a no-op end to end. */
244   export function runQuery(rallies: RallySegment[], q: ParsedQuery): QueryResult {
245     if (!q.recognized) return { ordered: rallies.slice(), selectedIds: [] };
246     const ordered = q.sort ? sortRallies(rallies, q.sort) : rallies.slice();
247     let matched = ordered.filter((r) => q.filters.every((f) => matchesFilter(r, f)));
248     if (q.limit != null) matched = matched.slice(0, q.limit);
249     return { ordered, selectedIds: matched.map((r) => r.id) };
250   }
251
252   // ?? human-readable labels (shared by the QueryBar pill and the tests) ?????????
253   const OP_SYMBOL: Record<CompareOp, string> = { ">": ">", ">=": "?", "<": "<", "<=": "?", "=": "=" };
254
255   export function filterLabel(f: Filter): string {
256     if (f.field === "duration") return `length ${OP_SYMBOL[f.op]} ${f.value}s`;
257     return `shots ${OP_SYMBOL[f.op]} ${f.value}`;
258   }
259
260   export function sortLabel(s: Sort): string {
261     if (s.key === "duration") return s.dir === "desc" ? "longest first" : "shortest first";
262     if (s.key === "start_time") return s.dir === "desc" ? "newest first" : "oldest first";
263     return s.dir === "desc" ? "most shots first" : "fewest shots first";
264   }
265
266   /** Human clause labels for the parsed-pill (e.g. ["length > 10s", "longest first", "top 15"]). */
267   export function summarize(q: ParsedQuery): string[] {
268     const parts: string[] = [];
269     for (const f of q.filters) parts.push(filterLabel(f));
270     if (q.sort) parts.push(sortLabel(q.sort));
271     if (q.limit != null) parts.push(`top ${q.limit}`);
272     return parts;
273   }
274
```

4. assistant (2026-06-20T16:36:35.920Z)

Now let me trace the key claims. Let me verify the `min` alias on line 74 and the UNIT on line

57, then check the tests to see if this behavior is pinned.

5. user (2026-06-20T16:36:36.390Z)

```
import { describe, it, expect } from "vitest";
import {
  parseQuery,
  runQuery,
  sortRallies,
  filterLabel,
  sortLabel,
  summarize,
} from "./query";
import type { RallySegment } from "../api/types";

const mk = (
  id: number,
  start_time: number,
  duration: number,
  shot_count?: number,
): RallySegment => ({
  id,
  start_time,
  end_time: start_time + duration,
  duration,
  server: null,
  receiver: null,
  metadata: shot_count == null ? {} : { shot_count },
});

// A small, varied corpus: ids ordered chronologically, durations & shot counts mixed,
// rally 4 deliberately has NO shot_count (tests "unknown sorts/filters honestly").
const RALLIES: RallySegment[] = [
  mk(1, 12, 8, 9),
  mk(2, 41, 6, 5),
  mk(3, 63, 21, 19),
  mk(4, 95, 6 /* no shot_count */),
  mk(5, 130, 12, 11),
  mk(6, 158, 29, 24),
];

describe("parseQuery ? duration filters", () => {
  it("'over 10s' ? duration > 10", () => {
    expect(parseQuery("over 10s").filters).toEqual([{ field: "duration", op: ">", value: 10 }]);
  });
  it("accepts varied units and phrasings", () => {
    expect(parseQuery("longer than 10 seconds").filters[0]).toEqual({ field: "duration", op: ">", value: 10 });
    expect(parseQuery("under 5 sec").filters[0]).toEqual({ field: "duration", op: "<", value: 5 });
    expect(parseQuery("at least 8s").filters[0]).toEqual({ field: "duration", op: ">=", value: 8 });
    expect(parseQuery("at most 8 seconds").filters[0]).toEqual({ field: "duration", op: "<=", value: 8 });
    expect(parseQuery("exactly 7s").filters[0]).toEqual({ field: "duration", op: "=", value: 7 });
  });
  it("converts minutes to seconds", () => {
    expect(parseQuery("over 1 minute").filters[0]).toEqual({ field: "duration", op: ">", value: 60 });
    expect(parseQuery("at least 1.5m").filters[0]).toEqual({ field: "duration", op: ">=", value: 90 });
  });
  it("handles symbols and trailing comparators", () => {
```

```
      expect(parseQuery("? 10s").filters[0]).toEqual({ field: "duration", op: ">=", value: 10 });
      expect(parseQuery("> 10").filters[0]).toEqual({ field: "duration", op: ">", value: 10 });
      expect(parseQuery("10s+").filters[0]).toEqual({ field: "duration", op: ">=", value: 10 });
      expect(parseQuery("10s or longer").filters[0]).toEqual({ field: "duration", op: ">=", value: 10 });
      expect(parseQuery("8s or less").filters[0]).toEqual({ field: "duration", op: "<=", value: 8 });
    });
    it("does NOT consume 'no more than' as 'more than'", () => {
      expect(parseQuery("no more than 5s").filters[0]).toEqual({ field: "duration", op: "<=", value: 5 });
    });
    it("treats a bare 'Ns' (no comparator) as not a filter", () => {
      expect(parseQuery("10s").filters).toEqual([]);
      expect(parseQuery("10s").recognized).toBe(false);
    });
  });

  describe("parseQuery ? shot_count filters (noun-keyed)", () => {
    it("routes the 'shots' noun to shot_count, not duration", () => {
      expect(parseQuery("over 10 shots").filters[0]).toEqual({ field: "shot_count", op: ">", value: 10 });
      expect(parseQuery("at least 8 shots").filters[0]).toEqual({ field: "shot_count", op: ">=", value: 8 });
      expect(parseQuery("fewer than 5 shots").filters[0]).toEqual({ field: "shot_count", op: "<", value: 5 });
      expect(parseQuery("10+ shots").filters[0]).toEqual({ field: "shot_count", op: ">=", value: 10 });
    });
  });

  describe("parseQuery ? sort", () => {
    const cases: Array<[string, ReturnType<typeof parseQuery>["sort"]]> = [
      ["longest first", { key: "duration", dir: "desc" }],
      ["shortest", { key: "duration", dir: "asc" }],
      ["newest first", { key: "start_time", dir: "desc" }],
      ["oldest first", { key: "start_time", dir: "asc" }],
      ["in order", { key: "start_time", dir: "asc" }],
      ["most shots", { key: "shot_count", dir: "desc" }],
      ["fewest shots", { key: "shot_count", dir: "asc" }],
    ];
    it.each(cases)("'%s' ? %o", (input, expected) => {
      expect(parseQuery(input).sort).toEqual(expected);
    });
  });

  describe("parseQuery ? limit (and its implied sort)", () => {
    it("'top 15' ? limit 15, sort longest-first", () => {
      const q = parseQuery("top 15");
      expect(q.limit).toBe(15);
      expect(q.sort).toEqual({ key: "duration", dir: "desc" });
    });
    it("'first 10' ? limit 10, sort oldest-first", () => {
      const q = parseQuery("first 10");
      expect(q.limit).toBe(10);
      expect(q.sort).toEqual({ key: "start_time", dir: "asc" });
    });
    it("'15 longest' / '5 shortest' carry both limit and sort", () => {
      expect(parseQuery("15 longest")).toMatchObject({ limit: 15, sort: { key: "duration", dir: "desc" } });
      expect(parseQuery("5 shortest")).toMatchObject({ limit: 5, sort: { key: "duration", dir: "asc" } });
```

```
  });
  it("an explicit sort wins over the limit's implied one ('top 15 longest')", () => {
    const q = parseQuery("top 15 longest");
    expect(q.limit).toBe(15);
    expect(q.sort).toEqual({ key: "duration", dir: "desc" });
  });
  it("combines a filter with a limit ('over 10s top 5')", () => {
    const q = parseQuery("over 10s top 5");
    expect(q.filters).toEqual([{ field: "duration", op: ">", value: 10 }]);
    expect(q.limit).toBe(5);
  });
});

describe("parseQuery ? unavailable concepts are flagged, never faked", () => {
  it("flags shot-type words while still applying the available clause", () => {
    const q = parseQuery("smashes over 10s");
    expect(q.filters).toEqual([{ field: "duration", op: ">", value: 10 }]); // honoured
    expect(q.unavailable).toEqual([{ token: "smashes", kind: "shot-type" }]); // flagged
  });
  it("flags player and score concepts", () => {
    expect(parseQuery("opponent rallies").unavailable).toContainEqual({ token: "opponent", kind: "player" });
    expect(parseQuery("game point").unavailable).toContainEqual({ token: "game point", kind: "score" });
  });
  it("does not confuse 'shots' (count) with a shot-type", () => {
    expect(parseQuery("over 10 shots").unavailable).toEqual([]);
  });
  it("a pure unavailable query is not recognized as actionable", () => {
    const q = parseQuery("rallies with drops");
    expect(q.recognized).toBe(false);
    expect(q.unavailable).toContainEqual({ token: "drops", kind: "shot-type" });
  });
});

describe("parseQuery ? unrecognized / empty input", () => {
  it("returns recognized=false with nothing to apply", () => {
    for (const s of ["", "   ", "hello there", "asdf"]) {
      const q = parseQuery(s);
      expect(q.recognized).toBe(false);
      expect(q.filters).toEqual([]);
      expect(q.sort).toBeUndefined();
      expect(q.limit).toBeUndefined();
    }
  });
});

describe("sortRallies", () => {
  it("sorts by duration desc / asc, stably", () => {
    expect(sortRallies(RALLIES, { key: "duration", dir: "desc" }).map((r) => r.id)).toEqual([6, 3, 5, 1, 2, 4]);
    expect(sortRallies(RALLIES, { key: "duration", dir: "asc" }).map((r) => r.id)).toEqual([2, 4, 1, 5, 3, 6]);
  });
  it("puts rallies with a missing field LAST regardless of direction", () => {
    // rally 4 has no shot_count ? last whether asc or desc.
    expect(sortRallies(RALLIES, { key: "shot_count", dir: "desc" }).map((r) => r.id)).toEqual([6, 3, 5, 1, 2, 4]);
    expect(sortRallies(RALLIES, { key: "shot_count", dir: "asc" }).map((r) => r.id)).toEqual([2, 1, 5, 3, 6, 4]);
  });
  it("does not mutate the input array", () => {
    const ids = RALLIES.map((r) => r.id);
    sortRallies(RALLIES, { key: "duration", dir: "desc" });
    expect(RALLIES.map((r) => r.id)).toEqual(ids);
```

```
    });
  });

  describe("runQuery ? end to end", () => {
    it("selects every rally over 10s, in chronological order (no sort)", () => {
      const { ordered, selectedIds } = runQuery(RALLIES, parseQuery("over 10s"));
      expect(ordered.map((r) => r.id)).toEqual([1, 2, 3, 4, 5, 6]); // unsorted ? input order
      expect(selectedIds).toEqual([3, 5, 6]); // 21s, 12s, 29s
    });
    it("'top 3 longest' sorts all and selects the 3 longest", () => {
      const { ordered, selectedIds } = runQuery(RALLIES, parseQuery("top 3 longest"));
      expect(ordered.map((r) => r.id)).toEqual([6, 3, 5, 1, 2, 4]); // all, longest-first
      expect(selectedIds).toEqual([6, 3, 5]);
    });
    it("a shot filter excludes rallies that have no shot_count", () => {
      const { selectedIds } = runQuery(RALLIES, parseQuery("at least 10 shots"));
      expect(selectedIds).toEqual([3, 5, 6]); // rally 4 (no shot_count) excluded
    });
    it("filter + limit interact (longest 2 of the >10s rallies)", () => {
      const { selectedIds } = runQuery(RALLIES, parseQuery("over 10s top 2"));
      expect(selectedIds).toEqual([6, 3]); // sorted longest-first then capped at 2
    });
    it("an unrecognized query selects nothing and leaves order untouched", () => {
      const { ordered, selectedIds } = runQuery(RALLIES, parseQuery("smashes only"));
      expect(selectedIds).toEqual([]);
      expect(ordered.map((r) => r.id)).toEqual([1, 2, 3, 4, 5, 6]);
    });
  });

  describe("labels", () => {
    it("filterLabel renders honest field + symbol + unit", () => {
      expect(filterLabel({ field: "duration", op: ">", value: 10 })).toBe("length > 10s");
      expect(filterLabel({ field: "shot_count", op: ">=", value: 8 })).toBe("shots ? 8");
    });
    it("sortLabel reads naturally for every key/dir", () => {
      expect(sortLabel({ key: "duration", dir: "desc" })).toBe("longest first");
      expect(sortLabel({ key: "duration", dir: "asc" })).toBe("shortest first");
      expect(sortLabel({ key: "start_time", dir: "desc" })).toBe("newest first");
      expect(sortLabel({ key: "start_time", dir: "asc" })).toBe("oldest first");
      expect(sortLabel({ key: "shot_count", dir: "desc" })).toBe("most shots first");
      expect(sortLabel({ key: "shot_count", dir: "asc" })).toBe("fewest shots first");
    });
    it("summarize lists filter, sort and limit clauses", () => {
      expect(summarize(parseQuery("over 10s top 5"))).toEqual(["length > 10s", "longest first", "top 5"]);
      expect(summarize(parseQuery("hello"))).toEqual([]);
    });
  });

```

6. assistant (2026-06-20T16:36:53.238Z)

Now let me trace the exact input `min 5` through the real regex logic to verify the finding's central claim.

The finding claims `parseQuery("min 5")` ? `{filters:[{field:'duration',op:'>=',value:5}]}`.

Let me trace carefully:

1. Normalized: `"min 5"` (lowercase, no commas, single spaces).
2. LEADING patterns run in order. The second entry is `lead("no less than|no fewer than|at least|minimum(?: of)?|min|>=", ">=")`.
   - Regex: `(?:no less than|no fewer than|at least|minimum(?: of)?|min|>=)\s*(\d+(?:\.\d+)?)(?:\s*(shots?|seconds?|secs?|minutes?|mins?|min|m|s)\b)?` with `g`

flag.
   - Against `"min 5"`: The alternation will try to match. `min` matches the `min` alternative. Then `\s*` matches the space, `(\d+...)` matches `5`. UNIT is optional and there's no trailing unit. So this matches `min 5`, captures num=`5`, unit=`undefined`, op=`>=`.
   - `makeFilter("5", undefined, ">=")` ? not shots, `toSeconds(5, undefined)` = 5 ? `{field:'duration', op:'>=', value:5}`. ?

Let me verify there's no earlier LEADING pattern that would interfere. The first is the `<=` group: `no more than|at most|maximum(?: of)?|max|up to|<=` ? none match `min`. So the `>=` group catches it. Confirmed.

Now the secondary claim: `"min 5 min"` ? `duration>=300`.

3. Normalized: `"min 5 min"`.
   - The `>=` LEADING regex (global): first match attempt. The regex engine scans left to right. At position 0, `min` matches the `min` alternative, then `\s*` ? space, `\d+` ? `5`, then UNIT optional: `\s*(...)\b` ? after `5` there's ` min`. UNIT tries to match ` min`: `\s*` matches the space, then `(shots?|seconds?|secs?|minutes?|mins?|min|m|s)` ? `min` matches the `min` alternative, `\b` after. So UNIT captures `min`.
   - So the full match is `min 5 min`, num=`5`, unit=`min`.
   - `makeFilter("5", "min", ">=")`: not shots; `toSeconds(5, "min")` ? `/^m/.test("min")` true ? `5*60 = 300`. ? `{field:'duration', op:'>=', value:300}`. ?

So the finding's reproduction is accurate. Let me double check the test file ? there is NO test pinning the `min` reading (no `"min 5"` test). The finding's point about lack of test/transparency holds. Let me also verify the pill rendering claim ? `filterLabel` for `{field:'duration', op:'>=', value:5}` renders `"length ? 5s"` (line 256). So there IS a pill that would show `length ? 5s` ? the finding's "no pill cue" claim is partially overstated; the pill does render `length ? 5s` which would let a user notice the misread. Let me check the QueryBar to confirm the pill is actually shown.

7. user (2026-06-20T16:36:53.453Z)

```
// The fast-entry query bar (PER_RALLY_SELECTION.md P3). A deterministic, OFFLINE parser turns
// plain text ("top 15 longest", "over 10s") into a selection over the SAME shared set the
// checkboxes use. It is honest by construction: a live "parsed-pill" shows exactly how the
// text was understood, and concepts with no data behind them (shot-type / player / score) are
// greyed out as "not available yet" ? never silently faked.
import { useMemo, useState } from "react";
import type { FormEvent } from "react";
import { parseQuery, summarize } from "../lib/query";
import type { ParsedQuery } from "../lib/query";

interface Props {
  /** Apply a parsed query to the rally set (App runs runQuery + writes the shared selection). */
  onApply: (q: ParsedQuery) => void;
}

// Each example is a real, parseable query ? tapping one fills the box AND applies it.
const EXAMPLES = ["over 10s", "top 15 longest", "shortest first", "at least 8 shots", "first 10"];

const CHIP = "rounded-full px-2.5 py-0.5 text-xs font-medium";

export function QueryBar({ onApply }: Props) {
  const [value, setValue] = useState("");
  const parsed = useMemo(() => parseQuery(value), [value]);
  const clauses = summarize(parsed);
  const typed = value.trim().length > 0;

```

```
  const applyText = (text: string) => {
    setValue(text);
    onApply(parseQuery(text));
  };
  const submit = (e: FormEvent) => {
    e.preventDefault();
    if (parsed.recognized) onApply(parsed);
  };

  return (
    <div>
      <form onSubmit={submit} className="flex flex-wrap items-center gap-2">
        <input
          type="text"
          value={value}
          onChange={(e) => setValue(e.target.value)}
          placeholder="e.g. over 10s · top 15 longest · at least 8 shots"
          aria-label="Filter rallies by length, count or order"
          className="min-w-[16rem] flex-1 rounded-xl border border-black/15 bg-white px-4 py-2 text-sm text-ink outline-none focus:border-green"
        />
        <button
          type="submit"
          disabled={!parsed.recognized}
          className="rounded-xl bg-ink px-4 py-2 text-sm font-semibold text-white disabled:opacity-40"
        >
          Apply
        </button>
      </form>

      {/* Live interpretation ? transparent + hand-correctable (no hidden NL guessing). */}
      <div aria-live="polite" data-testid="query-pill" className="mt-2 flex flex-wrap items-center gap-1.5">
        {clauses.map((c) => (
          <span key={c} className={CHIP + " bg-green/15 text-green"}>
            {c}
          </span>
        ))}
        {parsed.unavailable.map((u) => (
          <span
            key={u.token}
            title={`"${u.token}" needs ${u.kind} detection ? not available yet`}
            className={CHIP + " bg-black/5 text-ink/45"}
          >
            <span className="line-through">{u.token}</span> · not available yet
          </span>
        ))}
        {typed && !parsed.recognized && parsed.unavailable.length === 0 && (
          <span className="text-xs text-ink/50">Couldn't read that ? try ?over 10s? or ?top 15 longest?.</span>
        )}
        {!typed && <span className="text-xs text-ink/50">Type a quick filter, or tap an example.</span>}
      </div>

      <div className="mt-3 flex flex-wrap gap-2 text-sm">
        <span className="text-ink/40">Try:</span>
        {EXAMPLES.map((ex) => (
          <button
            key={ex}
            type="button"
            onClick={() => applyText(ex)}
            className="rounded-full border border-black/15 px-3 py-1 text-xs
```

```
hover:border-green"
86                >
87                  {ex}
88                </button>
89              ))}
90            </div>
91          </div>
92        );
93      }
94
```

8. assistant (2026-06-20T16:37:01.845Z)

This confirms the pill IS rendered live via `summarize` ? `clauses.map` (lines 24, 58-62). So for `min 5`, the pill would show `length ? 5s`. The finding's suggested fix actually acknowledges this ("ensure the parsed-pill renders 'length ? 5s'") ? and it already does. So there IS transparency: a user typing `min 5` sees a green pill `length ? 5s`, which exposes the misread.

Now let me check the design contract to see what the documented intent for `min` is, and whether `min`/minutes ambiguity is addressed.

9. user (2026-06-20T16:37:02.294Z)

```
1       # Interactive per-rally selection ? reel builder (RallyPicker)
2
3       > **Status:** `IN PROGRESS` ? design **APPROVED by owner 2026-06-20**; building the MVP (P1?P5). Downstream milestones (multi-video auth, per-rally preview endpoint, any `/api/compile` default change) remain owner-gated. · **Owner:** Avi · **Created:** 2026-06-20 · **Last updated:** 2026-06-20
4       > **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
5       > **Tracking anchors:** §7 progress tracker is the source of truth; indexed in `docs/README.md`; pointer in `NEXT_STEPS.md` + memory `current-state` once work starts.
6       > **Relation:** second major tracked work item in the `khelsutra` repo (peer of `REQUEST_ACCESS_FORM.md`); mirrors the engine repo's `PROJECT_DOC_TEMPLATE` discipline. Primarily realizes alpha screen **A5 Highlights** (engine repo `UI_PROPOSAL.md:47`, exec-plan **M4** `UI_ALPHA_EXECUTION_PLAN.md:39`); its correction-loop extension realizes **A4 Rally Review** (`UI_PROPOSAL.md:46`, exec-plan **M3** `:38`). Consumes the engine's `/api/query` + `/api/compile` contract.
7       > **Honesty note:** every engine-fact claim is tagged `[verified]` (read against engine code this session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not legal/financial advice.
8
9       ---
10
11      ## 0. TL;DR
12      Build the **pick-rallies ? reel** surface as a **hybrid**: a selectable rally **list/grid** is the workhorse; a **deterministic query bar** ("rallies over 10s, longest first") pre-selects into the **same** selection set; a sticky footer compiles the selection into one downloadable MP4. The entire MVP runs on **existing engine endpoints** ? `POST /api/query` ? `POST /api/compile` ? `GET /api/highlights` `[verified backend/main.py:331-340, 342-396, 307-328]` ? with **zero new engine intelligence and zero new endpoints**. The single most important caveat: queries and chips are scoped to **length / count / order / shot-count only**; shot-type, player, and score are **roadmap-only** (no detector, no column) and must not be faked. The biggest UX-vs-effort tension: **no per-rally preview is possible today** ? only the *final compiled reel* can stream ? so MVP selects on text metadata, and visual preview/timeline is a deliberate later milestone.
13
14      ## 1. Problem & goal
15      Today the alpha can detect rallies and stitch a reel, but reel-building is either a **silent `stitching.min_shot_count` threshold** `[verified backend/main.py:362-383]` or a static checkbox list whose data plumbing is even broken ? the bundled static UI reads `data.rallies` while the API returns `play_segments`, so it renders nothing `[verified backend/api/static/app.js:344 vs backend/main.py:340]`. The owner's framing is **dynamic per-
```

video selection, not a fixed threshold**: a coach should say "give me the long rallies from this session" and get exactly those, then fine-tune by hand.
16
17 **The concrete outcome ("good"):** A coach uploads a 40-minute session; the engine finds 60 rallies. They type *"top 15 longest"*, eyeball the auto-selected cards, untick two warm-up rallies, name it *"Tuesday ? long points"*, and download a ~6-minute reel ? without learning any threshold knob.
18
19 **Goal:** the smallest *honest* surface that turns engine-detected rallies into a user-curated, downloadable reel, with both **fast** (query) and **precise** (checkbox) selection sharing **one** state.
20
21 **Non-goals (alpha):** no conversational LLM (`UI_PROPOSAL.md:66` defers it); no shot-type/player/score filters (no data exists); no per-rally video preview while it requires unbuilt streaming; no multi-tenant auth (single-box alpha).
22
23 ## 2. Decisions locked
24 | # | Decision | Source / date | Implication |
25 |---|----------|---------------|-------------|
26 | D1 | Dominant surface = selectable rally **list/grid** | Synthesis 2026-06-20 (Grid scored 15, fit-to-data 4) | Scales to long matches via bulk+filter; shows honest fields only |
27 | D2 | Fast entry = **deterministic** client-side `parseQuery()` (no LLM) | `[verified UI_PROPOSAL.md:66]` conversational QA deferred | Predictable, unit-testable, offline, zero API cost |
28 | D3 | **One** shared `Set<segment_id>`, mutated by query + checkbox + (future) timeline | Synthesis 2026-06-20 | No second compile path can diverge from what the user sees |
29 | D4 | Compile via existing `POST /api/compile {video_id, segment_ids, output_filename}` | `[verified backend/main.py:342-396]` | Selection order is harmless ? stitcher `_merge_overlapping` de-dupes `[verified compiler.py:80-105, 311-317]` |
30 | D5 | Query grammar (alpha) = length, count, order, **shot_count only** | `[verified database.py:122-135, gemini.py:470-485]` | Only fields the payload actually returns; grey out the rest |
31 | D6 | MVP backend = **zero new endpoints** | `[verified]` reuse map (§4) | Ships the full loop on the already-shipped contract |
32 | D7 | Replace the silent `min_shot_count` cut with **explicit user selection** | Owner framing + `[verified main.py:362-383]` | UI *warns* about the floor; it never hides why a rally vanished |
33 | D8 | **Default selection = ON** (curate-by-removal) | Owner 2026-06-20 | Rallies load all-selected (matches today's "all rallies" reel); user removes warm-ups. Footer/empty UX assumes a non-empty start |
34 | D9 | **Preview-before-select is NOT a ship-blocker** for the MVP | Owner 2026-06-20 | MVP selects on text metadata + previews the *final compiled reel*; the source/clip-stream endpoint (per-rally preview) is the next milestone (P9), not MVP |
35 | D10 | **MVP is job-tethered** (carry `result.video_id`); no `GET /api/videos` | Owner 2026-06-20 | Smallest honest slice; multi-video home + identity scoping is P8 (gated) |
36 | D11 | `min_shot_count`: **warn, do NOT override** in the MVP | Owner 2026-06-20 | The UI surfaces the floor; an explicit-selection override of the compile default is deferred (would trigger the Launch Report convention) |
37
38 ## 3. Foundation ? what the engine gives us today `[verified this session]`
39 The whole design rests on the engine's real, already-shipped contract. Read against the engine repo (`badminton-highlight-indexer`):
40
41 - **The rally store is `play_segments`** ? columns `id, video_id, start_time, end_time, duration, server, receiver, metadata` `[verified database.py:124-135]`. `id` is the integer the UI selects and passes to compile; `start_time/end_time/duration` are REAL seconds (duration computed at insert).
42 - **Listing rallies = `POST /api/query {video_id}` ? `{play_segments:[...]}`** ? the *only* rally-list path today; it JSON-parses `metadata` and joins `events` `[verified main.py:331-340, database.py:427-475]`.
43 - **Building a reel = `POST /api/compile {video_id, segment_ids:[int], output_filename}`** ? loads `videos.filepath`, filters all segments to the requested `segment_ids`, applies the `min_shot_count` floor, extracts `time_pairs=[(start,end)]`, and calls `VideoCompiler.compile_highlights(raw_path, segments, name)` `[verified main.py:342-396, compiler.py:303]`, which **merges overlaps** then per-clip re-encodes ? concat ? one MP4

`[verified compiler.py:311-317]`. Selection order/duplicates are therefore safe.
- **Downloading = `GET /api/highlights/{video_id}/{filename}`** ? streams the compiled MP4. Compile returns a **server-local filepath, NOT a URL** `[verified main.py:394]`, so the SPA constructs this download URL itself. The compiled reel is the **only streamable video that exists today** `[verified main.py:307-328]`.
- **The floor knob is readable** ? `GET /api/config` exposes `stitching.min_shot_count` `[verified main.py:121-123]`, so the UI can warn before a selected rally is silently dropped.
- **Job entry** ? `GET /api/jobs/{job_id}` returns `result.video_id` `[verified main.py:274-293]`, which is how the MVP reaches a video without a (nonexistent) list-videos endpoint.

Honest fields vs fabricated/roadmap (critical for the UI):
- **Honest today** (default `default_segmenter: "gemini"`, per `config.json` `[verified]`): `start_time`, `end_time`, `duration`, and `metadata.shot_count` (Gemini's `shuttle_exchange_count`, fallback `max(3, int(dur/0.8))`) + `metadata.shot_count_confidence` (a **string**, often `"Unknown"`) `[verified gemini.py:470-485]`. On the gemini path `server`/`receiver` are written `None` ("no fabricated data") `[verified gemini.py:480-487]`.
- **Fabricated ? do NOT surface:** the `motion` demo segmenter fills `server`/`receiver` via `random.sample(...)`, a random `shot_count`, and random `events` (serve/smash/foul/winner) `[verified motion.py:191-198]`. `query` returns these columns + `events`, but they are not ground truth and must stay hidden.
- **Roadmap ? no column, no detector:** shot-type per shot, player identity, match/point score, game/set grouping. None exist anywhere in the schema; do not consume them `[verified database.py whole-schema 122-148]`.
- **Correction-loop columns exist but are dead:** `candidate_segments.human_label/notes/confirmed_segment_id` are defined but no endpoint writes them `[verified database.py:166-168]` ? that's the M4 corpus extension (engine PR-4/B6, `UI_ALPHA_EXECUTION_PLAN.md`).

4. Design / architecture

Reuse map (existing ? `[verified]`, no change for MVP): `POST /api/query` (list) ? `POST /api/compile` (stitch) ? `GET /api/highlights/{video_id}/{filename}` (download); `GET /api/config` (floor) ; `GET /api/jobs/{id}` (carry `result.video_id`). **All net-new code is the SPA** in `khelsutra` `web/` (Vite + React + TS + Tailwind, per `web/README.md`), plus a small set of *optional* real-gap engine enablers (§4.3) ? none required for MVP.

4.1 Components (net-new SPA)
- **QueryBar + `parseQuery()`** ? a *pure, deterministic, unit-tested* string ? `{filter, sort}` compiler over `duration` / `ordinal` / `shot_count`. Renders a **parsed-pill** ("filter: duration > 10s · sort: duration desc") so the interpretation is transparent and hand-correctable; greys out shot-type/player/score tokens with an inline "not available yet". No LLM, no network call.
- **RallyList/Grid** ? one card per `play_segment`: ordinal (by `start_time`), `mm:ss` start, duration (`end?start`), and a shot-count + confidence chip **only when `metadata.shot_count` is present** (absent on detector paths that don't write it). Checkbox per card; the thumbnail area is a placeholder (no endpoint yet).
- **`useRallySelection()` hook** ? owns `selectedIds:Set<number>`, `displayOrder`, `apply(queryResult)`, `toggle(id)`, and bulk Select-all / Clear / Invert. Unit-tested (matches the exec-plan's "API client + review-state logic" bar).
- **SelectionFooter (sticky)** ? live "N clips / total M:SS"; a **`min_shot_count` warning** when a selected rally would be dropped at compile (read from `GET /api/config`); reel-name input; one **Build** button.
- **CompileResult** ? `<video src=GET /api/highlights/...>` preview of the *compiled reel* + a download link.
- **TypedApiClient** ? `query`, `compile`, `buildDownloadUrl`; the typed seam to the engine.

4.2 Data flow `[verified anchors inline]`
Gemini segmenter (process time) writes `play_segments {id, start/end_time, duration, metadata.shot_count/confidence/detector}` `[gemini.py:461-498]`
? SPA `POST /api/query {video_id}` ? `{play_segments:[...]}` `[main.py:331-340]` (**fix** the static UI's `data.rallies` read ? `play_segments` `[app.js:344]`)
? normalize to `RallyCard[]` + one shared `selectedIds:Set`; `server`/`receiver`/`events` are present in the payload but motion-only fabrications ? **not

surfaced** `[motion.py:191-198]`
? all input modes mutate the **same** `selectedIds`: (a) `parseQuery()` predicate over duration/ordinal/shot_count; (b) checkbox toggle + bulk ops; (c) *(post-MVP)* timeline band
? footer recomputes count + ?duration **client-side**, and warns for any selected rally with `shot_count < stitching.min_shot_count` `[main.py:362-383]`
? **Build** ? `POST /api/compile {video_id, segment_ids: [...selectedIds], output_filename}` ? stitcher de-dupes via `_merge_overlapping` `[compiler.py:311-317]`, cuts `time_pairs` from `videos.filepath`, re-encodes per clip ? concat ? one MP4 `[main.py:386-393, compiler.py:303]`
? compile returns a **server-local filepath, not a URL** `[main.py:394]` ? SPA builds `GET /api/highlights/{video_id}/{output_filename}` to preview in `<video>` + download `[main.py:307-328]`.

4.3 Engine API additions (none for MVP; tagged against real gaps)
Endpoint	Purpose	Status
`POST /api/query`	List rallies (only path) ? fix SPA to read `play_segments`	**exists**
`POST /api/compile`	Stitch selected `segment_ids` ? MP4	**exists**
`GET /api/highlights/{video_id}/{filename}`	Stream/download compiled reel	**exists**
`GET /api/config`	Read `stitching.min_shot_count` for the warning	**exists**
`GET /api/jobs/{job_id}`	Carry `result.video_id` into the picker	**exists**
`POST /api/compile` ? add `download_url`	Return `/api/highlights/...` so SPA stops hand-building it (additive, low-risk; today returns only a filepath `main.py:394`)	**modify**
`GET /api/health`	Engine-offline banner ping the SPA is specified to use (`HOSTING_PLAN.md:42`)	**new**
`GET /api/videos/{video_id}/rallies`	RESTful/cacheable alias returning the same `{play_segments}` shape	**new**
`GET /api/videos`	List a user's videos for a Match picker (only `get_video(id)` exists, `database.py:418`) ? needs DB enumerate + identity scoping	**new**
`GET /api/videos/{video_id}/source` (Range) *or* `/clip?start=&end=`	Stream source/per-span video so a rally previews before selection ? neither exists	**new**
`GET /api/videos/{video_id}/rallies/{segment_id}/thumbnail`	Per-rally poster still (no thumbnail column; WASB frames are transient)	**new**
`PATCH /api/segments/{id}`	Persist accept/reject/nudge ? `candidate_segments.human_label/notes/...` (columns exist, unwritten ? corpus loop)	**new**

? Dead-ends / do-NOT: never surface `server`/`receiver`/`events` (motion-only randoms `[motion.py:191-198]`); never consume shot-type/player/score (no data); never render a confidence **meter** ? `shot_count_confidence` is a Gemini *string* (often `"Unknown"`) and `play_segments` has **no** numeric confidence column.

5. Risk table
Risk	Severity	Mitigation
No source/clip/frame/thumbnail endpoint ? only compiled reels stream `[main.py:307-328]`	High (UX)	MVP selects on text metadata + previews the *final* reel; preview/timeline deferred to M3 behind a new endpoint
`min_shot_count` silently drops selected rallies `[main.py:362-383]`	High (looks broken)	Footer warns *before* Build; D7 makes selection explicit; an override is an owner gate (Launch-Report-worthy `[memory: launch-report-convention]`)
No match-duration field ? a timeline must derive `total = max(end_time)`, mis-rendering pre/post dead air	Med	Timeline deferred to M3; never over-promise it as a true scrubber until source streams
`shot_count` is an *estimate* (`shuttle_exchange_count` w/ `max(3,int(dur/0.8))` fallback) `[gemini.py:470-485]`	Med	Label "approx."; confidence shown as the raw string, not a meter
No auth / user scoping anywhere (CORS `*`, `videos.user_id` never set/filtered)	High for multi-tester	Fine for single-box local alpha; a ship-blocker for any shared host ? gate `GET /api/videos` behind PR-3 scoping
compile returns a filepath not a URL `[main.py:394]`	Low	Client builds the URL for MVP; `download_url` field (M1) removes the brittleness
Surface sprawl (query + grid + future timeline + future correction)	Med	Deliberate

IA: query+grid = one screen; correction = separate ? corpus screen (owner call, §8) |
103
104 ## 6. Honest limits ? what this does NOT do
105 A green SPA build + passing `parseQuery`/selection unit tests prove the **picker logic only** ? **not** that the engine's rally boundaries are correct (the measured **rally-END** weakness is a separate quality track, unaffected by this UI). "Conversational" here means a **deterministic four-dimension parser**, not natural-language understanding. Nothing is implemented in `web/` yet ? this is `[design]`. The feature curates *what the engine already found*; it cannot surface a rally the detector missed, nor split/merge a mis-bounded one (that's the M4 correction loop).
106
107 ## 7. Deliverables & progress tracker ? **source of truth**
108 Legend: ? Todo · ? In progress · ? Done · ? Blocked/gated. **One small PR per row**, branched from `origin/master`, no stacking. CI (`npm test`) must stay green; merge to `master` auto-deploys the site (docs/`web/` changes don't touch the live `site/` Worker).
109
110 | ID | Deliverable | Depends on | Gated? | Status | PR |
111 |----|-------------|------------|--------|--------|----|
112 | P0 | This design doc + `docs/README.md` + `NEXT_STEPS.md` pointers | ? | No | ? | [#11](https://github.com/avidullu/khelsutra/pull/11) |
113 | P1 | SPA scaffold (Vite+React+TS+Tailwind) in `web/` + typed API client; dev proxy to engine `:8000` | P0 | No | ? | [#14](https://github.com/avidullu/khelsutra/pull/14) |
114 | P2 | RallyList/Grid (honest fields only) + `useRallySelection()` hook (unit-tested) | P1 | No | ? | [#21](https://github.com/avidullu/khelsutra/pull/21) |
115 | P3 | `parseQuery()` + parsed-pill + example chips (unit-tested; greys out unavailable tokens) | P2 | No | ? | (this PR) |
116 | P4 | SelectionFooter + `min_shot_count` warning (from `GET /api/config`) | P2 | No | ? | ? |
117 | P5 | Build ? `POST /api/compile` ? client-built download URL + `<video>` preview of the reel | P2 | No | ? | ? |
118 | P6 | *(engine repo)* `GET /api/health` + offline banner; `/api/compile` returns `download_url` | ? | No | ? | ? |
119 | P7 | *(engine repo)* `GET /api/videos/{id}/rallies` RESTful alias | ? | No | ? | ? |
120 | P8 | *(engine repo)* `GET /api/videos` + PR-3 identity scoping ? A1 Matches screen | P7 | ? owner | ? | ? |
121 | P9 | *(engine repo)* source/clip stream + timeline + per-rally preview/thumbnail | P8 | ? owner | ? | ? |
122 | P10 | *(engine repo)* `PATCH /api/segments/{id}` corpus loop (PR-4/B6) ? A4 Rally Review | P9 | ? owner | ? | ? |
123
124 **Milestone rollup:** **M0/MVP = P1?P5** (pick?reel on existing API, zero new engine endpoints) · **M1 = P6?P7** (RESTful + reliability polish) · **M2 = P8** (multi-video home) · **M3 = P9** (per-rally preview/timeline) · **M4 = P10** (corpus correction loop) · **M5** = swap `parseQuery()` for localized NL behind the same seam (gated on shot/player data landing).
125
126 ## 8. Open questions ? owner / external
127 **Blocking gates ? ? RESOLVED 2026-06-20 (owner) ? see D8?D11 in §2:**
128 1. ~~Default selection ON vs OFF?~~ ? **ON / curate-by-removal** (D8).
129 2. ~~Is preview-before-select a ship-blocker?~~ ? **No**; text-metadata MVP, preview is P9 (D9).
130 3. ~~Job-tethered vs multi-video MVP?~~ ? **Job-tethered** (D10).
131 4. ~~`min_shot_count` override?~~ ? **Warn, don't override** in MVP (D11).
132
133 **Still open (nice-to-knows, non-blocking):**
134 5. May user-facing copy call `parseQuery()` "conversational", given conversational QA is explicitly deferred (`UI_PROPOSAL.md:66`)? Risk of over-promising NL. *Owner positioning/honesty call.* *(Lean: avoid the word; show the parsed-pill instead.)*
135 6. One screen for query+grid (recommended) vs a separate ? corpus/correction screen for A4? *Owner positioning call.*
136
137 ## 9. Definition of done
138 - [ ] From a finished job, a user can list rallies, query/select, and download a reel ? on **existing** endpoints.
139 - [ ] Only honest fields (ordinal / duration / shot_count+confidence-when-present) are shown; fabricated `server`/`receiver`/`events` are hidden.

140   - [x] `parseQuery()` covers length/count/order/shot_count, greys out unavailable tokens, shows a visible parsed-pill, and is unit-tested. *(P3)*
141   - [ ] Selection hook is unit-tested; the `min_shot_count` floor is surfaced, not hidden.
142   - [ ] `npm run build` (and `npm test`) clean; the static UI's `data.rallies` bug is gone (or the static UI is superseded by the SPA).
143   - [ ] §7 tracker + this DoD updated; doc archived when P1?P5 land (MVP).
144
145   ## 10. References
146   **Engine code anchors `[verified this session]`:** `backend/main.py:121-123` (config), `:274-293` (jobs), `:307-328` (highlights download), `:331-340` (query), `:342-396` (compile + `min_shot_count` floor + filepath-not-URL); `backend/infrastructure/database.py:124-135` (play_segments), `:166-168` (dead correction columns), `:418` (no list-videos), `:427-475` (query read path + events join); `backend/pipeline/segmenters/gemini.py:461-498, 470-485` (honest shot_count, server/receiver=None); `backend/pipeline/segmenters/motion.py:191-198` (fabricated fields); `backend/pipeline/stitcher/compiler.py:80-105, 303, 311-317` (merge/de-dupe + entrypoint); `backend/api/static/app.js:344` (`data.rallies` bug); `config.json` (`default_segmenter: "gemini"`).
147   **Engine docs:** `UI_PROPOSAL.md:46-47, 66`; `UI_ALPHA_EXECUTION_PLAN.md:38-39`; `HOSTING_PLAN.md:42`; `OWNED_MODEL_IMPLEMENTATION_PLAN.md:54-55` (conversational seam built now, model punted). **This repo:** `web/README.md`, `REQUEST_ACCESS_FORM.md`.
148
149   ---
150   ### Changelog
151   - 2026-06-20 ? Initial `DRAFT`. Consolidated three candidate designs (Timeline / Grid / RallyPicker) into the hybrid recommendation via a multi-agent design pass; every engine-fact anchor re-verified against source before writing.
152   - 2026-06-20 ? Owner **approved** the recommendations; locked D8?D11 (default ON · preview not a ship-blocker · job-tethered MVP · warn-don't-override the floor); status `DRAFT ? IN PROGRESS`; P0 done.
153   - 2026-06-20 ? **P3 shipped**: deterministic `parseQuery()` (`web/src/lib/query.ts`) over length/count/order/shot_count + `runQuery`/`sortRallies`/label helpers (35 unit tests) and the `QueryBar` (live parsed-pill, example chips, greyed "not available yet" for shot-type/player/score ? never faked). Writes the shared selection set via a new `useRallySelection().apply`; `RallyGrid` ordinals made stable so a re-sort doesn't renumber cards. Live browser CUJ replayed (filter / top-N / honest-greying / untick / no-op). Suite 51 green, typecheck + build clean.
154

10. assistant (2026-06-20T16:37:16.791Z)

I now have full context. Let me assess the finding.

The core reproduction claims are accurate:
- `parseQuery("min 5")` ? `{filters:[{field:'duration',op:'>=',value:5}]}` ? VERIFIED. `min` is registered as a leading `>=` alias (line 74), matches before the number, no trailing unit, so it yields `duration >= 5` (5 seconds).
- `parseQuery("min 5 min")` ? `duration >= 300` ? VERIFIED. First `min` = comparator, second `min` = minute unit, `5 * 60 = 300`.

Now I'll evaluate the finding's framing about transparency. The finding's title and `why` claim "no transparency for the minutes reading" and "no pill cue distinguishing it." But the code DOES render a live pill: `summarize()` ? `filterLabel()` ? `"length ? 5s"` (query.ts:256), wired into QueryBar.tsx lines 24, 58-62. So a user typing `min 5` sees a green chip reading `length ? 5s`, which exposes the chosen reading. The finding's own suggested fix even says "ensure the parsed-pill renders 'length ? 5s'" ? which already happens. So the "no transparency" part is overstated.

However, the finding's defensible core is narrower and correct: `min` is genuinely ambiguous (minimum vs minutes), the parser silently commits to `min = minimum`, and there is **no test pinning this choice** (confirmed: no `min 5` test in query.test.ts). The design contract (D5, §3) documents only the field axes, not the `min` token disambiguation ? there's no documented intent that says "min always means minimum." This is a real, defensible nit/minor: an unguarded ambiguity that a future alias edit could silently flip.

Assessment: the behavior reproduces exactly as claimed (is_real=true), but the severity is

overstated as "minor." Given that:
- `min = minimum` is a defensible default and matches the QueryBar examples ("at least 8 shots"),
- the pill DOES surface the reading transparently (contradicting part of the finding's rationale),
- the only genuine gap is a missing pinning test for an unguarded ambiguity,

this is best characterized as a **nit** rather than minor. It's real but low-impact. I'll set is_real=true, downgrade severity to nit, and correct the transparency overstatement in my reasoning.

11. user (2026-06-20T16:37:31.067Z)

Structured output provided successfully

12. assistant (2026-06-20T16:37:43.146Z)

I've completed the verification of this finding. My answer is in the StructuredOutput call above.

Summary: The finding is **real** (is_real=true) but I downgraded the severity from **minor** to **nit**.

The reproduction holds exactly:
- `parseQuery("min 5")` ? `{field:'duration', op:'>=', value:5}` (5 seconds), because `min` is a LEADING `>=` comparator alias at `C:/Users/avidu/Projects/khelsutra/web/src/lib/query.ts:74` that is consumed before any unit parsing, so it can never reach the `min` minute-unit branch in UNIT (line 57).
- `parseQuery("min 5 min")` ? `duration>=300`, with the first `min` as comparator and the second as the minute unit ? correct only by left-to-right ordering luck.

One correction to the finding's rationale: its "no transparency / no pill cue" claim is **overstated**. `QueryBar.tsx` (lines 24, 58-62) renders a live parsed-pill via `summarize()` ? `filterLabel()`, so `min 5` surfaces a green chip reading `length ? 5s` (`query.ts:256`), which does expose the chosen reading to the user. The genuinely defensible gap is narrower: there is no test in `query.test.ts` pinning the `min` reading, and neither the code nor the design contract records `min`=minimum as intended ? so a future alias edit could flip it unnoticed. That makes it a nit (missing regression guard on a defensible default), not a minor bug.