# claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

## Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a88cec02855908754.jsonl`
- SHA-256: `b03bf519826ed32edaa965fe9c11719cd9fa633e781e9183a5e6c494440e60ef`
- Source modified: `2026-07-02T03:00:40+00:00`
- Imported at: `2026-07-05T16:48:24+00:00`
- project: `wf_41c8dc8a-8a4`
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`

## Transcript

#### 1. user (2026-07-02T02:58:05.138Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.
A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer:


```
{
  "title": "ci.yml/nightly.yml lane drift predicted by #384 has now materialized (link-check missing from nightly, timeout divergence, duplicated coverage floor)",
  "category": "ci-infra",
  "severity": "P1",
  "file": ".github/workflows/nightly.yml",
  "line": 12,
  "evidence": "ci.yml:53-63 added a link-check job (commit af1ccbe, PR #402, 2026-06-30) that nightly.yml does not mirror; nightly.yml:12-16 still claims 'every OFFLINE guard job from ci.yml is mirrored here' and its notify-on-failure needs list (nightly.yml:234) has no link-check; timeouts have also diverged (license-scan: ci.yml:187=15min vs nightly.yml:171=10min; build-artifact: ci.yml:214=30min vs nightly.yml:197=20min); coverage floor 70 is a duplicated literal (ci.yml:145, nightly.yml:139) that nightly.yml:22-23 itself flags as not single-sourced",
  "why_it_matters": "Issue #384 predicted exactly this: copied lanes silently drift. The drift is no longer hypothetical ? the nightly's parity claim is false, and the next coverage-floor ratchet in ci.yml would leave nightly enforcing a stale floor with nobody noticing (the nightly's whole purpose is catching rot during quiet periods).",
  "proposed_fix": "Do the #384 refactor now: extract the shared offline guard lanes into .github/workflows/_offline-guards.yml exposed via workflow_call with the coverage floor as an input, and have both ci.yml and nightly.yml call it (add link-check to the shared set or document why it is per-PR-only); fix the stale parity comment in nightly.yml:12-16 either way.",
  "effort": "M",
  "tracked_in": "https://github.com/Khelsutra/badminton-highlight-indexer/issues/384"
}
```


Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer, C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator, C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field; non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup', C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast).
VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training, product/strategy/licensing, real cloud spend, counsel ToS/DPA?
HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you

personally saw the defect/debt in current code; if you cannot reproduce the claim from the code, say REFUTED; if a commit fixed it, ALREADY_FIXED.

### 2. user (2026-07-02T02:58:14.532Z)

```
e410136 api: /api/videos surfaces fps + resolution (from the stored ffprobe details) (#413)
81a78bf api: /api/videos returns video_id + a friendly match_name (fix disappearing name) (#412)
8b16cf4 docs: reflect today's storage endpoints + the corpus/user-video boundary (#411)
aa915a7 deploy/gcp: centralize project + bucket names in one sourced buckets.env (#410)
52d97b5 P4: POST /api/assets ? store a video into the user's chosen medium (#409)
```

## master...origin/master

### 3. user (2026-07-02T02:58:15.136Z)

```
No files found
```

### 4. user (2026-07-02T02:58:22.037Z)

```
total 28
drwxr-xr-x 1 avidu 197609     0 Jul  2 08:13 .
drwxr-xr-x 1 avidu 197609     0 Jul  2 08:13 ..
-rw-r--r-- 1 avidu 197609 11709 Jul  2 08:13 ci.yml
-rw-r--r-- 1 avidu 197609 13032 Jun 29 13:47 nightly.yml
total 16
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:13 .
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:13 ..
-rw-r--r-- 1 avidu 197609 1080 Jul  2 08:13 PULL_REQUEST_TEMPLATE.md
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:13 workflows
```

### 5. user (2026-07-02T02:58:27.136Z)

```
name: CI

on:
  push:
    branches: [master]
  pull_request:

permissions:
  contents: read

concurrency:
  group: ci-${{ github.ref }}
  cancel-in-progress: true

jobs:
  # Lint gate (ruff.toml at repo root): pyflakes/pycodestyle + bugbear.
  # Also the repo-wide syntax guard ? ruff reports invalid-syntax on every
  # tracked .py, including scripts/ and training/, which the backend-only
  # py_compile smoke sweep does not reach.
  lint:
    name: Ruff lint
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install ruff
        run: python -m pip install ruff
      - name: Ruff check
        run: ruff check . --output-format github

```

```
  # PII / attribution leak guard (tools/leak_scan.py): fails on a committed 32-hex MD5
  # (the video_id shape) or a personal absolute user path in the shipped-code surface
  # (backend/training/scripts/tools/eval_baselines; tests/ excluded ? legit fixtures). Real
  # names are scanned only via a gitignored private list locally; CI runs the structural guard.
  leak-scan:
    name: Leak scan (PII / attribution guard)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Leak scan
        run: python -m tools.leak_scan

  # Internal-link guard (tools/check_md_links.py): fails on a broken internal markdown link
  # (missing file or dead #anchor) in a LIVE doc. docs/archives/** is excluded ? frozen
  # snapshots whose relative links are historical-by-design (see docs/DOC_STATUS.md §2).
  link-check:
    name: Markdown link check (live docs)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Check internal markdown links
        run: python -m tools.check_md_links

  # Type gate (mypy.ini at repo root): lenient green baseline with an explicit
  # per-module quarantine list ? ratchet by removing entries as modules clean
  # up. Typed core deps are installed so mypy sees their real signatures
  # (without them ignore_missing_imports would Any-stub half the checks).
  typecheck:
    name: Mypy (lenient baseline)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install mypy + typed core deps
        run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-genai numpy
      - name: Mypy
        run: mypy backend training

  # Fast guard against the 7fbbeb0 class of breakage: a SyntaxError or
  # module-level import error shipping while the suite stays green.
  # Deliberately does NOT install cv2/torch/numpy ? the smoke tests must hold
  # on machines without the GPU stack (test_import_smoke stubs what's absent).
  import-smoke:
    name: Syntax sweep + import smoke (no GPU stack)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
```

```
          python-version: "3.13"
      - name: Install minimal deps
        run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-genai
      - name: Run import smoke tests
        run: python -m pytest tests/test_import_smoke.py -v

  full-suite:
    name: Full test suite (offline, mocked)
    runs-on: ubuntu-latest
    timeout-minutes: 30
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
          cache: pip
      - name: System libs for opencv-python
        run: |
          # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it periodically
          # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing the
          # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's archive.
          sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
          sudo apt-get update
          sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1 libglib2.0-0
      - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
        # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
        # need an out-of-band index that PEP 621 can't express. Keep installing
        # them separately here, before the editable install pulls the rest.
        run: python -m pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
      - name: Install trackers (git-only dep ? PyPI wheel is broken)
        # D13/P12: ByteTrack moved out of `supervision` (removed in 0.30.0) to the
        # standalone `trackers` package. Its PyPI wheel ships metadata only (no
        # source ? roboflow/trackers#474), so it MUST come from git. PEP 621 can't
        # express a git URL, so it's not in pyproject.toml (same pattern as torch).
        # Installed here so the two D13/P12 tests in tests/test_person_detector.py
        # actually run in CI instead of skipping via pytest.importorskip.
        # NOTE: roboflow/trackers uses bare version tags (2.5.0), NOT v-prefixed.
        run: python -m pip install "trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
      - name: Install package (editable) + dev tooling
        # Editable PEP 621 install: runtime deps + the `dev` group
        # (pytest, pytest-cov, httpx for the fastapi TestClient, ruff, mypy).
        run: python -m pip install -e .[dev]
      # obsreport (private, soft dep) is absent here: reporting tests skip via
      # pytest.importorskip ? run_all_tests.py prints which. The coverage floor
      # is therefore calibrated against THIS lane's number (local runs with
      # obsreport installed measure a little higher).
      # Floor calibrated 2026-06-11 against this lane's measured 72% (local
      # with obsreport: 73%). Ratchet it UP as coverage grows; never down
      # without an owner decision.
      - name: Run full suite (with coverage floor)
        run: python run_all_tests.py --cov=backend --cov=training --cov-report=term --cov-fail-under=70

  # Cross-OS determinism guard for the committed golden regression fixtures
  # (docs/GOLDEN_REGRESSION_FIXTURES.md). The CONTROL replay path is pure-stdlib
  # (only numpy, no cv2/torch), so this is a FAST, focused job ? it does NOT run
  # the full suite x3 OSes. It replays the Windows/Linux/macOS runner against the
  # committed (parse-compared) snapshots, catching any cross-OS float drift beyond
```

```yaml
  # the 1e-6 tolerance before it can flake a contributor's PR on another machine.
  golden-crossos:
    name: Golden fixtures cross-OS (${{ matrix.os }})
    strategy:
      fail-fast: false
      matrix:
        os: [ubuntu-latest, windows-latest, macos-latest]
    runs-on: ${{ matrix.os }}
    timeout-minutes: 15
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
        run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-genai numpy
      - name: Golden-fixtures characterization (cross-OS determinism guard)
        # Also runs the freeze-real / time-origin-reset / M2 refusal-gate tests (synthetic /
        # tmp_path only ? no GPU/network) so the reset metric-invariance (fix #2) and the
        # de-attribution paths get cross-OS coverage and surface any win/mac float drift.
        run: |
          python -m backend.eval.golden_fixtures --check
          python -m pytest tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q

  # Commercial-clean licensing guardrail (MIT/Apache/BSD only ? PACKAGING_PLAN.md P0d). Scans the
  # RUNTIME dependency closure (`pip install .` ? no torch/dev) and fails on any copyleft
  # (GPL/AGPL/LGPL/SSPL). torch (BSD-3) is installed out-of-band and is not in this closure. This
  # automates a guardrail that was human-only; the report is printed for review either way.
  # D13/P12 carve-out: `trackers` (Apache-2.0; ByteTrack's new home) is also git-only and thus
  # absent from this pyproject closure ? UNguarded here, same shape as torch. It's Apache-2.0 and
  # depends only on the still-declared `supervision` (MIT), so the closure is clean today; if
  # `trackers` ever pulls a new transitive dep, this gate won't catch it ? audit on bump.
  license-scan:
    name: Dependency license scan (no copyleft in runtime deps)
    runs-on: ubuntu-latest
    timeout-minutes: 15
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install runtime deps + pip-licenses
        run: |
          python -m pip install .
          python -m pip install pip-licenses
      - name: Report dependency licenses
        run: python -m piplicenses --format=markdown --with-urls --order=license
      - name: Fail on any copyleft (GPL/AGPL/LGPL/SSPL) in the runtime closure
        run: |
          if python -m piplicenses --format=plain | grep -iE "GPL|SSPL"; then
            echo "::error::A runtime dependency carries a copyleft (GPL/AGPL/LGPL/SSPL) license ? the guardrail is MIT/Apache/BSD only. Review the report above."
```

```
            exit 1
          fi
          echo "OK: no GPL/AGPL/LGPL/SSPL in the runtime dependency closure."

  # Built-wheel smoke (PACKAGING_PLAN.md P0d): build the wheel, install it NON-editable from a
  # non-repo cwd, and launch the console script. Catches packaging regressions the source suite
  # can't ? namespace-package resolution (backend has no __init__.py), missing data files, hidden
  # imports. (Validated locally: a clean-venv wheel install + CPU torch runs `indexer --help`.)
  build-artifact:
    name: Built wheel smoke (install + launch)
    runs-on: ubuntu-latest
    timeout-minutes: 30
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: System libs for opencv-python
        run: |
          # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it periodically
          # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing the
          # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's archive.
          sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
          sudo apt-get update
          sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1 libglib2.0-0
      - name: Build the wheel
        run: |
          python -m pip install build
          python -m build --wheel
      - name: Install the built wheel + CPU torch (out-of-band index)
        run: |
          python -m pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
          python -m pip install dist/*.whl
      - name: Launch the installed console script from a non-repo dir
        run: |
          cd /tmp
          indexer --help
          python -c "import backend, training, backend.utils.app_home; print('wheel import OK')"

```

#### 6. user (2026-07-02T02:58:27.630Z)

```
name: Nightly quality regression (Tier-1, offline)

# Tier-1 nightly quality guard. Per-PR `ci.yml` only fires on push/pull_request;
# this runs the SAME offline guards on a schedule so we also catch what per-PR CI
# can't: dependency / transitive-dep drift, flakiness over time, and rot during
# quiet periods when nothing is pushed.
#
# Tier-1 == OFFLINE ONLY: no GPU, no real video, no `run_regression.py` on the
# real corpus (that's Tier-2 ? owner-gated, needs a self-hosted GPU runner +
# the gitignored golden corpus).
#
# Lane parity with ci.yml: every OFFLINE guard job from ci.yml is mirrored here
# (lint · leak-scan · typecheck · import-smoke · full-suite · golden-fixtures ·
```

```
# license-scan · build-artifact), with the same Python pin + per-lane pip
# installs so modules collect/run instead of skipping for a missing dep. Two
# intentional differences, NOT drops:
#   - golden-fixtures runs single-OS here (ci.yml::golden-crossos already covers
#     the Win/mac/Linux matrix on every PR; the nightly is about drift-over-time,
#     not cross-OS float drift).
#   - a notify-on-failure job (below) surfaces a SCHEDULED failure as a tracking
#     issue ? ci.yml doesn't need it (a PR/push run already has a red check).
# Lane set + coverage floor are still copied literals, not single-sourced ? see
# the `workflow_call` single-sourcing follow-up in the PR description.
#
# NOTE: scheduled workflows only fire from the repo's DEFAULT branch, so this
# won't actually run on a cadence until it lands on `master`. Use the
# `workflow_dispatch` trigger to run it on demand for validation after merge.

on:
  schedule:
    # 03:00 UTC daily.
    - cron: "0 3 * * *"
  workflow_dispatch:

permissions:
  contents: read

concurrency:
  group: nightly-${{ github.ref }}
  cancel-in-progress: true

jobs:
  # Lint gate (ruff.toml at repo root) ? mirrors ci.yml::lint.
  lint:
    name: Nightly · Ruff lint
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install ruff
        run: python -m pip install ruff
      - name: Ruff check
        run: ruff check . --output-format github

  # PII / attribution leak guard (tools/leak_scan.py) ? mirrors ci.yml::leak-scan.
  # A structural-rot guard: fails on a committed 32-hex MD5 (the video_id shape)
  # or a personal absolute user path in the shipped-code surface.
  leak-scan:
    name: Nightly · Leak scan (PII / attribution guard)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Leak scan
        run: python -m tools.leak_scan

  # Type gate (mypy.ini at repo root) ? mirrors ci.yml::typecheck. Typed core
  # deps are installed so mypy sees real signatures (without them
  # ignore_missing_imports would Any-stub half the checks).
  typecheck:
    name: Nightly · Mypy (lenient baseline)
    runs-on: ubuntu-latest
```

```
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install mypy + typed core deps
        run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-genai numpy
      - name: Mypy
        run: mypy backend training

  # Syntax sweep + import smoke (no GPU stack) ? mirrors ci.yml::import-smoke.
  # Guards the "SyntaxError / module-level import error shipping while the suite
  # stays green" class. Deliberately does NOT install cv2/torch/numpy.
  import-smoke:
    name: Nightly · Syntax sweep + import smoke (no GPU stack)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install minimal deps
        run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-genai
      - name: Run import smoke tests
        run: python -m pytest tests/test_import_smoke.py -v

  # Full offline suite + coverage floor ? mirrors ci.yml::full-suite. CPU-only
  # torch (no CUDA wheels on a CPU runner), then the editable install pulls the
  # rest. Floor stays at the ci.yml value (70); never lower it without an owner
  # decision.
  full-suite:
    name: Nightly · Full test suite (offline, mocked)
    runs-on: ubuntu-latest
    timeout-minutes: 30
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
          cache: pip
      - name: System libs for opencv-python
        run: |
          # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it periodically
          # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing the
          # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's archive.
          sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
          sudo apt-get update
          sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1 libglib2.0-0
      - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
        run: python -m pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
      - name: Install trackers (git-only dep ? PyPI wheel is broken)
        # D13/P12: ByteTrack moved to the standalone `trackers` package (git-only;
        # see ci.yml for the full rationale). Installed here so the D13/P12 tests
        # run instead of skipping via pytest.importorskip. Bare version tag (no 'v').
        run: python -m pip install "trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
```

```
      - name: Install package (editable) + dev tooling
        run: python -m pip install -e .[dev]
      - name: Run full suite (with coverage floor)
        run: python run_all_tests.py --cov=backend --cov=training --cov-report=term --cov-fail-under=70

  # Offline quality guard: the committed golden regression fixtures
  # (docs/GOLDEN_REGRESSION_FIXTURES.md) ? synthetic + de-attributed real
  # trajectory fixtures, NO video / GPU / DB. Mirrors the offline replay in
  # ci.yml::golden-crossos (single-OS here; ci.yml already covers cross-OS on
  # every PR ? nightly is about drift-over-time on the default branch). The
  # CONTROL replay needs only numpy.
  golden-fixtures:
    name: Nightly · Golden fixtures regression (offline quality guard)
    runs-on: ubuntu-latest
    timeout-minutes: 15
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
        run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-genai numpy
      - name: Golden-fixtures characterization (offline)
        run: |
          python -m backend.eval.golden_fixtures --check
          python -m pytest tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q

  # Commercial-clean licensing guardrail (MIT/Apache/BSD only) ? mirrors
  # ci.yml::license-scan. Scans the RUNTIME dependency closure and fails on any
  # copyleft (GPL/AGPL/LGPL/SSPL). This is exactly the transitive-dep drift the
  # header cites as a reason the nightly exists ? a new sub-dep can flip a
  # license between PRs without touching our code.
  license-scan:
    name: Nightly · Dependency license scan (no copyleft in runtime deps)
    runs-on: ubuntu-latest
    timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: Install runtime deps + pip-licenses
        run: |
          python -m pip install .
          python -m pip install pip-licenses
      - name: Report dependency licenses
        run: python -m piplicenses --format=markdown --with-urls --order=license
      - name: Fail on any copyleft (GPL/AGPL/LGPL/SSPL) in the runtime closure
        run: |
          if python -m piplicenses --format=plain | grep -iE "GPL|SSPL"; then
            echo "::error::A runtime dependency carries a copyleft (GPL/AGPL/LGPL/SSPL) license ? the guardrail is MIT/Apache/BSD only. Review the report above."
            exit 1
          fi
          echo "OK: no GPL/AGPL/LGPL/SSPL in the runtime dependency closure."

  # Built-wheel smoke (install + launch) ? mirrors ci.yml::build-artifact. Builds
  # the wheel, installs it NON-editable from a non-repo cwd, and launches the
  # console script. Catches packaging regressions the source suite can't.
  build-artifact:
    name: Nightly · Built wheel smoke (install + launch)
    runs-on: ubuntu-latest
```

```
    timeout-minutes: 20
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
        with:
          python-version: "3.13"
      - name: System libs for opencv-python
        run: |
          # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it periodically
          # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing the
          # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's archive.
          sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
          sudo apt-get update
          sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1 libglib2.0-0
      - name: Build the wheel
        run: |
          python -m pip install build
          python -m build --wheel
      - name: Install the built wheel + CPU torch (out-of-band index)
        run: |
          python -m pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
          python -m pip install dist/*.whl
      - name: Launch the installed console script from a non-repo dir
        run: |
          cd /tmp
          indexer --help
          python -c "import backend, training, backend.utils.app_home; print('wheel import OK')"

  # Failure visibility ? a silent nightly is useless. Scheduled runs have no PR
  # to redden and nobody is watching the Actions tab on a quiet day (the exact
  # "rot during quiet periods" this workflow exists to catch). On ANY guard
  # failure, open/refresh a single tracking issue so a human is pinged. Uses the
  # built-in GITHUB_TOKEN (no secrets); `issues: write` is scoped to THIS job
  # only ? the guard jobs above keep `contents: read`. Gated on event_name ==
  # 'schedule': a manual `workflow_dispatch` run is being watched, so no issue.
  notify-on-failure:
    name: Nightly · Surface failure (open/refresh tracking issue)
    needs: [lint, leak-scan, typecheck, import-smoke, full-suite, golden-fixtures, license-scan, build-artifact]
    if: failure() && github.event_name == 'schedule'
    runs-on: ubuntu-latest
    timeout-minutes: 5
    permissions:
      contents: read
      issues: write
    steps:
      - uses: actions/github-script@v7
        with:
          script: |
            const runUrl = `${context.serverUrl}/${context.repo.owner}/${context.repo.repo}/actions/runs/${context.runId}`;
            const title = 'Nightly quality regression FAILED';
            const body = [
              'The Tier-1 nightly offline quality guard failed.',
              '',
              `- Run: ${runUrl}`,
              `- Date (UTC): ${new Date().toISOString()}`,
              '',
              'One of ruff / leak-scan / mypy / import-smoke / full-suite (cov>=70) /',
```

```
  'golden-fixtures / license-scan / build-artifact regressed.',
  'Open the run for the failing lane. Close this issue once green.',
].join('\n');
// Reuse a single open tracking issue instead of spamming one per night.
const existing = await github.rest.issues.listForRepo({
  owner: context.repo.owner,
  repo: context.repo.repo,
  state: 'open',
  labels: 'nightly-failure',
  per_page: 1,
});
if (existing.data.length > 0) {
  await github.rest.issues.createComment({
    owner: context.repo.owner,
    repo: context.repo.repo,
    issue_number: existing.data[0].number,
    body,
  });
} else {
  await github.rest.issues.create({
    owner: context.repo.owner,
    repo: context.repo.repo,
    title,
    body,
    labels: ['nightly-failure'],
  });
}

```

### 7. assistant (2026-07-02T02:58:58.695Z)

The two workflow files exist. Now let me check the git history for both files and verify the claimed commit af1ccbe / PR #402, and issue #384.

### 8. user (2026-07-02T02:59:00.775Z)

```
af1ccbe chore(#399): launch-PR process hardening ? link-check CI, PR template, doc cross-links
(#402)
ffb1f53 ci: harden the 'System libs' apt step against the runner's Microsoft-repo 403 flake
(#391)
3624a8d feat(D13/P12): migrate ByteTrack to standalone trackers package (#386)
3a34c42 ci: add per-job timeout-minutes to every ci.yml job (hardening) (#382)
5c2eec8 chore(security): P0 (safe scope) ? scrub personal paths from code + add leak-scan CI
guard (#314)
e8bad40 feat(pkg): P0d ? declare scipy (undeclared serving dep) + license-scan & built-wheel CI
lanes (#297)
7d84319 fix(eval): golden-fixtures audit hardening ? close source_note/label leak + 16 confirmed
audit fixes (#194)
adb88f4 ci(eval): cross-OS determinism guard for golden fixtures + reconcile project tracker
(#191)
c143f40 feat(packaging): PEP 621 pyproject + editable install + entry point (DEFERRED #7)
7717e15 ci: bump checkout and setup-python to Node-24 majors (v6) (#98)
7d007af ci: coverage floor on the full-suite lane (ratchet-only) (#95)
df9cf80 ci: add mypy lane (lenient green baseline + explicit quarantine list) (#93)
595a5a1 ci: add ruff lint lane + fix all violations; remove never-compiled flyer stub (#92)
95c118c test: close the worst coverage gaps (API seam, compiler, live WasbRunner) (#70)
13d4573 fix(stitcher): restore f-string quotes dropped in logging conversion (SyntaxError on
master) (#63)
---NIGHTLY---
ffb1f53 ci: harden the 'System libs' apt step against the runner's Microsoft-repo 403 flake
(#391)
3624a8d feat(D13/P12): migrate ByteTrack to standalone trackers package (#386)
9972057 ci: add Tier-1 nightly quality-regression workflow (#381)
```

**9. user (2026-07-02T02:59:15.376Z)**

```
af1ccbe 2026-06-30 chore(#399): launch-PR process hardening ? link-check CI, PR template, doc
cross-links (#402)
9972057 2026-06-25 ci: add Tier-1 nightly quality-regression workflow (#381)
3a34c42 2026-06-25 ci: add per-job timeout-minutes to every ci.yml job (hardening) (#382)
---timeouts added in 3a34c42---
+    timeout-minutes: 10
+    timeout-minutes: 10
+    timeout-minutes: 10
+    timeout-minutes: 10
+    timeout-minutes: 30
+    timeout-minutes: 15
+    timeout-minutes: 15
+    timeout-minutes: 30
---did af1ccbe touch nightly---
 .github/PULL_REQUEST_TEMPLATE.md                  |  21 ++++
 .github/workflows/ci.yml                          |  15 +++
 CLAUDE.md                                         |   1 +
 deploy/digitalocean/README.md                     |   2 +-
 docs/I18N_PLAN.md                                 |   2 +-
 docs/QUALITY_ITERATIONS.md                        |   2 +-
 docs/RALLY_DETECTION_FIXES_PLAN.md                |   3 +-
 docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md |   2 +-
 tests/test_check_md_links.py                      |  63 ++++++++++
 tools/check_md_links.py                           | 153 ++++++++++++++++++++++
 10 files changed, 259 insertions(+), 5 deletions(-)
```

**10. user (2026-07-02T02:59:17.394Z)**

```
384
OPEN
ci: single-source the shared offline guard lanes + coverage floor via a workflow_call reusable
```

## Follow-up from #381 review (LOW ? drift)

```
`nightly.yml` mirrors `ci.yml`'s offline guard lanes by **copying** them, and the coverage floor
`70` is a hardcoded literal in both workflows. Nothing enforces that they stay in sync ?
`ci.yml` has already recalibrated that floor once, and the next ratchet-up would silently leave
the nightly on the stale value.
```

### Proposed fix

```
Extract the shared **offline** guard lanes into a reusable workflow ? e.g.
`.github/workflows/_offline-guards.yml` exposing them via `on: workflow_call` (with the coverage
floor as an input) ? and have **both** `ci.yml` and `nightly.yml` `uses:` it. That single-
sources:
- the lane set (lint · leak-scan · typecheck · import-smoke · full-suite · golden-fixtures ·
license-scan · build-artifact), and
- the coverage floor (o
```

**11. assistant (2026-07-02T03:00:02.877Z)**

```
All claims check out in the current tree. Let me pin down one nuance ? whether the timeout
divergence "materialized" later or existed from day one.
```

**12. user (2026-07-02T03:00:05.554Z)**

```
timeouts(#382) landed BEFORE nightly(#381)
47:    timeout-minutes: 10
64:    timeout-minutes: 10
79:    timeout-minutes: 10
96:    timeout-minutes: 10
114:    timeout-minutes: 30
141:    timeout-minutes: 15
162:    timeout-minutes: 10
```

```
188:    timeout-minutes: 20
224:    timeout-minutes: 5
```

### 13. user (2026-07-02T03:00:40.511Z)

```
Structured output provided successfully
```