claude-windows / 188dd06f-9c99-487c-aa7d-b0bee83c629c

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\188dd06f-9c99-487c-aa7d-b0bee83c629c\subagents\workflows\wf_416cc0e5-a35\agent-a7b3f0ab98df2ba0e.jsonl`
- SHA-256: `cc289790a88f9f9502c7e8fcca7ad312d2c2e2ab15a2cbc63ebe79b874e560a6`
- Source modified: `2026-06-22T09:46:44+00:00`
- Imported at: `2026-07-05T16:48:28+00:00`
- project: `wf_416cc0e5-a35`
- session_id: `188dd06f-9c99-487c-aa7d-b0bee83c629c`

Transcript

1. user (2026-06-22T09:45:35.961Z)

Review the NIGHTLY REEL-COUNT engine-regression change under C:/Users/avidu/Projects/badminton-highlight-indexer/.claude/worktrees/nightly-e2e (a NEW, additive PR). It runs the configured WASB pipeline on a GCP GPU VM nightly, asserts reel-count (==) + quality metrics + cost, emails a report, self-deletes. Files: scripts/nightly_reelcount.py, scripts/nightly_email.py, deploy/gcp/nightly_regression/run_on_vm.sh, deploy/gcp/nightly_regression/launch.sh, deploy/gcp/nightly_regression/register_scheduler.sh, deploy/gcp/nightly_regression/Dockerfile.launcher, eval_baselines/reelcount_manifest.json. Read them under that absolute path. Cite file:line. Report only REAL defects (correctness/safety/security that would bite in production or a regression that escapes), not style. Return raw structured findings.

ADVERSARIALLY VERIFY this finding ? confirm with concrete code evidence under C:/Users/avidu/Projects/badminton-highlight-indexer/.claude/worktrees/nightly-e2e or REFUTE it (default real=false if the evidence isn't clearly there). Finding:

```
{
 "title": "Missing SMTP SSL/TLS context in email send ? potential MiTM attack",
 "file": "scripts/nightly_email.py",
 "line": "86-87",
 "severity": "high",
 "detail": "smtplib.SMTP() is called without an ssl_context parameter. On line 87, starttls() is called to upgrade the connection, but no explicit SSL context is provided. This uses Python's default context, which may be overridable or vulnerable to downgrade attacks depending on the environment. Best practice is to explicitly create a secure context with ssl.create_default_context() and pass it to SMTP(..., context=context).",
 "fix": "Use ssl.create_default_context() to create an explicit SSL context and pass it to SMTP constructor: `import ssl; context = ssl.create_default_context(); s = smtplib.SMTP(host, port, timeout=60, context=context); s.starttls()` (the context parameter replaces the need for separate starttls for security)."
}
```

2. assistant (2026-06-22T09:45:37.883Z)

I'll analyze the nightly regression change by reading the files and verifying the finding about SMTP SSL/TLS context.

3. user (2026-06-22T09:45:38.904Z)

```
1       """Email the nightly regression report ? stdlib SMTP, creds from env or GCP Secret
Manager.
2
3       Used by ``scripts/nightly_reelcount.py --email`` (and reusable by any nightly).
Deliberately
4       dependency-light (stdlib ``smtplib`` + ``email.message``) and **graceful**: if no SMTP
password can
```

```
be resolved it logs + returns ``False`` (the report is still written/printed ? a broken mailer must
never mask a regression).

Credential resolution (first hit wins), so it works on a GCP VM, locally, or in tests:
  ? Recipient:  ``--email-to`` arg  ?  ``NIGHTLY_EMAIL_TO``  ?  ``avi.dullu@gmail.com``
  ? SMTP host:  ``NIGHTLY_SMTP_HOST``  (default ``smtp.gmail.com``)   · port ``NIGHTLY_SMTP_PORT`` (587, STARTTLS)
  ? SMTP user:  ``NIGHTLY_SMTP_USER``  (default = recipient)
  ? SMTP pass:  ``NIGHTLY_SMTP_PASS``  ?  Secret Manager ``NIGHTLY_SMTP_SECRET``
                (``projects/<p>/secrets/<name>/versions/latest``; via the google-cloud-secret-manager
                 lib if installed, else the ``gcloud`` CLI). A Gmail **app password** is the simplest.

Set the secret once (owner):  echo -n '<app-password>' | gcloud secrets create nightly-smtp-pass --data-file=-
and on the VM:  export NIGHTLY_SMTP_SECRET=projects/<proj>/secrets/nightly-smtp-pass/versions/latest
                export NIGHTLY_SMTP_USER=<your-gmail> NIGHTLY_EMAIL_TO=avi.dullu@gmail.com
"""
from __future__ import annotations

import logging
import os
from email.message import EmailMessage
from typing import Optional

log = logging.getLogger("nightly_email")

DEFAULT_TO = "avi.dullu@gmail.com"
DEFAULT_HOST = "smtp.gmail.com"
DEFAULT_PORT = 587


def build_message(subject: str, body_md: str, from_addr: str, to_addr: str) -> EmailMessage:
    """A text/plain email carrying the markdown report (renders fine in any client). Pure ? testable."""
    msg = EmailMessage()
    msg["Subject"] = subject
    msg["From"] = from_addr
    msg["To"] = to_addr
    msg.set_content(body_md)
    return msg


def resolve_secret(env: Optional[dict] = None) -> Optional[str]:
    """Resolve the SMTP password from env or GCP Secret Manager. Returns None if unresolvable."""
    env = env if env is not None else os.environ
    direct = env.get("NIGHTLY_SMTP_PASS")
    if direct:
        return direct
    secret_ref = env.get("NIGHTLY_SMTP_SECRET")
    if not secret_ref:
        return None
    # Prefer the client lib; fall back to the gcloud CLI (no extra dependency required).
    try:
        from google.cloud import secretmanager  # type: ignore
        client = secretmanager.SecretManagerServiceClient()
        return client.access_secret_version(name=secret_ref).payload.data.decode("utf-8")
    except Exception:  # noqa: BLE001 ? lib absent or auth issue ? try the CLI
```

```
        pass
    try:
        import subprocess
        name = secret_ref.split("/secrets/", 1)[1].split("/", 1)[0] if "/secrets/" in secret_ref else secret_ref
        out = subprocess.run(["gcloud", "secrets", "versions", "access", "latest", "--secret", name],
                             capture_output=True, text=True, timeout=30)
        return out.stdout.strip() if out.returncode == 0 and out.stdout.strip() else None
    except Exception as e:  # noqa: BLE001
        log.warning("secret-manager resolution failed: %s", e)
        return None


def send_report(subject: str, body_md: str, to: Optional[str] = None,
                env: Optional[dict] = None) -> bool:
    """Send the report. Returns True if sent, False if skipped (no creds) ? never raises on missing creds."""
    env = env if env is not None else os.environ
    to_addr = to or env.get("NIGHTLY_EMAIL_TO") or DEFAULT_TO
    host = env.get("NIGHTLY_SMTP_HOST", DEFAULT_HOST)
    port = int(env.get("NIGHTLY_SMTP_PORT", DEFAULT_PORT))
    user = env.get("NIGHTLY_SMTP_USER") or to_addr
    password = resolve_secret(env)
    if not password:
        log.warning("no SMTP password (set NIGHTLY_SMTP_PASS or NIGHTLY_SMTP_SECRET) ? email skipped.")
        return False

    import smtplib
    msg = build_message(subject, body_md, from_addr=user, to_addr=to_addr)
    with smtplib.SMTP(host, port, timeout=60) as s:
        s.starttls()
        s.login(user, password)
        s.send_message(msg)
    log.info("emailed report to %s", to_addr)
    return True

```

4. user (2026-06-22T09:45:39.922Z)

```
"""Nightly END-TO-END engine regression ? reel-count + quality + cost (the GCP-VM nightly).

Runs the **configured + checkpointed** pipeline (the real WASB GPU detector, as a deployment serves
it) end-to-end on 2-3 short owned golden videos and asserts the **number of reels does not change**
vs a frozen baseline. Unlike ``scripts/nightly_regression.py`` (PR #202 ? a CPU re-score of CACHED
trajectories, the windowing/scorer only), this one runs the *full* pipeline on the *real model*, so it
needs a GPU ? hence it runs on an ephemeral GCP GPU VM (``deploy/gcp/nightly_regression/``), emails the
owner the report, and self-deletes. It is **default-additive**: a tripwire, not the promotion gate.

What it asserts / reports, per the owner's ask ("quality metrics + regression report + cost"):
  ? REEL COUNT per video ? ``len(play_segments)`` after segmentation; the detected highlight clips.
    Pure-CV / WASB detection is deterministic for a fixed (video, config, weights), so this is asserted
    **EXACT** (with a re-run-once guard for the one known flake: a transient DB-insert-
```

```
None, see §guard).
  ? QUALITY METRICS per video (when golden labels are provided) ? the R2 tolerance-match block from
    ``backend.eval.rally_seg_eval`` (tol_f1 / f1@0.5 / f1@0.25), compared with a small tolerance.
  ? COST of the run ? VM uptime (or processing wall) × machine $/hr via ``backend.billing`` ? USD + INR.

Extensible pattern (add a video = one manifest row + re-freeze):
  ``eval_baselines/reelcount_manifest.json``  ? the videos (gs:// / local / gdrive:// URIs) + segmenter
  ``eval_baselines/reelcount_baseline.json``  ? the frozen expected counts (regenerated, never hand-edited)

Usage
-----
Freeze the baseline from the current configured+checkpointed engine (after an intended change, or first run):
    python scripts/nightly_reelcount.py --update-baseline

Nightly check (exit 1 on regression; writes output/nightly_reelcount/<date>.md; emails if --email):
    python scripts/nightly_reelcount.py --email

Exit codes: 0 pass · 1 regression (reel-count changed / a video errored / quality dropped) · 2 operational
(manifest/videos missing, nothing ran) · 3 no baseline · 4 stale (corpus/segmenter changed ? re-freeze).
"""
from __future__ import annotations

import argparse
import datetime as _dt
import json
import os
import sys
from dataclasses import dataclass, field
from typing import Any, Dict, List, Optional, Tuple

REPO_ROOT = os.path.dirname(os.path.dirname(os.path.abspath(__file__)))
if REPO_ROOT not in sys.path:
    sys.path.insert(0, REPO_ROOT)

# billing is pure (typing only) ? safe to import at module top.
from backend import billing  # noqa: E402

DEFAULT_MANIFEST = os.path.join(REPO_ROOT, "eval_baselines", "reelcount_manifest.json")
DEFAULT_BASELINE = os.path.join(REPO_ROOT, "eval_baselines", "reelcount_baseline.json")
DEFAULT_REPORT_DIR = os.path.join(REPO_ROOT, "output", "nightly_reelcount")

#: Quality metrics we report + (when labels exist) gate ? higher is better, small tolerance.
QUALITY_HIGHER: Tuple[str, ...] = ("tol_f1", "f1@0.5", "f1@0.25")
DEFAULT_QUALITY_TOL = 0.02     # quality is float/labeled ? a looser tripwire than the exact reel-count
DEFAULT_FX_INR_PER_USD = 83.0
#: Fallback machine price if the manifest doesn't pin one (T4 on n1-standard-8, asia-south1, ~mid-2026).
DEFAULT_MACHINE_USD_PER_HR = 0.35


@dataclass(frozen=True)
class Tolerances:
    quality_tol: float = DEFAULT_QUALITY_TOL

```

```python
    def to_dict(self) -> Dict[str, Any]:
        return {"quality_tol": self.quality_tol}


# --------------------------------------------------------------------------- #
# Pure cost math (wraps backend.billing ? no IO).
# --------------------------------------------------------------------------- #
def cost_report(billed_seconds: float, machine_usd_per_hr: float,
                fx_inr_per_usd: float, gpu_seconds: float = 0.0) -> Dict[str, Any]:
    """Run cost from billed wall-seconds × machine rate ? USD + INR (``backend.billing`` arithmetic).

    ``billed_seconds`` is the VM uptime (boot?delete) when the orchestrator passes ``--vm-uptime-seconds``;
    otherwise it's the in-process pipeline wall time (a lower bound ? the VM also pays for boot/install)."""
    rate_per_sec = float(machine_usd_per_hr) / 3600.0
    usage = {billing.WALL_SECONDS: float(billed_seconds)}
    rates = {billing.WALL_SECONDS: rate_per_sec}
    usd, breakdown = billing.compute_cost_usd(usage, rates)
    return {
        "billed_seconds": round(float(billed_seconds), 1),
        "gpu_seconds": round(float(gpu_seconds), 1),
        "machine_usd_per_hr": float(machine_usd_per_hr),
        "usd": usd,
        "inr": billing.to_inr(usd, fx_inr_per_usd),
        "breakdown": breakdown,
    }


# --------------------------------------------------------------------------- #
# Pure summary + comparison core (no IO ? unit-testable with plain dicts).
# --------------------------------------------------------------------------- #
def summarize_results(run_results: List[Dict[str, Any]], segmenter: str,
                      cost: Dict[str, Any]) -> Dict[str, Any]:
    """Compact, comparable snapshot from per-video run results.

    Each run result: ``{name, reel_count, ok, error, quality: {tol_f1,...}|None, wall_seconds}``.
    A video that errored keeps ``reel_count=None`` + ``ok=False`` (so the diff flags it, never hides it)."""
    per_video: Dict[str, Any] = {}
    for r in run_results:
        per_video[r["name"]] = {
            "reel_count": r.get("reel_count"),
            "ok": bool(r.get("ok", False)),
            "error": r.get("error"),
            "quality": r.get("quality"),
        }
    return {"segmenter": segmenter, "cost": cost, "per_video": per_video,
            "n": len(per_video)}


@dataclass
class Finding:
    video: str
    metric: str                 # "reel_count" | "error" | a quality key | "segmenter" | "corpus"
    kind: str                   # "regression" | "improvement" | "stale"
    baseline: Optional[float] = None
    current: Optional[float] = None
    detail: str = ""

    def message(self) -> str:
        if self.kind == "stale":
```

```
            return f"[STALE] {self.metric}: {self.detail}"
        if self.metric == "error":
            return f"[REGRESSION] {self.video}: pipeline ERROR ? {self.detail}"
        b = "?" if self.baseline is None else f"{self.baseline:g}"
        c = "?" if self.current is None else f"{self.current:g}"
        tag = "REGRESSION" if self.kind == "regression" else "improvement"
        return f"[{tag}] {self.video}/{self.metric}: {b} ? {c}"


@dataclass
class NightlyResult:
    findings: List[Finding] = field(default_factory=list)
    added: List[str] = field(default_factory=list)
    removed: List[str] = field(default_factory=list)

    @property
    def regressions(self) -> List[Finding]:
        return [f for f in self.findings if f.kind == "regression"]

    @property
    def improvements(self) -> List[Finding]:
        return [f for f in self.findings if f.kind == "improvement"]

    @property
    def stale(self) -> List[Finding]:
        return [f for f in self.findings if f.kind == "stale"]

    def overall_status(self) -> str:
        if self.regressions:
            return "REGRESSION"
        if self.stale:
            return "STALE"
        return "PASS"

    def exit_code(self) -> int:
        if self.regressions:
            return 1
        if self.stale:
            return 4
        return 0


def compare(baseline: Dict[str, Any], current: Dict[str, Any], tols: Tolerances) -> NightlyResult:
    """Diff current run vs frozen baseline.

    * Segmenter changed ? STALE (numbers not comparable; re-freeze).
    * Corpus (video set) changed ? STALE + report added/removed; still diff the INTERSECTION.
    * Per shared video: reel_count EXACT (any change = regression); a pipeline ERROR = regression;
      quality metrics drop beyond ``quality_tol`` = regression (rise = improvement).
    """
    res = NightlyResult()
    if baseline.get("segmenter") != current.get("segmenter"):
        res.findings.append(Finding("", "segmenter", "stale",
                                    detail=f"{baseline.get('segmenter')} ? {current.get('segmenter')}"))
        return res

    b_pv, c_pv = baseline.get("per_video", {}), current.get("per_video", {})
    res.added = sorted(set(c_pv) - set(b_pv))
    res.removed = sorted(set(b_pv) - set(c_pv))
    if res.added or res.removed:
        res.findings.append(Finding("", "corpus", "stale",
```

```
                                    detail=f"added={res.added} removed={res.removed}"))

    for v in sorted(set(b_pv) & set(c_pv)):
        b, c = b_pv[v], c_pv[v]
        # 1) pipeline must still succeed
        if not c.get("ok", False) or c.get("reel_count") is None:
            res.findings.append(Finding(v, "error", "regression",
                                        detail=str(c.get("error") or "no reel_count produced")))
            continue
        # 2) reel count ? EXACT
        bc, cc = b.get("reel_count"), c.get("reel_count")
        if bc is not None and cc is not None and cc != bc:
            res.findings.append(Finding(v, "reel_count", "regression", float(bc), float(cc)))
        # 3) quality metrics ? tolerance (only if both sides have them)
        bq, cq = b.get("quality") or {}, c.get("quality") or {}
        for m in QUALITY_HIGHER:
            bv, cv = bq.get(m), cq.get(m)
            if bv is None or cv is None:
                continue
            if cv < bv - tols.quality_tol:
                res.findings.append(Finding(v, m, "regression", bv, cv))
            elif cv > bv + tols.quality_tol:
                res.findings.append(Finding(v, m, "improvement", bv, cv))
    return res


# --------------------------------------------------------------------------- #
# Report formatting (pure).
# --------------------------------------------------------------------------- #
def _q(qd: Optional[Dict[str, Any]], key: str) -> str:
    if not qd or qd.get(key) is None:
        return "?"
    return f"{qd[key]:.3f}"


def format_report(baseline: Dict[str, Any], current: Dict[str, Any],
                  result: NightlyResult, date: str, head: str) -> str:
    status = result.overall_status()
    badge = {"PASS": "? PASS", "REGRESSION": "? REGRESSION",
             "STALE": "? STALE (re-freeze the baseline)"}[status]
    cost = current.get("cost", {})
    L: List[str] = [
        f"# Nightly engine regression (reel-count + quality + cost) ? {date}",
        "",
        f"**Status: {badge}**  ·  exit code {result.exit_code()}  ·  segmenter `{current.get('segmenter')}`",
        "",
        f"- HEAD `{head}`  ·  baseline `{baseline.get('git_commit', '?')}` (frozen {baseline.get('generated_at', '?')})",
        f"- **Run cost: ${cost.get('usd', 0):.4f} (?{cost.get('inr', 0):.2f})**  ·  "
        f"billed {cost.get('billed_seconds', 0):.0f}s @ ${cost.get('machine_usd_per_hr', 0)}/hr",
        "",
    ]
    if result.regressions:
        L += ["## ? Regressions", ""] + [f"- {f.message()}" for f in result.regressions] + [""]
    if result.stale:
        L += ["## ? Stale / not comparable", ""] + [f"- {f.message()}" for f in result.stale]
        L += ["- Action: `python scripts/nightly_reelcount.py --update-baseline` (after confirming the change is intended).", ""]

```

```
    # Per-video table.
    b_pv, c_pv = baseline.get("per_video", {}), current.get("per_video", {})
    L += ["## Per-video", "",
          "| video | reels (base?now) | tol_f1 (base?now) | f1@0.5 | status |",
          "|---|---|---|---|---|"]
    for v in sorted(set(b_pv) | set(c_pv)):
        b, c = b_pv.get(v, {}), c_pv.get(v, {})
        bc = b.get("reel_count")
        cc = c.get("reel_count")
        rc = f"{'?' if bc is None else bc}?{'ERROR' if not c.get('ok', True) else ('?' if cc is None else cc)}"
        bq, cq = b.get("quality"), c.get("quality")
        tf = f"{_q(bq, 'tol_f1')}?{_q(cq, 'tol_f1')}"
        f5 = f"{_q(bq, 'f1@0.5')}?{_q(cq, 'f1@0.5')}"
        vstatus = "?" if any(f.video == v and f.kind == "regression" for f in result.findings) else "?"
        L.append(f"| {v} | {rc} | {tf} | {f5} | {vstatus} |")
    L.append("")

    if result.improvements:
        L += ["_Improvements over baseline (re-freeze to ratchet up):_"] \
            + [f"- {f.message()}" for f in result.improvements] + [""]
    L += ["---",
          "_Full configured+checkpointed pipeline on the real model (GCP GPU VM). Tripwire only ? does "
          "not change the promotion gate. Complements PR #202's cached-trajectory CPU re-score._"]
    return "\n".join(L)


# --------------------------------------------------------------------------- #
# IO shell ? running the configured pipeline per video (needs backend + GPU + video).
# --------------------------------------------------------------------------- #
def _load_gts(labels_ref: Optional[str]) -> Optional[List[Tuple[float, float]]]:
    """Load ground-truth rally intervals from a golden-features JSON (``gts`` key) or a rallies CSV
    (``start,end`` columns / pairs). Returns None when no labels are configured."""
    if not labels_ref:
        return None
    from backend.storage import fetch
    local = fetch(labels_ref)
    if local.endswith(".json"):
        with open(local, encoding="utf-8") as fh:
            data = json.load(fh)
        return [(float(s), float(e)) for s, e in (data.get("gts") or [])]
    # CSV: header start,end (or first two numeric columns)
    import csv
    out: List[Tuple[float, float]] = []
    with open(local, encoding="utf-8") as fh:
        for row in csv.reader(fh):
            try:
                out.append((float(row[0]), float(row[1])))
            except (ValueError, IndexError):
                continue
    return out


def _segments_to_intervals(segs: List[Dict[str, Any]]) -> List[Tuple[float, float]]:
    """``(start, end)`` pairs from segmenter result dicts, tolerant of the two key conventions in the
    codebase (``start_time``/``end_time`` ? motion/DB shape ? or ``start``/``end``). Used only for the
    optional quality metrics; the reel COUNT is ``len(segs)`` regardless, so a key mismatch degrades
    quality scoring gracefully (skipped) without ever miscounting reels."""
```

```python
    out: List[Tuple[float, float]] = []
    for s in segs:
        start = s.get("start_time", s.get("start"))
        end = s.get("end_time", s.get("end"))
        if start is not None and end is not None:
            out.append((float(start), float(end)))
    return out


def run_one_video(video: Dict[str, Any], segmenter: str, config: Any,
                  rerun_on_mismatch: bool = True,
                  baseline_count: Optional[int] = None) -> Dict[str, Any]:
    """Run the configured pipeline on one video ? reel count (+ quality vs labels). Lazy backend imports.

    The re-run-once guard (the one known non-determinism ? a transient ``add_play_segment``?None drop,
    database.py): if the count != the frozen baseline, re-process the video ONCE; a transient drop won't
    reproduce, a real change will."""
    import random
    import time

    from backend.eval import rally_seg_eval
    from backend.infrastructure.database import Database
    from backend.pipeline.segmenters import segmenter_registry
    from backend.results import Failure
    from backend.storage import fetch
    from backend.utils.hashing import compute_video_id

    name = video["name"]
    try:
        local = fetch(video["uri"])
    except Exception as e:  # noqa: BLE001 ? surface, never hide
        return {"name": name, "reel_count": None, "ok": False, "error": f"fetch failed: {e}",
                "quality": None, "wall_seconds": 0.0}

    gts = _load_gts(video.get("labels_uri"))
    seg_cls = segmenter_registry.get(segmenter)
    if not seg_cls:
        return {"name": name, "reel_count": None, "ok": False,
                "error": f"segmenter '{segmenter}' not registered", "quality": None, "wall_seconds": 0.0}

    def _process(db_path: str) -> Tuple[Optional[int], Optional[List[Tuple[float, float]]], float, Optional[str]]:
        random.seed(0)  # close motion.py's unseeded metadata RNG so secondary fields are reproducible too
        db = Database(db_path)
        video_id = compute_video_id(local)
        t0 = time.monotonic()
        result = seg_cls(db, config).process_video(video_id, local)
        wall = time.monotonic() - t0
        if isinstance(result, Failure):
            return None, None, wall, getattr(result, "message", "segmenter failed")
        segs = result.value if hasattr(result, "value") else result
        intervals = _segments_to_intervals(segs)
        return len(segs), intervals, wall, None

    import tempfile
    total_wall = 0.0
    with tempfile.TemporaryDirectory(prefix="nightly_reel_") as td:
        count, intervals, wall, err = _process(os.path.join(td, "run1.db"))
        total_wall += wall
```

```
        if err is not None:
            return {"name": name, "reel_count": None, "ok": False, "error": err,
                    "quality": None, "wall_seconds": round(total_wall, 2)}
        # re-run-once guard for the transient DB-drop flake
        if rerun_on_mismatch and baseline_count is not None and count != baseline_count:
            count2, intervals2, wall2, err2 = _process(os.path.join(td, "run2.db"))
            total_wall += wall2
            if err2 is None and count2 is not None:
                count, intervals = count2, intervals2  # the reproduced (or corrected) value

        quality = None
        if gts and intervals is not None:
            row = rally_seg_eval.score_intervals(intervals, gts)
            quality = {k: row[k] for k in ("tol_f1", "f1@0.5", "f1@0.25", "tol_precision", "tol_recall")
                       if k in row}

    return {"name": name, "reel_count": count, "ok": True, "error": None,
            "quality": quality, "wall_seconds": round(total_wall, 2)}


def load_manifest(path: str) -> Dict[str, Any]:
    with open(path, encoding="utf-8") as fh:
        return json.load(fh)


def run_corpus(manifest: Dict[str, Any], baseline: Optional[Dict[str, Any]],
               rerun_on_mismatch: bool = True) -> Tuple[List[Dict[str, Any]], float]:
    """Run every manifest video through the configured pipeline. Returns (run_results, total_wall_s)."""
    from backend.config import load_config

    config = load_config()
    # apply manifest config overrides onto the typed config (dotted keys)
    for dotted, val in (manifest.get("config_overrides") or {}).items():
        _set_dotted(config, dotted, val)
    segmenter = manifest.get("segmenter") or getattr(getattr(config, "indexing", None), "default_segmenter", "motion")
    b_pv = (baseline or {}).get("per_video", {})
    results: List[Dict[str, Any]] = []
    total_wall = 0.0
    for v in manifest.get("videos", []):
        base_count = (b_pv.get(v["name"]) or {}).get("reel_count")
        r = run_one_video(v, segmenter, config, rerun_on_mismatch, base_count)
        total_wall += float(r.get("wall_seconds") or 0.0)
        results.append(r)
    return results, total_wall


def _set_dotted(config: Any, dotted: str, value: Any) -> None:
    """Best-effort dotted-path set onto a pydantic config (e.g. 'indexing.motion_threshold')."""
    parts = dotted.split(".")
    obj = config
    for p in parts[:-1]:
        obj = getattr(obj, p, None)
        if obj is None:
            return
    try:
        setattr(obj, parts[-1], value)
    except Exception:  # noqa: BLE001 ? overrides are best-effort; a bad key shouldn't crash the run
        pass

```

```

def _git_head() -> str:
    import subprocess
    try:
        out = subprocess.run(["git", "-C", REPO_ROOT, "rev-parse", "--short", "HEAD"],
                             capture_output=True, text=True, timeout=10)
        return out.stdout.strip() or "?"
    except Exception:  # noqa: BLE001
        return "?"


def load_baseline(path: str) -> Optional[Dict[str, Any]]:
    if not os.path.exists(path):
        return None
    with open(path, encoding="utf-8") as fh:
        return json.load(fh)


def save_baseline(path: str, snapshot: Dict[str, Any]) -> None:
    out = dict(snapshot)
    out["generated_at"] = _dt.date.today().isoformat()
    out["git_commit"] = _git_head()
    out["_doc"] = ("Frozen nightly reel-count baseline. Regenerate with `python scripts/nightly_reelcount.py "
                   "--update-baseline` after an INTENDED engine change or when adding a video. Tied to the "
                   "configured+checkpointed engine + the manifest corpus.")
    out.pop("cost", None)  # cost is per-run, not part of the frozen baseline
    os.makedirs(os.path.dirname(path), exist_ok=True)
    tmp = path + ".tmp"
    with open(tmp, "w", encoding="utf-8") as fh:
        json.dump(out, fh, indent=2, sort_keys=True)
        fh.write("\n")
    os.replace(tmp, path)


def build_parser() -> argparse.ArgumentParser:
    p = argparse.ArgumentParser(description="Nightly E2E engine regression: reel-count + quality + cost.")
    p.add_argument("--manifest", default=DEFAULT_MANIFEST)
    p.add_argument("--baseline", default=DEFAULT_BASELINE)
    p.add_argument("--report-dir", default=DEFAULT_REPORT_DIR)
    p.add_argument("--quality-tol", type=float, default=DEFAULT_QUALITY_TOL)
    p.add_argument("--vm-uptime-seconds", type=float, default=None,
                   help="authoritative VM uptime (boot?delete) for the cost line; "
                        "defaults to the in-process pipeline wall time (a lower bound)")
    p.add_argument("--no-rerun-guard", action="store_true",
                   help="disable the re-run-once-on-mismatch guard (the DB-drop flake mitigation)")
    p.add_argument("--update-baseline", action="store_true",
                   help="freeze the current reel counts + quality as the new baseline instead of checking")
    p.add_argument("--email", action="store_true", help="email the report (see scripts/nightly_email.py)")
    p.add_argument("--email-to", default=None, help="override the report recipient")
    p.add_argument("--date", default=None, help="override the report date (YYYY-MM-DD; for tests)")
    p.add_argument("--no-report", action="store_true", help="skip writing the dated report file")
    return p


def main(argv: Optional[List[str]] = None) -> int:
    import logging
    logging.basicConfig(level=logging.INFO, format="%(levelname)s %(message)s")
```

```
    log = logging.getLogger("nightly_reelcount")
    args = build_parser().parse_args(argv)
    tols = Tolerances(quality_tol=args.quality_tol)
    date = args.date or _dt.date.today().isoformat()

    if not os.path.exists(args.manifest):
        log.error("manifest not found: %s", args.manifest)
        return 2
    manifest = load_manifest(args.manifest)
    baseline = load_baseline(args.baseline)

    try:
        run_results, total_wall = run_corpus(manifest, baseline, rerun_on_mismatch=not args.no_rerun_guard)
    except Exception as e:  # noqa: BLE001 ? operational failure (deps/config) ? exit 2, never a false "pass"
        log.error("run failed: %s", e)
        return 2
    if not run_results:
        log.error("no videos in manifest %s", args.manifest)
        return 2

    billed = args.vm_uptime_seconds if args.vm_uptime_seconds is not None else total_wall
    cost = cost_report(
        billed_seconds=billed,
        machine_usd_per_hr=float(manifest.get("machine_usd_per_hr", DEFAULT_MACHINE_USD_PER_HR)),
        fx_inr_per_usd=float(manifest.get("fx_inr_per_usd", DEFAULT_FX_INR_PER_USD)),
        gpu_seconds=total_wall,
    )
    segmenter = manifest.get("segmenter", "motion")
    snapshot = summarize_results(run_results, segmenter, cost)
    snapshot["git_commit"] = _git_head()
    snapshot["generated_at"] = date

    if args.update_baseline:
        save_baseline(args.baseline, snapshot)
        log.info("baseline frozen ? %s", args.baseline)
        for r in run_results:
            log.info("  %s: reels=%s ok=%s", r["name"], r.get("reel_count"), r.get("ok"))
        return 0

    if baseline is None:
        log.error("no baseline at %s ? freeze one with --update-baseline (on the configured engine).", args.baseline)
        return 3

    result = compare(baseline, snapshot, tols)
    report = format_report(baseline, snapshot, result, date, snapshot["git_commit"])

    if not args.no_report:
        os.makedirs(args.report_dir, exist_ok=True)
        md_path = os.path.join(args.report_dir, f"{date}.md")
        with open(md_path, "w", encoding="utf-8") as fh:
            fh.write(report + "\n")
        with open(os.path.join(args.report_dir, f"{date}.json"), "w", encoding="utf-8") as fh:
            json.dump({"date": date, "status": result.overall_status(), "exit_code": result.exit_code(),
                       "snapshot": snapshot, "regressions": [f.message() for f in result.regressions]},
                      fh, indent=2, sort_keys=True)
        log.info("report ? %s", md_path)
```

```
    print(report)

    if args.email:
        try:
            from scripts.nightly_email import send_report
            subject = f"[KhelSutra nightly] {result.overall_status()} ? reel-count engine regression {date}"
            sent = send_report(subject, report, to=args.email_to)
            log.info("email %s", "sent" if sent else "skipped (no creds ? report still written)")
        except Exception as e:  # noqa: BLE001 ? a broken mailer must NOT mask the regression verdict
            log.error("email failed (report still written): %s", e)

    code = result.exit_code()
    if code == 1:
        log.error("REEL-COUNT REGRESSION (%d) ? see %s", len(result.regressions), args.report_dir)
    elif code == 4:
        log.warning("baseline STALE ? corpus/segmenter changed; re-freeze with --update-baseline")
    else:
        log.info("nightly reel-count check PASSED  (cost $%.4f / ?%.2f)", cost["usd"], cost["inr"])
    return code


if __name__ == "__main__":
    raise SystemExit(main())

```

5. user (2026-06-22T09:45:40.288Z)

```
#!/usr/bin/env bash
# Startup-script for the NIGHTLY engine-regression VM. Runs UNATTENDED on boot, then DELETES the VM
# (cost rule: a running GPU VM is the only real cost). Survives SSH drops (it's a startup-script, not
# an interactive session). Reads its config from instance metadata (set by launch.sh).
#
# Flow:  Ops Agent  ?  pull repo @ HEAD from GCS  ?  build venv + WASB env  ?  stage weights  ?
#        run scripts/nightly_reelcount.py on the gs:// golden clips (emails the report) ?
#        upload report to GCS  ?  SELF-DELETE (even on failure, via the EXIT trap).
#
# Metadata keys (launch.sh sets these): repo-tgz-uri, git-sha, gcs-bucket, report-prefix,
#   weights-uri, email (true/false). NOT verified in CI ? dry-run via launch.sh on a real VM first.
set -uo pipefail
exec > >(tee -a /var/log/nightly-regression.log) 2>&1
echo "===== nightly-regression startup $(date -u +%FT%TZ) ====="
BOOT_EPOCH=$(date +%s)

md() { curl -s -H "Metadata-Flavor: Google" "http://metadata.google.internal/computeMetadata/v1/$1"; }
NAME=$(md instance/name)
ZONE=$(md instance/zone | awk -F/ '{print $NF}')
REPO_TGZ=$(md instance/attributes/repo-tgz-uri || true)
GIT_SHA=$(md instance/attributes/git-sha || echo unknown)
BUCKET=$(md instance/attributes/gcs-bucket || true)
REPORT_PREFIX=$(md instance/attributes/report-prefix || echo nightly/reports)
WEIGHTS_URI=$(md instance/attributes/weights-uri || true)
```

```
DO_EMAIL=$(md instance/attributes/email || echo true)
SMTP_SECRET=$(md instance/attributes/smtp-secret || true)
SMTP_USER=$(md instance/attributes/smtp-user || true)
EMAIL_TO=$(md instance/attributes/email-to || echo avi.dullu@gmail.com)
DATE=$(date -u +%F)

# ALWAYS delete the VM on exit (success OR failure) ? never leave a billing GPU VM behind.
cleanup() {
  echo "===== self-delete $NAME ($ZONE) ====="
  gcloud compute instances delete "$NAME" --zone="$ZONE" --quiet || \
    echo "WARN: self-delete failed ? DELETE MANUALLY: gcloud compute instances delete $NAME --zone=$ZONE -q"
}
trap cleanup EXIT

fail_email() {  # best-effort failure alert (the report email won't have fired on an early crash)
  echo "RUN FAILED ? attempting a failure alert"
  if [ "$DO_EMAIL" = "true" ] && [ -d ~/rally ]; then
    cd ~/rally 2>/dev/null && . .venv/bin/activate 2>/dev/null && \
    NIGHTLY_SMTP_SECRET="$SMTP_SECRET" NIGHTLY_SMTP_USER="$SMTP_USER" NIGHTLY_EMAIL_TO="$EMAIL_TO" \
    python - <<PY || true
from scripts.nightly_email import send_report
send_report("[KhelSutra nightly] ERROR ? engine regression VM run failed ($DATE)",
            "The nightly engine-regression run failed on the VM before producing a report.\n"
            "See gs://$BUCKET/$REPORT_PREFIX/$DATE/ and the VM serial log.\nGIT_SHA=$GIT_SHA", to="$EMAIL_TO")
PY
  fi
}
trap 'fail_email' ERR

# 1) Observability (Ops Agent) ? same as create_gpu_vm.sh bakes in.
curl -sSO https://dl.google.com/cloudagents/add-google-cloud-ops-agent-repo.sh && \
  sudo bash add-google-cloud-ops-agent-repo.sh --also-install || echo "WARN: ops-agent install failed (non-fatal)"

# 2) Pull the repo @ HEAD (staged to GCS by launch.sh ? no GitHub auth needed; uses the worker SA).
mkdir -p ~/rally && cd ~/rally
gcloud storage cp "$REPO_TGZ" /tmp/rally.tgz
tar -xzf /tmp/rally.tgz -C ~/rally
echo "$GIT_SHA" > ~/rally/GIT_SHA

# 3) Build the env + native WASB (provider-agnostic DO scripts, reused on GCP per deploy/gcp/README §4).
sudo bash deploy/digitalocean/mount_scratch.sh 2>/dev/null || true
export TMPDIR=/scratch 2>/dev/null || true
./deploy/digitalocean/bootstrap.sh --gpu
. .venv/bin/activate
pip install -e '.[storage-gcs]'
bash deploy/digitalocean/gpu_setup.sh || echo "WARN: gpu_setup (WASB env) returned nonzero ? continuing"

# 4) Stage the WASB checkpoint (gpu_setup does NOT fetch weights ? README §4).
if [ -n "$WEIGHTS_URI" ]; then
  mkdir -p ~/models/WASB-SBDT/pretrained_weights
  gcloud storage cp "$WEIGHTS_URI" ~/models/WASB-SBDT/pretrained_weights/wasb_badminton_best.pth.tar
  export WASB_WEIGHTS=~/models/WASB-SBDT/pretrained_weights/wasb_badminton_best.pth.tar
fi

```

```
# 5) Run the regression on the gs:// golden clips in the committed manifest. Cost = VM uptime so far.
UPTIME=$(( $(date +%s) - BOOT_EPOCH ))
EMAIL_FLAG=""; [ "$DO_EMAIL" = "true" ] && EMAIL_FLAG="--email --email-to $EMAIL_TO"
set +e
NIGHTLY_SMTP_SECRET="$SMTP_SECRET" NIGHTLY_SMTP_USER="$SMTP_USER" NIGHTLY_EMAIL_TO="$EMAIL_TO" \
  python scripts/nightly_reelcount.py --vm-uptime-seconds "$UPTIME" $EMAIL_FLAG
RUN_RC=$?
set -e
echo "runner exit code: $RUN_RC  (0 pass / 1 regression / 4 stale)"

# 6) Upload the dated report to GCS for the record (alongside the email).
if [ -n "$BUCKET" ] && [ -d output/nightly_reelcount ]; then
  gcloud storage cp -r "output/nightly_reelcount/$DATE."* "gs://$BUCKET/$REPORT_PREFIX/$DATE/" || \
    gcloud storage cp -r output/nightly_reelcount "gs://$BUCKET/$REPORT_PREFIX/$DATE/" || true
fi

echo "===== nightly-regression done rc=$RUN_RC $(date -u +%FT%TZ) ====="
trap - ERR   # disable the failure-email trap; the EXIT (self-delete) trap stays
# the EXIT trap deletes the VM

```

6. assistant (2026-06-22T09:45:43.225Z)

Now let me read the remaining deployment and manifest files to complete the analysis:

7. user (2026-06-22T09:45:44.273Z)

```
#!/usr/bin/env bash
# Launch ONE nightly engine-regression run on an ephemeral GCP GPU VM, then return. The VM runs
# run_on_vm.sh as its startup-script (regression ? email ? SELF-DELETE), so this just stages the repo
# and kicks the VM off. Driver-agnostic: call it from Cloud Scheduler?Cloud Run job, a cron on any
# always-on box, the owner's machine, or a Claude routine. Needs gcloud auth + the repo checkout.
#
#   bash deploy/gcp/nightly_regression/launch.sh                 # L4, stages HEAD, kicks the VM
#   RALLY_GPU=t4 RALLY_REF=$(git rev-parse HEAD) bash deploy/gcp/nightly_regression/launch.sh
#
# ? Run this MANUALLY once as a dry-run (watch the serial log) before wiring a scheduler ? the VM-side
# flow is NOT covered by CI. Tail: gcloud compute instances get-serial-port-output <name> --zone=<z>.
set -uo pipefail

PROJECT="${RALLY_GCP_PROJECT:-gen-lang-client-0306026826}"
BUCKET="${RALLY_BUCKET:-khelsutra-rally-corpus}"
SA="rally-worker@${PROJECT}.iam.gserviceaccount.com"
GPU="${RALLY_GPU:-l4}"
NAME="${RALLY_VM_NAME:-rally-nightly-$(date -u +%Y%m%d)}"
REF="${RALLY_REF:-HEAD}"
WEIGHTS_URI="${RALLY_WEIGHTS_URI:-gs://$BUCKET/weights/wasb_badminton_best.pth.tar}"
REPORT_PREFIX="${RALLY_REPORT_PREFIX:-nightly/reports}"
DO_EMAIL="${RALLY_EMAIL:-true}"
SMTP_SECRET="${NIGHTLY_SMTP_SECRET:-projects/$PROJECT/secrets/nightly-smtp-pass/versions/latest}"
SMTP_USER="${NIGHTLY_SMTP_USER:-}"
EMAIL_TO="${NIGHTLY_EMAIL_TO:-avi.dullu@gmail.com}"
```

```
HERE="$(cd "$(dirname "${BASH_SOURCE[0]}")" && pwd)"
STARTUP="$HERE/run_on_vm.sh"
export CLOUDSDK_CORE_DISABLE_PROMPTS=1

ZONES="${RALLY_GCP_ZONES:-asia-south1-a asia-south1-b asia-south1-c asia-southeast1-a asia-southeast1-b asia-southeast1-c}"
if [ "$GPU" = "l4" ]; then MACHINE="g2-standard-4"; ACCEL=(); else MACHINE="n1-standard-8"; ACCEL=(--accelerator=type=nvidia-tesla-t4,count=1); fi

# 1) Stage the repo @ REF to GCS (no GitHub auth on the VM; the worker SA can read the bucket).
SHA="$(git rev-parse "$REF")"
TGZ_URI="gs://$BUCKET/nightly/repo/${SHA}.tgz"
echo "== staging repo $SHA -> $TGZ_URI =="
TMP_TGZ="$(mktemp --suffix=.tgz)"
git archive --format=tar.gz -o "$TMP_TGZ" "$REF"
gcloud storage cp "$TMP_TGZ" "$TGZ_URI" --project="$PROJECT"
rm -f "$TMP_TGZ"

# 2) Zone-sweep create the VM (mirrors create_gpu_vm.sh) with run_on_vm.sh + the config metadata.
ERR="$(mktemp)"
for Z in $ZONES; do
  echo "== creating $NAME ($GPU) in $Z =="
  if gcloud compute instances create "$NAME" --project="$PROJECT" --zone="$Z" \
       --machine-type="$MACHINE" "${ACCEL[@]}" \
       --maintenance-policy=TERMINATE --provisioning-model=STANDARD \
       --image-family=common-cu129-ubuntu-2204-nvidia-580 --image-project=deeplearning-platform-release \
       --boot-disk-size=120GB --boot-disk-type=pd-balanced \
       --service-account="$SA" --scopes=cloud-platform \
       --metadata-from-file=startup-script="$STARTUP" \
       --metadata=repo-tgz-uri="$TGZ_URI",git-sha="$SHA",gcs-bucket="$BUCKET",report-prefix="$REPORT_PREFIX",weights-uri="$WEIGHTS_URI",email="$DO_EMAIL",smtp-secret="$SMTP_SECRET",smtp-user="$SMTP_USER",email-to="$EMAIL_TO" \
       2>"$ERR"; then
    echo "? launched $NAME in $Z ? it will run the regression, email $EMAIL_TO, and self-delete."
    echo "   serial log: gcloud compute instances get-serial-port-output $NAME --zone=$Z --project=$PROJECT"
    echo "   if it doesn't self-delete: gcloud compute instances delete $NAME --zone=$Z -q"
    rm -f "$ERR"; exit 0
  fi
  if grep -qiE "STOCKOUT|does not have enough" "$ERR"; then echo "  (no $GPU capacity in $Z ? next zone)"; continue; fi
  echo "  create failed:"; tail -4 "$ERR"; rm -f "$ERR"; exit 1
done
echo "? no $GPU capacity in any swept zone ($ZONES). Retry later or RALLY_GPU=t4."
rm -f "$ERR"; exit 1

```

8. user (2026-06-22T09:45:45.238Z)

```
# Tiny launcher image for the nightly engine-regression Cloud Run JOB. It is NOT the GPU workload ?
# it only stages the repo + creates the ephemeral GPU VM (which self-deletes). Scale-to-zero: the job
# runs for a few seconds nightly, then exits. Base = google/cloud-sdk (gcloud + git preinstalled).
FROM gcr.io/google.com/cloudsdktool/cloud-sdk:slim
WORKDIR /app
# The repo is the build context (run `gcloud builds submit` from the repo root, see register_scheduler.sh).
COPY . /app
```

```
ENTRYPOINT ["bash", "deploy/gcp/nightly_regression/launch.sh"]
```

9. user (2026-06-22T09:45:45.975Z)


```
{
  "_doc": "Nightly E2E engine reel-count manifest (scripts/nightly_reelcount.py). The configured+checkpointed pipeline runs on each video on a GCP GPU VM; the reel count + quality metrics are asserted vs eval_baselines/reelcount_baseline.json. ADD A VIDEO = append one row + re-freeze: `python scripts/nightly_reelcount.py --update-baseline` (commit the updated baseline). URIs may be gs:// (recommended, co-located with the VM), gdrive://, or local paths. labels_uri (optional) is a golden-features JSON (gts key) or a start,end CSV ? present => quality metrics (tol_f1/f1@0.5/f1@0.25) are scored too. EDIT the example rows below to your actual short (~5-6 min) OWNED, minors-free clips before enabling.",
  "segmenter": "wasb_hybrid",
  "detector_impl": "native",
  "config_overrides": {
    "indexing.default_segmenter": "wasb_hybrid",
    "indexing.detector_impl": "native"
  },
  "machine_usd_per_hr": 0.70,
  "fx_inr_per_usd": 83.0,
  "videos": [
    {
      "name": "GX030094",
      "uri": "gs://khelsutra-rally-corpus/nightly/videos/GX030094.mp4",
      "labels_uri": "gs://khelsutra-rally-corpus/nightly/labels/GX030094_golden_features.json"
    },
    {
      "name": "Badminton_BXH_2",
      "uri": "gs://khelsutra-rally-corpus/nightly/videos/Badminton_BXH_2.mp4",
      "labels_uri": "gs://khelsutra-rally-corpus/nightly/labels/Badminton_BXH_2_golden_features.json"
    },
    {
      "name": "GX010128",
      "uri": "gs://khelsutra-rally-corpus/nightly/videos/GX010128.mp4",
      "labels_uri": "gs://khelsutra-rally-corpus/nightly/labels/GX010128_golden_features.json"
    }
  ]
}
```


10. assistant (2026-06-22T09:45:48.305Z)

Now let me check the register_scheduler.sh file:

11. user (2026-06-22T09:45:49.388Z)

```
#!/usr/bin/env bash
# Wire the nightly engine-regression as a CLOUD-NATIVE, scale-to-zero job:
#   Cloud Scheduler (cron)  ?  Cloud Run JOB (the launcher image)  ?  launch.sh
#     ?  ephemeral GPU VM (regression + email + SELF-DELETE).
# The only always-on cost is $0 (Cloud Run jobs + Scheduler are scale-to-zero; the GPU VM is ephemeral).
#
# ? OWNER-RUN, ONCE, after a successful manual `bash deploy/gcp/nightly_regression/launch.sh` dry-run.
# NOT verified in CI (no GCP/GPU here). Prereqs: GPU quota (README §2), the golden clips + weights in
# gs://<bucket>, and the SMTP secret (see README "Enable").
#
```

```
#   bash deploy/gcp/nightly_regression/register_scheduler.sh          # build + deploy + schedule (03:00 IST)
#   RALLY_CRON='0 3 * * *' RALLY_TZ='Asia/Kolkata' bash .../register_scheduler.sh
set -euo pipefail

PROJECT="${RALLY_GCP_PROJECT:-gen-lang-client-0306026826}"
REGION="${RALLY_RUN_REGION:-asia-south1}"
JOB="${RALLY_RUN_JOB:-nightly-regression-launcher}"
SCHED="${RALLY_SCHED_NAME:-nightly-regression}"
CRON="${RALLY_CRON:-0 3 * * *}"          # 03:00 daily
TZ="${RALLY_TZ:-Asia/Kolkata}"
SA="rally-worker@${PROJECT}.iam.gserviceaccount.com"
IMAGE="${RALLY_LAUNCHER_IMAGE:-${REGION}-docker.pkg.dev/${PROJECT}/rally/nightly-launcher:latest}"
REPO_ROOT="$(git rev-parse --show-toplevel)"
export CLOUDSDK_CORE_DISABLE_PROMPTS=1

echo "== enable APIs (run, scheduler, build, artifact registry) =="
gcloud services enable run.googleapis.com cloudscheduler.googleapis.com \
  cloudbuild.googleapis.com artifactregistry.googleapis.com --project="$PROJECT"

echo "== ensure the Artifact Registry repo 'rally' exists =="
gcloud artifacts repositories describe rally --location="$REGION" --project="$PROJECT" >/dev/null 2>&1 || \
  gcloud artifacts repositories create rally --repository-format=docker --location="$REGION" --project="$PROJECT"

echo "== build + push the launcher image from the repo root =="
( cd "$REPO_ROOT" && gcloud builds submit --project="$PROJECT" --tag "$IMAGE" \
    --gcs-source-staging-dir="gs://${RALLY_BUILD_BUCKET:-khelsutra-rally-corpus}/cloudbuild" \
    -f deploy/gcp/nightly_regression/Dockerfile.launcher . )

echo "== create/update the Cloud Run JOB (launcher needs compute-admin to create the GPU VM) =="
gcloud run jobs deploy "$JOB" --project="$PROJECT" --region="$REGION" \
  --image="$IMAGE" --service-account="$SA" --max-retries=0 --task-timeout=900s \
  --set-env-vars="RALLY_GPU=${RALLY_GPU:-l4},RALLY_EMAIL=true,NIGHTLY_EMAIL_TO=${NIGHTLY_EMAIL_TO:-avi.dullu@gmail.com}"

echo "== schedule it (Cloud Scheduler ? Run job admin API) =="
RUN_URI="https://${REGION}-run.googleapis.com/apis/run.googleapis.com/v1/namespaces/${PROJECT}/jobs/${JOB}:run"
gcloud scheduler jobs describe "$SCHED" --location="$REGION" --project="$PROJECT" >/dev/null 2>&1 && \
  gcloud scheduler jobs delete "$SCHED" --location="$REGION" --project="$PROJECT" --quiet || true
gcloud scheduler jobs create http "$SCHED" --project="$PROJECT" --location="$REGION" \
  --schedule="$CRON" --time-zone="$TZ" \
  --uri="$RUN_URI" --http-method=POST \
  --oauth-service-account-email="$SA"

cat <<EOF

? Scheduled '$SCHED' ($CRON $TZ) ? Cloud Run job '$JOB' ? launch.sh ? ephemeral GPU VM.
   IAM the launcher SA needs (grant once if missing):
     roles/compute.instanceAdmin.v1  (create/delete the GPU VM)
     roles/iam.serviceAccountUser    (attach $SA to the VM)
     roles/run.invoker + roles/cloudscheduler.jobRunner (Scheduler ? Run)
   Trigger now to test:  gcloud run jobs execute $JOB --region=$REGION --project=$PROJECT
   Remove:               gcloud scheduler jobs delete $SCHED --location=$REGION; gcloud run jobs delete $JOB --region=$REGION
EOF

```

12. assistant (2026-06-22T09:45:51.770Z)

Now let me verify the exact SSL/TLS vulnerability claim by examining the SMTP code more closely:

13. user (2026-06-22T09:45:53.652Z)

```
86:    with smtplib.SMTP(host, port, timeout=60) as s:
87:        s.starttls()
```

14. assistant (2026-06-22T09:45:55.826Z)

Let me check the imports to see if ssl is used anywhere:

15. user (2026-06-22T09:45:56.668Z)

```
Exit code 2
grep: C:UsersaviduProjectsbadminton-highlight-
indexer.claudeworktreesnightly-e2escriptsnightly_email.py: No such file or directory
```

16. user (2026-06-22T09:45:59.655Z)

```
1       """Email the nightly regression report ? stdlib SMTP, creds from env or GCP Secret
Manager.
2
3       Used by ``scripts/nightly_reelcount.py --email`` (and reusable by any nightly).
Deliberately
4       dependency-light (stdlib ``smtplib`` + ``email.message``) and **graceful**: if no SMTP
password can
5       be resolved it logs + returns ``False`` (the report is still written/printed ? a broken
mailer must
6       never mask a regression).
7
8       Credential resolution (first hit wins), so it works on a GCP VM, locally, or in tests:
9         ? Recipient:  ``--email-to`` arg  ?  ``NIGHTLY_EMAIL_TO``  ?  ``avi.dullu@gmail.com``
10        ? SMTP host:  ``NIGHTLY_SMTP_HOST``  (default ``smtp.gmail.com``)   · port
``NIGHTLY_SMTP_PORT`` (587, STARTTLS)
11        ? SMTP user:  ``NIGHTLY_SMTP_USER``  (default = recipient)
12        ? SMTP pass:  ``NIGHTLY_SMTP_PASS``  ?  Secret Manager ``NIGHTLY_SMTP_SECRET``
13                      (``projects/<p>/secrets/<name>/versions/latest``; via the google-cloud-
secret-manager
14                       lib if installed, else the ``gcloud`` CLI). A Gmail **app password** is
the simplest.
15
16      Set the secret once (owner):  echo -n '<app-password>' | gcloud secrets create nightly-
smtp-pass --data-file=-
17      and on the VM:  export NIGHTLY_SMTP_SECRET=projects/<proj>/secrets/nightly-smtp-
pass/versions/latest
18                      export NIGHTLY_SMTP_USER=<your-gmail>
NIGHTLY_EMAIL_TO=avi.dullu@gmail.com
19      """
20      from __future__ import annotations
21
22      import logging
23      import os
24      from email.message import EmailMessage
25      from typing import Optional
26
27      log = logging.getLogger("nightly_email")
28
29      DEFAULT_TO = "avi.dullu@gmail.com"
30      DEFAULT_HOST = "smtp.gmail.com"
```

17. assistant (2026-06-22T09:46:01.997Z)

Now let me check Python's smtplib documentation behavior and review if there's any real risk here. Let me search for Python best practices in this codebase:

18. user (2026-06-22T09:46:03.458Z)

(Bash completed with no output)

19. assistant (2026-06-22T09:46:05.486Z)

Let me check if there are any other SMTP connections in the codebase:

20. user (2026-06-22T09:46:06.402Z)

```
./scripts/nightly_email.py:    with smtplib.SMTP(host, port, timeout=60) as s:
```

21. assistant (2026-06-22T09:46:09.237Z)

Now let me verify the actual Python SMTP behavior by checking the Python documentation assertion. Let me analyze the claim adversarially:

22. user (2026-06-22T09:46:10.333Z)

```
Help on function __init__ in module smtplib:

__init__(
    self,
    host='',
    port=0,
    local_hostname=None,
    timeout=<object object at 0x00000243842C0360>,
    source_address=None
)
    Initialize a new instance.

    If specified, `host` is the name of the remote host to which to
    connect.  If specified, `port` specifies the port to which to connect.
    By default, smtplib.SMTP_PORT is used.  If a host is specified the
    connect method is called, and if it returns anything other than a
    success code an SMTPConnectError is raised.  If specified,
    `local_hostname` is used as the FQDN of the local host in the HELO/EHLO
    command.  Otherwise, the local hostname is found using
    socket.getfqdn(). The `source_address` parameter takes a 2-tuple (host,
    port) for the socket to bind to as its source address before
    connecting. If the host is '' and port is 0, the OS default behavior
    will be used.
```

23. user (2026-06-22T09:46:13.474Z)

```
Help on function starttls in module smtplib:

starttls(self, *, context=None)
    Puts the connection to the SMTP server into TLS mode.

    If there has been no previous EHLO or HELO command this session, this
    method tries ESMTP EHLO first.

    If the server supports TLS, this will encrypt the rest of the SMTP
    session. If you provide the context parameter,
    the identity of the SMTP server and client can be checked. This,
    however, depends on whether the socket module really checks the
    certificates.

    This method may raise the following exceptions:
```

```
     SMTPHeloError            The server didn't reply properly to
                              the helo greeting.
```

24. user (2026-06-22T09:46:19.032Z)

```
=== SMTP.starttls source ===
    def starttls(self, *, context=None):
        """Puts the connection to the SMTP server into TLS mode.

        If there has been no previous EHLO or HELO command this session, this
        method tries ESMTP EHLO first.

        If the server supports TLS, this will encrypt the rest of the SMTP
        session. If you provide the context parameter,
        the identity of the SMTP server and client can be checked. This,
        however, depends on whether the socket module really checks the
        certificates.

        This method may raise the following exceptions:

         SMTPHeloError            The server didn't reply properly to
                                  the helo greeting.
        """
        self.ehlo_or_helo_if_needed()
        if not self.has_extn("starttls"):
            raise SMTPNotSupportedError(
                "STARTTLS extension not supported by server.")
        (resp, reply) = self.docmd("STARTTLS")
        if resp == 220:
            if not _have_ssl:
                raise RuntimeError("No SSL support included in this Python")
            if context is None:
                context = ssl._create_stdlib_context()
            self.sock = context.wrap_socket(self.sock,
                                            server_hostname=self._host)
            self.file = None
            # RFC 3207:
            # The client MUST discard any knowledge obtained from
            # the server, such as the list of SMTP service extensions,
            # which

=== SMTP_SSL (for comparison) ===
        def __init__(self, host='', port=0, local_hostname=None,
                     *, timeout=socket._GLOBAL_DEFAULT_TIMEOUT,
                     source_address=None, context=None):
            if context is None:
                context = ssl._create_stdlib_context()
            self.context = context
            SMTP.__init__(self, host, port, local_hostname, timeout,
                          source_address)


=== Testing default context behavior ===
Default context check_hostname: True
Default context verify_mode: 2
Verify mode is CERT_REQUIRED: True
```

25. assistant (2026-06-22T09:46:21.104Z)

Now I have the critical information. Let me verify what `ssl._create_stdlib_context()` does:

26. user (2026-06-22T09:46:22.256Z)

```
=== ssl._create_stdlib_context documentation ===
```

```
Help on function _create_unverified_context in module ssl:

_create_unverified_context(
    protocol=None,
    *,
    cert_reqs=<VerifyMode.CERT_NONE: 0>,
    check_hostname=False,
    purpose=<Purpose.SERVER_AUTH: _ASN1Object(nid=129, shortname='serverAuth', longname='TLS Web
Server Authentication', oid='1.3.6.1.5.5.7.3.1')>,
    certfile=None,
    keyfile=None,
    cafile=None,
    capath=None,
    cadata=None
)
    Create a SSLContext object for Python stdlib modules

    All Python stdlib modules shall use this function to create SSLContext
    objects in order to keep common settings in one place. The configuration
    is less restrict than create_default_context()'s to increase backward
    compatibility.
```

27. assistant (2026-06-22T09:46:24.160Z)

```
This is the smoking gun! Let me verify the actual defaults:
```

28. user (2026-06-22T09:46:28.258Z)

```
=== stdlib context (used by smtplib.SMTP.starttls when no context provided) ===
check_hostname: False
verify_mode: 0 (CERT_NONE)

=== default context (recommended best practice) ===
check_hostname: True
verify_mode: 2 (CERT_REQUIRED)

DIFFERENCE: stdlib context does NOT verify certificates by default!
VerifyMode.CERT_NONE (0) = no verification
VerifyMode.CERT_REQUIRED (2) = certificate verification required
```

29. assistant (2026-06-22T09:46:30.209Z)

```
Perfect. Now I have conclusive evidence. Let me document the exact vulnerability:
```

30. user (2026-06-22T09:46:43.915Z)

```
Structured output provided successfully
```