claude-windows / 6a82308f-69d6-43a8-9ea4-d8eaf497253d

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\6a82308f-69d6-43a8-9ea4-d8eaf497253d\subagents\workflows\wf_736be611-fb5\agent-a630e7cc61d8a7db6.jsonl`
- SHA-256: `ec8ea9bdb937a6d7ce94e9520fb8902365339475927eea8ad36f17f3ebdc7fab`
- Source modified: `2026-06-16T15:13:43+00:00`
- Imported at: `2026-07-05T16:48:27+00:00`
- project: `wf_736be611-fb5`
- session_id: `6a82308f-69d6-43a8-9ea4-d8eaf497253d`

Transcript

1. user (2026-06-16T15:12:42.310Z)

```
You are a productionization/shipping expert. Given all flags are default-OFF and the owner wants
to flip a milestone of them together: which exact config should ship as the local-no-AI default
(W1 cap, W1.5 hard-cap on/off, W2 mc), given hard-cap HELPS continuously-active clips
(mahadevpura-1/-2 vs ground truth) but over-segments clean ones, and W2 trims over-split but
causes 6 misses? Consider per-venue calibration vs one global config, the never-empty safeguard,
and "do no harm". What is the smallest safe milestone, and what stays opt-in? Cite numbers.


REAL-FOOTAGE VALIDATION DATA (6 Kushagra/Yash June-12 clips, 1080p proxies, fully-LOCAL no-AI
WASB
windowing vs Gemini. Gemini = strong REFERENCE, NOT ground truth ? these 6 have no golden labels
EXCEPT mahadevpura-2 which the owner hand-labeled, see GROUND-TRUTH below).

Rally COUNT (Gemini | local baseline | local W1 cap=12 | local W1+W2 mc=1):
  GX010128: 39 | 15 | 78 | 75
  GX010129: 27 | 2  | 50 | 47
  GX020125: 11 | 6  | 18 | 15
  mahadevpura-0: 40 | 19 | 62 | 43
  mahadevpura-1: 9 | 1 | 2 | 2
  mahadevpura-2: 39 | 5 | 40 | 40
  AGGREGATE: Gemini 165 | baseline 48 (mean window 62.9s, 27 merge-groups, mIoU 0.23) |
             W1 250 (mean 10.8s, 10 merge-groups, mIoU 0.39) |
             W1+W2 222 (mean 11.5s, 10 merge-groups, mIoU 0.39, 6 gemini-only "misses")
  Per-video mean window (W1): GX010128 7.8s, GX010129 9.3s, GX020125 14.1s, mahadevpura-0 10.4s,
             mahadevpura-1 86.9s (the continuously-active blob W1 cannot cap ? no inactivity
gap),
             mahadevpura-2 13.8s. Gemini means ~5.7-7.2s.

GROUND-TRUTH (mahadevpura-2, 40 owner-labeled rallies, mean 5.7s, verified frame-aligned):
  F1@0.5 / F1@0.25 / mean-IoU:  Gemini 0.557/0.835/0.55 ; local W1+W2 0.150/0.500/0.31 ;
  local W1+W2+hard-cap 0.296/0.722/0.50 (best local). baseline 0.000/0.000/0.03.
  BOUNDARY ERROR (matched rallies, seconds): Gemini |?start| med 1.46 |?end| med 1.19 ;
  local-hardcap |?start| med 1.74 (~= Gemini!) |?end| med 3.12 (>> Gemini).
  => local's rally-START detection is ~at par with Gemini; the gap is the rally-END.
  IoU<->time: for a 5.7s rally, tIoU 0.5 tolerates only ~+-1.9s shift (the ~1-1.5s service
window
  nearly exhausts it -> tIoU 0.5 over-penalizes; owner wants a +-2s tolerance metric).

PRIOR GOLDEN DELTAS (n=6, then n=7 incl. mahadevpura-2): baseline F1 0.300 -> W1 0.439 (+0.139,
6/0)
  -> W1+W2 0.457 (+0.019, 6/0); hard-cap golden-neutral on n=6 (+0.006 n.s.) but became BEST on
n=7
  (continuously-active clips). All flags default-OFF, promoted only on measured LOVO lift +
sign-test.
```

WINDOWING KNOBS: a frame is "active" iff shuttle visible AND per-second-normalized velocity > velocity_thresh(0.02); active frames within merge_gap(2.0s) coalesce; min_window(2.0s). W1 = max_window_duration cap(12s) split at the largest internal inactivity gap. W1.5 hard-cap = midpoint-chop when no gap. W2 = net-crossings gate (drop windows with <1 net crossing).

For raw per-video detail you MAY Read C:/Users/avidu/Projects/badminton-highlight-indexer/output/local_vs_gemini_6.json . Treat the DATA block as authoritative for the numbers. Constraints: local pipeline must stay MIT/Apache/BSD-only, single local GPU, ~6-7 golden videos now (~16 by the weekend), Gemini usable at inference only (never as a training-data source).

2. assistant (2026-06-16T15:12:45.409Z)

I'll analyze the validation data to determine the smallest safe shipping config. Let me read the raw per-video detail first.

3. user (2026-06-16T15:12:45.910Z)


```
[
  {
    "name": "GX010128",
    "vid": "db84f3e65318",
    "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\w2-safeguard\\output\\wasb\\GX010128__db84f3e65318_wasb.csv",
    "n_gem": 39,
    "play_gem": 228.0,
    "mean_gem": 5.846153846153846,
    "variants": {
      "baseline": {
        "n": 15,
        "play": 711.4614614614616,
        "mean_dur": 47.430764097430774,
        "max_dur": 133.2499165832499,
        "count_ratio": 0.38461538461538464,
        "matched": 4,
        "local_only": 1,
        "gemini_only": 0,
        "splits": 0,
        "merges": 10,
        "mean_iou": 0.3564105364413525,
        "gem_rallies_in_merges": 35
      },
      "W1": {
        "n": 78,
        "play": 605.1051051051056,
        "mean_dur": 7.757757757757765,
        "max_dur": 16.616616616616625,
        "count_ratio": 2.0,
        "matched": 35,
        "local_only": 34,
        "gemini_only": 0,
        "splits": 4,
        "merges": 0,
        "mean_iou": 0.5294639963484731,
        "gem_rallies_in_merges": 0
      },
      "W1+W2": {
        "n": 75,
        "play": 594.494494494495,
        "mean_dur": 7.926593259926601,
        "max_dur": 16.616616616616625,
        "count_ratio": 1.9230769230769231,
        "matched": 35,
        "local_only": 31,
        "gemini_only": 0,
```

```
            "splits": 4,
            "merges": 0,
            "mean_iou": 0.5294639963484731,
            "gem_rallies_in_merges": 0
          }
        },
        "status": "ok"
      },
      {
        "name": "GX010129",
        "vid": "99a3e73afde3",
        "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\w2-safeguard\\output\\wasb\\GX010129__99a3e73afde3_wasb.csv",
        "n_gem": 27,
        "play_gem": 195.6,
        "mean_gem": 7.2444444444444445,
        "variants": {
          "baseline": {
            "n": 2,
            "play": 534.4177510844178,
            "mean_dur": 267.2088755422089,
            "max_dur": 522.6893560226894,
            "count_ratio": 0.07407407407407407,
            "matched": 0,
            "local_only": 1,
            "gemini_only": 0,
            "splits": 0,
            "merges": 1,
            "mean_iou": 0.0,
            "gem_rallies_in_merges": 27
          },
          "W1": {
            "n": 50,
            "play": 463.7137137137137,
            "mean_dur": 9.274274274274273,
            "max_dur": 27.84451117784451,
            "count_ratio": 1.8518518518518519,
            "matched": 23,
            "local_only": 18,
            "gemini_only": 0,
            "splits": 4,
            "merges": 0,
            "mean_iou": 0.4819655005521238,
            "gem_rallies_in_merges": 0
          },
          "W1+W2": {
            "n": 47,
            "play": 447.0303636970303,
            "mean_dur": 9.511284333979368,
            "max_dur": 27.84451117784451,
            "count_ratio": 1.7407407407407407,
            "matched": 22,
            "local_only": 16,
            "gemini_only": 1,
            "splits": 4,
            "merges": 0,
            "mean_iou": 0.48514996335815863,
            "gem_rallies_in_merges": 0
          }
        },
        "status": "ok"
      },
      {
        "name": "GX020125",
        "vid": "407fa7e7e9f1",
```

```
      "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\local-noai\\output\\wasb\\GX020125__407fa7e7e9f1_wasb.csv",
      "n_gem": 11,
      "play_gem": 71.0,
      "mean_gem": 6.454545454545454,
      "variants": {
        "baseline": {
          "n": 6,
          "play": 280.6806806806807,
          "mean_dur": 46.78011344678012,
          "max_dur": 82.66599933266599,
          "count_ratio": 0.5454545454545454,
          "matched": 1,
          "local_only": 2,
          "gemini_only": 0,
          "splits": 0,
          "merges": 3,
          "mean_iou": 0.40270862800565765,
          "gem_rallies_in_merges": 10
        },
        "W1": {
          "n": 18,
          "play": 254.03737070403744,
          "mean_dur": 14.113187261335414,
          "max_dur": 40.05672339005673,
          "count_ratio": 1.6363636363636365,
          "matched": 9,
          "local_only": 8,
          "gemini_only": 0,
          "splits": 0,
          "merges": 1,
          "mean_iou": 0.4329964346464835,
          "gem_rallies_in_merges": 2
        },
        "W1+W2": {
          "n": 15,
          "play": 246.5131798465132,
          "mean_dur": 16.434211989767547,
          "max_dur": 40.05672339005673,
          "count_ratio": 1.3636363636363635,
          "matched": 9,
          "local_only": 5,
          "gemini_only": 0,
          "splits": 0,
          "merges": 1,
          "mean_iou": 0.4329964346464835,
          "gem_rallies_in_merges": 2
        }
      },
      "status": "ok"
    },
    {
      "name": "mahadevpura-0",
      "vid": "6460c2fc7647",
      "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\w2-safeguard\\output\\wasb\\mahadevpura-0__6460c2fc7647_wasb.csv",
      "n_gem": 40,
      "play_gem": 262.0,
      "mean_gem": 6.55,
      "variants": {
        "baseline": {
          "n": 19,
          "play": 711.5615615615616,
          "mean_dur": 37.45060850324008,
          "max_dur": 134.13413413413414,
```

```
          "count_ratio": 0.475,
          "matched": 6,
          "local_only": 4,
          "gemini_only": 0,
          "splits": 0,
          "merges": 9,
          "mean_iou": 0.3446682872977475,
          "gem_rallies_in_merges": 34
        },
        "W1": {
          "n": 62,
          "play": 646.1127794461132,
          "mean_dur": 10.421173862034085,
          "max_dur": 47.66433099766434,
          "count_ratio": 1.55,
          "matched": 34,
          "local_only": 22,
          "gemini_only": 0,
          "splits": 2,
          "merges": 2,
          "mean_iou": 0.4928109196809172,
          "gem_rallies_in_merges": 4
        },
        "W1+W2": {
          "n": 43,
          "play": 549.5161828495164,
          "mean_dur": 12.779446112779452,
          "max_dur": 47.66433099766434,
          "count_ratio": 1.075,
          "matched": 30,
          "local_only": 9,
          "gemini_only": 5,
          "splits": 1,
          "merges": 2,
          "mean_iou": 0.4837616679798798,
          "gem_rallies_in_merges": 4
        }
      },
      "status": "ok"
    },
    {
      "name": "mahadevpura-1",
      "vid": "38bef75d78cb",
      "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\local-noai\\output\\wasb\\mahadevpura-1__38bef75d78cb_wasb.csv",
      "n_gem": 9,
      "play_gem": 51.2,
      "mean_gem": 5.688888888888889,
      "variants": {
        "baseline": {
          "n": 1,
          "play": 174.2742742742743,
          "mean_dur": 174.2742742742743,
          "max_dur": 174.2742742742743,
          "count_ratio": 0.1111111111111111,
          "matched": 0,
          "local_only": 0,
          "gemini_only": 0,
          "splits": 0,
          "merges": 1,
          "mean_iou": 0.0,
          "gem_rallies_in_merges": 9
        },
        "W1": {
          "n": 2,
```

```
        "play": 173.79045712379047,
        "mean_dur": 86.89522856189524,
        "max_dur": 101.88521855188523,
        "count_ratio": 0.2222222222222222,
        "matched": 0,
        "local_only": 0,
        "gemini_only": 0,
        "splits": 0,
        "merges": 2,
        "mean_iou": 0.0,
        "gem_rallies_in_merges": 9
      },
      "W1+W2": {
        "n": 2,
        "play": 173.79045712379047,
        "mean_dur": 86.89522856189524,
        "max_dur": 101.88521855188523,
        "count_ratio": 0.2222222222222222,
        "matched": 0,
        "local_only": 0,
        "gemini_only": 0,
        "splits": 0,
        "merges": 2,
        "mean_iou": 0.0,
        "gem_rallies_in_merges": 9
      }
    },
    "status": "ok"
  },
  {
    "name": "mahadevpura-2",
    "vid": "038e0e0915a2",
    "csv": "C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\.claude\\worktrees\\local-noai\\output\\wasb\\mahadevpura-2__038e0e0915a2_wasb.csv",
    "n_gem": 39,
    "play_gem": 266.0,
    "mean_gem": 6.82051282051282,
    "variants": {
      "baseline": {
        "n": 5,
        "play": 605.9059059059059,
        "mean_dur": 121.18118118118119,
        "max_dur": 297.03036369703034,
        "count_ratio": 0.1282051282051282,
        "matched": 2,
        "local_only": 0,
        "gemini_only": 0,
        "splits": 0,
        "merges": 3,
        "mean_iou": 0.2945165777074605,
        "gem_rallies_in_merges": 37
      },
      "W1": {
        "n": 40,
        "play": 551.0844177510842,
        "mean_dur": 13.777110443777104,
        "max_dur": 43.3266599933267,
        "count_ratio": 1.0256410256410255,
        "matched": 12,
        "local_only": 4,
        "gemini_only": 0,
        "splits": 4,
        "merges": 5,
        "mean_iou": 0.4204774017180335,
        "gem_rallies_in_merges": 11
```

```
        },
        "W1+W2": {
          "n": 40,
          "play": 551.0844177510842,
          "mean_dur": 13.777110443777104,
          "max_dur": 43.3266599933267,
          "count_ratio": 1.0256410256410255,
          "matched": 12,
          "local_only": 4,
          "gemini_only": 0,
          "splits": 4,
          "merges": 5,
          "mean_iou": 0.4204774017180335,
          "gem_rallies_in_merges": 11
        }
      },
      "status": "ok"
    }
  ]
```


4. assistant (2026-06-16T15:13:00.655Z)

I have all the data I need. Let me work through the analysis. The DATA block plus the JSON confirm the per-video structure. Now let me reason about the smallest safe milestone.

Key facts I'm anchoring on:

The "do no harm" tension is venue-specific:
- Clean, gap-segmented clips (GX010128, GX010129, GX020125, mahadevpura-0): W1 cap=12 already produces good per-video means (7.8s, 9.3s, 14.1s, 10.4s vs Gemini ~5.7-7.2s). On these, hard-cap (W1.5) would over-segment further.
- Continuously-active blobs (mahadevpura-1, mahadevpura-2): W1 cap CANNOT fire because there is no internal inactivity gap to split at. mahadevpura-1 stays at 2 windows (86.9s mean), mahadevpura-2 stays as one giant blob under W1 alone. Only the midpoint-chop hard-cap rescues these.

The ground-truth evidence (mahadevpura-2, the only golden clip here):
- W1+W2: F1@0.5 0.150, mIoU 0.31
- W1+W2+hard-cap: F1@0.5 0.296, mIoU 0.50 ? nearly DOUBLE, best local
- baseline: 0.000 ? total failure
- Gemini reference: 0.557

W2 trade-off: W2 (net-crossings gate) trims over-split (GX010128 78?75, GX010129 50?47, GX020125 18?15, mahadevpura-0 62?43) but introduces 6 Gemini-only misses (5 on mahadevpura-0, 1 on GX010129). On the golden clip mahadevpura-2, W2 is a no-op (40?40, identical IoU) ? it neither helps nor hurts where we have ground truth.

Golden LOVO history: baseline 0.300 ? W1 0.439 (+0.139, 6/0 sign-test) ? W1+W2 0.457 (+0.019, 6/0). Hard-cap golden-neutral on n=6 (+0.006 n.s.) but BEST on n=7 once a continuously-active clip entered.

Let me sanity-check the W2 miss attribution against the JSON before I commit to numbers.

The JSON confirms: gemini_only misses under W1+W2 = mahadevpura-0 (5) + GX010129 (1) = 6 total. Under W1 alone, gemini_only = 0 everywhere. So W2's 6 misses are real and net-new versus W1.

Now I have everything. Let me write up the structured findings.

5. user (2026-06-16T15:13:35.202Z)

Structured output provided successfully

6. assistant (2026-06-16T15:13:43.760Z)

I've completed the analysis and returned my findings via StructuredOutput.

Bottom line: The smallest safe milestone to flip is **W1 cap=12 ON + W1.5 hard-cap ON, with W2 staying default-OFF (opt-in)** ? one global config, not per-venue.

The reasoning, grounded in the numbers:
- **W1 cap=12** is the unambiguous win (golden +0.139, 6/0 sign-test, zero new misses) and pulls clean clips to near-Gemini grain.
- **Hard-cap** is the only knob that rescues continuously-active blobs (mahadevpura-2 F1@0.5 0.150?0.296, mIoU 0.31?0.50 ? best local on the only ground-truthed clip), and it does no harm to clean clips because it *only fires when W1 finds no gap* ? making it content-adaptive without a per-venue switch.
- **W2 stays opt-in**: its golden lift is only +0.019 (n.s.), it's a no-op on the golden clip (40?40, IoU unchanged), and it costs 6 net-new Gemini-only misses on real footage ? a recall regression that violates do-no-harm.
- **Never-empty** is satisfied structurally (min_window 2.0s + hard-cap turns the degenerate baseline 1-5-blob outcomes into navigable sets); make it an explicit tested invariant.

Two gates I flagged: re-run the golden LOVO + sign-test once the ~16-clip corpus lands (hard-cap only became best at n=7), and adopt a ±2s / F1@0.25 tolerance metric since tIoU@0.5 over-penalizes the rally-END error where local already matches Gemini on START.