

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_e3715462-63d\agent-a9c35ae0a522c8378.jsonl`
- SHA-256: `a9de8ad06ba66c4f0cc251606cb01f8a4218c1cddef2d6ba1c017f70be1cdd3d`
- Source modified: `2026-06-21T18:38:19+00:00`
- Imported at: `2026-07-08T15:59:28+00:00`
- project: `wf\_e3715462-63d`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T18:34:30.752Z)

You are a strict, native-level Hindi (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json
STEP 2 ? Read the Hindi (?????) translation map (Read tool): undefined/_tmp_hi_flat.json
Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:
NATURAL FLUENCY: a native speaker should find it natural, warm, and instantly clear for a NON-TECHNICAL coach/parent. Flag stiff, over-formal/over-Sanskritized, or machine-like wording and confusing constructions; suggest a smoother everyday phrasing.

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_hi_fluency.json
Each element: {"key": "<dotted key e.g. record.place.body>", "severity": "critical"|"minor", "problem": "<short English note>", "suggestion": "<the FULL corrected Hindi (?????) value for that key, preserving tags and literal tokens>"}.
Include ONLY keys with a REAL problem through THIS lens. If there are none, write []. Be precise and conservative ? do not invent problems, and do not re-flag good translations.

STEP 5 ? Return the summary object {flagged: <number of issues you wrote>, wrote: "undefined/_tmp_issues_hi_fluency.json"}.

2. assistant (2026-06-21T18:34:33.815Z)

I'll start by reading the English source map and the Hindi translation map.

3. user (2026-06-21T18:34:34.257Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

4. user (2026-06-21T18:34:34.628Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

5. assistant (2026-06-21T18:34:37.744Z)

The files don't exist at the literal `undefined/` path. The `undefined` placeholder likely should resolve to a real directory. Let me locate the actual temp files.

6. user (2026-06-21T18:36:39.704Z)

Command running in background with ID: b2ta1r4xl. Output is being written to:

C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\tasks\b2ta1r4xl.output. You will be notified when it completes. To check interim output, use Read on that file path.

7. assistant (2026-06-21T18:36:42.684Z)

Let me search more targeted locations while that runs.

8. user (2026-06-21T18:36:43.387Z)

```
undefined\_tmp_site_en_flat.json
undefined\_tmp_hi_flat.json
```

9. user (2026-06-21T18:36:43.548Z)

```
undefined\_tmp_site_en_flat.json
undefined\_tmp_hi_flat.json
undefined\_tmp_issues_hi_meaning.json
undefined\_tmp_issues_kn_fluency.json
```

10. assistant (2026-06-21T18:36:47.350Z)

There is a literal `undefined` directory in the project. Let me read the files using the relative path resolved to an absolute path.

11. user (2026-06-21T18:36:48.532Z)

```
total 40
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  1319 Jun 22 00:05 _tmp_issues_hi_meaning.json
-rw-r--r-- 1 avidu 197609  4367 Jun 22 00:06 _tmp_issues_kn_fluency.json
-rw-r--r-- 1 avidu 197609   6110 Jun 22 00:05 _tmp_site_en_flat.json
---PWD---
total 40
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  1319 Jun 22 00:05 _tmp_issues_hi_meaning.json
-rw-r--r-- 1 avidu 197609  4367 Jun 22 00:06 _tmp_issues_kn_fluency.json
-rw-r--r-- 1 avidu 197609   6110 Jun 22 00:05 _tmp_site_en_flat.json
```

12. assistant (2026-06-21T18:36:51.634Z)

The files are at `C:/Users/avidu/Projects/khelsutra/undefined/`. Now let me read both source files.

13. user (2026-06-21T18:36:52.566Z)

```
1      {
2        "app.badge": "pick your rallies · alpha",
3        "app.title": "Pick the rallies for your reel",
4        "app.intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then
fine-tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't
want.",
5        "lang.label": "Language",
6        "lang.en": "English",
7        "lang.kn": "?????",
8        "lang.hi": "??????",
9        "lang.es": "Español",
10       "lang.da": "Dansk",
11       "lang.id": "Bahasa Indonesia",
12       "bulk.selectAll": "Select all",
```

```

13     "bulk.clear": "Clear",
14     "bulk.invert": "Invert",
15     "mode.demo": "These are sample rallies ? process a video above to work on a real
match.",
16     "mode.loading": "Finding the rallies in your video?",
17     "mode.error": "Couldn't load this video's rallies: {error}",
18     "mode.loaded": "Found <b>{count}</b> rallies in your video.",
19     "query.placeholder": "e.g. over 10s · top 15 longest · shortest first",
20     "query.ariaLabel": "Filter rallies by length, count or order",
21     "query.apply": "Apply",
22     "query.notAvailable": "not available yet",
23     "query.notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
24     "query.notAvailableHelp": "Shot type, players and score aren't available yet ? filter
by rally length instead.",
25     "query.unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
26     "query.hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample
below.",
27     "query.try": "Sample queries:",
28     "query.support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
29     "grid.empty": "No rallies to show yet.",
30     "grid.rally": "Rally {n}",
31     "grid.inReel": "Rally {n}, in reel",
32     "grid.notInReel": "Rally {n}, not in reel",
33     "grid.start": "start",
34     "grid.long": "long",
35     "grid.shots": "~{count} shots · experimental",
36     "grid.shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
37     "grid.shotsConfidence": " ? confidence: {conf}",
38     "footer.count": "{count, plural, one {# rally} other {# rallies}}",
39     "footer.summaryRest": "selected · {total} total",
40     "footer.reelName": "Reel name",
41     "footer.reelNamePlaceholder": "my-highlights",
42     "footer.build": "Build reel ({count})",
43     "footer.building": "Building?",
44     "footer.floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it
would be skipped, so the build would fail. Pick a longer rally.",
45     "footer.floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
46     "footer.floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
47     "footer.floorSomeRest": "with fewer than {min} shots will be skipped when building
(they're too short).",
48     "result.ready": "Your reel is ready",
49     "result.failed": "Build failed",
50     "result.building": "Stitching your reel?",
51     "result.buildingReassure": "Joining your selected rallies into one video ? this
usually only takes a moment.",
52     "result.dismiss": "Dismiss",
53     "result.download": "Download {filename}",
54     "build.noVideo": "These are sample rallies ? process a real video first to build a
reel.",
55     "ingest.title": "Process a video",
56     "ingest.intro": "Point KhelSutra at a video and it finds the rallies for you ? this
can take a few minutes.",
57     "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58     "ingest.uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine
host",
59     "ingest.hint": "Paste a cloud-storage link (gs://?), or a path to a video on the
machine running KhelSutra.",
60     "ingest.submit": "Process video",
61     "ingest.submitting": "Submitting?",
62     "ingest.cancel": "Cancel",
63     "ingest.working": "Processing your video?",
64     "ingest.progress": "{progress}",

```

```

65     "ingest.retry": "Try again",
66     "ingest.reassure": "Safe to wait ? KhelSutra keeps working even if your connection is
slow; a long video can take several minutes.",
67     "ingest.statusFailed": "Couldn't process",
68     "ingest.chooseFile": "Choose a video file",
69     "ingest.uploadAria": "Choose a video file to upload",
70     "ingest.fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
71     "ingest.orLink": "Or use a cloud link",
72     "ingest.uploadingStatus": "Uploading?",
73     "ingest.uploadProgress": "Upload progress",
74     "errors.networkError": "Can't reach KhelSutra. Is it running?",
75     "errors.invalidUri": "Enter a video location first ? a gs:// link or a path on the
machine running KhelSutra.",
76     "errors.emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
77     "errors.timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
78     "errors.engineGeneric": "Something went wrong. Please try again.",
79     "tap.title": "Tap to filter:",
80     "tap.longest": "Longest first",
81     "tap.shortest": "Shortest first",
82     "tap.over10": "Over 10 seconds",
83     "tap.over20": "Over 20 seconds",
84     "tap.top5": "Top 5 longest",
85     "tap.top10": "Top 10 longest",
86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# rally selected} other {# rallies
selected}}",
101    }

```

14. user (2026-06-21T18:36:52.637Z)

```

1    {
2      "app.badge": "?????-???? ??? · ??????",
3      "app.title": "???? ??? ?? ??? ??????? ??????",
4      "app.intro": "<b>???? ?? ?????</b> ?? ????? ?? ??????? ???? ? ???? <i>????? ???? ???
15?</i> ? ??? ????? ???? ???? ??????? ?? ????????? ???? ? ???? <b>?????</b> ???? ???? ??; ?? ??
???? ????? ?????? ??????",
5      "lang.label": "?????",
6      "lang.en": "English",
7      "lang.kn": "?????",
8      "lang.hi": "???????",
9      "lang.es": "Español",
10     "lang.da": "Dansk",
11     "lang.id": "Bahasa Indonesia",
12     "bulk.selectAll": "??? ??????",
13     "bulk.clear": "???? ??????",
14     "bulk.invert": "?????",

```

[illegible]

```

67     "ingest.statusFailed": "???????? ???? ?? ???",
68     "ingest.chooseFile": "?????? ???? ????",
69     "ingest.uploadAria": "????? ???? ?? ??? ?????? ?????? ??????",
70     "ingest.fileHint": "?? ?????? ?? ?? .mp4 ?? .mov ?????? ? ?? ?????? ????, ??? ??????????
???????? ???? ????",
71     "ingest.orLink": "?? ?????? ???? ?? ?????? ?????",
72     "ingest.uploadingStatus": "????? ?? ??? ???",
73     "ingest.uploadProgress": "????? ??????",
74     "errors.networkError": "????? ?? ????? ?????? ?? ????? ????? ?? ?? ??? ???",
75     "errors.invalidUri": "???? ?????? ?? ????? ?????? ? ?? gs:// ????? ?? ????? ?? ?? ????",
76     "errors.emptyResult": "????????????? ????? ??? ?? ?? ?????? ??? ??? ?????? ?????? ???
???? ??? ?????????? ?????????",
77     "errors.timeout": "?? ??????? ? ???? ??? ?? ??? ??? ??? ??? ?? ?? ??? ?? ??? ?? ?
????? ???? ?? ??? ?????? ?????, ?? ??? ?? ?????? ??????",
78     "errors.engineGeneric": "??? ?????? ?? ??? ?????? ??? ?? ?????? ??????",
79     "tap.title": "???????? ???? ?? ??? ??? ?????:",
80     "tap.longest": "???? ???? ?????",
81     "tap.shortest": "???? ???? ?????",
82     "tap.over10": "10 ?????? ?? ?????????",
83     "tap.over20": "20 ?????? ?? ?????????",
84     "tap.top5": "???? ???? ??? 5",
85     "tap.top10": "???? ???? ??? 10",
86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# ???? ?????} other {# ?????? ?????}}",
101    }

```

15. assistant (2026-06-21T18:36:57.930Z)

I have both files. Note the `site.\*` keys (86?99) and `site.hero.lead` are still in English in the Hindi file ? those are untranslated, but my lens is fluency of the Hindi translations, not completeness/coverage. Untranslated-English keys are a meaning/coverage problem, not a Hindi-fluency problem, so I'll leave those alone (they're not Hindi to assess for fluency).

Let me also check the existing meaning-issues file to avoid re-flagging things already noted (and to understand conventions, e.g. the `min\_shot\_count` discrepancy in `footer.floorSomeRest`).

16. user (2026-06-21T18:36:58.872Z)

```

1    [
2    {
3        "key": "footer.floorSomeRest",
4        "severity": "minor",
5        "problem": "EN's plain-language reason '(they're too short)' is dropped and replaced
with a technical token absent from the source: '(???? ?? min_shot_count ?????)' = '(the engine's
min_shot_count limit)'. Adds jargon and a code token the source never shows to non-tech
coaches/parents, and drops the simple 'too short' explanation.",
6        "suggestion": "??????? {min} ?? ?? ?????? ???, ?????? ????? ??? ?????? ?? ?????? (?? ???
???? ????)?"

```



```

37     },
38     {
39         "key": "ingest.reassure",
40         "severity": "minor",
41         "problem": "'????????? ?????????? ???? ??????????????' leaks '?????' jargon;
the English just says 'KhelSutra keeps working'. Sounds techy for the audience.",
42         "suggestion": "????????? ?????????? ? ?????? ?????? ?????????????? ?????????? ???
????????????????; ?????? ?????????? ?????? ?????????? ??????????."
43     },
44     {
45         "key": "errors.networkError",
46         "severity": "minor",
47         "problem": "'????? ??????????????' exposes '?????' to the user; the English says
'Can't reach KhelSutra'. The product name is warmer and clearer than the internal term.",
48         "suggestion": "????????? ?????????????????? ??? ??????????????????"
49     }
50 ]
51

```

18. assistant (2026-06-21T18:37:28.246Z)

This gives me strong context. The Kannada fluency review caught the same patterns that exist in the Hindi file: "engine" (????) jargon leak, the `min\_shot\_count` code token, and "server" (????) leak. These are partly meaning issues, but several are genuine fluency/naturalness problems for a non-technical Hindi audience (machine-like, jargon-leaking wording).

I need to be careful about my lens (NATURAL FLUENCY) and not duplicate the meaning-issues file. Let me think through each Hindi value carefully.

Let me analyze the Hindi translations key by key for fluency. Key observations:

1. `app.badge`: "????-???? ???? . ??????" ? EN is "pick your rallies . alpha". "????-???? ??" (per-rally selection) is stiff, technical/compound noun phrasing, not warm like "pick your rallies". A non-tech parent would find "????-???? ??" machine-like. Fluency issue.
2. `app.intro`: "????? ?? ??????? ??" for "fine-tune" ? "???????? ??" is a bit formal but acceptable; "????? ?? ??? ??" would be warmer. Borderline. "?? ??? ????? ??" is slightly awkward calque of "Everything starts selected" ? natural Hindi would be "???? ?? ? ? ? ? ? ? ? ? ? ?". This is a fluency issue (calque/stiff).
3. `grid.shots` / `grid.shotsTitle` / `query.support` / `grid.shotsConfidence`: "?????????" for "experimental" ? this is a stiff, Sanskritized/technical word. A non-tech coach would not naturally say "?????????". More natural everyday phrasing: "?? ???? ? ? ? ? ?" / "???? ??". And "?????????" for "under development" is heavily Sanskritized/officialese ? non-tech audience would find it bookish. More natural: "?? ? ? ? ?". And "?????" for "confidence" (grid.shotsConfidence) is a literal but odd rendering.
4. `footer.floorOne` / `footer.floorAll`: leaks "????" (engine) ? EN avoids it ("it would be skipped"). This is both meaning AND makes it machine-like/confusing ? fluency. The meaning file did NOT flag these for Hindi (only Kannada did). I should flag the jargon leak under fluency lens since it's machine-like and confusing for non-tech audience.
5. `footer.floorSomeRest`: Already flagged in meaning file (min_shot_count). I should NOT re-flag ? it's covered. Skip.
6. `result.dismiss`: "???? ??" for "Dismiss" ? like Kannada, this is formal/legalistic (used for dismissing a case/petition). For closing a result card it's stiff. More natural: "?? ? ? ?" / "????". Fluency issue.
7. `ingest.intro` / `ingest.reassure`: Already addressed in meaning file (ingest.intro added clause). For reassure, leaks "?????" (server) ? EN says "KhelSutra keeps working". Fluency/jargon issue, like Kannada flagged. Not in Hindi meaning file. Flag.
8. `errors.networkError`: "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ?" ? leaks "????" (engine), EN says

9. `**`errors.invalidUri`** / **`ingest.hint`** / **`ingest.uriAriaLabel`**: leak "?????" ? but these are more technical fields (gs:// path). EN itself says "the machine running KhelSutra". The Hindi says "???? ?? ?? ??" / "???? ??? ??? ?????". EN avoids "engine" and uses "the machine running KhelSutra". Using "?????" here is jargon the source avoids ? fluency/confusing. But "?????" (path) is also untranslated English-techy. For non-tech audience these are inherently technical fields. The clearest fluency fix is to mirror EN: "????????? ??? ??? ?????". Let me consider flagging the "?????" leaks consistently.`

Let me reconsider each candidate carefully and finalize, preserving tags/tokens.

19. user (2026-06-21T18:37:28.282Z)

```
2      "app.badge": "?????-???? ??? · ??????",
3      "app.title": "???? ???? ?? ???? ??????? ??????",
4      "app.intro": "<b>???? ?? ?????</b> ?? ???? ?? ??????? ???? ? ???? <i>????? ???? ???
15?</i> ? ??? ????? ???? ???? ??????? ?? ????????? ???? ? ???? <b>?????</b> ???? ???? ??; ?? ??
???? ????? ?????? ??????",
5      "lang.label": "????",
6      "lang.en": "English",
```

Now I have everything I need. Let me finalize my fluency findings, being conservative and avoiding re-flagging the meaning-file items (``footer.floorSomeRest``, ``ingest.intro``).

1. `**`app.badge`**` ? "?????-???? ??" is a stiff compound noun, machine-like vs warm "pick your rallies". minor.
2. `**`app.intro`**` ? "?? ??? ????? ???? ???? ??" is an awkward calque. minor.
3. `**`grid.shots`**` ? "?????????????" over-Sanskritized/technical. minor.
4. `**`grid.shotsTitle`**` ? "?????????????" / "?????????????" over-formal. minor.
5. `**`grid.shotsConfidence`**` ? "?????????" odd literal for confidence. minor.
6. `**`query.support`**` ? "?????????????" / "?????????????" over-formal. minor.
7. `**`result.dismiss`**` ? "????? ??" legalistic/stiff. minor.
8. `**`footer.floorOne`**` ? "?????" jargon leak ? machine-like/confusing. critical.
9. `**`footer.floorAll`**` ? same "?????" leak. critical.
10. `**`errors.networkError`**` ? "?????" leak. minor.
11. `**`ingest.reassure`**` ? "?????" leak. minor.

Let me write the issues file.

```
[
  {
    "key": "app.badge",
```

[illegible]

```

????, ????? ??? ???? ?? ?????? ??? ???? ???? ??????"
},
{
  "key": "footer.floorAll",
  "severity": "critical",
  "problem": "\"???? ?? ?? ???? ???? ?\" again leaks '????' (engine) absent from the
English ('they'd all be skipped'), making the message sound technical and confusing to the non-
tech audience.",
  "suggestion": "<b>??? {count} ????? ??????</b> ??? {min} ?? ?? ????? ??? ? ?? ???? ????
???? ?????, ????? ??? ???? ?? ?????? ???? ?????? ??????"
},
{
  "key": "errors.networkError",
  "severity": "minor",
  "problem": "\"???? ?? ???? ?????? ?? ?\" exposes the internal term '????' (engine); the
English says 'Can't reach KhelSutra'. The product name is warmer and clearer for a non-tech user
than the techy 'engine'.",
  "suggestion": "????????? ?? ???? ?????? ?? ???? ???? ?? ?? ??? ??"
},
{
  "key": "ingest.reassure",
  "severity": "minor",
  "problem": "\"????????? ?????? ?? ??? ???? ???? ?\" leaks the jargon '?????' (server); the
English simply says 'KhelSutra keeps working'. '?????' is techy and off-putting for
coaches/parents.",
  "suggestion": "????????? ???? ?????????? ?? ? ???? ?????????? ???? ???? ?? ?? ?????????? ??? ????
???? ??; ???? ?????????? ??? ??? ???? ?? ???? ??"
}
]

```

22. user (2026-06-21T18:38:01.931Z)

File created successfully at:
C:/Users/avidu/Projects/khelsutra/undefined/_tmp_issues_hi_fluency.json (file state is current
in your context ? no need to Read it back)

23. assistant (2026-06-21T18:38:06.363Z)

I reviewed all keys and wrote 11 fluency issues. Now returning the structured summary.

24. user (2026-06-21T18:38:07.097Z)

Structured output provided successfully

25. assistant (2026-06-21T18:38:19.018Z)

Reviewed every key in the Hindi catalog through the natural-fluency lens and wrote 11 issues to
`C:/Users/avidu/Projects/khelsutra/undefined/\_tmp\_issues\_hi\_fluency.json`.

Findings (2 critical, 9 minor):

- **Jargon leaks** (the source deliberately avoids these techy terms): `footer.floorOne` and `footer.floorAll` leak "?????" (engine) ? critical, machine-like and confusing for parents; `errors.networkError` leaks "?????"; `ingest.reassure` leaks "?????" (server).
- **Over-Sanskritized / bookish wording** unfamiliar to non-tech coaches: "?????????????" (experimental) and "?????????????" (under development) in `grid.shots`, `grid.shotsTitle`, `query.support`; and "?????????" as a literal rendering of "confidence" in `grid.shotsConfidence`.
- **Stiff / unnatural phrasing**: `app.badge` "?????-???? ??" reads like a machine label vs. the warm "pick your rallies"; `app.intro` "?? ??? ????? ???? ??" is an awkward calque; `result.dismiss` "????? ??" is legalistic for closing a card.

Notes on scope and conservatism:

- I deliberately did NOT re-flag `footer.floorSomeRest` and `ingest.intro`, which are already covered in `\_tmp\_issues\_hi\_meaning.json`.

- The `site.\*` keys (lines 86?99) and `site.hero.lead` are still untranslated English in the Hindi file. That is a coverage/meaning gap, not a Hindi-fluency problem, so it falls outside this lens and I left it untouched ? flagging it here for awareness.

One environment note: the prompt's `undefined/...` paths resolved to a literal `undefined` directory in the repo root (`C:/Users/avidu/Projects/khelsutra/undefined/`), which is where all the temp files live.