

claude-windows / aa329f09-28b7-4acc-b062-98ec7e905abc

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\aa329f09-28b7-4acc-b062-98ec7e905abc\subagents\workflows\wf_28916f46-0f0\agent-aa909b872d082bf76.jsonl`  
- SHA-256: `411e97c885346c49c606d8d566220af6261cb0fe5b21d64a270ff5a250703b7b`  
- Source modified: `2026-05-30T08:43:33+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_28916f46-0f0`  
- session_id: `aa329f09-28b7-4acc-b062-98ec7e905abc`
```

Transcript

1. user (2026-05-30T08:35:55.145Z)

Adversarial Claim Verifier (voter 1/3)

Be SKEPTICAL. Try to REFUTE this claim. ?2/3 refutations kill it.

Research question

RESEARCH GOAL: Produce a decision-grade shortlist of data-annotation VENDORS to build "golden set" ground-truth labels for a badminton highlights product, with a STRONG PREFERENCE for vendors based in or operating from Bangalore / India (the founder is in Bangalore and prefers local vendors for easier coordination, possible site visits, and data residency). The annotation task is TEMPORAL VIDEO SEGMENT annotation: marking the [start, end) time ranges of each "rally" in badminton match videos ? i.e. event / temporal-action labeling on video, NOT just image bounding boxes. Output is a simple per-video timestamp list (CSV of start,end). Volume: a constantly growing collection of licensed/owned match videos (no end-user uploads).

For EACH candidate vendor, verify against PRIMARY sources (the vendor's own website/docs) and clearly FLAG anything unverifiable (pricing is usually quote-only):

1. Company & location ? HQ + delivery centers; confirm Bangalore / India presence; flag if purely overseas.
2. Capability ? do they do VIDEO temporal/event annotation (timestamps/segments) or video tracking, or only static image labeling? Sports / media-video experience is a plus.
3. Pricing model ? per video-minute / per task / per annotator-hour / managed-team; any public rates; minimum engagement; willingness to run a small paid PILOT.
4. Data security & compliance ? ISO 27001, SOC 2, GDPR, and especially India's DPDP Act 2023; willingness to sign a DPA; "no training/reuse of our data"; delete-on-delivery; access controls; secure-facility / VDI options.
5. Delivery & integration ? programmatic API for submit/fetch? turnaround SLAs? can they support BOTH a fast tier (hours) and a batch tier (days)?
6. Quality process ? multi-annotator consensus, gold-standard/honeypot checks, inter-annotator-agreement (IAA) reporting, QA review layers.

Candidate vendors to investigate and VERIFY (do not assume ? confirm or correct each, and find others, especially Bangalore-local): iMerit, Playment (and whether TELUS International acquired it), Cogito Tech, Anolytics, Infolks, Learning Spiral, Indika AI, Tech Mahindra, Sama, Scale AI, Labelbox, Toloka, SuperAnnotate, Encord, CloudFactory. Also identify any Bangalore-based startups specializing in video annotation.

Also briefly cover: (a) typical market rate RANGE for temporal video annotation in India vs US/global; and (b) the AUTOMATED-annotation alternative ? could a hosted VLM (e.g. Gemini) or an open model serve as a "fast tier" oracle for surprise regression tests, and what that implies (it must be a DIFFERENT model lineage than the production tool to avoid shared-blind-spot bias).

DELIVERABLE: a ranked shortlist (favoring Bangalore/India) with a comparison table (vendor | location | video-temporal capability | pricing model | security/DPA & DPDP posture |

API/turnaround | QA process | pilot availability | verdict), plus 2?3 recommended vendors to approach for a pilot bake-off, and explicit flags on every unverifiable claim (especially pricing). Prioritize accuracy and primary-source citations over breadth.

Claim under review

"Encord supports labeling a frame-range time segment by explicitly setting a start frame and end frame for a classification instance ? the exact [start,end) temporal-span primitive needed to mark rally time ranges in match videos. (FLAG: the task's source URL <https://encord.com/video-annotation-tool/> is a dead HTTP 404; this verbatim quote is from Encord's live primary docs at docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos, the canonical replacement.)"

****Source:**** <https://encord.com/video-annotation-tool/> (primary)

****Supporting quote:**** "Set the desired start and end frame by clicking the ****Set start to current**** and ****Set end to current**** buttons."

Checklist

1. Is the claim actually supported by the quote, or is it an overreach/misread?
2. WebSearch for contradicting evidence ? does any credible source dispute or heavily qualify this?
3. Is the source quality sufficient for the claim's strength? (extraordinary claims need primary sources)
4. Is the claim outdated? (check dates ? old claims about fast-moving fields are suspect)
5. Is this a marketing claim / press release / cherry-picked benchmark / forum speculation?

****refuted=true**** if: unsupported by quote / contradicted / low-quality source for strong claim / outdated / marketing fluff.

****refuted=false**** ONLY if: claim is well-supported, current, and source quality matches claim strength.

Default to refuted=true if uncertain.

Structured output only. Evidence MUST be specific.

2. assistant (2026-05-30T08:35:58.350Z)

I'll verify this claim about Encord's temporal video annotation capability. Let me start by loading the necessary tools and checking the source.

3. user (2026-05-30T08:36:49.838Z)

<tool_use_error>InputValidationError: WebFetch failed due to the following issues:

The required parameter `url` is missing

The required parameter `prompt` is missing

An unexpected parameter `actions` was provided

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

4. user (2026-05-30T08:36:59.530Z)

Web search results for query: "Encord video annotation "Set start to current" "Set end to current" classification frame range"

Links: [{"title":"How to Label - Encord","url":"https://docs.encord.com/platform-documentation/GettingStarted/gettingstarted-labeling"}, {"title":"Comprehensive guide for image and video annotation for machine learning.", "url":"https://encord.com/blog/data-annotation-guide/"}, {"title":"Video Annotation Tool: 6x Faster Video Labeling for CV | Encord", "url":"https://encord.com/video/"}, {"title":"The Full Guide to Video Annotation for Computer Vision | Encord", "url":"https://encord.com/blog/video-annotation-guide/"}, {"title":"Encord Annotate - YouTube", "url":"https://www.youtube.com/playlist?list=PLNX15b4Hwn3SQN4iV6IIVDff_TAKCsi74"}, {"title":"Playing videos is easy, pausing them is actually very"}]

```
difficult | Encord", "url": "https://encord.com/blog/video-annotation-issues/"), {"title": "Introduction to Video Annotation | Encord", "url": "https://encord.com/learning-hub/introduction-to-video-annotation/"}, {"title": "How to Automate Video Annotation for Machine Learning", "url": "https://encord.com/blog/automate-video-annotation-guide/"}, {"title": "Data Labeling Platform with Scalable HITL Workflows | Encord", "url": "https://encord.com/annotate/"}, {"title": "Why Encord Is the Best Choice for Video Annotation: Stop Annotating Frame by Frame", "url": "https://encord.com/blog/why-encord-is-the-best-choice-for-video-annotation/"}]
```

Based on the search results, I found relevant information about the "Set start to current" and "Set end to current" features in Encord's video annotation tool.

****Set start to current**** (hotkey C): Defines the current frame as the start of the range to which the classification is applied.

****Set end to current**** (hotkey V): Defines the current frame as the end of the range to which the classification is applied.

These features are used in Encord's Label Editor when working with frame range classifications in video annotation. After setting the start and end frames, you can use "Add range" (hotkey N) to apply the classification to the range of frames defined in the bar above the buttons.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

5. user (2026-05-30T08:37:00.175Z)

Web search results for query: "Encord video annotation "Set start to current" "Set end to current" classification frame range"

```
Links: [{"title": "How to Label - Encord", "url": "https://docs.encord.com/platform-documentation/GettingStarted/gettingstarted-labeling"}, {"title": "Comprehensive guide for image and video annotation for machine learning.", "url": "https://encord.com/blog/data-annotation-guide/"}, {"title": "Video Annotation Tool: 6x Faster Video Labeling for CV | Encord", "url": "https://encord.com/video/"}, {"title": "The Full Guide to Video Annotation for Computer Vision | Encord", "url": "https://encord.com/blog/video-annotation-guide/"}, {"title": "Encord Annotate - YouTube", "url": "https://www.youtube.com/playlist?list=PLNX15b4Hwn3SQN4iV6IIVDff_TAKCsi74"}, {"title": "Playing videos is easy, pausing them is actually very difficult | Encord", "url": "https://encord.com/blog/video-annotation-issues/"}, {"title": "Introduction to Video Annotation | Encord", "url": "https://encord.com/learning-hub/introduction-to-video-annotation/"}, {"title": "How to Automate Video Annotation for Machine Learning", "url": "https://encord.com/blog/automate-video-annotation-guide/"}, {"title": "Data Labeling Platform with Scalable HITL Workflows | Encord", "url": "https://encord.com/annotate/"}, {"title": "Why Encord Is the Best Choice for Video Annotation: Stop Annotating Frame by Frame", "url": "https://encord.com/blog/why-encord-is-the-best-choice-for-video-annotation/"}]
```

Based on the search results, I found information about the "Set start to current" and "Set end to current" features in Encord's video annotation tool:

In Encord's video annotation platform, "Set start to current" (hotkey C) defines the current frame as the start of the range to which the classification is applied, while "Set end to current" (hotkey V) defines the current frame as the end of the range to which the classification is applied.

These buttons work in conjunction with an "Add range" function (hotkey N) that applies the classification to the range of frames defined in the bar above the buttons. After setting the frame range for your classification, you can save it using the Save function (hotkey M).

These features allow annotators to efficiently mark frame ranges for temporal classifications in videos without having to manually input exact frame numbers.

REMINDER: You MUST include the sources above in your response to the user using markdown

hyperlinks.

6. user (2026-05-30T08:37:02.119Z)

```
<tool_use_error>InputValidationError: WebFetch failed due to the following issues:
The required parameter `url` is missing
The required parameter `prompt` is missing
An unexpected parameter `actions` was provided
```

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

7. user (2026-05-30T08:37:05.441Z)

```
<tool_use_error>InputValidationError: WebFetch failed due to the following issues:
The required parameter `url` is missing
The required parameter `prompt` is missing
An unexpected parameter `actions` was provided
```

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

8. user (2026-05-30T08:37:08.135Z)

```
<tool_use_error>InputValidationError: WebFetch failed due to the following issues:
The required parameter `url` is missing
The required parameter `prompt` is missing
An unexpected parameter `actions` was provided
```

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

9. user (2026-05-30T08:37:12.871Z)

Web search results for query: "Encord "Set start to current" "Set end to current" video classification"

Links: [{"title":"Videos & Image Sequences - Encord","url":"https://docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos"}, {"title":"How to Label - Encord","url":"https://docs.encord.com/platform-documentation/GettingStarted/gettingstarted-labeling"}]

Based on the search results, I found information about these Encord features:

"Set start to current" (hotkey C) defines the current frame as the start of the range to which the classification is applied, while "Set end to current" (hotkey V) defines the current frame as the end of the range to which the classification is applied.

These buttons are used in Encord's video annotation tool when creating frame-level classifications. You can set the desired start and end frame by clicking the "Set start to current" and "Set end to current" buttons or using the hotkeys c and v, respectively.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

10. user (2026-05-30T08:37:12.872Z)

<tool_use_error>InputValidationError: WebFetch failed due to the following issues:

The required parameter `url` is missing

The required parameter `prompt` is missing

An unexpected parameter `actions` was provided

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

11. user (2026-05-30T08:37:20.292Z)

Web search results for query: "Encord label videos classification "start frame" "end frame" annotation documentation"

Links: [{"title":"Videos & Image Sequences - Encord","url":"https://docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos"}, {"title":"Video Annotation Tool: 6x Faster Video Labeling for CV | Encord","url":"https://encord.com/video/"}, {"title":"Label Editor - Encord","url":"https://docs.encord.com/platform-documentation/Annotate/annotate-label-editor"}, {"title":"Comprehensive guide for image and video annotation for machine learning.","url":"https://encord.com/blog/data-annotation-guide/"}, {"title":"The Full Guide to Video Annotation for Computer Vision | Encord","url":"https://encord.com/blog/video-annotation-guide/"}, {"title":"Data Labeling Platform with Scalable HITL Workflows | Encord","url":"https://encord.com/annotate/"}, {"title":"Import Labels/Annotations - Encord","url":"https://docs.encord.com/sdk-documentation/sdk-labels/sdk-import-labels-annotations"}, {"title":"Label quality metrics - Encord","url":"https://docs.encord.com/platform-documentation/Active/active-quality-metrics/active-label-quality-metrics"}]

Based on the search results, here's what I found about Encord's video labeling with classification and frame ranges:

Frame-Level Classifications in Encord

Creating frame classifications requires an Ontology with a classification annotation type, and frame-level classifications consider the frame as a whole, not the objects' localization.

Setting Start and End Frames

For frame-level classifications, you can set the desired start and end frame by clicking the "Set start to current" and "Set end to current" buttons or using the set hotkeys c and v, respectively.

Additional Frame Range Options

You can click the "This frame" button or the x hotkey to set the slider to only the current frame (e.g., frame 100), and you can add additional ranges by clicking the "Add range" button or pressing the n hotkey to add a frame range.

The documentation indicates that this functionality is particularly useful for scenarios where objects or classifications appear in multiple, non-contiguous sections of a video (such as when "a car enters and leaves the frame throughout a video").

For more detailed information, you can refer to the official Encord documentation on [Videos & Image Sequences annotation](https://docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos).

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

12. user (2026-05-30T08:37:20.293Z)

<tool_use_error>InputValidationError: WebFetch failed due to the following issues:

The required parameter `url` is missing
The required parameter `prompt` is missing
An unexpected parameter `actions` was provided

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

13. user (2026-05-30T08:37:20.293Z)

<tool_use_error>InputValidationError: WebFetch failed due to the following issues:
The required parameter `url` is missing
The required parameter `prompt` is missing
An unexpected parameter `actions` was provided

This tool's schema was not sent to the API ? it was not in the discovered-tool set derived from message history. Without the schema in your prompt, typed parameters (arrays, numbers, booleans) get emitted as strings and the client-side parser rejects them. Load the tool first: call ToolSearch with query "select:WebFetch", then retry this call.</tool_use_error>

14. user (2026-05-30T08:37:23.101Z)

Exit code 2
/usr/bin/bash: eval: line 1: syntax error near unexpected token `'.Length'
/usr/bin/bash: eval: line 1: `curl -s -L -A "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0 Safari/537.36"
"https://docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos"
-o "C:\Users\avidu\encord_videos.html" 2>&1; (Get-Item
"C:\Users\avidu\encord_videos.html").Length'

15. user (2026-05-30T08:37:24.298Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

16. user (2026-05-30T08:37:27.126Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

17. user (2026-05-30T08:37:28.063Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

18. user (2026-05-30T08:37:30.888Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

19. user (2026-05-30T08:37:33.771Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

20. user (2026-05-30T08:37:35.650Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?) errored</tool_use_error>

21. user (2026-05-30T08:37:41.356Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

22. user (2026-05-30T08:37:54.065Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

23. user (2026-05-30T08:37:58.308Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

24. user (2026-05-30T08:38:03.010Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

25. user (2026-05-30T08:38:05.360Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

26. user (2026-05-30T08:38:07.241Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

27. user (2026-05-30T08:38:07.713Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

28. user (2026-05-30T08:38:13.417Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

29. user (2026-05-30T08:38:20.124Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

30. user (2026-05-30T08:38:33.302Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

31. user (2026-05-30T08:38:35.710Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

32. user (2026-05-30T08:38:37.124Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

33. user (2026-05-30T08:38:39.474Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

34. user (2026-05-30T08:38:40.418Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

35. user (2026-05-30T08:38:42.830Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

36. user (2026-05-30T08:38:44.688Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

37. user (2026-05-30T08:38:54.713Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

38. user (2026-05-30T08:38:55.642Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

39. user (2026-05-30T08:38:58.064Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

40. user (2026-05-30T08:39:04.760Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

41. user (2026-05-30T08:39:13.240Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

42. user (2026-05-30T08:39:17.007Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

43. user (2026-05-30T08:39:18.951Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

44. user (2026-05-30T08:39:21.769Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

45. user (2026-05-30T08:39:23.185Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

46. user (2026-05-30T08:39:26.479Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)

errored</tool_use_error>

47. user (2026-05-30T08:39:28.356Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

48. user (2026-05-30T08:39:29.768Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

49. user (2026-05-30T08:39:31.182Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

50. user (2026-05-30T08:39:36.834Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

51. user (2026-05-30T08:39:38.718Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

52. user (2026-05-30T08:39:41.123Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

53. user (2026-05-30T08:39:44.890Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

54. user (2026-05-30T08:39:47.243Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

55. user (2026-05-30T08:39:55.361Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

56. user (2026-05-30T08:39:57.710Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

57. user (2026-05-30T08:40:00.539Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

58. user (2026-05-30T08:40:03.830Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

59. user (2026-05-30T08:40:09.539Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

60. user (2026-05-30T08:40:11.886Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

61. user (2026-05-30T08:40:18.069Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

62. user (2026-05-30T08:40:21.832Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

63. user (2026-05-30T08:40:28.889Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

64. user (2026-05-30T08:40:29.827Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

65. user (2026-05-30T08:40:35.004Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

66. user (2026-05-30T08:40:37.419Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

67. user (2026-05-30T08:40:39.773Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

68. user (2026-05-30T08:40:42.125Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

69. user (2026-05-30T08:40:44.951Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

70. user (2026-05-30T08:40:53.886Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

71. user (2026-05-30T08:40:58.594Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

72. user (2026-05-30T08:41:04.298Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

73. user (2026-05-30T08:41:06.181Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

74. user (2026-05-30T08:41:09.944Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

75. user (2026-05-30T08:41:13.714Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

76. user (2026-05-30T08:41:18.418Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

77. user (2026-05-30T08:41:21.208Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

78. user (2026-05-30T08:41:26.886Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

79. user (2026-05-30T08:41:30.185Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

80. user (2026-05-30T08:41:33.479Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

81. user (2026-05-30T08:41:36.772Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

82. user (2026-05-30T08:41:45.198Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

83. user (2026-05-30T08:41:51.890Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

84. user (2026-05-30T08:41:59.201Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)

errored</tool_use_error>

85. user (2026-05-30T08:42:04.185Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

86. user (2026-05-30T08:42:06.545Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

87. user (2026-05-30T08:42:11.299Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

88. user (2026-05-30T08:42:21.494Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

89. user (2026-05-30T08:42:25.786Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

90. user (2026-05-30T08:42:38.319Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

91. user (2026-05-30T08:42:56.469Z)

<tool_use_error>Cancelled: parallel tool call Bash(curl -s -L -A "Mozilla/5.0 (Windows NT 1?)
errored</tool_use_error>

92. assistant (2026-05-30T08:43:12.775Z)

The WebSearch results already gave me strong primary-source confirmation. Multiple independent searches returned the exact feature text from Encord's canonical docs URL. Let me confirm the dead-link FLAG and lock down the verdict with one direct fetch.

93. user (2026-05-30T08:43:14.247Z)

The server returned HTTP 404 Not Found.

The response body was not retrieved. If this URL requires authentication, use an authenticated tool (e.g. `gh` for GitHub, or an MCP-provided fetch tool) instead of WebFetch.

94. user (2026-05-30T08:43:18.629Z)

Yes, this page does describe setting start and end frames for video classification instances. Here is the relevant verbatim text:

"Set the desired start and end frame by clicking the ****Set start to current**** and ****Set end to current**** buttons or using the set hotkeys <kbd>c</kbd> and <kbd>v</kbd>, respectively."

The documentation also notes you can "Add additional ranges by clicking the ***Add range*** button or pressing the <kbd>n</kbd> hotkey to add a frame range (e.g., if a car enters and leaves the frame throughout a video)."

95. user (2026-05-30T08:43:27.414Z)

Structured output provided successfully

96. assistant (2026-05-30T08:43:33.578Z)

Both the dead-link FLAG and the substantive capability claim are now confirmed by direct primary-source fetches.

- `https://encord.com/video-annotation-tool/` returned ****HTTP 404 Not Found**** ? confirms the original task source URL is dead, exactly as the claimant flagged.
- The canonical replacement `docs.encord.com/platform-documentation/Annotate/annotate-label-editor/annotate-videos` returned the verbatim text: ****Set the desired start and end frame by clicking the ****Set start to current**** and ****Set end to current**** buttons or using the set hotkeys c and v**** ? directly confirming the explicit start-frame/end-frame [start,end) classification-span primitive.

Verdict: ****NOT REFUTED**** (confidence: high). The claim is well-supported by the vendor's own primary docs at the cited canonical URL, the supporting quote matches verbatim, the parenthetical 404 FLAG is accurate (independently re-verified as HTTP 404 this session), and this is a routine documented annotation feature ? not an extraordinary, outdated, or marketing claim.