

claude-windows / a9fd4426-f234-4e4a-bfb4-1f2c8255c661

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-muneem\a9fd4426-f234-4e4a-bfb4-1f2c8255c661\subagents\workflows\wf\_5070b515-30d\agent-af3c80a92be6e0390.jsonl`
- SHA-256: `125dbf74ddad9168fa4fe9d0a37755a96d4a0486b0c11383c87bb418800bdc85`
- Source modified: `2026-05-31T14:31:09+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_5070b515-30d`
- session_id: `a9fd4426-f234-4e4a-bfb4-1f2c8255c661`

Transcript

1. user (2026-05-31T14:27:51.946Z)

Verify the EXACT license of "pysqlcipher3" from its AUTHORITATIVE source (github.com/rigglemania/pysqlcipher3 + PyPI: the LICENSE file in the repo and the PyPI/repo metadata). Report: (1) the SPDX license identifier and the license name, (2) the source URL you confirmed it from, (3) a clear flag - is it GPL/LGPL/AGPL (a BLOCKER) or permissive (MIT/BSD/Apache-2.0/ISC/HPND - OK)?, (4) the licenses of any BUNDLED NATIVE dependencies (e.g. OpenSSL, the SQLite amalgamation). Be precise and skeptical; if the license is dual, ambiguous, or differs between the C core and the Python binding, say so explicitly. Do not guess - if you cannot confirm from an authoritative source, say so. Keep it tight.

2. assistant (2026-05-31T14:27:55.271Z)

I'll verify the exact license of pysqlcipher3 by checking the authoritative sources directly.

3. user (2026-05-31T14:27:57.422Z)

```
{"availableTabs":[{"tabId":2039714507,"title":"New Tab","url":"chrome://newtab/"}],"tabGroupId":1405226344}
```

Tab Context:

- Available tabs:

? tabId 2039714507: "New Tab" (chrome://newtab/)

<system-reminder>You used a single tool call this turn. Prefer browser_batch to execute multiple actions in one call ? it is significantly faster. Batch your next sequence of clicks, types, navigations, and screenshots together.</system-reminder>

4. assistant (2026-05-31T14:27:59.860Z)

I'll check the official GitHub repository and PyPI page for pysqlcipher3 to verify its license.

5. user (2026-05-31T14:28:09.358Z)

Navigated to <https://github.com/rigglemania/pysqlcipher3>

Tab Context:

- Executed on tabId: 2039714507

- Available tabs:

? tabId 2039714507: "coleifer/pysqlite3: SQLite3 DB-API 2.0 driver from Python 3, packaged separately, with improvements" (<https://github.com/coleifer/pysqlite3>)

<system-reminder>You used a single tool call this turn. Prefer browser_batch to execute multiple actions in one call ? it is significantly faster. Batch your next sequence of clicks, types, navigations, and screenshots together.</system-reminder>

6. user (2026-05-31T14:28:23.098Z)

Navigated to <https://pypi.org/project/pysqlcipher3/>

Tab Context:

- Executed on tabId: 2039714507
 - Available tabs:
 - ? tabId 2039714507: "pypi.org/project/pysqlcipher3/" (<https://pypi.org/project/pysqlcipher3/>)
- <system-reminder>You used a single tool call this turn. Prefer browser_batch to execute multiple actions in one call ? it is significantly faster. Batch your next sequence of clicks, types, navigations, and screenshots together.</system-reminder>

7. assistant (2026-05-31T14:28:24.943Z)

I see the GitHub navigation went to a different repo. Let me get screenshots and extract the license information from both pages.

8. user (2026-05-31T14:28:25.248Z)

<tool_use_error>Error: No such tool available:
mcp__Claude_in_Chrome__screenshot</tool_use_error>

9. assistant (2026-05-31T14:28:27.170Z)

Let me use the correct tool to read the page content:

10. user (2026-05-31T14:28:57.916Z)

link "Skip to content" [ref_1] href="#start-of-content"
banner "Global Navigation Menu" [ref_2]
button [ref_3] type="button"
generic "Open menu" [ref_4]
link [ref_5] href="/" type="button"
generic "Homepage" [ref_6]
generic "(g then d)" [ref_7]
generic "then" [ref_8]
navigation "Breadcrumbs" [ref_9]
list [ref_10]
listitem [ref_11]
link [ref_12] href="/sqlcipher"
generic "sqlcipher" [ref_13]
listitem [ref_14]
link [ref_15] href="/sqlcipher/sqlcipher"
generic "sqlcipher" [ref_16]
button "Search or jump to?" [ref_17] type="button"
generic "Type to search" [ref_18]
button [ref_19] type="button"
generic "Search or jump to?" [ref_20]
generic "(forward slash)" [ref_21]
generic "forward slash" [ref_22]
link [ref_23] href="/copilot" type="button"
generic "Chat with Copilot" [ref_24]
button "Open Copilot?" [ref_25] type="button"
button [ref_26] type="button"
generic "Create new..." [ref_27]
link [ref_28] href="/issues" type="button"
generic "All issues" [ref_29]
link [ref_30] href="/pulls" type="button"
generic "All pull requests" [ref_31]
link [ref_32] href="/repos" type="button"
generic "All repositories" [ref_33]
link [ref_34] href="/notifications" type="button"
generic "You have no unread notifications" [ref_35]

```
generic "(g then n)" [ref_36]
generic "then" [ref_37]
button [ref_38] type="button"
  image "Avi" [ref_39]
generic "Open user navigation menu" [ref_40]
heading "Repository navigation" [ref_41]
navigation "Repository" [ref_42]
  list [ref_43]
    listitem [ref_44]
      link [ref_45] href="/sqlcipher/sqlcipher"
      generic "Code" [ref_46]
    listitem [ref_47]
      link [ref_48] href="/sqlcipher/sqlcipher/issues"
      generic "Issues" [ref_49]
      generic "(5)" [ref_50]
    listitem [ref_51]
      link [ref_52] href="/sqlcipher/sqlcipher/pulls"
      generic "Pull requests" [ref_53]
      generic "(1)" [ref_54]
    listitem [ref_55]
      link [ref_56] href="/sqlcipher/sqlcipher/agents?author=avidullu"
      generic "Agents" [ref_57]
    listitem [ref_58]
      link [ref_59] href="/sqlcipher/sqlcipher/actions"
      generic "Actions" [ref_60]
    listitem [ref_61]
      link [ref_62] href="/sqlcipher/sqlcipher/projects"
      generic "Projects" [ref_63]
    listitem [ref_64]
      link [ref_65] href="/sqlcipher/sqlcipher/security"
      generic "Security and quality" [ref_66]
    listitem [ref_67]
      link [ref_68] href="/sqlcipher/sqlcipher/pulse"
      generic "Insights" [ref_69]
textbox [ref_70] type="hidden"
dialog [ref_71]
  heading "Search code, repositories, users, issues, pull requests..." [ref_72]
  form [ref_73]
    label "Search" [ref_74]
    combobox "Search" [ref_75] type="text"
    generic "Clear" [ref_76]
    button [ref_77] type="button"
    listbox "Suggestions" [ref_78]
    link "Search syntax tips" [ref_79] href="https://docs.github.com/search-github/github-code-search/understanding-github-code-search-syntax"
    button [ref_80] type="button"
    generic "Give feedback" [ref_81]
  heading "Provide feedback" [ref_82]
  button "Close" [ref_83] type="button"
  form [ref_84]
    textbox "[value redacted]" [ref_85] type="hidden"
    generic "We read every piece of feedback, and take your input very seriously." [ref_86]
    textbox [ref_87]
    checkbox "Include my email address so I can be contacted" [ref_88] type="checkbox"
    label "Include my email address so I can be contacted" [ref_89]
  button "Cancel" [ref_90] type="button"
  button "Submit feedback" [ref_91] type="submit"
  heading "Saved searches" [ref_92]
  heading "Use saved searches to filter your results more quickly" [ref_93]
  button "Close" [ref_94] type="button"
  form [ref_95]
    textbox "[value redacted]" [ref_96] type="hidden"
    textbox [ref_97] type="hidden"
    label "Name" [ref_98]
    textbox "github-ruby" [ref_99] type="text" placeholder="github-ruby"
```

textbox "[value redacted]" [ref_100] type="hidden"
label "Query" [ref_101]
textbox "(repo:mona/a OR repo:mona/b) AND lang:python" [ref_102] type="text"
placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
generic "To see all available qualifiers, see our ." [ref_103]
link "documentation" [ref_104] href="https://docs.github.com/search-github/github-code-search/understanding-github-code-search-syntax"
button "Cancel" [ref_105] type="button"
button "Create saved search" [ref_106] type="submit"
textbox "[value redacted]" [ref_107] type="hidden"
generic "You signed in with another tab or window. to refresh your session." [ref_108]
link "Reload" [ref_109]
generic "You signed out in another tab or window. to refresh your session." [ref_110]
link "Reload" [ref_111]
generic "You switched accounts on another tab or window. to refresh your session." [ref_112]
link "Reload" [ref_113]
button [ref_114] type="button"
tooltip "Dismiss alert" [ref_115]
main [ref_116]
link "Open in github.dev" [ref_117] href="https://github.dev/"
link "Open in a new github.dev tab" [ref_118] href="https://github.dev/"
link "Open in codespace" [ref_119] href="/codespaces/new/sqlcipher/sqlcipher?resume=1"
link [ref_120] href="/sqlcipher/sqlcipher"
generic [ref_121]
banner [ref_122]
image "Owner avatar" [ref_123]
link "sqlcipher" [ref_124] href="/sqlcipher/sqlcipher"
generic "Public" [ref_125]
list [ref_126]
listitem [ref_127]
button "Watching a repository" [ref_128] type="button"
generic "Watch" [ref_129]
generic "Couldn't load subscription status." [ref_130]
button [ref_131] type="button"
generic "Retry" [ref_132]
heading "Uh oh!" [ref_133]
generic "There was an error while loading. ." [ref_134]
link "Please reload this page" [ref_135]
listitem [ref_136]
link "Fork" [ref_137] href="/sqlcipher/sqlcipher/fork"
generic "1,385" [ref_138]
tooltip "Fork your own copy of sqlcipher/sqlcipher" [ref_139]
generic [ref_140]
button "See your forks of this repository" [ref_141]
menu [ref_142]
button "Close menu" [ref_143] type="button"
generic "Loading" [ref_144]
generic "Forks could not be loaded" [ref_145]
menuitem [ref_146]
generic "Loading" [ref_147]
heading "Uh oh!" [ref_148]
generic "There was an error while loading. ." [ref_149]
link "Please reload this page" [ref_150]
listitem [ref_151]
form [ref_152]
textbox "[value redacted]" [ref_153] type="hidden"
textbox "[value redacted]" [ref_154] type="hidden"
textbox "[value redacted]" [ref_155] type="hidden"
button "Starred, click to unstar this repository (7157)" [ref_156] type="submit"
generic "Starred" [ref_157]
generic "7157 users starred this repository" [ref_158]
button [ref_159] type="button"
tooltip "Add this repository to a list" [ref_160]
heading "Lists" [ref_161]
button "Close" [ref_162] type="button"

img "Loading content..." [ref_163]
heading "Sorry, something went wrong." [ref_164]
heading "Uh oh!" [ref_165]
generic "There was an error while loading. ." [ref_166]
link "Please reload this page" [ref_167]
heading "You don't have any lists yet." [ref_168]
button [ref_169] type="button"
generic "Create list" [ref_170]
form [ref_171]
textbox "[value redacted]" [ref_172] type="hidden"
textbox "[value redacted]" [ref_173] type="hidden"
button "Star this repository (7157)" [ref_174] type="submit"
generic "Star" [ref_175]
generic "7157 users starred this repository" [ref_176]
button [ref_177] type="button"
tooltip "Add this repository to a list" [ref_178]
heading "Lists" [ref_179]
button "Close" [ref_180] type="button"
img "Loading content..." [ref_181]
heading "Sorry, something went wrong." [ref_182]
heading "Uh oh!" [ref_183]
generic "There was an error while loading. ." [ref_184]
link "Please reload this page" [ref_185]
heading "You don't have any lists yet." [ref_186]
button [ref_187] type="button"
generic "Create list" [ref_188]
link [ref_189] href="/sqlcipher/sqlcipher/fork"
tooltip "Fork your own copy of sqlcipher/sqlcipher" [ref_190]
form [ref_191]
textbox "[value redacted]" [ref_192] type="hidden"
textbox "[value redacted]" [ref_193] type="hidden"
button [ref_194] type="submit"
tooltip "Unstar this repository" [ref_195]
button [ref_196] type="button"
tooltip "Add this repository to a list" [ref_197]
heading "Lists" [ref_198]
button "Close" [ref_199] type="button"
img "Loading content..." [ref_200]
heading "Sorry, something went wrong." [ref_201]
heading "Uh oh!" [ref_202]
generic "There was an error while loading. ." [ref_203]
link "Please reload this page" [ref_204]
heading "You don't have any lists yet." [ref_205]
button [ref_206] type="button"
generic "Create list" [ref_207]
form [ref_208]
textbox "[value redacted]" [ref_209] type="hidden"
textbox "[value redacted]" [ref_210] type="hidden"
button [ref_211] type="submit"
tooltip "Star this repository" [ref_212]
button [ref_213] type="button"
tooltip "Add this repository to a list" [ref_214]
heading "Lists" [ref_215]
button "Close" [ref_216] type="button"
img "Loading content..." [ref_217]
heading "Sorry, something went wrong." [ref_218]
heading "Uh oh!" [ref_219]
generic "There was an error while loading. ." [ref_220]
link "Please reload this page" [ref_221]
heading "You don't have any lists yet." [ref_222]
button [ref_223] type="button"
generic "Create list" [ref_224]
generic "SQLCipher is a standalone fork of SQLite that adds 256 bit AES encryption of
database files and othe" [ref_225]
link "https://www.zetetic.net/sqlcipher/" [ref_226] href="https://www.zetetic.net/sqlcipher/"

heading "License" [ref_227]
generic [ref_228]
button "BSD-3-Clause, BSD-3-Clause licenses found" [ref_229]
dialog "Licenses found" [ref_230]
button "Close licenses dialog" [ref_231] type="button"
heading "Licenses found" [ref_232]
link "BSD-3-Clause license" [ref_233] href="/sqlcipher/sqlcipher/blob/master/./LICENSE.md"
generic "BSD-3-Clause" [ref_234]
generic "LICENSE.md" [ref_235]
link "BSD-3-Clause license" [ref_236] href="/sqlcipher/sqlcipher/blob/master/./LICENSE.txt"
generic "BSD-3-Clause" [ref_237]
generic "LICENSE.txt" [ref_238]
heading "Contributing" [ref_239]
link "Contributing" [ref_240] href="/sqlcipher/sqlcipher/blob/master/.github/CONTRIBUTING.md"
list "Repository details" [ref_241]
listitem "stars" [ref_242] href="/sqlcipher/sqlcipher/stargazers"
generic "7.2k" [ref_243]
listitem "forks" [ref_244] href="/sqlcipher/sqlcipher/forks"
generic "1.4k" [ref_245]
listitem "watching" [ref_246] href="/sqlcipher/sqlcipher/watchers"
generic "255" [ref_247]
listitem [ref_248] href="/sqlcipher/sqlcipher/branches"
generic "Branches" [ref_249]
listitem [ref_250] href="/sqlcipher/sqlcipher/tags"
generic "Tags" [ref_251]
heading "Uh oh!" [ref_252]
generic "There was an error while loading. ." [ref_253]
link "Please reload this page" [ref_254]
listitem [ref_255] href="/sqlcipher/sqlcipher/activity"
generic "Activity" [ref_256]
listitem [ref_257] href="/sqlcipher/sqlcipher/custom-properties"
generic "Custom properties" [ref_258]
generic "Public repository" [ref_259]
heading "sqlcipher/sqlcipher" [ref_260]
textbox "[value redacted]" [ref_261] type="hidden"
button "master branch" [ref_262] type="button"
generic "master" [ref_263]
link [ref_264] href="/sqlcipher/sqlcipher/branches" type="button"
generic "Branches" [ref_265]
link [ref_266] href="/sqlcipher/sqlcipher/tags" type="button"
generic "Tags" [ref_267]
link "Go to Branches page" [ref_268] href="/sqlcipher/sqlcipher/branches" type="button"
link "Go to Tags page" [ref_269] href="/sqlcipher/sqlcipher/tags" type="button"
button [ref_270] type="button"
generic "Go to file" [ref_271]
heading "Add file" [ref_272]
button "Add file" [ref_273] type="button"
generic "Add file" [ref_274]
button [ref_275] type="button"
generic "Code" [ref_276]
button [ref_277] type="button"
generic "Open more actions menu" [ref_278]
heading "Folders and files" [ref_279]
table [ref_280]
generic "Name" [ref_281]
generic "Name" [ref_282]
generic "Last commit message" [ref_283]
generic "Last commit message" [ref_284]
generic "Last commit date" [ref_285]
generic "Last commit date" [ref_286]
heading "Latest commit" [ref_287]
heading "History" [ref_288]
link [ref_289] href="/sqlcipher/sqlcipher/commits/master/"
generic "1,144 Commits" [ref_290]
link "View commit history for this file." [ref_291]

href="/sqlcipher/sqlcipher/commits/master/"
 tooltip "1,144 Commits" [ref_292]
 link ".github, (Directory)" [ref_293] href="/sqlcipher/sqlcipher/tree/master/.github"
 link ".github, (Directory)" [ref_294] href="/sqlcipher/sqlcipher/tree/master/.github"
 link "art, (Directory)" [ref_295] href="/sqlcipher/sqlcipher/tree/master/art"
 link "art, (Directory)" [ref_296] href="/sqlcipher/sqlcipher/tree/master/art"
 link "autoconf, (Directory)" [ref_297] href="/sqlcipher/sqlcipher/tree/master/autoconf"
 link "autoconf, (Directory)" [ref_298] href="/sqlcipher/sqlcipher/tree/master/autoconf"
 link "autosetup, (Directory)" [ref_299] href="/sqlcipher/sqlcipher/tree/master/autosetup"
 link "autosetup, (Directory)" [ref_300] href="/sqlcipher/sqlcipher/tree/master/autosetup"
 link "contrib, (Directory)" [ref_301] href="/sqlcipher/sqlcipher/tree/master/contrib"
 link "contrib, (Directory)" [ref_302] href="/sqlcipher/sqlcipher/tree/master/contrib"
 link "doc, (Directory)" [ref_303] href="/sqlcipher/sqlcipher/tree/master/doc"
 link "doc, (Directory)" [ref_304] href="/sqlcipher/sqlcipher/tree/master/doc"
 link "ext, (Directory)" [ref_305] href="/sqlcipher/sqlcipher/tree/master/ext"
 link "ext, (Directory)" [ref_306] href="/sqlcipher/sqlcipher/tree/master/ext"
 link "macosx, (Directory)" [ref_307] href="/sqlcipher/sqlcipher/tree/master/macosx"
 link "macosx, (Directory)" [ref_308] href="/sqlcipher/sqlcipher/tree/master/macosx"
 link "mptest, (Directory)" [ref_309] href="/sqlcipher/sqlcipher/tree/master/mptest"
 link "mptest, (Directory)" [ref_310] href="/sqlcipher/sqlcipher/tree/master/mptest"
 link "sqlcipher-resources, (Directory)" [ref_311]
href="/sqlcipher/sqlcipher/tree/master/sqlcipher-resources"
 link "sqlcipher-resources, (Directory)" [ref_312]
href="/sqlcipher/sqlcipher/tree/master/sqlcipher-resources"
 link "src, (Directory)" [ref_313] href="/sqlcipher/sqlcipher/tree/master/src"
 link "src, (Directory)" [ref_314] href="/sqlcipher/sqlcipher/tree/master/src"
 link "test, (Directory)" [ref_315] href="/sqlcipher/sqlcipher/tree/master/test"
 link "test, (Directory)" [ref_316] href="/sqlcipher/sqlcipher/tree/master/test"
 link "tool, (Directory)" [ref_317] href="/sqlcipher/sqlcipher/tree/master/tool"
 link "tool, (Directory)" [ref_318] href="/sqlcipher/sqlcipher/tree/master/tool"
 link ".gitignore, (File)" [ref_319] href="/sqlcipher/sqlcipher/blob/master/.gitignore"
 link ".gitignore, (File)" [ref_320] href="/sqlcipher/sqlcipher/blob/master/.gitignore"
 link "CHANGELOG.md, (File)" [ref_321] href="/sqlcipher/sqlcipher/blob/master/CHANGELOG.md"
 link "CHANGELOG.md, (File)" [ref_322] href="/sqlcipher/sqlcipher/blob/master/CHANGELOG.md"
 link "LICENSE.md, (File)" [ref_323] href="/sqlcipher/sqlcipher/blob/master/LICENSE.md"
 link "LICENSE.md, (File)" [ref_324] href="/sqlcipher/sqlcipher/blob/master/LICENSE.md"
 link "LICENSE.txt, (File)" [ref_325] href="/sqlcipher/sqlcipher/blob/master/LICENSE.txt"
 link "LICENSE.txt, (File)" [ref_326] href="/sqlcipher/sqlcipher/blob/master/LICENSE.txt"
 link "Makefile.in, (File)" [ref_327] href="/sqlcipher/sqlcipher/blob/master/Makefile.in"
 link "Makefile.in, (File)" [ref_328] href="/sqlcipher/sqlcipher/blob/master/Makefile.in"
 link "Makefile.linux-generic, (File)" [ref_329]
href="/sqlcipher/sqlcipher/blob/master/Makefile.linux-generic"
 link "Makefile.linux-generic, (File)" [ref_330]
href="/sqlcipher/sqlcipher/blob/master/Makefile.linux-generic"
 link "Makefile.msc, (File)" [ref_331] href="/sqlcipher/sqlcipher/blob/master/Makefile.msc"
 link "Makefile.msc, (File)" [ref_332] href="/sqlcipher/sqlcipher/blob/master/Makefile.msc"
 link "README.md, (File)" [ref_333] href="/sqlcipher/sqlcipher/blob/master/README.md"
 link "README.md, (File)" [ref_334] href="/sqlcipher/sqlcipher/blob/master/README.md"
 link "SQLITE_LICENSE.md, (File)" [ref_335]
href="/sqlcipher/sqlcipher/blob/master/SQLITE_LICENSE.md"
 link "SQLITE_LICENSE.md, (File)" [ref_336]
href="/sqlcipher/sqlcipher/blob/master/SQLITE_LICENSE.md"
 link "VERSION, (File)" [ref_337] href="/sqlcipher/sqlcipher/blob/master/VERSION"
 link "VERSION, (File)" [ref_338] href="/sqlcipher/sqlcipher/blob/master/VERSION"
 link "auto.def, (File)" [ref_339] href="/sqlcipher/sqlcipher/blob/master/auto.def"
 link "auto.def, (File)" [ref_340] href="/sqlcipher/sqlcipher/blob/master/auto.def"
 link "configure, (File)" [ref_341] href="/sqlcipher/sqlcipher/blob/master/configure"
 link "configure, (File)" [ref_342] href="/sqlcipher/sqlcipher/blob/master/configure"
 link "magic.txt, (File)" [ref_343] href="/sqlcipher/sqlcipher/blob/master/magic.txt"
 link "magic.txt, (File)" [ref_344] href="/sqlcipher/sqlcipher/blob/master/magic.txt"
 link "main.mk, (File)" [ref_345] href="/sqlcipher/sqlcipher/blob/master/main.mk"
 link "main.mk, (File)" [ref_346] href="/sqlcipher/sqlcipher/blob/master/main.mk"
 link "make.bat, (File)" [ref_347] href="/sqlcipher/sqlcipher/blob/master/make.bat"
 link "make.bat, (File)" [ref_348] href="/sqlcipher/sqlcipher/blob/master/make.bat"
 link "manifest, (File)" [ref_349] href="/sqlcipher/sqlcipher/blob/master/manifest"

link "manifest, (File)" [ref_350] href="/sqlcipher/sqlcipher/blob/master/manifest"

link "manifest.tags, (File)" [ref_351] href="/sqlcipher/sqlcipher/blob/master/manifest.tags"

link "manifest.tags, (File)" [ref_352] href="/sqlcipher/sqlcipher/blob/master/manifest.tags"

link "manifest.uuid, (File)" [ref_353] href="/sqlcipher/sqlcipher/blob/master/manifest.uuid"

link "manifest.uuid, (File)" [ref_354] href="/sqlcipher/sqlcipher/blob/master/manifest.uuid"

link "sqlcipher.1, (File)" [ref_355] href="/sqlcipher/sqlcipher/blob/master/sqlcipher.1"

link "sqlcipher.1, (File)" [ref_356] href="/sqlcipher/sqlcipher/blob/master/sqlcipher.1"

link "sqlite.pc.in, (File)" [ref_357] href="/sqlcipher/sqlcipher/blob/master/sqlite.pc.in"

link "sqlite.pc.in, (File)" [ref_358] href="/sqlcipher/sqlcipher/blob/master/sqlite.pc.in"

link "sqlite3.1, (File)" [ref_359] href="/sqlcipher/sqlcipher/blob/master/sqlite3.1"

link "sqlite3.1, (File)" [ref_360] href="/sqlcipher/sqlcipher/blob/master/sqlite3.1"

link "sqlite3.pc.in, (File)" [ref_361] href="/sqlcipher/sqlcipher/blob/master/sqlite3.pc.in"

link "sqlite3.pc.in, (File)" [ref_362] href="/sqlcipher/sqlcipher/blob/master/sqlite3.pc.in"

button "View all files" [ref_363]

heading "Repository files navigation" [ref_364]

navigation "Repository files" [ref_365]

list [ref_366]

- listitem [ref_367]
 - link [ref_368] href="#"
 - generic "README" [ref_369]
- listitem [ref_370]
 - link [ref_371] href="#"
 - generic "Contributing" [ref_372]
- listitem [ref_373]
 - link [ref_374] href="#"
 - generic "BSD-3-Clause license" [ref_375]
- listitem [ref_376]
 - link [ref_377] href="#"
 - generic "BSD-3-Clause license" [ref_378]

button [ref_379] type="button"

generic "Edit file" [ref_380]

button "Outline" [ref_381] type="button"

article [ref_382]

heading "SQLCipher" [ref_383]

link "Permalink: SQLCipher" [ref_384] href="#sqlcipher"

generic "SQLCipher is a standalone fork of the database library that adds 256 bit AES encryption of database." [ref_385]

link "SQLite" [ref_386] href="https://www.sqlite.org/"

list [ref_387]

- listitem "on-the-fly encryption" [ref_388]
- listitem "tamper detection" [ref_389]
- listitem "memory sanitization" [ref_390]
- listitem "strong key derivation" [ref_391]

generic "SQLCipher is based on SQLite and stable upstream release features are periodically integrated. While" [ref_392]

generic "SQLCipher is maintained by Zetetic, LLC, and additional information and documentation is available o" [ref_393]

link "SQLCipher site" [ref_394] href="https://www.zetetic.net/sqlcipher/"

heading "Features" [ref_395]

link "Permalink: Features" [ref_396] href="#features"

list [ref_397]

- listitem "Fast performance with as little as 5-15% overhead for encryption on many operations" [ref_398]
- listitem "100% of data in the database file is encrypted" [ref_399]
- listitem "Good security practices (CBC mode, HMAC, key derivation)" [ref_400]
- listitem "Zero-configuration and application level cryptography" [ref_401]
- listitem "Support for multiple cryptographic providers" [ref_402]

heading "Compatibility" [ref_403]

link "Permalink: Compatibility" [ref_404] href="#compatibility"

generic "SQLCipher maintains database format compatibility within the same major version number so an applica" [ref_405]

link "upgrade documentation" [ref_406] href="https://discuss.zetetic.net/t/upgrading-to-sqlcipher-4/3283"

generic "SQLCipher is also compatible with standard SQLite databases. When a key is not provided, SQLCipher w" [ref_407]

link "ATTACH and the sqlcipher_export() convenience function" [ref_408]
href="https://discuss.zetetic.net/t/how-to-encrypt-a-plaintext-sqlite-database-to-use-sqlcipher-and-avoid-file-is-encrypted-or-is-not-a-database-errors/868"

heading "Contributions" [ref_409]
link "Permalink: Contributions" [ref_410] href="#contributions"

generic "The SQLCipher team welcomes contributions to the core library. All contributions including pull requ" [ref_411]
generic "prerelease" [ref_412]
link "contributor agreement" [ref_413] href="https://www.zetetic.net/contributions/"
link "discussion" [ref_414] href="https://discuss.zetetic.net/c/sqlcipher"

heading "Compiling" [ref_415]
link "Permalink: Compiling" [ref_416] href="#compiling"

generic "Building SQLCipher is similar to compiling a regular version of SQLite from source, with a few small" [ref_417]

list [ref_418]
listitem "define" [ref_419]
generic "SQLITE_HAS_CODECS" [ref_420]
listitem "define or (or use 's --with-tempstore=yes option)" [ref_421]
generic "SQLITE_TEMP_STORE=2" [ref_422]
generic "SQLITE_TEMP_STORE=3" [ref_423]
generic "configure" [ref_424]
listitem "define and" [ref_425]
generic "SQLITE_EXTRA_INIT=sqlcipher_extra_init" [ref_426]
generic "SQLITE_EXTRA_SHUTDOWN=sqlcipher_extra_shutdown" [ref_427]
listitem "define to or (enabled automatically by)" [ref_428]
generic "SQLITE_THREADSAFE" [ref_429]
generic "configure" [ref_430]
listitem "compile and link with a supported cryptographic provider (OpenSSL, LibTomCrypt, CommonCrypto/Securit" [ref_431]
generic "The following examples demonstrate use of OpenSSL, which is a readily available provider on most Uni" [ref_432]
generic "--with-tempstore=yes" [ref_433]
generic "SQLITE_TEMP_STORE=2" [ref_434]
generic "SQLITE_THREADSAFE" [ref_435]
generic "\$./configure --with-tempstore=yes CFLAGS="-DSQLITE_HAS_CODECS -DSQLITE_EXTRA_INIT=sqlcipher_extra_in" [ref_436]
button "Copy code to clipboard" [ref_437]

heading "Testing" [ref_438]
link "Permalink: Testing" [ref_439] href="#testing"

generic "The full SQLite test suite will not complete successfully when using SQLCipher. In some cases encryp" [ref_440]
generic "As a result, the SQLCipher package includes it's own independent tests that exercise and verify the " [ref_441]
generic "To run SQLCipher specific tests, configure as described here and run the following to execute the te" [ref_442]
generic "\$./configure --with-tempstore=yes --enable-fts5 CFLAGS="-DSQLITE_HAS_CODECS -DSQLITE_EXTRA_INIT=sqlc" [ref_443]
button "Copy code to clipboard" [ref_444]

heading "Encrypting a database" [ref_445]
link "Permalink: Encrypting a database" [ref_446] href="#encrypting-a-database"

generic "To specify an encryption passphrase for the database via the SQL interface you use a PRAGMA. The pas" [ref_447]
generic "PRAGMA key = 'passphrase';" [ref_448]
button "Copy code to clipboard" [ref_449]
generic "Alternately, you can specify an exact byte sequence using a blob literal. If you use this method it " [ref_450]
generic "PRAGMA key =
\"x'2DD29CA851E7B56E4697B0E1F08507293D761A05CE4D1B628663F411A8086D99'\";" [ref_451]
button "Copy code to clipboard" [ref_452]

generic "To encrypt a database programmatically you can use the function. The data provided in is converted.." [ref_453]
generic "sqlite3_key" [ref_454]
generic "pKey" [ref_455]
generic "PRAGMA key" [ref_456]
generic "int sqlite3_key(sqlite3 *db, const void *pKey, int nKey);" [ref_457]

button "Copy code to clipboard" [ref_458]
generic "or should be called as the first operation when a database is open." [ref_459]
generic "PRAGMA key" [ref_460]
generic "sqlite3_key" [ref_461]
heading "Changing a database key" [ref_462]
link "Permalink: Changing a database key" [ref_463] href="#changing-a-database-key"
generic "To change the encryption passphrase for an existing database you may use the rekey PRAGMA after you'" [ref_464]
generic "PRAGMA key = 'passphrase'; -- start with the existing database passphrase PRAGMA rekey = 'new-passph" [ref_465]
button "Copy code to clipboard" [ref_466]
generic "The hex rekey pragma may be used to rekey to a specific binary value" [ref_467]
generic "PRAGMA rekey =
\"x'2DD29CA851E7B56E4697B0E1F08507293D761A05CE4D1B628663F411A8086D99'\";" [ref_468]
button "Copy code to clipboard" [ref_469]
generic "This can be accomplished programmatically by using sqlite3_rekey;" [ref_470]
generic "sqlite3_rekey(sqlite3 *db, const void *pKey, int nKey)" [ref_471]
button "Copy code to clipboard" [ref_472]
heading "Support" [ref_473]
link "Permalink: Support" [ref_474] href="#support"
generic "The primary source for complete documentation (design, API, platforms, usage) is the SQLCipher websi" [ref_475]
link "https://www.zetetic.net/sqlcipher/documentation" [ref_476]
href="https://www.zetetic.net/sqlcipher/documentation"
generic "The primary avenue for support and discussions is the SQLCipher discuss site:" [ref_477]
link "https://discuss.zetetic.net/c/sqlcipher" [ref_478]
href="https://discuss.zetetic.net/c/sqlcipher"
generic "Issues or support questions on using SQLCipher should be entered into the GitHub Issue tracker:" [ref_479]
link "https://github.com/sqlcipher/sqlcipher/issues" [ref_480]
href="https://github.com/sqlcipher/sqlcipher/issues"
generic "Please DO NOT post issues, support questions, or other problems to blog posts about SQLCipher as we " [ref_481]
generic "If you are using SQLCipher in your own software please let us know at !" [ref_482]
link "support@zetetic.net" [ref_483] href="mailto:support@zetetic.net"
heading "Community Edition Open Source License" [ref_484]
link "Permalink: Community Edition Open Source License" [ref_485] href="#community-edition-open-source-license"
generic "Copyright (c) 2025, ZETETIC LLC All rights reserved." [ref_486]
generic "Redistribution and use in source and binary forms, with or without modification, are permitted provi" [ref_487]
generic "THIS SOFTWARE IS PROVIDED BY ZETETIC LLC 'AS IS' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING," [ref_488]
heading "Begin SQLite README.md" [ref_489]
link "Permalink: Begin SQLite README.md" [ref_490] href="#begin-sqlite-readmemd"
heading "SQLite Source Repository" [ref_491]
link "Permalink: SQLite Source Repository" [ref_492] href="#sqlite-source-repository"
generic "This repository contains the complete source code for the going back to 2000-05-29. The tree inclu.." [ref_493]
link "SQLite database engine" [ref_494] href="https://sqlite.org/"
generic "See the for more information about what SQLite is and how it works from a user's perspective. This.." [ref_495]
link "on-line documentation" [ref_496] href="https://sqlite.org/"
heading "Version Control" [ref_497]
link "Permalink: Version Control" [ref_498] href="#version-control"
generic "SQLite sources are managed using , a distributed version control system that was specifically design" [ref_499]
link "Fossil" [ref_500] href="https://fossil-scm.org/"
link "Fossil repository" [ref_501] href="https://sqlite.org/src/timeline"
generic "If you are reading this on GitHub or some other Git repository or service, then you are looking at a" [ref_502]
generic "manifest.uuid" [ref_503]
generic "If you pulled your SQLite source code from a secondary source and want to verify its integrity, ther" [ref_504]

link "Verifying Code Authenticity" [ref_505] href="#vauth"

heading "Contacting The SQLite Developers" [ref_506]

link "Permalink: Contacting The SQLite Developers" [ref_507] href="#contacting-the-sqlite-developers"

generic "The preferred way to ask questions or make comments about SQLite or to report bugs against SQLite is" [ref_508]

link "SQLite Forum" [ref_509] href="https://sqlite.org/forum"

link "https://sqlite.org/forum/" [ref_510] href="https://sqlite.org/forum/"

generic "If you think you have found a bug that has security implications and you do not want to report it on" [ref_511]

heading "Public Domain" [ref_512]

link "Permalink: Public Domain" [ref_513] href="#public-domain"

generic "The SQLite source code is in the public domain. See for details." [ref_514]

link "https://sqlite.org/copyright.html" [ref_515] href="https://sqlite.org/copyright.html"

generic "Because SQLite is in the public domain, we do not normally accept pull requests, because if we did t" [ref_516]

heading "Obtaining The SQLite Source Code" [ref_517]

link "Permalink: Obtaining The SQLite Source Code" [ref_518] href="#obtaining-the-sqlite-source-code"

generic "Source code tarballs or ZIP archives are available at:" [ref_519]

list [ref_520]

listitem [ref_521]

link "Latest trunk check-in" [ref_522] href="https://sqlite.org/src/rchvdownld/trunk"

listitem [ref_523]

link "Latest release" [ref_524] href="https://sqlite.org/src/rchvdownld/release"

listitem [ref_525]

generic "For other check-ins, browse the and click on the check-in hash of the check-in you want to download." [ref_526]

link "project timeline" [ref_527] href="https://sqlite.org/src/timeline?y=ci"

generic "Downloads:" [ref_528]

generic "Overview" [ref_529]

generic "To access sources directly using , first install Fossil version 2.0 or later. Source tarballs and pr" [ref_530]

link "Fossil" [ref_531] href="https://fossil-scm.org/home"

link "https://fossil-scm.org/home/uv/download.html" [ref_532] href="https://fossil-scm.org/home/uv/download.html"

generic "mkdir -p ~/sqlite cd ~/sqlite fossil open https://sqlite.org/src" [ref_533]

button "Copy code to clipboard" [ref_534]

generic "The initial \"fossil open\" command will take two or three minutes. Afterwards, you can do fast, band." [ref_535]

generic "fossil update trunk ;# latest trunk check-in fossil update release ;# late..." [ref_536]

button "Copy code to clipboard" [ref_537]

generic "Or type \"fossil ui\" to get a web-based user interface." [ref_538]

heading "Compiling for Unix-like systems" [ref_539]

link "Permalink: Compiling for Unix-like systems" [ref_540] href="#compiling-for-unix-like-systems"

generic "First create a directory in which to place the build products. It is recommended, but not required,." [ref_541]

link "compile-for-unix.md" [ref_542] href="/sqlcipher/sqlcipher/blob/master/doc/compile-for-unix.md"

generic "For example:" [ref_543]

generic "apt install gcc make tcl-dev ;# Install the necessary build tools tar xzf sqlite.tar.gz ..." [ref_544]

button "Copy code to clipboard" [ref_545]

generic "See the makefile for additional targets. For debugging builds, the core developers typically run \"c.\" [ref_546]

generic "../sqlite/configure --all --debug CFLAGS='-O0 -g'" [ref_547]

button "Copy code to clipboard" [ref_548]

generic "For release builds, the core developers usually do:" [ref_549]

generic "../sqlite/configure --all" [ref_550]

button "Copy code to clipboard" [ref_551]

generic "Core deliverables (sqlite3.c, sqlite3) can be built without a TCL, but many makefile targets require" [ref_552]

generic "On \"make\" command-lines, one can add \"OPTIONS=...\" to specify additional

compile-time options over a" [ref_553]
generic "./configure --all make OPTIONS=-DSQLITE_OMIT_DEPRECATED sqlite3" [ref_554]
button "Copy code to clipboard" [ref_555]
generic "The configure script uses . If the configure script does not work out for you, there is a generic ma" [ref_556]
link "autosetup" [ref_557] href="https://msteveb.github.io/autosetup/"
heading "Compiling for Windows Using MSVC" [ref_558]
link "Permalink: Compiling for Windows Using MSVC" [ref_559] href="#compiling-for-windows-using-msvc"
generic "On Windows, everything can be compiled with MSVC. You will also need a working installation of TCL i" [ref_560]
link "compile-for-windows.md" [ref_561] href="/sqlcipher/sqlcipher/blob/master/doc/compile-for-windows.md"
generic "If you want to run tests, you need to let SQLite know the location of your TCL library, using a comm" [ref_562]
generic "set TCLDIR=c:\Tcl" [ref_563]
button "Copy code to clipboard" [ref_564]
generic "SQLite itself does not contain any TCL code, but it does use TCL to run tests. You may need to insta" [ref_565]
generic "The source tree contains a \"make.bat\" file that allows the same \"make\" commands of Unix to work on W" [ref_566]
generic "make sqlite3.exe make sqlite3.c make sqldiff.exe #### Targets below require TCL developm..." [ref_567]
button "Copy code to clipboard" [ref_568]
generic "There are many other makefile targets. See comments in Makefile.msc for details." [ref_569]
generic "As with the unix Makefile, the OPTIONS=... argument can be passed on the nmake command-line to enabl" [ref_570]
generic "make OPTIONS=-DSQLITE_OMIT_DEPRECATED sqlite3.exe" [ref_571]
button "Copy code to clipboard" [ref_572]
heading "Source Tree Map" [ref_573]
link "Permalink: Source Tree Map" [ref_574] href="#source-tree-map"
list [ref_575]
listitem [ref_576]
generic "- This directory contains the primary source code for the SQLite core. For historical reasons, C-co." [ref_577]
generic "src/" [ref_578]
generic "test" [ref_579]
generic "tclsqlite3.c" [ref_580]
generic "tclsqlite3.h" [ref_581]
listitem [ref_582]
generic "- This directory and its subdirectories contains code used for testing. Files that end in \"\" are TC." [ref_583]
generic "test/" [ref_584]
generic ".test" [ref_585]
generic "make testfixture" [ref_586]
generic "testfixture test/main.test" [ref_587]
listitem [ref_588]
generic "- This directory contains programs and scripts used to build some of the machine-generated code that" [ref_589]
generic "tool/" [ref_590]
link "the Lemon parser generator" [ref_591]
href="/sqlcipher/sqlcipher/blob/master/doc/lemon.html"
listitem [ref_592]
generic "- Various extensions to SQLite are found under this directory. For example, the FTS5 subsystem is i." [ref_593]
generic "ext/" [ref_594]
link "SQLite CLI" [ref_595] href="https://sqlite.org/cli.html"
listitem [ref_596]
generic "- Some documentation files about SQLite internals are found here. Note, however, that the primary d." [ref_597]
generic "doc/" [ref_598]
heading "Generated Source Code Files" [ref_599]
link "Permalink: Generated Source Code Files" [ref_600] href="#generated-source-code-files"
generic "Several of the C-language source files used by SQLite are generated from other

sources rather than b" [ref_601]

- generic "The SQLite interface is defined by the header file, which is generated from src/sqlite.h.in, ./mani." [ref_602]
- generic "sqlite3.h" [ref_603]
- link "Tcl script" [ref_604] href="https://www.tcl.tk"
- generic "The SQL language parser is which is generated from a grammar in the src/parse.y file. The conversi.." [ref_605]
- generic "parse.c" [ref_606]
- link "lemon" [ref_607] href="/sqlcipher/sqlcipher/blob/master/doc/lemon.html"
- generic "parse.h" [ref_608]
- generic "The header file contains macros that define the numbers corresponding to opcodes in the \"VDBE\" virt." [ref_609]
- generic "opcodes.h" [ref_610]
- generic "opcodes.c" [ref_611]
- generic "The header file contains the definition of a hash table that maps SQL language keywords (ex: \"CREAT.\" [ref_612]
- generic "keywordhash.h" [ref_613]
- generic "The header file contains various definitions used to parse and implement the PRAGMA statements. Th.." [ref_614]
- generic "pragma.h" [ref_615]
- generic "tool/mkpragmatab.tcl" [ref_616]
- generic "tool/mkpragmatab.tcl" [ref_617]
- generic "pragma.h" [ref_618]
- heading "The Amalgamation" [ref_619]
- link "Permalink: The Amalgamation" [ref_620] href="#the-amalgamation"
- generic "All of the individual C source code and header files (both manually-edited and automatically-generat" [ref_621]
- generic "sqlite3.c" [ref_622]
- generic "The amalgamation is generated from the tool/mksqlite3c.tcl Tcl script. First, all of the individual " [ref_623]
- generic "The amalgamation source file is more than 200K lines long. Some symbolic debuggers (most notably MS." [ref_624]
- generic "sqlite3-all.c" [ref_625]
- generic "sqlite3-1.c" [ref_626]
- generic "sqlite3-2.c" [ref_627]
- generic "sqlite3-7.c" [ref_628]
- heading "How It All Fits Together" [ref_629]
- link "Permalink: How It All Fits Together" [ref_630] href="#how-it-all-fits-together"
- generic "SQLite is modular in design. See the for details. Other documents that are useful in helping to und." [ref_631]
- link "architectural description" [ref_632] href="https://sqlite.org/arch.html"
- link "file format" [ref_633] href="https://sqlite.org/fileformat2.html"
- link "virtual machine" [ref_634] href="https://sqlite.org/opcode.html"
- link "how transactions work" [ref_635] href="https://sqlite.org/atomiccommit.html"
- link "overview of the query planner" [ref_636] href="https://sqlite.org/optoverview.html"
- generic "Decades of effort have gone into optimizing SQLite, both for small size and high performance. And o." [ref_637]
- heading "Key source code files" [ref_638]
- link "Permalink: Key source code files" [ref_639] href="#key-source-code-files"
- list [ref_640]
- listitem [ref_641]
- generic "- This file defines the public interface to the SQLite library. Readers will need to be familiar wi." [ref_642]
- generic "sqlite.h.in" [ref_643]
- listitem [ref_644]
- generic "- this header file defines many of the data objects used internally by SQLite. In addition to \"sqli.\" [ref_645]
- generic "sqliteInt.h" [ref_646]
- listitem [ref_647]
- generic "- This file describes the LALR(1) grammar that SQLite uses to parse SQL statements, and the actions " [ref_648]
- generic "parse.y" [ref_649]
- link "Lemon Parser Generator" [ref_650]
- href="/sqlcipher/sqlcipher/blob/master/doc/lemon.html"
- listitem [ref_651]

generic "- This file implements the virtual machine that runs prepared statements. There are various helper ." [ref_652]

generic "vdbe.c" [ref_653]

listitem [ref_654]

generic "- This file (together with its helper files named by \"where*.c\") analyzes the WHERE clause and gener" [ref_655]

generic "where.c" [ref_656]

listitem [ref_657]

generic "- This file contains the implementation of the B-Tree storage engine used by SQLite. The interface ." [ref_658]

generic "btree.c" [ref_659]

listitem [ref_660]

generic "- This file contains the \"pager\" implementation, the module that implements transactions. The \"page.\" [ref_661]

generic "pager.c" [ref_662]

listitem [ref_663]

generic "and - These two files implement the interface between SQLite and the underlying operating system us." [ref_664]

generic "os_unix.c" [ref_665]

generic "os_win.c" [ref_666]

listitem [ref_667]

generic "- This file is not part of the core SQLite library. This is the file that, when linked against sqli." [ref_668]

generic "shell.c.in" [ref_669]

listitem [ref_670]

generic "- This file implements the Tcl bindings for SQLite. It is not part of the core SQLite library. But.." [ref_671]

generic "tclsqlite.c" [ref_672]

listitem [ref_673]

generic "- Files in the src/ folder that begin with \"test\" go into building the \"testfixture.exe\" program. T." [ref_674]

generic "test*.c" [ref_675]

listitem [ref_676]

generic ", , , and - These files define the current SQLite version number. The \"VERSION\" file is human gener." [ref_677]

generic "VERSION" [ref_678]

generic "manifest" [ref_679]

generic "manifest.tags" [ref_680]

generic "manifest.uuid" [ref_681]

link "Fossil version control system" [ref_682] href="https://fossil-scm.org/"

generic "There are many other source files. Each has a succinct header comment that describes its purpose an." [ref_683]

link [ref_684]

heading "Verifying Code Authenticity" [ref_685]

link "Permalink: Verifying Code Authenticity" [ref_686] href="#verifying-code-authenticity"

generic "The file at the root directory of the source tree contains either a SHA3-256 hash or a SHA1 hash fo." [ref_687]

generic "manifest" [ref_688]

generic "manifest" [ref_689]

generic "# Remove this line" [ref_690]

generic "manifest.uuid" [ref_691]

generic "manifest" [ref_692]

generic "manifest" [ref_693]

link "on the Fossil website" [ref_694] href="https://fossil-scm.org/home/doc/trunk/www/fileformat.wiki#manifest"

generic "The process of checking source code authenticity is automated by the makefile:" [ref_695]

generic "make verify-source" [ref_696]

generic "Using the makefile to verify source integrity is good for detecting accidental changes to the source" [ref_697]

heading "Contacts" [ref_698]

link "Permalink: Contacts" [ref_699] href="#contacts"

generic "The main SQLite website is with geographically distributed backups at and ." [ref_700]

link "https://sqlite.org/" [ref_701] href="https://sqlite.org/"

link "https://www2.sqlite.org/" [ref_702] href="https://www2.sqlite.org"

link "https://www3.sqlite.org/" [ref_703] href="https://www3.sqlite.org"

generic "Contact the SQLite developers through the . In an emergency, you can send private email to the lead." [ref_704]

link "SQLite Forum" [ref_705] href="https://sqlite.org/forum/"

heading "About" [ref_706]

generic "SQLCipher is a standalone fork of SQLite that adds 256 bit AES encryption of database files and othe" [ref_707]

link "https://www.zetetic.net/sqlcipher/" [ref_708] href="https://www.zetetic.net/sqlcipher/"

heading "Resources" [ref_709]

link "Readme" [ref_710] href="#readme-ov-file"

heading "License" [ref_711]

generic [ref_712]

button "BSD-3-Clause, BSD-3-Clause licenses found" [ref_713]

dialog "Licenses found" [ref_714]

button "Close licenses dialog" [ref_715] type="button"

heading "Licenses found" [ref_716]

link "BSD-3-Clause license" [ref_717] href="/sqlcipher/sqlcipher/blob/master/./LICENSE.md"

generic "BSD-3-Clause" [ref_718]

generic "LICENSE.md" [ref_719]

link "BSD-3-Clause license" [ref_720] href="/sqlcipher/sqlcipher/blob/master/./LICENSE.txt"

generic "BSD-3-Clause" [ref_721]

generic "LICENSE.txt" [ref_722]

heading "Contributing" [ref_723]

link "Contributing" [ref_724] href="#contributing-ov-file"

heading "Uh oh!" [ref_725]

generic "There was an error while loading. ." [ref_726]

link "Please reload this page" [ref_727]

link [ref_728] href="/sqlcipher/sqlcipher/activity"

generic "Activity" [ref_729]

link [ref_730] href="/sqlcipher/sqlcipher/custom-properties"

generic "Custom properties" [ref_731]

heading "Stars" [ref_732]

link "stars" [ref_733] href="/sqlcipher/sqlcipher/stargazers"

generic "7.2k" [ref_734]

heading "Watchers" [ref_735]

link "watching" [ref_736] href="/sqlcipher/sqlcipher/watchers"

generic "255" [ref_737]

heading "Forks" [ref_738]

link "forks" [ref_739] href="/sqlcipher/sqlcipher/forks"

generic "1.4k" [ref_740]

link "Report repository" [ref_741] href="/contact/report-content?content_url=https%3A%2F%2Fgithub.com%2Fsqlcipher%2Fsqlcipher&report=sqlcipher+%28user%29"

heading "Releases 15" [ref_742]

link "Releases" [ref_743] href="/sqlcipher/sqlcipher/releases"

generic "15" [ref_744]

link [ref_745] href="/sqlcipher/sqlcipher/releases/tag/v4.16.0"

generic "v4.16.0" [ref_746]

generic "Label: Latest" [ref_747]

generic "May 12, 2026, 7:18 PM GMT+5:30" [ref_748]

link "+ 14 releases" [ref_749] href="/sqlcipher/sqlcipher/releases"

generic "Loading latest packages" [ref_750]

heading "Packages 0" [ref_751]

link "Packages" [ref_752] href="/orgs/sqlcipher/packages?repo_name=sqlcipher"

generic "0" [ref_753]

heading "Uh oh!" [ref_754]

generic "There was an error while loading. ." [ref_755]

link "Please reload this page" [ref_756]

heading "Uh oh!" [ref_757]

generic "There was an error while loading. ." [ref_758]

link "Please reload this page" [ref_759]

generic "Loading contributors" [ref_760]

heading "Contributors" [ref_761]

link "Contributors" [ref_762] href="/sqlcipher/sqlcipher/graphs/contributors"

list [ref_763]

listitem [ref_764]
listitem [ref_765]
listitem [ref_766]
heading "Uh oh!" [ref_767]
generic "There was an error while loading. ." [ref_768]
link "Please reload this page" [ref_769]
heading "Languages" [ref_770]
list [ref_771]
listitem [ref_772]
link [ref_773] href="/sqlcipher/sqlcipher/search?l=c"
generic "81.0%" [ref_774]
listitem [ref_775]
link [ref_776] href="/sqlcipher/sqlcipher/search?l=tcl"
generic "Tcl" [ref_777]
generic "7.5%" [ref_778]
listitem [ref_779]
link [ref_780] href="/sqlcipher/sqlcipher/search?l=javascript"
generic "JavaScript" [ref_781]
generic "5.7%" [ref_782]
listitem [ref_783]
link [ref_784] href="/sqlcipher/sqlcipher/search?l=java"
generic "Java" [ref_785]
generic "2.5%" [ref_786]
listitem [ref_787]
link [ref_788] href="/sqlcipher/sqlcipher/search?l=makefile"
generic "Makefile" [ref_789]
generic "1.1%" [ref_790]
listitem [ref_791]
link [ref_792] href="/sqlcipher/sqlcipher/search?l=shell"
generic "Shell" [ref_793]
generic "0.7%" [ref_794]
listitem [ref_795]
generic "Other" [ref_796]
generic "1.5%" [ref_797]
contentinfo [ref_798]
heading "Footer" [ref_799]
link "GitHub Homepage" [ref_800] href="https://github.com"
generic "© 2026 GitHub, Inc." [ref_801]
navigation "Footer" [ref_802]
heading "Footer navigation" [ref_803]
list [ref_804]
listitem [ref_805]
link "Terms" [ref_806] href="https://docs.github.com/site-policy/github-terms/github-terms-of-service"
listitem [ref_807]
link "Privacy" [ref_808] href="https://docs.github.com/site-policy/privacy-policies/github-privacy-statement"
listitem [ref_809]
link "Security" [ref_810] href="https://github.com/security"
listitem [ref_811]
link "Status" [ref_812] href="https://www.githubstatus.com/"
listitem [ref_813]
link "Community" [ref_814] href="https://github.community/"
listitem [ref_815]
link "Docs" [ref_816] href="https://docs.github.com/"
listitem [ref_817]
link "Contact" [ref_818] href="https://support.github.com?tags=dotcom-footer"
listitem [ref_819]
button "Manage cookies" [ref_820] type="button"
listitem [ref_821]
button "Do not share my personal information" [ref_822] type="button"
generic "You can't perform that action at this time." [ref_823]
button "Dismiss error" [ref_824] type="button"

Viewport: 2560x1271

Tab Context:

- Executed on tabId: 2039714507
- Available tabs:
 - ? tabId 2039714507: "sqlcipher/sqlcipher: SQLCipher is a standalone fork of SQLite that adds 256 bit AES encryption of database files and other security features."
(<https://github.com/sqlcipher/sqlcipher>)

11. assistant (2026-05-31T14:29:00.607Z)

I see I'm on the wrong repository (sqlcipher/sqlcipher, not rigglemania/pysqlcipher3). Let me navigate to the correct repo. Also, let me check the PyPI page for pysqlcipher3.

12. user (2026-05-31T14:30:08.743Z)

[navigate] Navigated to <https://github.com/rigglemania/pysqlcipher3>
[navigate] Navigated to <https://pypi.org/project/pysqlcipher3/>

Tab Context:

- Executed on tabId: 2039714507
- Available tabs:
 - ? tabId 2039714507: "pypi.org/project/pysqlcipher3/" (<https://pypi.org/project/pysqlcipher3/>)

13. assistant (2026-05-31T14:30:10.879Z)

Let me read the PyPI page first to get license information:

14. user (2026-05-31T14:30:17.543Z)

generic "Copyright (c) 2004-2026 Roger Binns <rogerb@rogerbinns.com> All code and documentation is provided ." [ref_1]

Viewport: 2560x1271

Tab Context:

- Executed on tabId: 2039714507
- Available tabs:
 - ? tabId 2039714507: "raw.githubusercontent.com/rogerbinns/apsw/master/LICENSE"
(<https://raw.githubusercontent.com/rogerbinns/apsw/master/LICENSE>)

15. assistant (2026-05-31T14:30:20.219Z)

Let me navigate directly to the PyPI page for pysqlcipher3:

16. user (2026-05-31T14:30:22.650Z)

License Information

Based on the GitHub repository page, this project uses a **Zlib license**. The page explicitly states "Zlib license" in the footer section and includes a LICENSE file in the repository.

The Zlib license is a permissive open-source license that allows free use, modification, and distribution of the software with minimal restrictions, provided that the original license notice and copyright attribution are retained.

17. user (2026-05-31T14:30:22.707Z)

License Information for pysqlcipher3

According to the PyPI metadata, pysqlcipher3 is licensed under the **zlib/libpng License**.

The project details specify: "License: zlib/libpng License (zlib/libpng)" and it is classified as "OSI Approved :: zlib/libpng License," indicating this is a recognized open-source license approved by the Open Source Initiative.

18. assistant (2026-05-31T14:30:24.893Z)

Good. Now let me verify by checking the actual LICENSE file in the GitHub repo and get more precise information:

19. user (2026-05-31T14:30:28.389Z)

License Identification

License Type: zlib License

Full License Text

The content provided contains the complete zlib license, which permits use, modification, and redistribution with three key restrictions:

1. "The origin of this software must not be misrepresented" ? original authorship must be acknowledged
2. "Altered source versions must be plainly marked as such" ? modifications require clear identification
3. "This notice may not be removed or altered from any source distribution" ? the license header must be preserved

Copyright holders: David Riggleman, Kali Kaneko, and Gerhard Häring

The zlib license is a permissive open source license that allows both commercial and private use while requiring attribution and proper documentation of any changes made to the original code.

20. user (2026-05-31T14:30:30.395Z)

License and Dependencies Analysis

License

The package uses the **zlib/libpng License**. The header states: "This software is provided 'as-is', without any express or implied warranty" and permits use for "any purpose, including commercial applications" with standard attribution requirements.

Key Dependencies

Required External Dependency:

- **libsqlcipher** - Must be pre-installed on the system before installation. The setup documentation notes: "Prior to installation, libsqlcipher must already be installed on your system, with the process dependent on your operating system."

Build-Time Dependencies:

- **OpenSSL** - Required when building on Windows; the script attempts to locate it via the `OPENSSL_CONF` environment variable
- **libcrypto** - Linked during compilation (Unix/Linux systems)

Python Requirements

- Python 3.3 or higher (`python_requires=">=3.3"`)

Notes

The package provides two build options: linking against an existing system libsqlcipher installation, or using a SQLCipher amalgamation (bundled source files). The latter approach requires users to supply `sqlite3.h` and `sqlite3.c` files in an `amalgamation/` directory.

21. assistant (2026-05-31T14:30:32.482Z)

Perfect. Now let me get the SPDX identifier and check on SQLCipher's license (the C core dependency):

22. user (2026-05-31T14:30:35.671Z)

SQLCipher License

Based on the webpage content provided, SQLCipher offers multiple licensing options:

1. **Community Edition**: Uses "Open Source license" for open source project integrations
2. **Commercial Edition**: Includes a "Commercial use license" starting at \$999/year
3. **Enterprise Edition**: Offers "Flexible licensing" tailored to large organizations
4. **Enterprise FIPS Edition**: Provides "Embedded FIPS 140-3 validated Cryptographic module" with flexible licensing options

The specific open source license type (such as GPL, Apache, MIT, etc.) is not detailed in this webpage content. For precise license terms, you would need to consult the actual license documentation or the project's repository.

23. user (2026-05-31T14:30:35.836Z)

SPDX Identifier for zlib License

The official short identifier is `zlib`.

According to the SPDX documentation: "Short identifier: `zlib`"

24. assistant (2026-05-31T14:30:37.808Z)

I need to check SQLCipher's actual license. Let me check the repo directly:

25. user (2026-05-31T14:30:42.005Z)

SQLCipher License

License Type: BSD 3-Clause License

Copyright: ZETETIC LLC (2025)

License Text (Summary):

The license permits redistribution in source and binary forms with conditions: retain copyright notice, reproduce it in binary distributions, and avoid using ZETETIC LLC's name for endorsements without permission.

Key Clause:

"THIS SOFTWARE IS PROVIDED BY ZETETIC LLC 'AS IS' AND ANY EXPRESS OR IMPLIED WARRANTIES...ARE DISCLAIMED."

The license disclaims liability for damages arising from software use, whether direct, indirect, or consequential.

26. user (2026-05-31T14:30:42.167Z)

License Text

The content you provided is the **BSD 2-Clause License** (also known as the Simplified BSD License), held by ZETETIC LLC and effective in 2025.

Key Components:

Permitted Uses:

The license allows redistribution and modification in source and binary forms, provided that:

- "Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer."
- Binary distributions must include the copyright notice and disclaimer in documentation or materials
- The copyright holder's name cannot be used to promote derived products without written permission

Disclaimer:

The software is provided "as is" with no warranties of merchantability or fitness for a particular purpose. ZETETIC LLC assumes no liability for damages arising from use of the software, whether direct, indirect, or consequential.

Liability Limitation:

The licensor cannot be held responsible for issues including lost profits, data loss, or business interruption, regardless of whether the claim involves breach of contract or negligence.

This is a permissive open-source license that is relatively straightforward and commonly used for software projects.

27. assistant (2026-05-31T14:30:43.920Z)

Let me verify SQLCipher's exact license by checking both LICENSE files:

28. user (2026-05-31T14:30:47.341Z)

I cannot answer this question based on the provided content. The web page discusses SQLite's licensing but contains no information about SQLCipher or what license is mentioned for SQLite within SQLCipher.

To answer your question accurately, I would need documentation or content that specifically addresses SQLCipher's licensing practices.

29. user (2026-05-31T14:30:47.729Z)

License Type

The license is the **BSD 3-Clause License** (also known as the "New BSD License").

Full Text

"Copyright (c) 2025, ZETETIC LLC All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met..."

The complete license includes three key conditions: source code distributions must retain the copyright notice and disclaimer; binary distributions must reproduce these in documentation; and the licensor's name cannot be used to endorse derived products without permission.

The license also contains a comprehensive liability disclaimer stating the software is provided "as is" with no warranties, and the copyright holder cannot be held responsible for damages arising from its use, whether direct, indirect, or consequential.

This is a permissive open-source license that allows modification and redistribution while protecting the original author from liability.

30. assistant (2026-05-31T14:30:49.886Z)

Let me check pysqlcipher3's setup.py more carefully for bundled dependencies:

31. user (2026-05-31T14:30:54.518Z)

Cryptographic Dependencies in pysqlcipher3

Based on the setup.py file, pysqlcipher3 depends on the following cryptographic libraries:

Primary Dependencies

libsqlcipher: The project requires "libsqlcipher must already be installed on your system, with the process dependent on your operating system." This is a mandatory external dependency that must be pre-installed before pysqlcipher3 installation.

OpenSSL: On Windows systems, the build process explicitly requires OpenSSL. The script attempts to locate it via the `OPENSSL\_CONF` environment variable and links against `libeay32.lib`. On non-windows platforms, the build links against the crypto library via `"-lcrypto"`.

Build Configuration

The amalgamation build option enables SQLCipher-specific macros including `SQLITE\_HAS\_CODEC` (enabling encryption support) and `SQLITE\_ENABLE\_LOAD\_EXTENSION`. However, the project does not bundle these libraries; they must be provided by the user's system.

In summary, pysqlcipher3 **depends on but does not bundle** libsqlcipher and OpenSSL as external C dependencies required for compilation and runtime operation.

32. user (2026-05-31T14:30:54.553Z)

External Dependencies and Libraries for pysqlcipher3

Based on the documentation, the following external dependencies are required:

Primary Dependencies

libsqlcipher: The core encryption library. The documentation states that "for production use, you should build against `libsqlcipher`, which must be installed on your system prior to installation."

OpenSSL: Required for cryptographic operations. The specific version depends on your platform:

- Windows 32-bit: OpenSSL for Win32 (latest version recommended)
- Windows 64-bit: OpenSSL-Win64 (latest version recommended)

The documentation notes that the OPENSSL_CONF environment variable must be configured to point to the configuration file (e.g., `C:\openssl-Win32\bin\openssl.cfg`).

Build Options

The library offers two installation approaches:

1. **Against libsqlcipher** (default/production): Requires pre-installed libsqlcipher on your system
2. **Against amalgamation** (development): Uses a SQLCipher amalgamation obtained separately from the SQLCipher repository

Development Tools

For Windows users: Visual Studio 2015 (Community Edition acceptable) with C++ components is needed for compilation.

33. assistant (2026-05-31T14:30:56.645Z)

Now let me verify the final details about OpenSSL's license since that's bundled/required:

34. user (2026-05-31T14:30:56.859Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://www.openssl.org/source/license.html>
Redirect URL: <https://openssl-library.org/source/license>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://openssl-library.org/source/license"
- prompt: "What is the license of OpenSSL?"

35. user (2026-05-31T14:31:01.846Z)

OpenSSL License Details

OpenSSL uses **two different licenses** depending on the release version:

OpenSSL 3.0 and Later

"the Apache License v2 applies. This also applies to the git 'master' branch."

Pre-3.0 Releases

For versions 1.1.1, 1.1.0, 1.0.2, and earlier releases, "the dual OpenSSL and SSLeay license applies." This licensing also covers:

- Any updates to those older versions (including letter-suffixed releases)
- Git branches for those releases
- Public forks that haven't rebased to the master or 3.0 branches

Finding the License

The specific license text is contained in a `LICENSE` file in each release's top-level directory. Copies are also available on the OpenSSL website for reference.

36. assistant (2026-05-31T14:31:09.551Z)

Perfect. Now I have all the information needed. Let me compile the final report:

pysqlcipher3 License Verification Report

(1) SPDX License Identifier & License Name

- **SPDX ID:** `Zlib`
- **License Name:** zlib/libpng License
- **Source URL:** <https://github.com/rigglemania/pysqlcipher3/blob/master/LICENSE> (confirmed via PyPI metadata and GitHub repo)

(2) Source Confirmation

- **Python Binding License:** Confirmed from <https://github.com/rigglemania/pysqlcipher3> LICENSE file and <https://pypi.org/project/pysqlcipher3/> metadata
- **License Text Location:** <https://raw.githubusercontent.com/rigglemania/pysqlcipher3/master/LICENSE>

(3) License Classification

****PERMISSIVE - NOT A BLOCKER****

The Zlib license is a permissive open-source license. It is NOT GPL/LGPL/AGPL. It permits:

- Free use for any purpose (including commercial)
- Modification and redistribution
- Only requirements: retain attribution, mark alterations, preserve license notice

(4) Bundled Native Dependencies & Their Licenses

****libsqlcipher (Required, NOT bundled):****

- Must be pre-installed on the system
- License: BSD 3-Clause (<https://github.com/sqlcipher/sqlcipher/blob/master/LICENSE.txt>)
- Status: Permissive - OK

****OpenSSL (Required, NOT bundled):****

- Must be pre-installed; linked during compilation
- License: Dual licensing model:
 - OpenSSL 3.0+: Apache License v2.0
 - OpenSSL 1.1.x and earlier: Dual OpenSSL and SSLeay license
- Status: Permissive - OK (both variants are permissive)

****SQLite (via SQLCipher):****

- SQLite itself is in the Public Domain
- Included via libsqlcipher dependency
- Status: No restrictions - OK

Summary

****pysqlcipher3 itself: Zlib (permissive, not GPL/LGPL/AGPL) - CLEAR****

All required native dependencies are permissive licenses (BSD-3, Apache-2.0, or Public Domain).

No GPL/LGPL/AGPL copyleft. ****Safe for use.****