

claude-windows / da34752f-c664-4262-9602-f5d4cfcc6db4

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\da34752f-c664-4262-9602-f5d4cfcc6db4\subagents\workflows\wf\_ee69079d-571\agent-ae6dd6ce189bc479.jsonl`
- SHA-256: `44fab830c27f7aef880934c826794f6cb9c0a440276fb898c885cb73e9891835`
- Source modified: `2026-06-12T15:04:21+00:00`
- Imported at: `2026-07-05T16:48:23+00:00`
- project: `wf\_ee69079d-571`
- session_id: `da34752f-c664-4262-9602-f5d4cfcc6db4`

Transcript

1. user (2026-06-12T15:01:08.163Z)

Repo: C:\Users\avidu\Projects\badminton-highlight-indexer (branch docs/pmf-field-signals ? uncommitted working-tree changes included; read the files as they are on disk).
Files under review (read all in full):

- docs/PRODUCT_FIELD_ASSOCIATE_FLYER.md (NEW - the recruiting flyer the owner hands to CANDIDATES; the owner recruits personally)
- docs/FIELD_RESEARCH_ASSOCIATE_FLYER.md (reframed - now the hired associate's visit PLAYBOOK: coach script Q1-Q7, demo-after-Q6 rule, student questions, ground rules, Phase-2 record-and-show-back)
- docs/FIELD_VISIT_ANSWER_SHEET.md (per-visit form incl. new demo-reaction + student blocks)
- docs/PMF_FIELD_SIGNALS.md (the pre-registered decision layer; demo/student data = product feedback, NOT verdict signals)

Grounding (read as needed): docs/PMF_MARKET_RESEARCH.md, docs/UI_PROPOSAL.md + docs/UI_ALPHA_EXECUTION_PLAN.md + docs/HOSTING_PLAN.md (what the UI/hosting can honestly claim today), CLAUDE.md guardrails (minors exclusion, consent).

Owner's spec (verbatim intent): hire a person who visits academies, talks to coaches AND students, to understand how the project helps them and gather improvement feedback - full stop. Stretch goal: that person helps record videos, we run the pipeline, show the academy a sample result ("how it will look for them"). UI will be ready by then; hosting plan exposes the service to a few allwlisted people. The flyer must let a reasonable (non-technical) person understand the gig; the owner recruits personally.

A critic claims the following flaw. Adversarially verify by reading the actual files - try to REFUTE it. Default to refuted if pedantic, out of scope for a one-person 3-4 week field gig run personally by the owner, or already handled elsewhere in the kit.

CLAIM [medium] "Simple match report" claims a deliverable that doesn't exist ? and it's baked into the H5 willingness-to-pay question
PRODUCT_FIELD_ASSOCIATE_FLYER.md line 17 says the product 'produces a simple match report' (present tense); FIELD_RESEARCH_ASSOCIATE_FLYER.md line 17-18 says it 'generates match reports'; the Q5 WTP question (playbook line 46-47, FIELD_VISIT_ANSWER_SHEET.md line 38) prices the bundle 'rally cuts + reel + report'; and the Phase-2 show-back (playbook line 102) promises 'a highlight reel + report'. What exists today is a per-video PROCESSING summary (verified: output\kushagra_1280.summary.md ? highlight count, seconds of play, ? verdict, 'things to know') plus developer diagnostics; UI screen A6 'Report' (UI_PROPOSAL.md line 48) is unbuilt and would render those same artifacts. A coach hearing 'match report' expects match content ? scores, points, player stats. This inflates the exact offer H5 pricing answers are anchored to, and sets up the Phase-2 show-back to underdeliver at the moment the signals doc calls 'the single most valuable artifact this whole engagement produces'.
Proposed fix: Describe what exists: 'a simple summary ? how many rallies, how much actual play time' ? in the flyer, the playbook gig paragraph, Q5, the sheet's Q5 block, and the Phase-2 show-back description. If a coach-facing match report is intended for the show-back, make it an explicit prerequisite in the Phase-2 briefing rather than an implied current feature.

2. user (2026-06-12T15:01:12.664Z)

```
1      # Field & Product Outreach Associate ? KhelSutra (Sports-Tech, Bengaluru)
2
3      **Help a Bengaluru sports-AI product meet its first real users.**
4
5      | | |
6      |---|---|
7      | **Duration** | ~3?4 weeks, part-time (flexible; mostly afternoons/evenings when
academies are active) |
8      | **Location** | Bengaluru ? in-person visits to badminton academies |
9      | **Pay** | ? ___ per completed academy visit + travel reimbursement; recording sessions
(stretch goal below) paid extra ? ? ___ per session |
10     | **Reports to** | Avi (phone/WhatsApp: ___ ) |
11
12     ---
13
14     ## The product, in plain words
15
16     **KhelSutra** turns ordinary practice/match video from a badminton academy into
17     ready-to-use pieces: it automatically finds **every rally** in the recording, cuts
18     **highlight reels**, and produces a simple **match report**. It works on video from
19     a phone on a tripod ? no special cameras, no hardware to install. A private web
20     app is opening to a small set of invited academies.
21
22     ## The job, in one paragraph
23
24     Visit good badminton academies across Bengaluru and have honest conversations with
25     **coaches AND students**: how do they work with video today, would something like
26     this actually help them, and **what would make it genuinely useful for them** ?
27     including what's missing or wrong with the idea. You work from a provided
28     conversation guide, write down what people *actually say* (the negative answers
29     matter most), and debrief with Avi after each visit. **You are gathering feedback,
30     not selling.** No tech background needed.
31
32     ## The stretch goal (extra pay)
33
34     For academies that are interested, you coordinate a simple recording session ?
35     a phone on a tripod, one-page checklist provided. We run that video through
36     KhelSutra, and you go back and show them **their own court, their own players, as
37     highlight reels and a report**: "this is what it looks like for you." Then you
38     write down exactly what they say. There is no stronger feedback than that moment.
39
40     ## What you'll actually do
41
42     - Visit **10?15 academies** (intro + conversation, ~20?30 minutes each).
43     - Talk to the **owner/head coach** first, and ? with their permission ? a few
44       **senior or adult students** about whether they'd watch/share their own rally
45       clips and what they'd want from them.
46     - Fill **one structured answer sheet per visit** (we provide it) ? their words,
47       not yours, including the most negative thing said.
48     - Show a short sample reel on your phone **only at the point the guide says to**
49       (after the open questions ? it changes people's answers if shown early).
50     - Debrief with Avi after each visit (WhatsApp/call). **Your first two visits are
51       done together with him**, so you're never improvising.
52     - *Stretch:* coordinate recording sessions and present the sample results back.
53
54     ## You're a good fit if
55
56     - You're comfortable walking into an academy and starting a conversation with a
57       stranger ? and just as comfortable hearing "no, this is useless to us."
58     - You can capture what people said **accurately** ? quotes, not summaries.
59     - Kannada / Hindi / English, as the conversation needs (you choose the mix).
60     - You play or follow a racket sport (helps a lot; not required).
61     - No technical skills needed. Reliability matters more than anything else.
```

```

62
63     ## What you get
64
65     - Paid per completed honest visit ? **not** per positive answer. A well-documented
66       "they hated it, here's why" is a fully paid, fully successful visit.
67     - Ground-floor view of a real sports-AI product finding its market; your field
68       notes directly shape what gets built next.
69     - Flexible hours, short commitment, clear scope.
70
71     ## Ground rules (the short version ? full version provided on joining)
72
73     1. Honesty over positivity. Never oversell, never promise features, prices, or dates.
74     2. **No recording of any person without written consent** ? and sessions involving
75       **minors are never recorded** for our use, period. In regular visits you record
76       nothing at all: notes only.
77     3. People's contact details stay between you and Avi.
78
79     ## How to apply
80
81     Message Avi at ____ with **"FIELD"**, one line about a sport you follow, and one
82     line about a time you had to get honest feedback out of someone. First reply gets
83     a 15-minute call.
84

```

3. user (2026-06-12T15:01:13.636Z)

```

1      # Field Visit Playbook ? academy conversations (KhelSutra)
2
3      > **Recruiting?** Hand candidates
4      [ `PRODUCT_FIELD_ASSOCIATE_FLYER.md` ](PRODUCT_FIELD_ASSOCIATE_FLYER.md)
5      > ? that's the role description. **This document is the working playbook the hired
6      > associate gets on day one:** the conversation script, the ground rules, and the
7      > Phase-2 (recording / show-back) procedure.
8
9      **Duration:** ~3?4 weeks, part-time (flexible hours, mostly afternoons/evenings when
academies are active)
10     **Location:** Bengaluru ? in-person visits to badminton academies
11     **Compensation:** ? ____ per completed academy visit + travel reimbursement; Phase-2
sessions paid extra *(discussed individually)*
12     **Reports to:** Avi (phone/WhatsApp: ____ )
13
14     ---
15
16     ## The gig in one paragraph
17
18     KhelSutra takes ordinary practice/match video from a badminton academy and automatically
finds every rally, builds
19     highlight reels, and generates match reports; a private web app is opening to a few
invited academies. We need honest,
20     on-the-ground feedback from real academies ? **how they work with video, whether this
actually helps them, and what
21     would make it genuinely useful**. **Your job: visit 10?15 good academies, have a
friendly 20?30 minute conversation
22     with the owner/head coach (and, with permission, a few senior/adult students) using the
script below, and write down
23     what they actually say.** No selling. No tech knowledge needed. For interested academies
there's a Phase-2 follow-up
24     (a recording session ? then you return and show them THEIR OWN footage as highlights)
with additional compensation.
25
26     ---
27
28     ## Phase 1 ? The conversation (what you actually do)
29
30     **Who to talk to:** the academy owner or head coach ? the person who decides what the

```

academy spends money on.

30 If you get a junior coach, be friendly, gather what you can, and ask when the owner is available.

31

32 **Opening (keep it this honest):**

33 > "Hi, I'm helping a Bengaluru engineer who's building an AI tool for badminton academies ? it takes normal practice

34 > video and automatically cuts it into rallies and highlights. He asked me to talk to a few serious academies to

35 > understand how you work with video today. Could I ask you a few questions? Takes 15 minutes, and we're not selling

36 > anything today."

37

38 **The questions (ask in this order; the starred ones matter most):**

39

40 1. Do you ever video-record sessions or matches here? How ? phone, tripod, CCTV, a hired person?

41 2. ? **Do you have recorded footage sitting around that nobody has time to watch?** (multi-court hall recordings,

42 tournament days, CCTV) ? roughly how much?

43 3. Who would watch rally clips or highlights if they existed ? coaches for training? players? parents?

44 4. What do you use today for any of this? (Listen for: Machaxi, VISIST, Game Theory, Stupa, BadPro+, just

45 YouTube/phone.) What do you like / what's missing in it?

46 5. ? **If you could hand over a full session's video and get back every rally cut out + a highlight reel + a simple

47 report ? would you pay per match for that? What would that be worth to you, per match?** Then **stop talking and

48 wait** ? let THEM name the number. If they genuinely won't after a pause and one "roughly?", you may offer the

49 ladder: "?100, ?300, ?500?" **On the sheet, tick whether their number came BEFORE or AFTER you offered the

50 ladder** ? it changes what the answer means. (Note their face, not just the words.)

51 6. Your hall has multiple courts running at once, right? Does that make video less useful today?

52

53 **? NOW (and only now) show the sample reel** ? a ~60-second real highlight reel we put on your phone. Say: "this is

54 what it produces ? every rally found and cut automatically." Then shut up and watch their face. Write down their

55 FIRST reaction verbatim, and ask one follow-up: ***"what would this need to do for it to be useful for YOUR academy?"**

56 (Improvement asks, in their words, go on the sheet. Showing it earlier anchors every answer above ? never lead with it.)

57

58 7. Would you let us record one session here (we pay a small fee for the time) and come back showing what the tool

59 produces on YOUR court, your players? *(This is the Phase-2 door ? just note yes/no/maybe and who to call.)*

60

61 **Students (with the coach's permission ? senior/adult students only, 5 minutes):** ask 2?3 of them:

62 (a) **Would you watch clips of your own rallies if they existed after each session?**

(b) **Would you share them ?

63 with whom?** (c) **What would you want them to show?** Capture their answers in the sheet's student block. Don't

64 collect students' contact details; if everyone available is a minor, skip the student questions ? note that instead.

65

66 **After each visit, fill ONE answer sheet ? the template is

[`FIELD\_VISIT\_ANSWER\_SHEET.md`](FIELD_VISIT_ANSWER_SHEET.md)

67 (print one per visit):** academy name, location, # courts, person spoken to + role + contact, answers 1?7 (their

68 words, not yours), the most negative thing they said (required), exact quotes, your gut

read, and whether they're a
69 Phase-2 candidate. *(How the answers get scored and what totals trigger which decision
lives in
70 [PMF_FIELD_SIGNALS.md])(PMF_FIELD_SIGNALS.md) ? that part is ours, not yours; just
capture honestly.)*
71
72 ---
73
74 ## Ground rules & gotchas (read twice ? this is the difference between useful and
useless)
75
76 1. **You are researching, not selling.** If they ask "how much will it cost", say
"that's exactly what he's trying to
77 figure out ? what would feel fair to you?" Never quote a price yourself.
78 2. **Past behavior beats opinions.** "Would you use video?" gets polite lies. "When did
you LAST record a session, and
79 what happened to that file?" gets the truth. Prefer the second kind of question.
80 3. **Don't promise anything.** No features, no dates, no free trials. You may SHOW the
standard sample reel (it's
81 real output ? at the scripted moment only, after Q6) and you may offer the Phase-2
idea (a paid recording session
82 + free sample output of their own court), and only as "would you be open to it".
Nothing else.
83 4. **Write down disappointing answers verbatim.** A "no, we'd never pay for that" with a
reason is worth MORE to us
84 than five vague yeses. You're paid per completed honest visit, not per positive
answer.
85 5. **If they already use a competitor (Machaxi/VISIST/Game Theory etc.) ? goldmine.**
Ask what it does well, what it
86 doesn't, and what they pay. Spend extra time here.
87 6. **Multi-court is our favorite topic.** If they complain that video is useless because
"all the courts are in frame
88 and it's chaos" ? capture that complaint in their exact words. That's the problem we
solve.
89 7. **No recordings of people without clear permission.** In Phase 1 you record NOTHING ?
notes only. Don't photograph
90 the academy or players unless the owner offers.
91 8. **Don't oversit.** 20 minutes, thank them, leave a good impression ? we may come back
to record.
92 9. **Confidentiality:** don't describe the tech beyond the opening line, don't name
other academies' answers, and
93 don't share the answer sheets with anyone except Avi.
94
95 ---
96
97 ## Phase 2 (only for academies that said yes ? separate briefing & pay)
98
99 You coordinate a recording session: we pay the academy a small fee, set up a
phone/camera on a tripod (we provide a
100 one-page capture checklist: behind the court, elevated, whole court in frame, landscape,
1080p/60fps, don't move it),
101 record 122 sessions ? then we process the footage through KhelSutra and **you return to
present the academy its own
102 sample output** (their court, their players, as a highlight reel + report, free) and
fill a short reaction sheet:
103 what they said when they saw it, what they'd change, whether they asked to keep using
it. That show-back conversation
104 is the single most valuable artifact this whole engagement produces. **Hard rules:**
written consent from the academy
105 AND the adult players being recorded; **sessions with minors are not recorded for our
library** ? adult sessions only;
106 the academy gets told plainly what the footage is for (building and demonstrating the
tool).
107
108 ---

```

109
110     ## Day one
111
112     Your first 2 visits are paired (you + Avi, or a live phone walkthrough) so you're never
improvising. Before visit 1:
113     read this playbook twice, have the sample reel saved offline on your phone, and carry
printed answer sheets
114     ([`FIELD_VISIT_ANSWER_SHEET.md`](FIELD_VISIT_ANSWER_SHEET.md) ? one per academy).
115

```

4. user (2026-06-12T15:01:14.109Z)

```

1     # Field Visit Answer Sheet ? one per academy (fill the same day)
2
3     > Print one per planned visit. Write THEIR words, not yours. A clear "no, because?"
4     > is a *good* sheet. Companion script: `FIELD_RESEARCH_ASSOCIATE_FLYER.md`.
5     > Scoring anchors (G/A/R): `PMF_FIELD_SIGNALS.md` §2.
6
7     ## Visit basics
8
9     | | |
10    |---|---|
11    | Date / time | |
12    | Academy name | |
13    | Area (neighbourhood) | |
14    | # courts in the hall | |
15    | Spoke to (name + role) | |
16    | Contact (phone/WhatsApp) ? *only if offered* | |
17    | How long the conversation ran | |
18
19    ## The seven questions ? their answers (verbatim where possible)
20
21    **Q1 ? Do they record sessions/matches today? How (phone / tripod / CCTV / hired)?**
22
23    >
24
25    **Q2 ? ? Footage sitting around that nobody watches? Roughly how much, and from what?**
26
27    >
28
29    **Q3 ? Who would watch rally clips/highlights (coach / players / parents)? When?**
30
31    >
32
33    **Q4 ? What do they use today (Machaxi / VISIST / Game Theory / Stupa / BadPro+ / none)?
34    What's good, what's missing, what does it cost them?**
35
36    >
37
38    **Q5 ? ? Would they pay per match for rally cuts + reel + report? What number did
39    THEY say (?)? What was their face doing?**
40
41    Their number came (tick one): ? BEFORE the ladder (they volunteered it) .
42    ? AFTER I offered ?100/300/500 . ? no number / refused .
43    ? they framed it differently (per student / per month ? write it below)
44
45    >
46
47    **Q6 ? Multiple courts in frame ? does that make video useless today? Their words:**
48
49    >
50
51    **Demo (shown AFTER Q6, never earlier) ? their FIRST reaction to the sample reel,
52    verbatim. Then: "what would this need to do to be useful for YOUR academy?" ?
53    their improvement asks, in their words:**

```

```

54
55 Demo shown? ? yes . ? no (why: _____ )
56
57 >
58
59 **Q7 ? Open to a paid recording session on their court (we return showing THEIR
60 footage as highlights)? (yes / maybe / no ? and who to call)**
61
62 >
63
64 **Students (coach-permitted, senior/adult only ? skip if only minors available):
65 would they watch clips of their own rallies? share with whom? what should clips
66 show? Their words:**
67
68 >
69
70 ## Required: the most negative thing they said (verbatim)
71
72 >
73
74 ## Best quotes (anything vivid, in their words)
75
76 >
77
78 ## Scores ? OFFICE USE, leave blank (scored by Avi at transcription per
PMF_FIELD_SIGNALS.md §2; when torn, score lower)
79
80 | Hypothesis | Score |
81 |---|---|
82 | H1 recording behavior | GREEN / AMBER / RED |
83 | H2 dead footage | GREEN / AMBER / RED |
84 | H3 audience | GREEN / AMBER / RED |
85 | H4 whitespace | GREEN / AMBER / RED |
86 | H5 willingness to pay ? their ? number: _____ | GREEN / AMBER / RED |
87 | H6 multi-court pain | GREEN / AMBER / RED |
88 | H7 Phase-2 door | GREEN / AMBER / RED |
89
90 ## Competitor block (only if they named one)
91
92 | | |
93 |---|---|
94 | Product | |
95 | What it does well (their words) | |
96 | What it misses (their words) | |
97 | What they pay | |
98
99 ## Your gut read (circle): COLD . POLITE . CURIOUS . EAGER
100
101 ## Phase-2 candidate? (circle): YES ? call: _____ . MAYBE . NO
102
103 ## Anything else worth knowing (layout, lighting, camera positions you noticed, who
really decides)
104
105 >
106

```

5. user (2026-06-12T15:01:15.498Z)

```

1 # C13 Field Signals ? what academy visits must tell us (and when to change course)
2
3 **Status:** ACTIVE ? the decision layer for the C13 beachhead validation
4 (owner-ratified direction, 2026-06-12: *PMF validation is handled by physically
5 visiting academies and reading signals on the ground*).
6 **Companions:** [ `PRODUCT_FIELD_ASSOCIATE_FLYER.md` ](PRODUCT_FIELD_ASSOCIATE_FLYER.md)
7 (the recruiting flyer candidates see) .

```

```

8      [ `FIELD_RESEARCH_ASSOCIATE_FLYER.md` ] (FIELD_RESEARCH_ASSOCIATE_FLYER.md)
9      (the hired associate's visit playbook: script + ground rules + Phase-2) .
10     [ `FIELD_VISIT_ANSWER_SHEET.md` ] (FIELD_VISIT_ANSWER_SHEET.md) (the per-visit capture
form) .
11     [ `PMF_MARKET_RESEARCH.md` ] (PMF_MARKET_RESEARCH.md) (the hypotheses under test, esp. §6).
12
13     **Why this doc exists:** the flyer collects answers; this doc fixes ? **before the
14     first visit** ? what those answers *mean* and what totals trigger which decision.
15     Pre-registering the thresholds is the honesty mechanism: it stops us from reading
16     15 ambiguous conversations as whatever we hoped to hear.
17
18     ---
19
20     ## 1. The hypotheses under test (each maps to script questions)
21
22     | ID | Hypothesis (from PMF research) | Falsified looks like | Script Q |
23     |---|---|---|---|
24     | H1 | **Recording behavior exists** ? academies already produce fixed-angle / CCTV /
multi-court footage without us | nobody records; "we'd have to start for you" | Q1 |
25     | H2 | **Dead-footage pain** ? recorded footage piles up unwatched (the indexing wedge)
| footage is small, or already gets watched | Q2 ? |
26     | H3 | **An audience exists** ? coach, player, or parent would actually consume rally
clips/reels | shrug; "who has time to watch clips" | Q3 |
27     | H4 | **Whitespace** ? incumbents (Machaxi, VISIST, Game Theory, Stupa, BadPro+ ? the
India set is field-sourced from the 2026-06-10 competitive audit; PMF §4's web table predates
it) leave a gap we fit | "we use X, it's fine, fully solved" | Q4 |
28     | H5 | **Willingness to pay per match** at a price that clears unit economics | "should
be free" / <?100 everywhere | Q5 ? |
29     | H6 | **Multi-court chaos is a felt problem** (our moat: indexing messy BYO multi-court
footage) | multi-court video already useful to them | Q6 |
30     | H7 | **Behavioral commitment** ? they'll let us record on their court (Phase-2 door) |
polite no across the board | Q7 |
31
32     Unit-economics floor behind H5: serving COGS on the Gemini path is ~$0.30?0.60 per
33     hour of video (? 25?50/hr; 2026-06-10 quality table). A 2?3 hr session costs
34     roughly 75?150 to process, so **?300/match has real margin, ?100/match is
35     break-even-ish at retail** ? that's why the script's anchor ladder is ?100/300/500.
36
37     ## 2. Per-visit scoring ? GREEN / AMBER / RED anchors
38
39     **Scoring is done by the owner (or a Claude session) at transcription ? the
40     associate only captures answers** (the sheet's score grid is marked OFFICE USE).
41     Score each hypothesis **from what they said and showed, not what you inferred**.
42     When between two grades, take the lower one.
43
44     | | GREEN (strong confirm) | AMBER (weak/mixed) | RED (disconfirm) |
45     |---|---|---|---|
46     | **H1 record** | shows or names actual setup (tripod/CCTV/phone rig) used ?monthly |
records occasionally (tournaments only) | doesn't record; no plans |
47     | **H2 dead footage** | points at real unwatched volume (?~5 hrs, "CCTV runs all day",
tournament backlog) | some footage, partially watched | no backlog exists |
48     | **H3 audience** | names WHO would watch and WHEN (e.g. "parents ask for clips", "I
review with students Mondays") | "could be useful, maybe" | no consumer identified |
49     | **H4 whitespace** | no tool today, or uses one and volunteers a gap we cover (multi-
court, BYO footage, price) | uses a competitor, mildly satisfied | competitor solves it,
satisfied, sticky |
50     | **H5 WTP** | names ??300/match **BEFORE the ladder was offered** (the sheet's tick-box
records this), or proposes a budget framing of their own whose per-match equivalent is ??300
(see counting rule below) | names a number only **AFTER** the ladder (anchored ? even
?300/?500), or volunteers ~?100 | refuses to name a number / "should be free" / volunteers <?100
|
51     | **H6 multi-court** | complains about it in their own words before/without prompting |
agrees when asked | multi-court footage already works for them |
52     | **H7 Phase-2** | yes + gives a name/number/slot | "maybe, come back" | no |
53

```


54 **The H5 counting rule ("H5 at ?300+"):** a visit counts toward the "?300+" tally
55 only when the ? number (a) is ?300 **and** (b) came *before* the ladder was offered
56 ? an anchored ?300 is the modal polite answer to a read-aloud 100/300/500 ladder
57 and proves nothing, so it scores AMBER and does **not** count. Budget-framed
58 answers convert at transcription: their monthly ? ÷ the matches/month they cited
59 (if they cited none, ÷4); the computed equivalent counts if ??300 and the
60 conversion is written into the rollup row. Stated WTP ? even clean ? remains
61 *talk*: the confirming step before any PROCEED-triggered build is the fake-door /
62 paid-pilot test already pre-agreed in PMF §6 risk 2 and the C13 row.

63

64 **Weighting rule (behavior > words):** H7-GREEN and H2-GREEN are *behavioral*
65 signals and count double in your gut-read; H3/H5 answers are *talk* until a Phase-2
66 session or a real payment corroborates them. A visit with H5-GREEN but H7-RED is a
67 polite conversation, not a customer.

68

69 **Disconfirming-evidence quota:** every visit sheet must record at least one
70 verbatim *negative* quote (the thing they liked least / wouldn't pay for). If a
71 sheet has only positives, the visit gets re-done or its evidence discounted in the
72 rollup (**never the associate's pay** ? they're paid per completed honest visit);
73 per the flyer's ground rule 4, a reasoned "no" is worth more than five vague yeses.

74

75 **Sampling note (read the verdict with this in mind):** the flyer sends the
76 associate to 10?15 *good* academies ? the verdict therefore reads "does the
77 beachhead work where it should work best?", not "what fraction of the market is
78 addressable". A PROCEED here licenses the next validation step, not a TAM claim;
79 the rollup's area/courts columns record what was actually sampled.

80

81 ## 3. Pre-registered decision rules

82

83 **Stopping rule (fixes the optional-stopping loophole):** the campaign targets
84 **n = 15** completed owner/head-coach sheets and may end earlier **only for
85 logistics** (associate availability, academies exhausted) ? **never because of how
86 the tallies look**. The 5-sheet check-ins below are progress reports, not verdict
87 opportunities; **the verdict is computed exactly once, at the final n**, and the
88 rollup records what that n was and why the campaign stopped. The count thresholds
89 below are written for n = 15 and apply unchanged at any final n in 10?14 ? which
90 deliberately makes the ?-bars *relatively harder* at smaller n (biases away from a
91 premature PROCEED) and the <-bars relatively harder to trip at n = 15 (biases away
92 from a premature FALSIFIED). Both biases err toward "keep investigating," the safe
93 failure mode. Counts, not percentages ? at this sample size we're reading
94 direction, not estimating proportions. "GREEN" below means GREEN on that
95 hypothesis row.

96

97 | Verdict | Trigger (pre-registered) | What we then do |
98 |---|---|---|
99 | **PROCEED ? beachhead validated** | ?6 H2-GREEN **and** ?4 H5 at ?300+ (per the §2
counting rule ? anchored numbers don't count) **and** ?3 H7-GREEN | Run the camera pilot at the
2?3 warmest academies; those contacts seed the UI-alpha Wave-1 invite list
(UI_ALPHA_EXECUTION_PLAN Phase R); the **fake-door/paid-pilot WTP test** (PMF §6 risk 2) runs
before money is spent on build |
100 | **PIVOT A ? "index the backlog" ? "record + index" service** | <3 H2-GREEN **and** ?6
visits with H3 GREEN-or-AMBER **and** ?3 H5 at ?300+ | The pain isn't the archive, it's that
nothing useful gets made at all ? lead with the Phase-2 recording offer; camera pilot becomes
the product wedge, not the demo |
101 | **PIVOT B ? partner/API motion** | H4 RED at ?5 academies (incumbents entrenched and
liked) | Don't fight installed hardware head-on; explore the engine/API route through whoever
owns the academy relationship¹ |
102 | **PIVOT C ? payer is the parent, not the academy** | ?4 visits where H5 is RED **and**
the Q3 answer names parents/players as the watcher | Re-test WTP as B2C per-student reels
(?/reel to parents) with the academy as channel, not customer |
103 | **FALSIFIED ? beachhead assumption fails** | <3 academies record at all (H1) **and** 0
H7-GREEN | The "academies already record fixed-angle" premise (PMF §5 beachhead #1; the academy
arm of §6 risk 1) is wrong for this market ? revisit beachheads #2/#3 (pickleball-US, badminton
Asia/Denmark) before building further |

104

105 ¹ The template (surfaced by the 2026-06-10 competitive audit, not yet in PMF §4's
106 web-sourced table): ****PB Vision**** sells pickleball video analysis B2C at ~\$99/yr
107 ***and*** as an ~\$8/hr-of-video partner API through facility platforms like
108 ****PodPlay**** ? the engine is ours, the academy relationship belongs to whoever
109 already owns it.

110

111 Mixed outcomes that match no row: write up the per-hypothesis tallies and decide
112 explicitly with the owner ? but ****the tallies above get computed first****, so the
113 discussion starts from the pre-registered read, not from anecdotes.

114

115 ****Competitor-intel side-channel (always-on):**** any visit where a competitor is
116 named ? fill the answer sheet's competitor block (what it does, what it misses,
117 what they pay). ?3 consistent reports about one product = update
118 `PMF\_MARKET\_RESEARCH.md` §4 with field-verified rows (today's table is web-sourced).

119

120 **## 4. Mechanics**

121

122 - One `FIELD_VISIT_ANSWER_SHEET.md` per academy,
123 same day as the visit, in the associate's words + verbatim quotes.

124 - The owner (or Claude session) transcribes each sheet into one row of the rollup
125 table below (keep it in this doc or a sheet next to it); tallies refresh per 5
126 visits as ****progress checks only**** ? the verdict is computed once, at the final
127 n, per the §3 stopping rule.

128 - Demo asset: the associate carries the real compiled reel
129 (`output/MahadevpuraSingles_highlights.mp4`, trimmed to ~60s) saved offline on
130 their phone, shown ****only at the scripted moment (after Q6, before Q7)**** ? ***show,**
131 **never promise***. Demo reactions and improvement asks are ****product feedback****, not
132 scored signals: they feed the build backlog verbatim, while the H1?H7 verdict
133 machinery stays anchored to the pre-demo answers (that's why the demo comes last;
134 the sheet records whether it was shown). Showing it right before Q7 also makes
135 the Phase-2 ask a reaction to something seen, not imagined ? a stronger
136 behavioral read.

137 - Student answers (sheet's student block) likewise feed product feedback and the
138 H3 (audience) gut-read; they don't enter the verdict tallies, and no student
139 contact details are ever collected.

140

141 **### Rollup table (one row per completed visit)**

142

	#	Academy	Area	Courts	Role spoken to	H1	H2	H3	H4	H5 (?)	H6	H7
Gut Phase-2?												
	1											

146

147 **### Tally ? decision read-out (progress check per 5 visits; verdict ONCE at final n)**

148

Metric	Count	Threshold in play
H2 GREEN (dead footage)	/n	?6 ? PROCEED leg; <3 ? PIVOT A leg
H5 at ?300+ (pre-ladder / converted only ? §2 counting rule)	/n	?4 ? PROCEED leg; ?3 ? PIVOT A leg
H7 GREEN (Phase-2 yes + contact)	/n	?3 ? PROCEED leg; 0 ? FALSIFIED leg
H3 GREEN-or-AMBER (audience exists)	/n	?6 ? PIVOT A leg
H4 RED (incumbent satisfied)	/n	?5 ? PIVOT B
H1 any recording	/n	<3 ? FALSIFIED leg
H5 RED **and** Q3 names parents/players	/n	?4 ? PIVOT C

158

159 **## 5. Guardrails that bind the field work**

160

161 - ****Phase 1 records nothing**** ? notes only (flyer rule 7).

162 - ****Phase 2 consent rules are hard:**** written consent from the academy AND adult
163 players; ****sessions with minors are never recorded for our library**** (training-pool
164 guardrail, CLAUDE.md); the academy is told plainly what the footage is for.

165 - Answer sheets contain personal contact details ? they stay between the associate
166 and the owner; transcribe to the rollup without phone numbers.

167

6. user (2026-06-12T15:01:23.831Z)

```
1      # UI Proposal ? khelsutra.guru web app (alpha ? beta)
2
3      **Status:** PROPOSAL ? awaiting owner ratification (no implementation starts without
explicit approval, per CLAUDE.md).
4      **Date:** 2026-06-10 . **Inputs:** PMF_MARKET_RESEARCH, COMMERCIALIZATION,
PLATFORM_ARCHITECTURE, DEFERRED_HARDENING_PLAN (#16), ROADMAP, VIDEO_RECORDING_GUIDELINES,
reporting/spec.yaml, current API + static UI.
5      **Companion:** `docs/HOSTING_PLAN.md` (domain, topology, costs).
6
7      ## 1. Strategic frame ? why a UI now, and what it secretly is
8
9      The UI is not just product surface; it is the corpus-growth engine. The single
highest-leverage
10     item in NEXT_STEPS is growing the golden corpus, and the v1 scope already commits to a
11     human correction loop. Every tester who accepts/rejects/nudges a rally boundary in
the review
12     screen produces exactly the labels the Gen-0/M0.x track is starved for (subject to the
per-user
13     training opt-in guardrail). 10?25 alpha testers ? a steady stream of labeled, real-
world,
14     multi-court-biased footage ? the distribution where the owned model's 0.66 ship target
lives.
15
16     Serving economics per the 2026-06-10 quality table: alpha serves the Gemini path
17     (0.93 on clean footage, ~$0.05/run) ? no GPU required in the request path. The
WASB/owned-model
18     path stays on the owner's box and is not exposed in the alpha UI (segmenter choice
hidden).
19
20     The CLI is not replaced. The web app talks to the same FastAPI surface the CLI
drives; the CLI
21     remains the power-user/ops tool.
22
23     ## 2. Personas (from PMF research)
24
25     - Coach / academy (primary, B2B, India): batches of match recordings, wants rally
review,
26     per-player reels for students/parents, per-rally stats. Already records on static
cameras.
27     - Enthusiast (B2C funnel): records own matches, wants a highlight reel + basic
stats, shares
28     with friends. Tripod discipline is the known adoption risk ? the UI must teach
recording
29     guidelines before upload, not fail videos after.
30
31     ## 3. ALPHA ? "quick & dirty" (goal: 10?25 invited testers, end-to-end, zero hand-
holding)
32
33     Stack: React + Vite + Tailwind SPA, deployed per HOSTING_PLAN (static hosting, $0).
34     API = existing FastAPI on the GPU box via tunnel at `api.khelsutra.guru`.
35     Auth: Cloudflare Access email-allowlist (OTP), free ?50 users, zero auth code ?
backend
36     reads the authenticated-email header for per-user scoping (alpha-grade tenancy: header
is
37     trustworthy because the tunnel only accepts Access-authenticated traffic).
38
39     ### Alpha screens (6)
40
41     | # | Screen | What it does | Backed by |
42     |---|-----|-----|-----|
43     | A1 | Matches (home) | User's videos, status chip per video (verdict ?/??/?),
upload CTA | `videos` + owner scoping (B4) |
44     | A2 | Upload & Process | Drag-drop; inline recording-guidelines checklist (pre-
```

upload education from VIDEO_RECORDING_GUIDELINES); chunked upload; then auto-starts processing |
B2 upload endpoint ? B1 job |

45 | A3 | ****Job progress**** | Stage list (validation ? segmentation ? AI confirm ? report)
with live status; verdict banner on completion | B1 `GET /api/jobs/{id}` poll |

46 | A4 | ****Rally review**** ? | Video player + rally list; click rally ? seek & play that
span; per-rally ****Accept / Reject / nudge start?end ±0.5 s****; bulk "all good"; chips: duration,
shot count (+confidence) | B6 correction endpoints ? `candidate\_segments.human\_label/notes` ?
****the corpus engine**** |

47 | A5 | ****Highlights**** | Select accepted rallies ? name reel ? compile ? download; list
of past reels | `/api/compile` + B3 download endpoint |

48 | A6 | ****Report**** | Renders the customer-audience report (verdict, notes, FAQ refs);
"nerd view" toggle shows technical.md | existing reporting artifacts |

49

50 **### Backend work the alpha actually requires (honest dependency list)**

51

52 | ID | Item | Notes |

53 |----|-----|-----|

54 | B1 | ****Async job model ? DEFERRED_HARDENING_PLAN #16**** | The committed next PLATFORM
slice; `POST /api/process` ? 202 + `job\_id`, `jobs` table (user_version 1?2),
ThreadPoolExecutor, `GET /api/jobs/{id}`. ****Approving this proposal = greenlighting #16.**** A
5?60 min blocking HTTP call cannot sit behind a tunnel UI. |

55 | B2 | ****Chunked upload endpoint**** | `POST /api/upload` accepting ?90 MB parts (free-
tier proxy body limit is 100 MB), assemble ? MD5 ? register under `allowed\_video\_root/<user>/`.
Size cap (e.g. 4 GB) + mp4/mov allowlist. |

56 | B3 | ****Download endpoint**** | `GET /api/highlights/{video\_id}/{name}` streaming the
compiled reel (today `/api/compile` returns a server-local path the browser can't reach). |

57 | B4 | ****Per-user scoping**** | `owner\_email` column on `videos` (migration), read from
the Access header, filter every query. Alpha-grade, single DB. |

58 | B5 | ****Retire/replace static UI**** | The SPA supersedes `backend/api/static` (which has
a known `rallies` vs `play\_segments` field bug ? don't fix, replace). |

59 | B6 | ****Correction-loop endpoints**** | `PATCH /api/segments/{id}` ?
accept/reject/boundary-nudge persisted to `candidate\_segments.human\_label`/`notes` (+
provenance: who, when). This is v1-scope "correction loop" made real. |

60 | B7 | ****Exposure hardening**** | CORS narrowed to the app origin; basic rate limit;
upload quota per user; `allowed\_video\_root` set; Gemini key rotated (already in NEXT_STEPS
housekeeping). |

61

62 **### Alpha non-goals (explicit)**

63

64 No payments, no orgs/teams, no athlete profiles, no share links, no owned-model serving,
no

65 multi-sport selector (badminton only), no notifications, no mobile-perfect layouts
(usable on

66 phone, optimized for laptop), no conversational QA (deferred in roadmap).

67

68 **### Alpha effort estimate**

69

70 B1 ? 2?3 sessions · B2?B7 ? 2?3 sessions · SPA (6 screens) ? 3?4 sessions ? ****~8?10**
working

71 sessions** to first tester invite. Sequencing: B1 ? B2/B3/B4 ? SPA skeleton + A2/A3 ? A4
? A5/A6 ? B7 ? invite.

72

73 **## 4. BETA ? polished (goal: paying pilot academies)**

74

75 Maps deliberately onto PLATFORM_ARCHITECTURE P1?P3 ? the UI roadmap and the platform
roadmap are

76 the same roadmap.

77

78 1. ****Drop 1 ? Accounts & academies (P1):**** real auth (Firebase Auth ? GCP-native, free
tier ? or

79 Clerk), academy workspace, coach invites athletes (****18+ only****, per guardrail),
roles

80 (owner/coach/athlete). Coach?athlete stays an ****optional overlay**** on the generic
schema.

81 2. ****Drop 2 ? Storage & worker (P2/P3):**** direct-to-cloud resumable uploads (signed URLs

? bypasses

82 proxy body limits entirely), reels served from object storage; control plane moves to Cloud Run;

83 **GPU box becomes the first pull-based `byo\_worker`** (outbound-only, exactly P3's security

84 model). Email notification when a reel is ready.

85 3. **Drop 3 ? Review v2:** keyboard shortcuts (J/K/L, [/] nudge), frame-step, timeline minimap with

86 rally bars, batch accept, rally tags, athlete-facing **expiring share links**, per-player

87 aggregates and match-over-match trends (v1 stats only ? **no gait/biometrics**, GDPR Art. 9).

88 4. **Drop 4 ? Monetization & consent:** Razorpay per-match credits (INR; PMF: B2C \$60?180/yr,

89 academy \$300?1,500/yr equivalents, tuned per-match for India), free-tier match allowance;

90 **training-data opt-in**: per-user toggle default OFF + per-match consent record + adult-only

91 attestation at upload (guardrails: minors excluded from training pool; separate explicit opt-in).

92

93 Beta effort: ~4?6 weeks part-time across the four drops; each drop independently shippable.

94

95 ## 5. Decisions needed from owner

96

97 1. **Greenlight** alpha scope above (= greenlights DEFERRED_HARDENING_PLAN #16)?

98 2. **RESOLVED 2026-06-10:** product name = **KhelSutra Guru**; domain = **kheLSutra.guru** (GoDaddy receipt, 3-yr registration + domain protection, renews 2029-06).

99 3. Per-user **training opt-in default OFF** ? confirm (recommended; conservative per guardrails).

100 4. Alpha invite list: the C13 interview academies + camera-pilot contacts?

101 5. SPA stack confirm: React + Vite + Tailwind (proposed) vs anything you prefer.

102 6. **RESOLVED 2026-06-10:** separate **private repo `kheLSutra`** (owner-ratified ? the product's

103 "heart and brain"): SPA in `web/`, control plane joins at beta; backend PRs B1?B7 stay in the

104 indexer repo. Keeps the indexer's licensing/test discipline untouched.

105

106 *Once ratified, decisions 1?6 get recorded in `docs/archives/decisions/DECISIONS.md` per convention.*

107

7. user (2026-06-12T15:01:24.405Z)

output\kushagra_1280.summary.md
output\mahadevpura_smoke_180s.summary.md

8. user (2026-06-12T15:01:25.268Z)

Found 19 files

backend\main.py

backend\pipeline\stitcher\compiler.py

backend\config\models.py

backend\pipeline\detectors\base.py

backend\pipeline\segmenters\trajectory_hybrid.py

backend\infrastructure\database.py

backend\eval\calibrate_local.py

backend\eval\harness.py

backend\pipeline\detectors\wasb_infer.py

backend\pipeline\validators\base.py

backend\reporting__init__.py

backend\pipeline\segmenters\gemini.py

backend\eval\calibration.py

backend\eval\calibrate_wasb.py

```
backend\providers\gemini.py
backend\reporting\harvest.py
backend\reporting\run_signals.py
backend\reporting\spec.yaml
backend\eval\batch.py
```

9. user (2026-06-12T15:01:30.459Z)

```
1      # Badminton Highlight Indexer ? Video Report (summary)
2
3      ## Run
4
5      | Field | Value |
6      | --- | --- |
7      | Video | kushagra_1280.mp4 |
8      | Report generated | 2026-06-10T11:31:17Z |
9
10     ## Video
11
12     | Field | Value |
13     | --- | --- |
14     | Duration | 8m58s |
15     | Resolution | 1280x720 |
16     | Frame rate | 59.94 fps |
17
18     ## Highlights
19
20     - **13** highlights
21     - **57.0s** of play
22     - **10.6%** of the video is highlights
23
24     ## Things to know
25
26     _Nothing needs your attention._
27
28     ## Verdict
29
30     ? Your highlights are ready.
31
```

10. user (2026-06-12T15:01:30.947Z)

```
1      # Observability report spec for the badminton-highlight-indexer.
2      # The report ENGINE (config language, renderers) lives in the shared `obsreport`
3      # library; this file is the indexer-specific layout + footgun rules. Every
4      # actionable rule cites a README/FAQ section so a reader can self-debug.
5      name: indexer
6      title: Badminton Highlight Indexer ? Video Report
7
8      # Customer here = whoever receives the highlight reel.
9      customer_verdict:
10         pass: "? Your highlights are ready."
11         pass_with_warnings: "? Your highlights are ready. (A couple of minor notes above.)"
12         fail: "?? We couldn't finish generating highlights for this video. Please contact
support."
13
14     sections:
15         - { id: run,          title: "Run",          kind: identity,  audience: both }
16         - { id: video,       title: "Video",        kind: video_meta, audience: both }
17         - { id: highlights,  title: "Highlights",    kind: highlights, audience: customer
18         }
19         - { id: cust_notes,  title: "Things to know", kind: flags,      audience: customer
20         }
21         - { id: stages,     title: "Processing stages", kind: stages,     audience:
22         technical }
```

```

20      - { id: findings,    title: "Findings & warnings", kind: flags,      audience:
technical }
21      - { id: verdict,     title: "Verdict",                kind: verdict,    audience: both }
22
23  rules:
24      # The classic silent failure: 0 segments because the AI provider no-op'd on a
25      # missing API key ? NOT because the video has no rallies.
26      - code: silent_provider_noop
27        severity: error
28        when:
29          - { path: "stages.ai_handoff.details.api_key_present", op: eq, value: false }
30          - { path: "stages.segmentation.metrics.segment_count", op: eq, value: 0 }
31        message: >-
32          0 segments AND no AI provider API key was set. The segmenter (see Processing
33          stages > segmentation > segmenter_actual) hands its candidate windows to the AI
34          provider, which silently did nothing without a key ? so this is a MISSING
35          CREDENTIAL, not 'the video has no rallies'. Fix: put GEMINI_API_KEY=<key> in a
36          .env file in the project root and re-run (see README#Q7).
37        faq_ref: "README#Q7"
38        customer_message: >-
39          We couldn't generate highlights for this video due to a configuration issue
40          on our side. Please contact support.
41
42      # The provider REFUSES clips over its upload cap (providers/gemini.py::MAX_UPLOAD_MB)
43      # and returns no segments for them. A high-bitrate (4K) source whose chunks were
44      # stream-copied can lose EVERY chunk this way and still end "0 segments / success" ?
45      # observed live 2026-06-10. The count flows segmenter -> run_signals -> ai_handoff.
46      - code: oversize_clip_skipped
47        severity: error
48        when:
49          - { path: "stages.ai_handoff.details.oversize_clips_skipped", op: gt, value: 0 }
50        message: >-
51          One or more extracted chunks exceeded the AI provider's upload cap and were
52          SKIPPED WITHOUT ANALYSIS ? segments are missing for those time ranges, so a
53          low/zero segment count does NOT mean 'no rallies'. This happens when a
54          high-bitrate (e.g. 4K) source is chunked via stream-copy. Fix: keep
55          indexing.ai_chunk_scale_width at its default (1280) so AI chunks are
56          re-encoded/downscaled before upload (0 disables re-encoding and reintroduces
57          this failure), then re-run.
58        faq_ref: "README#Q7"
59        customer_message: >-
60          Parts of this video were too large to analyze, so some highlights may be
61          missing. Please contact support.
62
63      # API key WAS present but an AI segmenter still produced nothing ? likely a
64      # provider error / quota / WSL healthcheck issue rather than a truly empty video.
65      - code: ai_empty_vs_no_rallies
66        severity: warn
67        when:
68          - { path: "stages.ai_handoff.details.ai_based", op: eq, value: true }
69          - { path: "stages.ai_handoff.details.api_key_present", op: eq, value: true }
70          - { path: "stages.segmentation.metrics.segment_count", op: eq, value: 0 }
71        message: >-
72          An AI-based segmenter returned 0 segments even though the API key is set.
73          Empty can mean a provider error, exhausted quota, or (for WASB/TrackNet) a
74          failed WSL healthcheck ? these all return [] silently. Re-run with -u for
75          unbuffered logs and check the provider/WSL output before concluding 'no rallies'.
76        faq_ref: "README#Q7"
77
78      # fps was assumed rather than probed -> velocity thresholds + timing may be wrong.
79      - code: fps_fallback_used
80        severity: warn
81        when:
82          - { path: "video_meta.fps_source", op: eq, value: fallback }
83        message: >-

```

```

84         fps was NOT probed from the file ? a fallback default (shown as the fps value)
85         was used. Because rally timing and motion thresholds scale with fps, boundaries
86         and motion sensitivity may be miscalibrated. This usually means validation didn't
87         run (it probes the file) or ffprobe couldn't read r_frame_rate. Confirm the real
88         fps with ffprobe and re-run.
89         faq_ref: "README#Q14"
90
91     # Audio stream missing or disabled. Per VIDEO_RECORDING_GUIDELINES (and ADR-007)
92     # the shuttle "thwack" is a first-class rally cue for recall; recording with audio
93     # on (mic unobstructed, no aggressive noise suppression) is now a hard requirement
94     # for good results with the shuttle-tracking substrates.
95     - code: audio_disabled_or_missing
96       severity: warn
97       when:
98         - { path: "video_meta.audio_present", op: eq, value: false }
99       message: >-
100         No audio stream was detected in the input (or it could not be read). The shuttle
101         "thwack" impact sound is a strong cue that improves rally recall (especially for
102         the WASB/TrackNet detector paths). Record with audio enabled, keep the camera
103         mic unobstructed, and avoid heavy wind/noise-reduction filters that flatten the
104         transient. See VIDEO_RECORDING_GUIDELINES.md (the "Audio (REQUIRED)" row) and
105         AUDIO_RALLY_DETECTION_PLAN.md.
106         faq_ref: "VIDEO_RECORDING_GUIDELINES"
107       customer_message: >-
108         For best highlight results, record with audio on and the mic unobstructed.
109         The shuttle impact sound helps the detector find rallies. Re-record or
110         re-process after enabling audio (see VIDEO_RECORDING_GUIDELINES.md).
111
112     # The motion baseline fabricates its per-segment metadata/events ? they are not
113     # measured. Warn so nobody trusts them as ground truth.
114     - code: synthetic_motion_metadata
115       severity: warn
116       when:
117         - { path: "stages.segmentation.details.segmenter_actual", op: eq, value: motion }
118       message: >-
119         The 'motion' segmenter was used: its per-segment metadata (intensity, speed,
120         events, server/receiver) are PLACEHOLDER values (unmeasured) ? fabricated by the
121         heuristic, NOT derived from the video ? so a PASS with segments here does not mean
122         the metadata is trustworthy. Use yolo_hybrid/gemini for real shot metadata.
123         faq_ref: "README#Q10"
124
125     # The segmenter that ran differs from config's default -> you may be looking at a
126     # different detector than expected (config/setup/CLI defaults are known to diverge).
127     - code: segmenter_divergence
128       severity: info
129       when:
130         - { path: "stages.segmentation.details.matches_config_default", op: eq, value:
131           false }
131         - { path: "stages.segmentation.details.segmenter_explicitly_requested", op: eq,
132           value: false }
132       message: >-
133         The segmenter that ran differs from config.json's default_segmenter, and no
134         explicit --segmenter was given ? so a fallback default kicked in. The indexer's
135         defaults are known to diverge across config.json / setup.py / the CLI; confirm
136         you ran the detector you meant.
137         faq_ref: "README#Q7"
138
139     # Re-processing an already-indexed video replaced its prior segments (INSERT OR
140     # REPLACE cascades). Note it so a changed result isn't mistaken for instability.
141     - code: reingest_replaced_prior
142       severity: info
143       when:
144         - { path: "stages.segmentation.details.was_reingest", op: eq, value: true }
145       message: >-
146         This video was already in the database; re-processing REPLACED its previous

```



```
147         segments (videos are keyed by file MD5; re-ingest cascades a delete). Expected
148         when you intend to re-run; just know the earlier results are gone.
149         faq_ref: "README#Q11"
150
151     # A validation check failed -> segmentation was halted. Point the reader at the
152     # report's Validation section + the per-check FAQ.
153     - code: validation_failed
154       severity: error
155       when:
156         - { path: "stages.validation.status", op: eq, value: error }
157       message: >-
158         One or more validation checks failed, so indexing was halted. See the
159         Processing stages > validation block above: each failed check states the
160         reason (relevance -> README#Q2, fps/keyframes -> README#Q5).
161       faq_ref: "README#Q13"
162       customer_message: >-
163         This video couldn't be processed because it didn't pass our quality checks
164         (for example: too blurry, too low resolution, or not a badminton court).
165
```

11. user (2026-06-12T15:03:11.129Z)

39:- [] **M4:** A5 Highlights (compile + download) + A6 Report + engine-offline banner

12. user (2026-06-12T15:03:12.098Z)

docs\FIELD_RESEARCH_ASSOCIATE_FLYER.md:18:highlight reels, and generates match reports; a private web app is opening to a few invited academies. We need honest, docs\PRODUCT_FIELD_ASSOCIATE_FLYER.md:18:**highlight reels**, and produces a simple **match report**. It works on video from

13. user (2026-06-12T15:04:15.050Z)

Structured output provided successfully

14. assistant (2026-06-12T15:04:21.167Z)

Verification complete. Verdict: the claim is real at medium severity ? all five cited locations check out verbatim, "match report" exists nowhere else in the repo as a feature, the actual artifact is a processing summary with no match content, and the inflated wording sits inside the Q5/H5 bundle that gates the pre-registered PROCEED verdict ? though the headline is slightly overstated (a report artifact does exist; it's the "match" framing that inflates) and downstream gates (fake-door/paid-pilot, hedged coach-facing wording) cap the blast radius below high.