

claude-windows / 144a31b7-7962-4fee-9d6f-8a7854daa63f

Metadata

```
- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\144a31b7-7962-4fee-9d6f-8a7854daa63f\subagents\workflows\wf_1c5f1f5c-9ba\agent-a80fb8506cb7bf7db.jsonl`
- SHA-256: `b586fe0d031fa5fdf29c0b535f2f4c0aa422e5f44d000aeb47145978185d113c`
- Source modified: `2026-06-20T08:03:26+00:00`
- Imported at: `2026-07-05T16:48:28+00:00`
- project: `wf_1c5f1f5c-9ba`
- session_id: `144a31b7-7962-4fee-9d6f-8a7854daa63f`
```

Transcript

1. user (2026-06-20T08:00:25.420Z)

You are reading the badminton-highlight-indexer repo (your cwd). Read these docs in full: docs/UI_PROPOSAL.md, docs/UI_ALPHA_EXECUTION_PLAN.md, docs/HOSTING_PLAN.md, docs/KHELSUTRA_PRODUCT_OVERVIEW.md.

Summarize:

1. spa_plan: the planned SPA stack, milestones (M1, M2...), routes, and key components.
 2. conversational_design: how the 'ask for a reel' plain-English query is intended to map to TODAY's metadata (length / count / order / which game). Where is this specified? What is explicitly deferred (shot-type, player)?
 3. positioning_notes: how per-rally selection + the conversational builder are positioned in the product.
 4. available_today vs roadmap: what the product can honestly do now vs later.
- Quote path:line. Return the schema.

2. assistant (2026-06-20T08:00:28.377Z)

I'll read the four docs in full. Let me start by checking they exist and reading them.

3. user (2026-06-20T08:00:29.097Z)

```
docs\HOSTING_PLAN.md
docs\UI_PROPOSAL.md
docs\UI_ALPHA_EXECUTION_PLAN.md
docs\KHELSUTRA_PRODUCT_OVERVIEW.md
```

4. assistant (2026-06-20T08:00:46.208Z)

All four files exist. Let me read them in full, in parallel.

5. user (2026-06-20T08:00:47.181Z)

```
1      # UI Proposal ? khelsutra.guru web app (alpha ? beta)
2
3      **Status:** PROPOSAL ? awaiting owner ratification (no implementation starts without
explicit approval, per CLAUDE.md).
4      **Date:** 2026-06-10 . **Inputs:** PMF_MARKET_RESEARCH, COMMERCIALIZATION,
PLATFORM_ARCHITECTURE, DEFERRED_HARDENING_PLAN (#16), ROADMAP, VIDEO_RECORDING_GUIDELINES,
reporting/spec.yaml, current API + static UI.
5      **Companion:** `docs/HOSTING_PLAN.md` (domain, topology, costs).
6
7      ## 1. Strategic frame ? why a UI now, and what it secretly is
8
9      The UI is not just product surface; it is the **corpus-growth engine**. The single
highest-leverage
```

```

10     item in NEXT_STEPS is growing the golden corpus, and the v1 scope already commits to a
11     **human correction loop**. Every tester who accepts/rejects/nudges a rally boundary in
the review
12     screen produces exactly the labels the Gen-0/M0.x track is starved for (subject to the
per-user
13     training opt-in guardrail). 10?25 alpha testers ? a steady stream of labeled, real-
world,
14     multi-court-biased footage ? the distribution where the owned model's 0.66 ship target
lives.
15
16     Serving economics per the 2026-06-10 quality table: alpha serves the **Gemini path**
17     (0.93 on clean footage, ~$0.05/run) ? no GPU required in the request path. The
WASB/owned-model
18     path stays on the owner's box and is *not* exposed in the alpha UI (segmenter choice
hidden).
19
20     **The CLI is not replaced.** The web app talks to the same FastAPI surface the CLI
drives; the CLI
21     remains the power-user/ops tool.
22
23     ## 2. Personas (from PMF research)
24
25     - **Coach / academy (primary, B2B, India):** batches of match recordings, wants rally
review,
26     per-player reels for students/parents, per-rally stats. Already records on static
cameras.
27     - **Enthusiast (B2C funnel):** records own matches, wants a highlight reel + basic
stats, shares
28     with friends. Tripod discipline is the known adoption risk ? the UI must teach
recording
29     guidelines *before* upload, not fail videos after.
30
31     ## 3. ALPHA ? "quick & dirty" (goal: 10?25 invited testers, end-to-end, zero hand-
holding)
32
33     **Stack:** React + Vite + Tailwind SPA, deployed per HOSTING_PLAN (static hosting, $0).
34     API = existing FastAPI on the GPU box via tunnel at `api.khelsutra.guru`.
35     **Auth:** Cloudflare Access email-allowlist (OTP), free ?50 users, **zero auth code** ?
backend
36     reads the authenticated-email header for per-user scoping (alpha-grade tenancy: header
is
37     trustworthy because the tunnel only accepts Access-authenticated traffic).
38
39     ### Alpha screens (6)
40
41     | # | Screen | What it does | Backed by |
42     |---|-----|-----|-----|
43     | A1 | **Matches** (home) | User's videos, status chip per video (verdict ?/??/?),
upload CTA | `videos` + owner scoping (B4) |
44     | A2 | **Upload & Process** | Drag-drop; inline recording-guidelines checklist (pre-
upload education from VIDEO_RECORDING_GUIDELINES); chunked upload; then auto-starts processing |
B2 upload endpoint ? B1 job |
45     | A3 | **Job progress** | Stage list (validation ? segmentation ? AI confirm ? report)
with live status; verdict banner on completion | B1 `GET /api/jobs/{id}` poll |
46     | A4 | **Rally review** ? | Video player + rally list; click rally ? seek & play that
span; per-rally **Accept / Reject / nudge start?end ±0.5 s**; bulk "all good"; chips: duration,
shot count (+confidence) | B6 correction endpoints ? `candidate_segments.human_label/notes` ?
**the corpus engine** |
47     | A5 | **Highlights** | Select accepted rallies ? name reel ? compile ? download; list
of past reels | `/api/compile` + B3 download endpoint |
48     | A6 | **Report** | Renders the customer-audience report (verdict, notes, FAQ refs);
"nerd view" toggle shows technical.md | existing reporting artifacts |
49
50     ### Backend work the alpha actually requires (honest dependency list)
51

```

```

52      | ID | Item | Notes |
53      |----|-----|-----|
54      | B1 | **Async job model ? DEFERRED_HARDENING_PLAN #16** | The committed next PLATFORM
slice; `POST /api/process` ? 202 + `job_id`, `jobs` table (user_version 1?2),
ThreadPoolExecutor, `GET /api/jobs/{id}`. **Approving this proposal = greenlighting #16.** A
5?60 min blocking HTTP call cannot sit behind a tunnel UI. |
55      | B2 | **Chunked upload endpoint** | `POST /api/upload` accepting ?90 MB parts (free-
tier proxy body limit is 100 MB), assemble ? MD5 ? register under `allowed_video_root/<user>/`.
Size cap (e.g. 4 GB) + mp4/mov allowlist. |
56      | B3 | **Download endpoint** | `GET /api/highlights/{video_id}/{name}` streaming the
compiled reel (today `/api/compile` returns a server-local path the browser can't reach). |
57      | B4 | **Per-user scoping** | `owner_email` column on `videos` (migration), read from
the Access header, filter every query. Alpha-grade, single DB. |
58      | B5 | **Retire/replace static UI** | The SPA supersedes `backend/api/static` (which has
a known `rallies` vs `play_segments` field bug ? don't fix, replace). |
59      | B6 | **Correction-loop endpoints** | `PATCH /api/segments/{id}` ?
accept/reject/boundary-nudge persisted to `candidate_segments.human_label`/`notes` (+
provenance: who, when). This is v1-scope "correction loop" made real. |
60      | B7 | **Exposure hardening** | CORS narrowed to the app origin; basic rate limit;
upload quota per user; `allowed_video_root` set; Gemini key rotated (already in NEXT_STEPS
housekeeping). |
61
62      ### Alpha non-goals (explicit)
63
64      No payments, no orgs/teams, no athlete profiles, no share links, no owned-model serving,
no
65      multi-sport selector (badminton only), no notifications, no mobile-perfect layouts
(usable on
66      phone, optimized for laptop), no conversational QA (deferred in roadmap).
67
68      ### Alpha effort estimate
69
70      B1 ? 2?3 sessions · B2?B7 ? 2?3 sessions · SPA (6 screens) ? 3?4 sessions ? **~8?10
working
71      sessions** to first tester invite. Sequencing: B1 ? B2/B3/B4 ? SPA skeleton + A2/A3 ? A4
? A5/A6 ? B7 ? invite.
72
73      ## 4. BETA ? polished (goal: paying pilot academies)
74
75      Maps deliberately onto PLATFORM_ARCHITECTURE P1?P3 ? the UI roadmap and the platform
roadmap are
76      the same roadmap.
77
78      1. **Drop 1 ? Accounts & academies (P1):** real auth (Firebase Auth ? GCP-native, free
tier ? or
79      Clerk), academy workspace, coach invites athletes (**18+ only**, per guardrail),
roles
80      (owner/coach/athlete). Coach?athlete stays an **optional overlay** on the generic
schema.
81      2. **Drop 2 ? Storage & worker (P2/P3):** direct-to-cloud resumable uploads (signed URLs
? bypasses
82      proxy body limits entirely), reels served from object storage; control plane moves to
Cloud Run;
83      **GPU box becomes the first pull-based `byo_worker`** (outbound-only, exactly P3's
security
84      model). Email notification when a reel is ready.
85      3. **Drop 3 ? Review v2:** keyboard shortcuts (J/K/L, [/] nudge), frame-step, timeline
minimap with
86      rally bars, batch accept, rally tags, athlete-facing **expiring share links**, per-
player
87      aggregates and match-over-match trends (v1 stats only ? **no gait/biometrics**, GDPR
Art. 9).
88      4. **Drop 4 ? Monetization & consent:** Razorpay per-match credits (INR; PMF: B2C
$60?180/yr,
89      academy $300?1,500/yr equivalents, tuned per-match for India), free-tier match

```

```

allowance;
90      **training-data opt-in**: per-user toggle default OFF + per-match consent record +
adult-only
91      attestation at upload (guardrails: minors excluded from training pool; separate
explicit opt-in).
92
93      Beta effort: ~4?6 weeks part-time across the four drops; each drop independently
shippable.
94
95      ## 5. Decisions needed from owner
96
97      1. **Greenlight** alpha scope above (= greenlights DEFERRED_HARDENING_PLAN #16)?
98      2. **RESOLVED 2026-06-10:** product name = **KheISutra Guru**; domain =
**kheISutra.guru** (GoDaddy receipt, 3-yr registration + domain protection, renews 2029-06).
99      3. Per-user **training opt-in default OFF** ? confirm (recommended; conservative per
guardrails).
100     4. Alpha invite list: the C13 interview academies + camera-pilot contacts?
101     5. SPA stack confirm: React + Vite + Tailwind (proposed) vs anything you prefer.
102     6. **RESOLVED 2026-06-10:** separate **private repo `kheISutra`** (owner-ratified ? the
product's
103     "heart and brain"): SPA in `web/`, control plane joins at beta; backend PRs B1?B7
stay in the
104     indexer repo. Keeps the indexer's licensing/test discipline untouched.
105
106     *Once ratified, decisions 1?6 get recorded in `docs/archives/decisions/DECISIONS.md` per
convention.*
107

```

6. user (2026-06-20T08:00:48.160Z)

```

1      # UI Alpha Execution Plan ? KheISutra Guru
2
3      **Status:** ACTIVE · updated 2026-06-10 · **Linked:** `UI_PROPOSAL.md` ·
`HOSTING_PLAN.md` ·
4      `mockups/ui_alpha_mockup.html` · ADR-009 (`archives/decisions/DECISIONS.md`).
5      **Sequencing principle (owner-requested):** build and test **everything locally first**;  
6      deployment (DNS/tunnel/Pages/Access) starts only after the local end-to-end gate passes.
7
8      ## Decisions locked
9
10     | Date | Decision |
11     |---|---|
12     | 2026-06-10 | Product name **KheISutra Guru** · domain **kheISutra.guru** (GoDaddy,  
3-yr + protection) |
13     | 2026-06-10 | Separate **private repo `kheISutra`** ("heart and brain"): `web/` SPA  
now, control plane at beta; backend enablers stay in the indexer repo |
14     | 2026-06-10 | **Local-first delivery** (this plan's phase structure) |
15     | open | Final "go" on PR-1 coding start (= #16 greenlight) · training opt-in default  
OFF · invite list · stack (React+Vite+TS+Tailwind stands unless owner objects) |
16
17     ## Master checklist
18
19     ### G0 ? Setup (now)
20     - [x] Name/domain/repo-split ratified; spelling confirmed via GoDaddy receipt
21     - [x] `kheISutra` repo **scaffolded** at `C:\Users\avidu\Projects\kheISutra` (README,  
.gitignore, web/, docs/)
22     - [x] **Owner:** git-init + private GitHub push ? done 2026-06-10:  
23     `https://github.com/avidullu/kheISutra` (private; git runs Windows-side per ADR-009)
24     - [x] **Owner:** explicit "go" for PR-1 ? given 2026-06-10
25     - [x] **Owner:** Gemini API key rotated ? 2026-06-10, owner-verified (confirm old-key  
deletion in AI Studio)
26
27     ### Phase L ? build & test locally (no cloud; ?6?7 sessions)
28
29     **L1 ? backend enablers** (indexer repo · branch off master · ONE PR each, no stacking ·

```

```

offline tests in every PR · GPU/real-video checks = owner):
30     - [x] **PR-1 · B1 async job model (#16):** `jobs` table (user_version 1?), `POST
/api/process` ? 202 + `job_id`, `GET /api/jobs/{job_id}`, ThreadPoolExecutor worker,
restart/crash state handling ? **MERGED 2026-06-11, PR #87** (CI green: 333 passed; machine-side
real-video checks fold into L3)
31     - [x] **PR-2 · B2+B3 upload & download:** chunked upload (init ? sequential ?95 MB parts
? complete ? MD5; caps + mp4/mov allowlist; per-user dirs deferred to PR-3) + streaming `GET
/api/highlights/{video_id}/{name}` ? **MERGED 2026-06-11, PR #99** (also fixes static-UI
`segment_ids` compile bug + adds browser download link). **Live E2E verified at merge:** 86 MB
real video uploaded in 3 sequential parts and reassembled to MD5 byte-identity; out-of-order 409
/ traversal 400 (handler) + 404 (router) / unknown-id 404 confirmed; compile of a real confirmed
rally ? streamed ? download (3.9 MB reel).
32     - [ ] **PR-3 · B4+B7 identity & exposure:** `owner_email` column + scoping on every
query; Access-JWT/header read with `DEV_USER_EMAIL` env fallback for local dev; CORS narrowed;
rate limit; per-user quota
33     - [ ] **PR-4 · B6 correction loop:** `PATCH /api/segments/{id}` accept/reject/boundary-
nudge ? `candidate_segments.human_label`/`notes` + provenance (who/when); retire
`backend/api/static` (B5)
34
35     **L2 ? SPA** (khelsutra repo, `web/`; dev server proxies to `http://localhost:8000`):
36     - [ ] **M1 scaffold:** Vite + React + TS + Tailwind, router, typed API client, branding
(KhelSutra Guru)
37     - [ ] **M2:** A2 Upload (chunked, guidelines checklist) + A3 Job Progress (poll)
38     - [ ] **M3:** A1 Matches + A4 Rally Review (player seek, accept/reject/nudge wired to
PR-4)
39     - [ ] **M4:** A5 Highlights (compile + download) + A6 Report + engine-offline banner
40     - [ ] Unit tests for API client + review-state logic; `npm run build` clean
41
42     **L3 ? local end-to-end (owner's box, real match videos):**
43     - [ ] Full UI flow on localhost: upload ? job ? review/correct ? compile ? download
44     - [ ] `python run_all_tests.py` green; UI polling vs SQLite WAL sanity; WASB/CLI paths
untouched
45     - [ ] **GATE GL:** owner signs off local E2E ? only then deployment work begins
46
47     ### Phase D ? deployment (?2 sessions + ~1 hr owner)
48     - [ ] **D1 (owner):** Cloudflare account ? add khelsutra.guru ? GoDaddy nameserver
switch (HOSTING_PLAN $5) ? scoped API token ($6) ? Pages project connected to GitHub `khelsutra`
(build root `web/`)
49     - [ ] **D2 (Claude):** DNS records; `cloudflared` Windows service on the box ?
`api.khelsutra.guru`; Access apps + email-allowlist policies for `app` & `api`; SPA prod env
50     - [ ] **D3:** deployed smoke E2E (owner-only allowlist); go-live security checklist
(HOSTING_PLAN $7) all green
51     - [ ] **GATE GD:** checklist signed off
52
53     ### Phase R ? rollout
54     - [ ] Wave 1: 5 testers (C13/camera-pilot contacts) + feedback channel (WhatsApp group
or Google Form)
55     - [ ] 2-week retro ? punch list ? widen toward 25 ? beta planning (UI_PROPOSAL $4)
56     - Metrics: matches/week · % rallies corrected · median turnaround · verdict mix · week-2
tester retention
57
58     ## Working agreement
59     Claude (Cowork) designs, codes, writes tests + docs, and leaves a
`scratch/PRn_HANDOFF.md` per
60     work item. **Claude Code executes all git/PR mechanics** (branch, commit, push, PR,
conflict
61     fixes, merges after owner review) by reading that handoff ? the owner never copy-pastes
62     commands (ratified 2026-06-11 after PR-1/#88 friction; supersedes the command-block
pattern).
63     Cowork's sandbox cannot run git on mounts (ADR-009) and CI runs the offline suite on
every PR.
64     One PR per item; no stacking; never push to master directly. PowerShell note: no `&&`.
65
66     ## Risks & mitigations
67     Box uptime (offline banner, alpha-acceptable) · Gemini 429 burst-throttle (serial

```

```

workers,
68     `ai_max_workers=1`, 6-attempt backoff ? learned 2026-06-10) . CF free-tier 100 MB body
cap
69     (chunked upload design) . single-GPU box (alpha default = Gemini path; WASB jobs queue-
depth 1) .
70     .guru renewal cost ?18.8k/3-yr (optional: transfer to Cloudflare Registrar at-cost after
the
71     60-day registration lock; domain-protection may need toggling for transfer).
72
73     ## Session map (default order)
74     S1?S2 PR-1 . S3 PR-2 . S4 PR-3 . S5 PR-4 . S6 M1+M2 . S7 M3 . S8 M4 . S9 L3 E2E + fixes
.
75     S10 D1?D3 . S11 wave-1 launch
76

```

7. user (2026-06-20T08:00:48.624Z)

```

1     # Hosting Plan ? khelsutra.guru
2
3     **Status:** PROPOSAL ? awaiting owner ratification.
4     **Date:** 2026-06-10 . **Constraints:** budget $10?25/mo . GCP credits available .
DigitalOcean
5     acceptable . alpha backend = owner's GPU box behind a tunnel . 10?25 alpha testers .
registrar = GoDaddy.
6     **Companion:** `docs/UI_PROPOSAL.md`.
7
8     ## 1. Recommendation in one line
9
10    **Alpha: free edge + your box** (Cloudflare DNS/Pages/Access/Tunnel ? FastAPI on the GPU
box) at
11    **$0/mo**, saving GCP credits; **Beta: GCP control plane + your box as pull-worker**
(Cloud Run +
12    GCS + Firebase Auth, credits-covered), keeping the edge where it's free.
13
14    Rationale for the Cloudflare pieces despite the GCP preference: GCP has no free
equivalent of the
15    Tunnel + Access combo (IAP requires a load balancer, ~$18/mo standing cost), and the
alpha needs
16    exactly three things GCP charges for but Cloudflare gives free: a secure tunnel to a
home box with
17    a custom domain, email-allowlist auth (free ?50 users ? fits 10?25 testers), and static
hosting.
18    Credits are better spent at beta on compute/storage, which is where GCP is excellent.
19
20    ## 2. Alpha topology ($0/mo)
21
22    ...
23    tester browser
24    ? https
25    ?
26    Cloudflare edge (free): DNS + TLS + Access (email-OTP allowlist)
27    ??? app.khelsutra.guru ? Cloudflare Pages (React SPA; auto-deploy from GitHub)
28    ??? api.khelsutra.guru ? Cloudflare Tunnel (outbound-only `cloudflared` service on
the box)
29
30    ?
31    ?
32    FastAPI :8000 on the GPU box (Windows)
33    ? Gemini segmenter path (no GPU in request path)
34    ? async jobs (#16), SQLite WAL, output/ on disk
35
36    - **No inbound ports opened** on the home network; `cloudflared` dials out. Home IP
never exposed.
37    - **Auth:** Cloudflare Access in front of BOTH hostnames; backend trusts the
38    `Cf-Access-Authenticated-User-Email` header (verify the Access JWT for rigor) for per-

```

```

user scoping.
39     - **Upload limit:** free-tier proxy caps request bodies at **100 MB** ? SPA uploads in
?90 MB
40     chunks (UI_PROPOSAL B2). Match videos (1?4 GB) flow fine as chunks.
41     - **Box offline = service offline.** Acceptable for alpha; SPA shows a friendly
"processing engine
42     offline" banner (a `/api/health` ping). Beta removes this with the queue.
43     - **Costs:** Pages, Tunnel, Access, DNS = $0. Only the Gemini per-run cost
(~$0.05/match) and
44     domain renewal.
45
46     ## 3. Beta topology (GCP credits; ~$15?20/mo post-credits)
47
48     ```
49     browser ??? Cloudflare edge (free, unchanged) ??? app.khelsutra.guru (Pages)
50                                     ??? api.khelsutra.guru ??? Cloud Run
(FastAPI control plane, scale-to-zero)
51                                     ? jobs
table (Cloud SQL Postgres)
52                                     ? signed
resumable URLs
53                                     ?
54                                     GCS buckets
(uploads / reels, lifecycle ? cold)
55                                     ? pull
jobs, outbound-only
56                                     GPU box = first
`byo_worker` (PLATFORM P3)
57     ```
58
59     - Uploads go **browser ? GCS directly** (resumable signed URLs) ? no proxy body limit,
no home
60     bandwidth for ingest; the box pulls only what it processes (WASB/owned-model jobs),
Cloud Run
61     handles Gemini-path jobs entirely in-cloud.
62     - Auth graduates to **Firebase Auth** (free; Google + email sign-in; India-friendly
phone OTP
63     later); Access allowlist retires.
64     - Post-credits estimate: Cloud Run ~$0?5 (free tier: 2 M req + 180 K vCPU-s/mo, scale-
to-zero) .
65     GCS 100 GB ? $2.60 + egress $0.12/GB (reel downloads ? watch this line) . Cloud SQL
smallest
66     ? $10 ? **~$15?20/mo**, inside budget. Egress lever if it grows: serve reels from
Cloudflare R2
67     (zero egress) while keeping everything else GCP.
68
69     ## 4. Alternatives considered
70
71     | Option | Monthly (alpha ? beta) | Pros | Cons |
72     |---|---|---|---|
73     | **Recommended hybrid** (CF edge + box ? +GCP) | **$0 ? ~$0 w/ credits** (~$15?20
after) | Cheapest at every phase; credits used where they matter; maps to PLATFORM P2/P3 | Two
vendors (CF + GCP) |
74     | **All-DigitalOcean** | ~$11 ? ~$17 ($6 droplet + Spaces $5: 250 GiB + **1 TiB egress
included**) | One simple vendor; Spaces' included egress is the best video-download deal; per-
second billing | No credits; no scale-to-zero; still needs a tunnel-equivalent to reach the box
(run `frp`/WireGuard on the droplet) |
75     | **All-GCP from day 1** | ~$18+ ? credits | Single vendor, credits immediately | LB+IAP
standing cost just to gate an alpha; no free tunnel to the home box; credits burn on plumbing |
76     | **All-Cloudflare** (Pages+Workers+R2) | ~$0 ? ~$5 | Zero egress on R2; cheapest
forever | FastAPI doesn't run on Workers (API stays on box/Cloud Run anyway); ignores GCP
credits |
77
78     ## 5. Domain setup ? GoDaddy ? Cloudflare DNS (one-time, ~15 min, you)
79

```

```

80      1. Create a free Cloudflare account ? **Add a domain** ? `khelsutra.guru` ? Free plan.
Cloudflare
81      imports existing records and shows **two nameservers** (e.g.
`xxx.ns.cloudflare.com`).
82      2. GoDaddy ? **My Products ? khelsutra.guru ? Manage DNS ? Nameservers ? Change ?
83      "I'll use my own nameservers"*** ? paste the two Cloudflare nameservers ? Save.
Propagation:
84      minutes to 24 h. (Registration/renewal stays at GoDaddy; only DNS moves. Optional
later:
85      transfer the registration to Cloudflare Registrar for at-cost .guru renewals.)
86      3. Records (I manage after takeover): `app` ? Pages project; `api` ? `

```

8. user (2026-06-20T08:00:49.218Z)

```

1      # KhelSutra ? Product Overview & Early-User Guide
2

```


3 *What it does today, how to get the best out of it, and where it's going.*
4 *For field associates and for invited alpha / beta academies, coaches, and players.*
5
6 ---
7
8 ## In one line
9
10 **KhelSutra turns ordinary badminton video into useful pieces ? automatically.** Put a
phone or GoPro
11 on a tripod behind the court, record a session, and KhelSutra automatically finds the
rallies, stitches
12 a **highlight reel**, and gives you a **simple summary** (how many rallies, how much
real play time).
13 No special hardware, no editing, no manual scrubbing.
14
15 ---
16
17 ## The problem we're solving
18
19 Academies and serious players already record a lot of video ? and then almost never
watch it. Hours of
20 footage pile up on phones and memory cards because cutting it into useful clips by hand
is tedious and
21 nobody has the time. The good rallies, the moments worth reviewing, stay buried.
22
23 Most academy halls also run **several courts at once**, so a single recording is a busy,
noisy scene
24 that ordinary video tools choke on. **Pulling the real rallies out of busy, multi-court
footage is the
25 hard problem KhelSutra is built to crack** ? it already works very well on clean,
single-court
26 recordings, and the multi-court case is exactly what we're sharpening now.
27
28 ---
29
30 ## Who it's for
31
32 - **Coaching academies & coaches** ? turn raw session footage into review-ready clips
and reels for
33 teaching, without an editor.
34 - **Serious players** ? get clips of your own rallies to review, keep, and share.
35 - Today's focus is **badminton academies in Bengaluru** ? that's who we're building with
first.
36
37 ---
38
39 ## What it does **today**
40
41 This is what's working right now, in the private web app invited users can try:
42
43 - **Upload a full session or match video** (from a phone on a tripod, or a GoPro). Long
videos are fine.
44 - **Automatic rally detection** ? it finds the rallies and where they start and end, on
its own.
45 - **Highlight reel** ? the rallies stitched into one MP4 you can watch, download, and
share, with a small
46 "Generated by Khelsutra.guru" mark.
47 - **A simple summary** ? how many rallies were found and how much actual play time there
was.
48 - **Re-use & download** ? process once, come back to it later, download the reel.
49
50 That's the core loop: **record ? upload ? get back a reel + summary.** No editing skill
needed.
51
52 > Like any automatic tool, it can occasionally miss a real rally or include one that

isn't ? telling us

53 > when that happens is genuinely useful feedback, not a sign it's broken (more on that below).

54

55 ---

56

57 ## How to use it (alpha)

58

59 1. ****Your KhelSutra associate helps you get access**** to the private web app (it's invite-only; today the app is in English).

60

61 2. ****Upload your session video.**** Large files upload in pieces and can take a while on Indian uplinks ?

62 that's normal.

63 3. ****It processes in the background.**** You can close the tab and come back later; you don't have to sit and watch it.

64

65 4. ****When it's done****, you get the ****highlight reel + summary**** to watch and download.

66 5. ****Re-process anytime.**** (Re-running the same video replaces its earlier result rather than keeping both.)

67

68 ---

69

70 ## How to get the best out of it (capture matters)

71

72 KhelSutra works best on a ****steady, full-court recording**** ? the same way a coach would set a camera to review play. A few simple habits make a big difference to the results:

73

74

75 - ****Put the camera behind the court, slightly elevated****, with the ****whole court in frame****.

76 - ****Keep it still**** ? a fixed tripod beats a handheld or panning shot every time.

77 - ****Shoot landscape****, with reasonable lighting.

78 - ****Record the whole session**** and upload it as-is ? KhelSutra does the cutting.

79

80 Footage that fights these habits (shaky handheld, heavy zooming/panning, broadcast-style cuts, very dark

81 halls) is the ****hardest case**** and where results suffer most. When in doubt: fixed camera, full court,

82 don't touch it. *(Your field contact provides a one-page capture checklist at setup.)*

83

84 ---

85

86 ## The part that makes KhelSutra different: ****it gets sharper from real academy footage****

87

88 This is the heart of the product, and what sets it apart from a generic "AI clipper":

89

90 ****The footage that real academies contribute is what makes KhelSutra better over time**** ? especially on

91 the busy multi-court halls that are the hard case. When you choose to share your footage, and when

92 coaches confirm or correct what it found, that growing, labelled library is what we use to sharpen the

93 tool. It's designed to improve in new versions as that library grows, rather than stay frozen ? which is

94 why early users aren't just customers, they're co-builders.

95

96 ****Your data stays yours ? and sharing is your choice.**** We will ****never**** use your video to improve the

97 tool without your ****clear, explicit agreement**** ? it is opt-in, never automatic.

98 ****Footage involving**

99 minors is never used to improve the tool and is never published.** We never publish your footage; you

99 decide what, if anything, you share.

```

100
101     **How your video is handled (plainly):** these are large videos that need real
processing, so your video
102     is handled securely on our infrastructure to produce your reel. We don't publish it, and
we don't use it
103     to improve the tool without your opt-in.
104
105     > **Read this honestly:** today the tool gives you rally detection + reels + summaries.
It does **not**
106     > retrain itself as you use it, and there is no per-person tracking. The "gets sharper
over time" above is
107     > the model we're building toward, powered by contributed footage ? not a switch that's
already on.
108
109     ---
110
111     ## Where it's going ? toward an **AI assistant coach**
112
113     Today KhelSutra finds rallies and makes reels. The roadmap ? fed by the growing video
library above ?
114     turns it into a genuine training companion:
115
116     - **Shot detection** ? recognising smashes, drops, net shots, serves, and clears within
each rally.
117     - **Deeper per-rally and per-match analysis** ? patterns, tendencies, what's working and
what isn't.
118     - **Per-match history** ? track progress over weeks and months, not just one clip.
119     - **Coaching insights** ? an **AI assistant coach** that supports (never replaces) the
real coach,
120     surfacing what to work on next.
121     - **More sports** ? table tennis next, then other racket/court sports.
122     - **Your language** ? Kannada and Hindi, alongside English.
123
124     > **Read this honestly:** the items in this section are the **direction**, not today's
buttons. What you
125     > can use *today* is rally detection + highlight reels + the play-time summary. The
deeper analysis arrives
126     > as the video library grows ? which is exactly why your footage and feedback matter so
much.
127
128     ---
129
130     ## What feedback helps us most (for alpha users)
131
132     You don't need to be technical ? just tell us, in your words:
133
134     - **When it missed a real rally**, or **grabbed something that wasn't a rally.**
135     - Whether the **reel is the right length and order** for how you'd actually use it.
136     - **What numbers or details you wish the summary showed.**
137     - Your real **capture conditions** ? how many courts were running, camera/phone,
lighting.
138     - Anything that would make this **genuinely useful for your academy** (or a reason it
wouldn't be).
139
140     *(Send feedback however is easiest ? your KhelSutra associate will help you with that.)*
141
142     ---
143
144     ## What we're focused on over the next ~4 weeks
145
146     1. **Growing the library of real academy footage** ? especially busy **multi-court**
halls (the hard,
147         valuable case). This is the single biggest lever on quality.
148     2. **Field conversations with academies** ? understanding how coaches and players
actually work with

```

149 video, and what would make this genuinely useful.

150 3. **Recording sessions and showing academies their own footage** as reels ? **"this is**
151 **what it looks**
152 **like for you."**

152 4. **Sharpening multi-court accuracy** and inviting a few more academies into the
153 private trial.

154 ---

155

156 **## What KhelSutra is not** (so expectations stay honest)

157

158 - It's an **early, invite-only trial** ? useful, but still improving; you'll hit rough
159 edges.

159 - It is **not a line-calling, scoring, or umpiring system**, and **not player tracking /**
160 **identification**.

160 - **Shot detection and the deeper "AI coach" analytics are on the roadmap, not available**
161 **today.**

161 - It is **not a replacement for a coach** ? it's a tool that saves coaches time and adds
162 insight.

162 - **Pricing isn't set** ? we're still learning what's fair; today's invited use is about
163 getting it right.

164 ---

165

166 **## Quick answers to common questions**

167

168 *****How accurate is it?*****

169 Very good on a clean, single-court recording. A busy multi-court hall is harder ? and is
170 exactly what
171 we're improving. The best answer is to **show** a sample reel rather than quote a number.

172 *****Do I need a special camera or hardware?*****

173 No. A phone or GoPro on a tripod, behind the court, whole court in frame. We provide a
174 one-page checklist.

175 *****Is my video private? What happens to it?*****

176 We treat your footage as private: we never publish it, and we never use it to improve
177 the tool without
178 your explicit opt-in. These are large videos that need real processing, so your video is
179 handled securely
180 on our infrastructure to make your reel. **Footage involving minors is never used to**
181 **improve the tool and**
182 **is never published.**

183 *****Can it tell me the score / who won / call lines?*****

184 Not today. Today it finds rallies and builds a highlight reel + a play-time summary.

185 *****Does it work for doubles and tournaments?*****

186 It finds rallies in doubles too. Tournament footage varies: a clean, fixed, full-court
187 recording works
188 well; crowded multi-court tournament halls are the hard case we're specifically working
189 on.

190 *****Will it get better?*****

191 Yes ? that's the whole idea. The more real footage runs through it (with permission) and
192 the more coaches
193 correct it, the sharper future versions get, and the sooner shot detection and deeper
194 analysis arrive.

195 *****Which sports?*****

196 Badminton today; table tennis and other racket sports are on the roadmap.

197 *****When can I use it / how do I join?*****

198 It's an invite-only private trial. If you're interested, the best next step is to let us
199 record a session

197 and show you your own court and players as a reel.
198
199 ---
200
201 *KhelSutra · khelsutra.guru · Internal & invited-trial overview, June 2026.*
202 *Field associates: the role description is in the Field Associate flyer, and the
conversation script and
203 visit rules are in the separate Field Visit Playbook.*
204

9. assistant (2026-06-20T08:00:58.455Z)

I have all four docs. The user asks specifically about the "ask for a reel" plain-English conversational query and how it maps to TODAY's metadata (length / count / order / which game), and whether a per-rally selection + conversational builder are positioned in the product. None of the four docs I've read mention a "conversational reel builder" by that name ? the alpha A5 Highlights screen is a manual select-then-compile flow, and conversational QA is explicitly deferred. Let me verify whether any conversational/query design exists elsewhere in the docs before finalizing, so I can answer "where is this specified?" honestly.

10. user (2026-06-20T08:01:00.943Z)

docs\I18N_PLAN.md:159:| **P4** | **Conversational + coach-mode** (future): locale-aware NL query intake ? **templated localized answers** ; coach-mode recommendation **templates** . Ties to the owned-model / PLATFORM \$5A + rich-metadata work. | this + model | gated on those features existing |
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:9:Every deferred piece (conversational-QA, on-device, multisport, the VLM) must be **architecturally envisioned
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:17:- **Eventual product:** a **single, sport-agnostic, conversational** video model ? upload a clip, then ask
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:54:## Conversational video-QA ? build the bookkeeping NOW, punt the model
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:55:**Punt the conversational *feature*** until extraction quality is solid (current LOVO ~0.583 ? "very high"; a chat UI
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:102:Canonical JSONL row per rally (corpus) **and** the queryable per-video event-index schema (the conversational seam)
docs\OWNED_MODEL_IMPLEMENTATION_PLAN.md:160:| 6 | Conversational-QA: build seam now, punt model | **rec accepted?** |
docs\POST_166_WORK_ITEMS_MILESTONES_AND_RISK_ASSESSMENT.md:55: Canonical JSONL per rally (video_id MD5, rally_ordinal, sport, start/end, shot_count, ending_reason/fault_tags, label_type, source, consent/training_opt_in, split=BY MATCH, trajectory_ref, ...). Wire to durable per-video **event store** (the conversational-QA seam: "extract once, query many"). DB delta: extend `play\_segments`, new `highlights`/events table + `PRAGMA user\_version` migration. Reserve fault/event taxonomy now (service_fault etc.). No Gemini-sourced rows in training views.
docs\POST_166_WORK_ITEMS_MILESTONES_AND_RISK_ASSESSMENT.md:56: **Risk: MEDIUM-HIGH** (real DB migration + new first-class data contract affecting all future conversational features; must be correct early).
docs\PLATFORM_ARCHITECTURE.md:9:> cleared base; (3) the owned VLM is **not** the per-turn "conversational brain" ? extraction (TAL head ? later VLM)
docs\PLATFORM_ARCHITECTURE.md:263:**answers questions about rallies, shots, and technique** . This is the conversational
docs\PLATFORM_ARCHITECTURE.md:272:This conversational surface (NL queries + coach-mode recommendations) must be **localized
docs\UI_PROPOSAL.md:66:phone, optimized for laptop), no conversational QA (deferred in roadmap).
docs\archives\research\OWNED_MODEL_TRAINING_STUDY.md:15: sports** (badminton/tennis/TT/pickleball/padel) ? eventually all sports, as **ONE sport-agnostic, conversational

11. user (2026-06-20T08:01:02.594Z)

46:| A4 | **Rally review** ? | Video player + rally list; click rally ? seek & play that span; per-rally **Accept / Reject / nudge start?end ±0.5 s** ; bulk "all good"; chips: duration, shot count (+confidence) | B6 correction endpoints ? `candidate\_segments.human\_label/notes` ? **the corpus engine** |

71:sessions** to first tester invite. Sequencing: B1 ? B2/B3/B4 ? SPA skeleton + A2/A3 ? A4 ? A5/A6 ? B7 ? invite.
78:1. **Drop 1 ? Accounts & academies (P1):** real auth (Firebase Auth ? GCP-native, free tier ? or
83: **GPU box becomes the first pull-based `byo\_worker`** (outbound-only, exactly P3's security

12. assistant (2026-06-20T08:01:11.386Z)

This confirms the key finding: the four docs I was asked to read do NOT specify a "conversational reel builder" with length/count/order/which-game mapping. The closest things live in OTHER docs (OWNED_MODEL_IMPLEMENTATION_PLAN, PLATFORM_ARCHITECTURE, I18N_PLAN) and are all explicitly future/deferred. The alpha A5 Highlights flow is a manual select-then-compile, and conversational QA is explicitly deferred at UI_PROPOSAL.md:66.

Let me quickly check the KHELSUTRA_PRODUCT_OVERVIEW feedback section, which is where "right length and order" appears as a user-feedback question, to ground the conversational-design mapping honestly.

I have enough. The "reel is the right length and order" phrasing at KHELSUTRA_PRODUCT_OVERVIEW.md:135 is a feedback prompt, not a query feature. Let me return the structured answer.

13. user (2026-06-20T08:02:17.536Z)

Output does not match required schema: root: must NOT have additional properties

14. assistant (2026-06-20T08:02:21.495Z)

The schema rejects extra properties. I added two keys not in the schema (`positioning\_notes\_unused` and `file\_refs` is fine, but I also have `positioning\_notes\_unused`). Let me re-call with only the exact allowed keys: spa_plan, conversational_design, positioning_notes, available_today, roadmap, file_refs.

15. user (2026-06-20T08:03:21.369Z)

Structured output provided successfully

16. assistant (2026-06-20T08:03:26.300Z)

Structured output submitted successfully.

Key finding worth flagging: the "conversational reel builder" / plain-English "ask for a reel" feature is NOT specified in any of the four docs I was asked to read. The alpha Highlights flow (A5) is a manual select-then-compile, and conversational QA is explicitly deferred (UI_PROPOSAL.md:66). The only conversational design that exists lives in OTHER docs (OWNED_MODEL_IMPLEMENTATION_PLAN.md, PLATFORM_ARCHITECTURE.md, I18N_PLAN.md) and is all future/gated. The length/count/order phrasing only appears as a feedback prompt asked of testers (KHELSUTRA_PRODUCT_OVERVIEW.md:135), not as a user-issuable query.