

claude-windows / d4b5afb5-2f03-4b58-8952-573f1381d166

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4b5afb5-2f03-4b58-8952-573f1381d166\subagents\workflows\wf\_beb40705-90b\agent-a1f71b4f476eae848.jsonl`
- SHA-256: `a7769a864bebd32c4562113744f03cfb16158234c79e05d9c1b76ab357b39694`
- Source modified: `2026-06-21T03:22:01+00:00`
- Imported at: `2026-07-05T16:48:23+00:00`
- project: `wf\_beb40705-90b`
- session_id: `d4b5afb5-2f03-4b58-8952-573f1381d166`

Transcript

1. user (2026-06-21T03:20:42.336Z)

Adversarially VERIFY this claim about the KhelSutra repos by reading the actual files/docs yourself. Default to "refuted" if the evidence is not clear and direct.
CLAIM: "The primary persona is a Kannada-comfortable badminton coach/academy in India who records on static cameras and is not highly tech-savvy; this justifies Kannada-first localization and a zero-knobs guided UX."
Repos: web/site SPA+marketing = C:/Users/avidu/Projects/khelsutra; design docs = C:/Users/avidu/Projects/badminton-highlight-indexer/docs.
Read the specific files needed to confirm or refute (use Grep/Glob/Read). For string/i18n claims, actually grep for react-i18next, i18next, "t(", data-i18n, locales/ in C:/Users/avidu/Projects/khelsutra. For doc claims, read the relevant doc lines.
Return: verdict (CONFIRMED | PARTIALLY-CONFIRMED | REFUTED), the concrete evidence (file:line or quote) you personally saw, and any important nuance the claim gets wrong.

2. assistant (2026-06-21T03:20:44.672Z)

I'll verify this claim by examining both the design docs and the web SPA repo. Let me start by exploring the relevant files.

3. user (2026-06-21T03:20:46.728Z)

Found 32 files
docs\README.md
docs\DOC_STATUS.md
docs\RALLY_DETECTION_QUALITY_REPORT.md
docs\QUALITY_ITERATIONS.md
docs\NEXT_STEPS.md
docs\MULTI_SIGNAL_FUSION_PLAN.md
docs\CODE_MAP.md
docs\DESKTOP_APP_PLAN.md
docs\GOLDEN_REGRESSION_FIXTURES.md
docs\KHELSUTRA_PRODUCT_OVERVIEW.md
docs\archives\HARDENING_LOOP_HANDOFF-COMPLETED-2026-06-14.md
docs\POST_166_WORK_ITEMS_MILESTONES_AND_RISK_ASSESSMENT.md
docs\ROORA_LABELING_GUIDELINES.md
docs\PLATFORM_ARCHITECTURE.md
docs\PERSONALIZATION_PLAN.md
docs\ANALYZERS_AND_RECONCILERS.md
docs\COMMERCIALIZATION.md
docs\STORAGE_SHARING_MODEL.md
docs\GOLDEN_SET_VENDORING.md
docs\VIDEO_LOCALITY_MODEL.md
docs\PRODUCT_FIELD_ASSOCIATE_FLYER.md
docs\PMF_FIELD_SIGNALS.md
docs\I18N_PLAN.md

```
docs\FIELD_VISIT_PLAYBOOK.md
docs\FIELD_VISIT_ANSWER_SHEET.md
docs\mockups\ui_alpha_mockup.html
docs\UI_PROPOSAL.md
docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md
docs\archives\checkpoints\2026-06-strategy-foundation\README.md
docs\archives\research\RALLY_DETECTION_RESEARCH.md
docs\PMF_MARKET_RESEARCH.md
docs\GOLDEN_SET_PHASE1_VIDEOS.md
```

4. user (2026-06-21T03:20:49.629Z)

```
fatal: Cannot fast-forward to multiple branches.
---STRUCTURE---
total 38
drwxr-xr-x 1 avidu 197609    0 Jun 20 23:27 .
drwxr-xr-x 1 avidu 197609    0 Jun 21 06:51 ..
drwxr-xr-x 1 avidu 197609    0 Jun 20 15:20 .claude
drwxr-xr-x 1 avidu 197609    0 Jun 21 08:50 .git
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes
drwxr-xr-x 1 avidu 197609    0 Jun 20 12:43 .github
-rw-r--r-- 1 avidu 197609   78 Jun 20 18:40 .gitignore
-rw-r--r-- 1 avidu 197609 5823 Jun 20 23:06 NEXT_STEPS.md
-rw-r--r-- 1 avidu 197609 925 Jun 20 08:37 README.md
drwxr-xr-x 1 avidu 197609    0 Jun 20 23:14 docs
drwxr-xr-x 1 avidu 197609    0 Jun 21 08:20 site
drwxr-xr-x 1 avidu 197609    0 Jun 20 22:08 web
```

5. assistant (2026-06-21T03:20:52.683Z)

The pull failed (multiple branches config), I'll proceed read-only. Let me read the key persona doc and grep the web/site for i18n.

6. user (2026-06-21T03:20:54.237Z)

No files found

7. user (2026-06-21T03:20:54.761Z)

```
1      # KhelSutra ? Product Overview & Early-User Guide
2
3      *What it does today, how to get the best out of it, and where it's going.*
4      *For field associates and for invited alpha / beta academies, coaches, and players.*
5
6      ---
7
8      ## In one line
9
10     **KhelSutra turns ordinary badminton video into useful pieces ? automatically.** Put a
11     phone or GoPro
12     on a tripod behind the court, record a session, and KhelSutra automatically finds the
13     rallies, stitches
14     a **highlight reel**, and gives you a **simple summary** (how many rallies, how much
15     real play time).
16     No special hardware, no editing, no manual scrubbing.
17
18     ---
19
20     ## The problem we're solving
21
22     Academies and serious players already record a lot of video ? and then almost never
23     watch it. Hours of
24     footage pile up on phones and memory cards because cutting it into useful clips by hand
25     is tedious and
```

21 nobody has the time. The good rallies, the moments worth reviewing, stay buried.
22
23 Most academy halls also run ****several courts at once****, so a single recording is a busy,
noisy scene
24 that ordinary video tools choke on. ****Pulling the real rallies out of busy, multi-court
footage is the**
25 hard problem KhelSutra is built to crack****** ? it already works very well on clean,
single-court
26 recordings, and the multi-court case is exactly what we're sharpening now.
27
28 ---
29
30 **## Who it's for**
31
32 - ****Coaching academies & coaches**** ? turn raw session footage into review-ready clips
and reels for
33 teaching, without an editor.
34 - ****Serious players**** ? get clips of your own rallies to review, keep, and share.
35 - Today's focus is ****badminton academies in Bengaluru**** ? that's who we're building with
first.
36
37 ---
38
39 **## What it does ****today******
40
41 This is what's working right now, in the private web app invited users can try:
42
43 - ****Upload a full session or match video**** (from a phone on a tripod, or a GoPro). Long
videos are fine.
44 - ****Automatic rally detection**** ? it finds the rallies and where they start and end, on
its own.
45 - ****Highlight reel**** ? the rallies stitched into one MP4 you can watch, download, and
share, with a small
46 **"Generated by Khelsutra.guru"** mark.
47 - ****A simple summary**** ? how many rallies were found and how much actual play time there
was.
48 - ****Re-use & download**** ? process once, come back to it later, download the reel.
49
50 That's the core loop: ****record ? upload ? get back a reel + summary.**** No editing skill
needed.
51
52 > Like any automatic tool, it can occasionally miss a real rally or include one that
isn't ? telling us
53 > when that happens is genuinely useful feedback, not a sign it's broken (more on that
below).
54
55 ---
56
57 **## How to use it (alpha)**
58
59 1. ****Your KhelSutra associate helps you get access**** to the private web app (it's
invite-only; today the
60 app is in English).
61 2. ****Upload your session video.**** Large files upload in pieces and can take a while on
Indian uplinks ?
62 that's normal.
63 3. ****It processes in the background.**** You can close the tab and come back later; you
don't have to sit
64 and watch it.
65 4. ****When it's done****, you get the ****highlight reel + summary**** to watch and download.
66 5. ****Re-process anytime.**** (Re-running the same video replaces its earlier result rather
than keeping both.)
67
68 ---
69

```
70     ## How to get the best out of it (capture matters)
71
72     KhelSutra works best on a **steady, full-court recording** ? the same way a coach would
73     set a camera to
74     review play. A few simple habits make a big difference to the results:
75
76     - **Put the camera behind the court, slightly elevated**, with the **whole court in
77     frame**.
78     - **Keep it still** ? a fixed tripod beats a handheld or panning shot every time.
79     - **Shoot landscape**, with reasonable lighting.
80     - **Record the whole session** and upload it as-is ? KhelSutra does the cutting.
81
82     Footage that fights these habits (shaky handheld, heavy zooming/panning, broadcast-style
83     cuts, very dark
84     halls) is the **hardest case** and where results suffer most. When in doubt: fixed
85     camera, full court,
86     don't touch it. *(Your field contact provides a one-page capture checklist at setup.)*
87
88     ---
89
90     ## The part that makes KhelSutra different: **it gets sharper from real academy
91     footage**
92
93     This is the heart of the product, and what sets it apart from a generic "AI clipper":
94
95     **The footage that real academies contribute is what makes KhelSutra better over time**
96     ? especially on
97     the busy multi-court halls that are the hard case. When you choose to share your
98     footage, and when
99     coaches confirm or correct what it found, that growing, labelled library is what we use
100    to sharpen the
101    tool. It's designed to improve in new versions as that library grows, rather than stay
102    frozen ? which is
103    why early users aren't just customers, they're co-builders.
104
105    **Your data stays yours ? and sharing is your choice.** We will **never** use your video
106    to improve the
107    tool without your **clear, explicit agreement** ? it is opt-in, never automatic.
108    **Footage involving
109    minors is never used to improve the tool and is never published.** We never publish your
110    footage; you
111    decide what, if anything, you share.
112
113    ---
114
115    **How your video is handled (plainly):** these are large videos that need real
116    processing, so your video
117    is handled securely on our infrastructure to produce your reel. We don't publish it, and
118    we don't use it
119    to improve the tool without your opt-in.
120
121    > **Read this honestly:** today the tool gives you rally detection + reels + summaries.
122    It does **not**
123    > retrain itself as you use it, and there is no per-person tracking. The "gets sharper
124    over time" above is
125    > the model we're building toward, powered by contributed footage ? not a switch that's
126    already on.
127
128    ---
129
130    ## Where it's going ? toward an **AI assistant coach**
131
132    Today KhelSutra finds rallies and makes reels. The roadmap ? fed by the growing video
133    library above ?
134    turns it into a genuine training companion:
135
136    - **Shot detection** ? recognising smashes, drops, net shots, serves, and clears within
```

each rally.

117 - **Deeper per-rally and per-match analysis** ? patterns, tendencies, what's working and what isn't.

118 - **Per-match history** ? track progress over weeks and months, not just one clip.

119 - **Coaching insights** ? an **AI assistant coach** that supports (never replaces) the real coach,

120 surfacing what to work on next.

121 - **More sports** ? table tennis next, then other racket/court sports.

122 - **Your language** ? Kannada and Hindi, alongside English.

123

124 > **Read this honestly:** the items in this section are the **direction**, not today's buttons. What you

125 > can use **today** is rally detection + highlight reels + the play-time summary. The deeper analysis arrives

126 > as the video library grows ? which is exactly why your footage and feedback matter so much.

127

128 ---

129

130 ## What feedback helps us most (for alpha users)

131

132 You don't need to be technical ? just tell us, in your words:

133

134 - **When it missed a real rally**, or **grabbed something that wasn't a rally**.

135 - Whether the **reel is the right length and order** for how you'd actually use it.

136 - **What numbers or details you wish the summary showed**.

137 - Your real **capture conditions** ? how many courts were running, camera/phone, lighting.

138 - Anything that would make this **genuinely useful for your academy** (or a reason it wouldn't be).

139

140 **(Send feedback however is easiest ? your KhelSutra associate will help you with that.)***

141

142 ---

143

144 ## What we're focused on over the next ~4 weeks

145

146 1. **Growing the library of real academy footage** ? especially busy **multi-court** halls (the hard,

147 valuable case). This is the single biggest lever on quality.

148 2. **Field conversations with academies** ? understanding how coaches and players actually work with

149 video, and what would make this genuinely useful.

150 3. **Recording sessions and showing academies their own footage** as reels ? **"this is what it looks**

151 **like for you."**

152 4. **Sharpening multi-court accuracy** and inviting a few more academies into the private trial.

153

154 ---

155

156 ## What KhelSutra is **not** (so expectations stay honest)

157

158 - It's an **early, invite-only trial** ? useful, but still improving; you'll hit rough edges.

159 - It is **not a line-calling, scoring, or umpiring system**, and **not player tracking / identification**.

160 - **Shot detection and the deeper "AI coach" analytics** are on the roadmap, not available today.

161 - It is **not a replacement for a coach** ? it's a tool that saves coaches time and adds insight.

162 - **Pricing isn't set** ? we're still learning what's fair; today's invited use is about getting it right.

163

164 ---

```

165
166     ## Quick answers to common questions
167
168     ***How accurate is it?***
169     Very good on a clean, single-court recording. A busy multi-court hall is harder ? and is
170     exactly what
171     we're improving. The best answer is to *show* a sample reel rather than quote a number.
172
173     ***Do I need a special camera or hardware?***
174     No. A phone or GoPro on a tripod, behind the court, whole court in frame. We provide a
175     one-page checklist.
176
177     ***Is my video private? What happens to it?***
178     We treat your footage as private: we never publish it, and we never use it to improve
179     the tool without
180     your explicit opt-in. These are large videos that need real processing, so your video is
181     handled securely
182     on our infrastructure to make your reel. **Footage involving minors is never used to
183     improve the tool and
184     is never published.**
185
186     ***Can it tell me the score / who won / call lines?***
187     Not today. Today it finds rallies and builds a highlight reel + a play-time summary.
188
189     ***Does it work for doubles and tournaments?***
190     It finds rallies in doubles too. Tournament footage varies: a clean, fixed, full-court
191     recording works
192     well; crowded multi-court tournament halls are the hard case we're specifically working
193     on.
194
195     ***Will it get better?***
196     Yes ? that's the whole idea. The more real footage runs through it (with permission) and
197     the more coaches
198     correct it, the sharper future versions get, and the sooner shot detection and deeper
199     analysis arrive.
200
201     ***Which sports?***
202     Badminton today; table tennis and other racket sports are on the roadmap.
203
204     ***When can I use it / how do I join?***
205     It's an invite-only private trial. If you're interested, the best next step is to let us
206     record a session
207     and show you your own court and players as a reel.
208
209     ---
210
211     *KhelSutra · khelsutra.guru · Internal & invited-trial overview, June 2026.*
212     *Field associates: the role description is in the Field Associate flyer, and the
213     conversation script and
214     visit rules are in the separate Field Visit Playbook.*
215
216

```

8. assistant (2026-06-21T03:20:58.435Z)

The product overview directly contradicts a key part of the claim. It says ***"today the app is in English"*** (line 61) and lists Kannada/Hindi as a future **roadmap** item ("Your language ? Kannada and Hindi, alongside English" at line 122, in the "Where it's going" section). The i18n grep also found **no** react-i18next/i18next/locales in the web SPA. Let me read the dedicated persona and i18n docs to fully verify.

9. user (2026-06-21T03:20:59.350Z)

```

1     # Internationalization (i18n) ? Kannada-first, by design
2
3     **Status:** Design (P0 deliverable; phases P1+ are owner-gated, not started).

```

```

4      **Owner decision required** before any code lands ? see [Open decisions](#open-
decisions-for-the-owner).
5
6      ---
7
8      ## 1. Context ? why this, why now
9
10     The PMF beachhead is **Bangalore badminton academies**
([`PMF_MARKET_RESEARCH.md`](PMF_MARKET_RESEARCH.md)).
11     Many academy coaches, parents, and players are far more comfortable in **Kannada** than
English.
12     A product that only speaks English adds friction exactly at the point of first contact.
So the
13     product must speak **Kannada first**, **Hindi next**, and extend to other Indian
languages
14     (Tamil, Telugu, Marathi, ?) **without a refactor**.
15
16     The owner's directive is precise: make the product **internationalizable _by design**.
Adding a
17     language must be **"add a reviewed catalog" ? not "go re-touch the code."* The
translations
18     themselves can wait; **the foundation that makes them cheap to add is the actual
deliverable.**
19
20     Today there is **zero i18n** in the repo (no i18n/locale/gettext/babel anywhere). Every
21     user-facing string is hardcoded English across four surfaces:
22
23     | Surface | Where | Examples (today) |
24     |---|---|---|
25     | **UI chrome** | `backend/api/static/{index.html,app.js,style.css}` (~40?50 strings) |
`"Validate & Index Video"`, `alert("Validation Failed! ?")`, `` `${count} Rally Segment${count}
> 1 ? 's' : ''} Selected` `` |
26     | **Backend coach-facing text** | `backend/main.py` `HTTPException(detail=?)`;
`backend/pipeline/validators/*` `message`; `backend/reporting/spec.yaml` `customer_verdict` +
per-rule `customer_message` | `Video file not found at '?'`; `"Video quality rejected: Focus
check failed?"; `"? Your highlights are ready."` |
27     | **Self-navigating NL queries** (owner ask, future) | not built yet | **"show me all
rallies > 15 shots where I won" ? the **query and its answer** must work in the user's language
|
28     | **Coach-mode recommendations** (owner ask, future) | not built yet | localized
recommendation text, not English |
29
30     A React/Vite SPA is planned to replace the static UI ([`UI_ALPHA_EXECUTION_PLAN.md`],
ADR-009)
31     in a **separate private repo `avidullu/khelsutra`**. The design below is therefore
deliberately
32     **framework-agnostic**: the catalog format and locale-negotiation contract are shared,
so the
33     static UI today and the SPA tomorrow consume the **same** translation source.
34
35     **Scope confirmed with owner:** UI + coach-facing backend text + (designed-for, built-
later)
36     NL/coach features. **Translations are Gemini-drafted, human-reviewed** ? this is
**inference**
37     use of a paid LLM, which the [licensing guardrail](#guardrail-alignment) explicitly
allows
38     (it is **not** a training-data source). The owner reviews the first draft of every string.
39
40     ---
41
42     ## 2. Core architecture
43
44     ### 2.1 The "by design" invariant ? no hardcoded user-facing strings
45
46     Every coach-facing string is a **stable key** resolved at render time against the active

```

```

locale.
47   Code references `t("compile.button")`, never the English prose. This is the single rule
that
48   makes "add a language = add a catalog" true, and it is **enforced by CI** (§2.6) so it
cannot
49   silently regress as the codebase grows.
50
51   ```
52   "Validate & Index Video"                ? t("video.action.validate_index")
53   alert("Validation Failed! ?review the checklist") ? t("toast.validation_failed")
54   `${count} Rally Segment${count>1?'s':''} Selected` ? t("compile.selected", {count}) #
ICU plural
55   HTTPException(detail="Video file not found at ?")? detail = tr(lang,
"error.video_not_found", {path})
56   ```
57
58   ### 2.2 One canonical English source catalog, per-locale siblings
59
60   ```
61   locales/
62   en/  common.json  # source of truth ? devs author keys here
63   kn/  common.json  # Kannada (Gemini-draft ? human-review)
64   hi/  common.json  # Hindi (next; first exercise of the extensibility checklist)
65   ```
66
67   - **Format: i18next-flavored JSON** ? works for the vanilla shim today *and*
react-i18next in
68   the SPA, with no conversion.
69   - **ICU MessageFormat** for interpolation and plurals: `{count, plural, one {# rally}
other {# rallies}}`.
70   This matters immediately ? the current UI already hand-rolls English plurals
71   (`Rally Segment${count > 1 ? 's' : ''}`), and Kannada/Hindi plural rules differ from
English.
72   ICU encodes each language's rules in the catalog, not the code.
73   - `en` is the source of truth; **every other locale is keyed identically** (enforced by
the
74   key-parity check in §2.6).
75
76   ### 2.3 Locale-negotiation contract (shared frontend ? backend)
77
78   One resolution order, defined **in one place** and honored by both UI and backend:
79
80   ```
81   persisted user preference ? UI switcher / ?lang=<code> ? Accept-Language header ?
default "en"
82   ```
83
84   - Supported locales are enumerated in **a single module** (one list to grow). Anything
outside
85   it falls back to `en`.
86   - The backend localizes its own responses (`HTTPException.detail`, report `customer_`)
from the
87   same `lang` query param / `Accept-Language` header, so a Kannada UI gets Kannada
errors.
88   - **Always-fallback to `en`** for any missing key ? a missing translation must degrade
to
89   English, never to a blank or a raw key in front of a user.
90
91   ### 2.4 Backend text ? keys + params, not prose
92
93   Validator `message`s and API errors today bake in English prose *and* interpolated
values
94   (`f"?sharpness score of {avg} is below ? threshold of {threshold}."`). The design
separates
95   the two:

```



```

96
97     - The validator/endpoint emits a **stable code + a params dict**
98     ({"blur.below_threshold",
99     {"score": avg, "threshold": threshold}}).
100     - The **prose lives in the catalog**, looked up at the API boundary in the negotiated
    locale.
101     - `ValidationResult` keeps an English `message` for logs/back-compat, but gains an
    optional
102     `message_key` + `message_params`; the report/serializer prefers the key when present.
    This
103     keeps internal/technical messages English (good for debugging) while customer-facing
    text
104     localizes.
105     `spec.yaml` `customer_verdict` and per-rule `customer_message` become **keyed** (or per-
    locale
106     overlays keyed by rule `code`); the technical `message` blocks stay English (they cite
107     `README#Qn` and are for the operator, not the end user).
108
109     ### 2.5 Indic font strategy ? (open decision ? see §4)
110
111     The bundled UI/watermark fonts (Outfit, Roboto Slab) **do not cover Kannada or
    Devanagari**.
112     **Noto Sans Kannada / Noto Sans Devanagari are OFL-licensed**, which is the same tension
    we hit
113     with the watermark font: OFL is not in the strict **MIT/Apache/BSD** code/data/weights
    guardrail.
114     Fonts are *media assets*, not code or model weights, and OFL is explicitly designed for
115     unrestricted redistribution ? so the cleanest path is to **carve out an explicit OFL-
    for-fonts
116     exception**, the same way we'd treat any bundled media. Options put to the owner in §4.
117
118     Note the **video watermark already takes a `font_path`** (`WatermarkConfig.font_path`,
119     `backend/pipeline/stitcher/compiler.py`), so stamping a Kannada/Hindi watermark is a
120     *configuration* change (point it at a Noto font) once the font decision is made ? no new
    code.
121
122     ### 2.6 CI enforcement (the guardrail that keeps it "by design")
123
124     Two checks, both pure-Python and runnable in this repo (no GPU/torch needed):
125
126     1. **Key-parity test** ? every locale catalog has *exactly* the `en` key set; fail on
    missing
127     keys, extra keys, or untranslated placeholder markers (e.g. a `"_MISSING_"`
    sentinel left
128     by the draft script). This is also the **extensibility proof**: drop a stub `ta.json`
    with
129     one key and CI immediately lists every gap.
130     2. **No-bare-strings lint** ? a check that flags user-facing string literals not routed
    through
131     `t()` / the backend `tr()` (scoped to the UI handlers and the API/validator/report
    text
132     paths). Starts as a curated allowlist so it can land without boiling the ocean.
133
134     ### 2.7 Translation pipeline
135
136     ...
137     dev authors en keys ? scripts/i18n_draft.py (Gemini, INFERENCE only) ? kn/hi draft
138                        ? native-speaker review (owner reviews first draft)
139                        ? CI key-parity + placeholder check ? merge
140     ...
141
142     `scripts/i18n_draft.py` reads `locales/en/*.json`, asks Gemini for each missing key in
    the
143     target locale **with the key name and any ICU placeholders preserved**, and writes a

```

```

draft
144     catalog with every machine-drafted value flagged for review. It never touches `en`,
never
145     invents keys, and is a *drafting aid* ? a human reviews before merge. (Reuses the
existing
146     Gemini provider credentials/config; this is the same "paid LLM = inference, never
training"
147     posture as the rest of the system.)
148
149     ---
150
151     ## 3. Phased execution (owner-gated; ONE PR per slice, off `master`)
152
153     | Phase | Scope | Repo | Gate |
154     |---|---|---|---|
155     | **P0** | **This design doc** (`docs/I18N_PLAN.md`) | this | _the immediate
deliverable_ |
156     | **P1** | Foundation + **static-UI retrofit**: `locales/` + `en` source catalog
(extract the ~40?50 UI strings ? keys), a tiny vanilla **`t(key, vars)`** shim + `data-i18n`
wiring in `index.html`/`app.js`, **language switcher (en/kn)** + `localStorage` persistence +
`?lang=`, the font decision applied, and the **`kn`** catalog (Gemini-draft ? owner review).
Reuse the existing static mount / `serve_index` in `backend/main.py`. | this | owner approval |
157     | **P2** | **Backend + report localization**: `backend/i18n/` with `tr(lang, key,
params)` (same catalog format), refactor validator `message`s to keys+params, localize
`HTTPException.detail` + `spec.yaml` `customer_verdict`/`customer_message`, wire `Accept-
Language`/`?lang=`. | this | owner approval |
158     | **P3** | **SPA adoption**: **react-i18next** consuming the *same* `locales/` catalogs;
documented FE?BE contract. | `avidullu/khelsutra` | needs repo access; or owner/Opus executes
there |
159     | **P4** | **Conversational + coach-mode** (future): locale-aware NL query intake ?
**templated localized answers** ; coach-mode recommendation **templates**. Ties to the owned-
model / PLATFORM $5A + rich-metadata work. | this + model | gated on those features existing |
160
161     **Extensibility checklist** (this *is* the by-design contract ? runs the same every
time):
162     > add `locales/<code>/common.json` ? `scripts/i18n_draft.py --locale <code>` ? human
review ?
163     > add `<code>` to the supported-locales list ? confirm font coverage ? CI key-parity
green.
164
165     **Hindi (`hi`)** is the first real exercise of this checklist ? if adding `hi` requires
touching
166     anything other than the steps above, the design failed and we fix the design, not paper
over it.
167
168     ---
169
170     ## 4. Open decisions (for the owner)
171
172     1. **Target-UI scope** ? confirm the *shared framework-agnostic foundation* (prove on
the static
173     UI now, SPA adopts the same catalogs later). Alternative: scope only to the SPA and
skip the
174     static-UI retrofit. _Recommendation: shared foundation ? it's the cheap, low-risk way
to
175     validate the catalog/negotiation contract before the SPA exists._
176     2. **Indic font licensing** ? (a) **allow OFL for bundled fonts** and self-host Noto
Sans
177     Kannada/Devanagari _(recommended; treats fonts as media, not code/weights); (b) rely
on
178     **system Indic fonts** (no bundle, inconsistent rendering across machines); (c)
**Google Fonts
179     CSS** (runtime external dependency, privacy/offline concerns for a local-first
product). This
180     also unblocks the **Kannada/Hindi video watermark** (needs a Noto `font_path`).

```

```

181 3. **v1 locale set & fallback** ? confirm `en` + `kn` for v1, `hi` next; always-fallback
to `en`
182     for missing keys.
183 4. **Backend-localization depth for v1** ? recommendation: localize the **customer
verdict /
184     report `customer_***` and **validation rejection reasons** first (highest user
impact);
185     defer technical/operator messages (they stay English by design).
186
187 ---
188
189 ## 5. Key files / seams
190
191 - **Localize:** `backend/api/static/{index.html,app.js,style.css}`; `backend/main.py`
192   (`HTTPException.detail` + the `serve_index`/static mount);
`backend/pipeline/validators/*`
193   (`message` ? key+params; see `validators/base.py::ValidationResult`);
194   `backend/reporting/spec.yaml` (`customer_verdict` + per-rule `customer_message`).
195 - **New:** `locales/{en,kn,hi}/`, `backend/i18n/` (`tr()` + supported-locales +
negotiation),
196   `scripts/i18n_draft.py`, a CI key-parity test under `tests/` + a no-bare-strings check
wired
197   into `.github/workflows/ci.yml`.
198 - **Fonts:** reuse the bundled-asset pattern in `backend/assets/fonts/` (Apache-2.0
Roboto Slab
199   ships there today); add Noto Indic fonts there **iff** decision §4.2(a).
200 - **SPA:** `avidullu/khelsutra` (react-i18next) ? separate repo.
201
202 ---
203
204 ## 6. Verification
205
206 - **CI key-parity test** (Python, this repo): every locale has every `en` key; fail on
207   missing/extra/placeholder. Drop a stub `ta.json` ? CI flags every gap (the
extensibility proof).
208 - **Static UI:** load `?lang=kn` ? rendered strings resolve from the `kn` catalog;
switcher
209   persists across reload; any missing key falls back to English (no raw keys shown).
210 - **Backend:** request with `Accept-Language: kn` (or `?lang=kn`) ? localized error
`detail` +
211   report `customer_`; unit tests for fallback, ICU interpolation, and plural rules.
212 - **Fonts:** Kannada + Devanagari render correctly ? **manual eyeball on the owner's
machine**
213   (the cloud container can't render fonts).
214 - **Docs-only P0 PR:** internal links resolve; indexed in [`docs/README.md`](README.md);
215   cross-linked from [`PLATFORM_ARCHITECTURE.md`](PLATFORM_ARCHITECTURE.md) (the NL/coach
surfaces)
216   and [`COMMERCIALIZATION.md`](COMMERCIALIZATION.md) (the Bangalore beachhead).
217
218 ---
219
220 ## Guardrail alignment
221
222 - **Paid LLM = inference only.** Gemini drafts translations (inference); it is **never**
a
223   training-data source. ? consistent with [`CLAUDE.md`](../CLAUDE.md) and the ratified
guardrail.
224 - **Licensing.** Code stays MIT/Apache-2.0/BSD. The **only** tension is **fonts** (OFL) ?
handled
225   as an explicit, owner-approved media-asset exception in §4.2, not a silent dependency.
226 - **No minors / biometrics scope creep.** i18n touches presentation only; it introduces
no new
227   personal-data collection.
228
229   [`UI_ALPHA_EXECUTION_PLAN.md`]: ./UI_ALPHA_EXECUTION_PLAN.md

```

10. user (2026-06-21T03:20:59.819Z)

```

1      # C13 Field Signals ? what academy visits must tell us (and when to change course)
2
3      **Status:** ACTIVE ? the decision layer for the C13 beachhead validation
4      (owner-ratified direction, 2026-06-12: *PMF validation is handled by physically
5      visiting academies and reading signals on the ground*).
6      **Companions:** [`PRODUCT_FIELD_ASSOCIATE_FLYER.md`](PRODUCT_FIELD_ASSOCIATE_FLYER.md)
7      (the recruiting flyer candidates see) .
8      [`FIELD_VISIT_PLAYBOOK.md`](FIELD_VISIT_PLAYBOOK.md)
9      (the hired associate's visit playbook: script + ground rules + Phase-2) .
10     [`FIELD_VISIT_ANSWER_SHEET.md`](FIELD_VISIT_ANSWER_SHEET.md) (the per-visit capture
form) .
11     [`PMF_MARKET_RESEARCH.md`](PMF_MARKET_RESEARCH.md) (the hypotheses under test, esp. §6).
12
13     **Why this doc exists:** the playbook scripts the questions and the answer sheet
14     collects what was said; this doc fixes ? **before the first visit** ? what those
15     answers *mean* and what totals trigger which decision.
16     Pre-registering the thresholds is the honesty mechanism: it stops us from reading
17     15 ambiguous conversations as whatever we hoped to hear.
18
19     ---
20
21     ## 1. The hypotheses under test (each maps to script questions)
22
23     | ID | Hypothesis (from PMF research) | Falsified looks like | Script Q |
24     |---|---|---|---|
25     | H1 | **Recording behavior exists** ? academies already produce fixed-angle / CCTV /
multi-court footage without us | nobody records; "we'd have to start for you" | Q1 |
26     | H2 | **Dead-footage pain** ? recorded footage piles up unwatched (the indexing wedge)
| footage is small, or already gets watched | Q2 ? |
27     | H3 | **An audience exists** ? coach, player, or parent would actually consume rally
clips/reels | shrug; "who has time to watch clips" | Q3 |
28     | H4 | **Whitespace** ? incumbents (Machaxi, VISIST, Game Theory, Stupa, BadPro+ ? the
India set is field-sourced from the 2026-06-10 competitive audit; PMF §4's web table predates
it) leave a gap we fit | "we use X, it's fine, fully solved" | Q4 |
29     | H5 | **Willingness to pay per match** at a price that clears unit economics | "should
be free" / <?100 everywhere | Q5 ? |
30     | H6 | **Multi-court chaos is a felt problem** (our moat: indexing messy BYO multi-court
footage) | multi-court video already useful to them | Q6 |
31     | H7 | **Behavioral commitment** ? they'll let us record on their court (Phase-2 door) |
polite no across the board | Q7 |
32
33     Unit-economics floor behind H5: serving COGS on the Gemini path is ~$0.30?0.60 per
34     hour of video (? ?25?50/hr; 2026-06-10 quality table). A 2?3 hr session costs
35     roughly ?75?150 to process, so **?300/match has real margin, ?100/match is
36     break-even-ish at retail** ? that's why the script's anchor ladder is ?100/300/500.
37
38     ## 2. Per-visit scoring ? GREEN / AMBER / RED anchors
39
40     **Scoring is done by the owner (or a Claude session) at transcription ? the
41     associate only captures answers** (the sheet's score grid is marked OFFICE USE).
42     Score each hypothesis **from what they said and showed, not what you inferred**.
43     When between two grades, take the lower one.
44
45     | | GREEN (strong confirm) | AMBER (weak/mixed) | RED (disconfirm) |
46     |---|---|---|---|
47     | **H1 record** | shows or names actual setup (tripod/CCTV/phone rig) used ?monthly |
records occasionally (tournaments only) | doesn't record; no plans |
48     | **H2 dead footage** | points at real unwatched volume (?~5 hrs, "CCTV runs all day",
tournament backlog) | some footage, partially watched | no backlog exists |
49     | **H3 audience** | names WHO would watch and WHEN (e.g. "parents ask for clips", "I
review with students Mondays") | "could be useful, maybe" | no consumer identified |

```

50 | **H4 whitespace** | no tool today, or uses one and volunteers a gap we cover (multi-court, BYO footage, price) | uses a competitor, mildly satisfied | competitor solves it, satisfied, sticky |

51 | **H5 WTP** | names ??300/match **BEFORE** the ladder was offered (the sheet's tick-box records this), or proposes a budget framing of their own whose per-match equivalent is ??300 (see counting rule below) | names a number only **AFTER** the ladder (anchored ? even ?300/?500), or volunteers ~?100 | refuses to name a number / "should be free" / volunteers <?100 |

52 | **H6 multi-court** | complains about it in their own words before/without prompting | agrees when asked | multi-court footage already works for them |

53 | **H7 Phase-2** | yes + gives a name/number/slot | "maybe, come back" | no |

54

55 **The H5 counting rule ("H5 at ?300+"):** a visit counts toward the "?300+" tally only when the ? number (a) is ?300 **and** (b) came *before* the ladder was offered

56 ? an anchored ?300 is the modal polite answer to a read-aloud 100/300/500 ladder

57 and proves nothing, so it scores AMBER and does **not** count. Budget-framed

58 answers convert at transcription: their monthly ? ÷ the matches/month they cited

59 (if they cited none, ÷4); the computed equivalent counts if ??300 and the

60 conversion is written into the rollup row. Stated WTP ? even clean ? remains

61 *talk*: the confirming step before any PROCEED-triggered build is the fake-door /

62 paid-pilot test already pre-agreed in PMF §6 risk 2 and the C13 row.

63

64

65 **Weighting rule (behavior > words):** H7-GREEN and H2-GREEN are *behavioral*

66 signals and count double in your gut-read; H3/H5 answers are *talk* until a Phase-2

67 session or a real payment corroborates them. A visit with H5-GREEN but H7-RED is a

68 polite conversation, not a customer.

69

70 **Disconfirming-evidence quota:** every visit sheet must record at least one

71 verbatim *negative* quote (the thing they liked least / wouldn't pay for). If a

72 sheet has only positives, the visit gets re-done or its evidence discounted in the

73 rollup (**never** the associate's pay ? they're paid per completed honest visit);

74 per the playbook's ground rule 4, a reasoned "no" is worth more than five vague yeses.

75

76 **Sampling note (read the verdict with this in mind):** the playbook sends the

77 associate to 10?15 *good* academies ? the verdict therefore reads "does the

78 beachhead work where it should work best?", not "what fraction of the market is

79 addressable". A PROCEED here licenses the next validation step, not a TAM claim;

80 the rollup's area/courts columns record what was actually sampled.

81

82 **## 3. Pre-registered decision rules**

83

84 **Stopping rule (fixes the optional-stopping loophole):** the campaign targets

85 **n = 15** completed owner/head-coach sheets and may end earlier **only** for

86 logistics (associate availability, academies exhausted) ? **never** because of how

87 the tallies look. The 5-sheet check-ins below are progress reports, not verdict

88 opportunities; **the verdict is computed exactly once, at the final n**, and the

89 rollup records what that n was and why the campaign stopped. The count thresholds

90 below are written for n = 15 and apply unchanged at any final n in 10?14 ? which

91 deliberately makes the ?-bars *relatively harder* at smaller n (biases away from a

92 premature PROCEED) and the <-bars *relatively harder* to trip at n = 15 (biases away

93 from a premature FALSIFIED). Both biases err toward "keep investigating," the safe

94 failure mode. Counts, not percentages ? at this sample size we're reading

95 direction, not estimating proportions. "GREEN" below means GREEN on that

96 hypothesis row.

97

98 | Verdict | Trigger (pre-registered) | What we then do |

99 |---|---|---|

100 | **PROCEED ? beachhead validated** | ?6 H2-GREEN **and** ?4 H5 at ?300+ (per the §2 counting rule ? anchored numbers don't count) **and** ?3 H7-GREEN | Run the camera pilot at the 2?3 warmest academies; those contacts seed the UI-alpha Wave-1 invite list (UI_ALPHA_EXECUTION_PLAN Phase R); the **fake-door/paid-pilot WTP test** (PMF §6 risk 2) runs before money is spent on build |

101 | **PIVOT A ? "index the backlog" ? "record + index" service** | <3 H2-GREEN **and** ?6 visits with H3 GREEN-or-AMBER **and** ?3 H5 at ?300+ | The pain isn't the archive, it's that nothing useful gets made at all ? lead with the Phase-2 recording offer; camera pilot becomes

the product wedge, not the demo |

102 | ****PIVOT B ? partner/API motion**** | H4 RED at ?5 academies (incumbents entrenched and liked) | Don't fight installed hardware head-on; explore the engine/API route through whoever owns the academy relationship¹ |

103 | ****PIVOT C ? payer is the parent, not the academy**** | ?4 visits where H5 is RED ****and**** 0 the Q3 answer names parents/players as the watcher | Re-test WTP as B2C per-student reels (?/reel to parents) with the academy as channel, not customer |

104 | ****FALSIFIED ? beachhead assumption fails**** | <3 academies record at all (H1) ****and**** 0 H7-GREEN | The "academies already record fixed-angle" premise (PMF §5 beachhead #1; the academy arm of §6 risk 1) is wrong for this market ? revisit beachheads #2/#3 (pickleball-US, badminton Asia/Denmark) before building further |

105

106 ¹ The template (surfaced by the 2026-06-10 competitive audit, not yet in PMF §4's web-sourced table): ****PB Vision**** sells pickleball video analysis B2C at ~\$99/yr

107 *and* as an ~\$8/hr-of-video partner API through facility platforms like

108 ****PodPlay**** ? the engine is ours, the academy relationship belongs to whoever already owns it.

110

111

112 Mixed outcomes that match no row: write up the per-hypothesis tallies and decide explicitly with the owner ? but ****the tallies above get computed first****, so the discussion starts from the pre-registered read, not from anecdotes.

113

114

115

116 ****Competitor-intel side-channel (always-on):**** any visit where a competitor is named ? fill the answer sheet's competitor block (what it does, what it misses, what they pay). ?3 consistent reports about one product = update

117

118 `PMF\_MARKET\_RESEARCH.md` §4 with field-verified rows (today's table is web-sourced).

119

120

121 **## 4. Mechanics**

122

123 - One `FIELD_VISIT_ANSWER_SHEET.md` per academy, same day as the visit, in the associate's words + verbatim quotes.

124

125 - The owner (or Claude session) transcribes each sheet into one row of the rollup table below (keep it in this doc or a sheet next to it); tallies refresh per 5 visits as ****progress checks only**** ? the verdict is computed once, at the final n, per the §3 stopping rule.

126

127

128

129 - Demo asset: the associate carries the real compiled reel (`output/MahadevpuraSingles_highlights.mp4`, trimmed to ~60s) saved offline on their phone, shown ****only at the scripted moment (after Q6, before Q7)**** ? *show, never promise*. Demo reactions and improvement asks are ****product feedback****, not scored signals: they feed the build backlog verbatim, while the H1?H7 verdict machinery stays anchored to the pre-demo answers (that's why the demo comes last; the sheet records whether it was shown). Showing it right before Q7 also makes the Phase-2 ask a reaction to something seen, not imagined ? a stronger behavioral read.

130

131

132

133

134

135

136

137

138 - Student answers (sheet's student block) likewise feed product feedback and the H3 (audience) gut-read; they don't enter the verdict tallies, and no student contact details are ever collected.

139

140

141

142 **### Rollup table (one row per completed visit)**

143

144 | # | Academy | Area | Courts | Role spoken to | H1 | H2 | H3 | H4 | H5 (?) | H6 | H7 | Gut | Phase-2? |

145 | ---|---|---|---|---|---|---|---|---|---|---|---|---|

146 | 1 | | | | | | | | | | | | |

147

148 **### Tally ? decision read-out (progress check per 5 visits; verdict ONCE at final n)**

149

150 | Metric | Count | Threshold in play |

151 | ---|---|---|

152 | H2 GREEN (dead footage) | /n | ?6 ? PROCEED leg; <3 ? PIVOT A leg |

153 | H5 at ?300+ (pre-ladder / converted only ? §2 counting rule) | /n | ?4 ? PROCEED leg; ?3 ? PIVOT A leg |

154 | H7 GREEN (Phase-2 yes + contact) | /n | ?3 ? PROCEED leg; 0 ? FALSIFIED leg |

155 | H3 GREEN-or-AMBER (audience exists) | /n | ?6 ? PIVOT A leg |

156 | H4 RED (incumbent satisfied) | /n | ?5 ? PIVOT B |

```
157 | H1 any recording | /n | <3 ? FALSIFIED leg |
158 | H5 RED **and** Q3 names parents/players | /n | ?4 ? PIVOT C |
159
160 ## 5. Guardrails that bind the field work
161
162 - **Phase 1 records nothing** ? notes only (playbook rule 7). Student
163   conversations: coach-permitted **adult (18+) students only** ? "senior batch"
164   minors don't qualify; skip and note it when no adults are available.
165 - **Phase 2 consent rules are hard:** written consent from the academy AND adult
166   players; **sessions with minors are never recorded for our library** (training-pool
167   guardrail, CLAUDE.md); the academy is told plainly what the footage is for.
168 - Answer sheets contain personal contact details ? they stay between the associate
169   and the owner; transcribe to the rollup without phone numbers.
170
```

11. assistant (2026-06-21T03:21:03.082Z)

Now let me verify the persona claims about "static cameras" and "not highly tech-savvy" in the PMF market research and the UX docs, and confirm the web SPA actually has no i18n by checking its structure.

12. user (2026-06-21T03:21:05.785Z)

===WEB===

```
web:
README.md
dist
index.html
node_modules
package-lock.json
package.json
src
tsconfig.json
vite.config.ts
```

```
web/dist:
assets
index.html
```

```
web/dist/assets:
index-B0gKerB2.js
index-CNt2-Vhc.css
```

```
web/node_modules:
@babel
@esbuild
@jridgewell
@rolldown
@rollup
@tailwindcss
@types
@vitejs
@vitest
assertion-error
baseline-browser-mapping
browserslist
cac
caniuse-lite
chai
check-error
convert-source-map
csstype
debug
deep-eql
===SITE===
```

```
site:
README.md
access.db
make_og.py
node_modules
package-lock.json
package.json
public
schema.sql
scripts
server.js
src
wrangler.toml
```

```
site/node_modules:
@asamuzakjp
@bramus
@csstools
@exodus
bidi-js
css-tree
data-urls
decimal.js
entities
html-encoding-sniffer
is-potential-custom-element-name
jsdom
lru-cache
mdn-data
parse5
punycode
require-from-string
saxes
source-map-js
symbol-tree
tldts
tldts-core
tough-cookie
tr46
undici
===package.json deps===
NO i18n deps in package.json
```

13. user (2026-06-21T03:21:07.692Z)

```
8:> self-recorded, **static-camera, full-court amateur** racket-sports video and
29:The central tension is the **static-camera constraint**: the tool works best on fixed,
38:ecosystem (Khelo India tailwind), genuine fixed-angle recording behavior, existing
105:(large field, not a fixed-frame court). For *this product's static-camera fit*,
113:| Segment | Market-size signal | Willingness to pay | Accessibility | Static-camera fit |
B2C/B2B | Verdict |
116:| **Coaches & coaching academies** | India academy boom; thousands across Asia | **High** ?
already sell coaching; USD 300?1,500/yr plausible | Reachable via
federations/distributors/social | **Strong** ? already film fixed-angle | B2B/B2B2C | **Best
fit** ? buyer, recorder, payer aligned |
123:**Key dynamics:** the static-camera constraint is a **B2B filter** ? coaches/academies/
124:clubs already record from a fixed angle, so the product fits existing behavior (cleanest
157:Ranked by **WTP × participation density × existing recording behavior × static-camera
162:India tailwind; academies already record fixed-angle; coaches are buyers who monetize
189:1. **Tripod/static-camera adoption among amateurs.** If serious amateurs won't set up a
191: 50?100 enthusiasts on whether they already record fixed-angle.
```

14. assistant (2026-06-21T03:21:10.458Z)

The "static-camera" and "coaching academy" persona is strongly confirmed in PMF research. Now

let me verify the "not highly tech-savvy" and "zero-knobs guided UX" claims in the UI/UX docs.

15. user (2026-06-21T03:21:12.936Z)

31:## 3. ALPHA ? "quick & dirty" (goal: 10?25 invited testers, end-to-end, zero hand-holding)

16. user (2026-06-21T03:21:17.560Z)

```
1      ---
2      name: next-session-ux-localization
3      description: Consolidated handoff/plan for the NEXT session ? focus SOLELY on (A) making
the UI super user-friendly for non-tech-savvy users and (B) localizing in Hindi + Kannada.
Grounded in existing repo docs (owner directive 2026-06-21).
4      metadata:
5          node_type: memory
6          type: project
7          originSessionId: 577fd4df-ed3f-43d3-854d-d63d732e2e07
8      ---
9
10     **Owner directive (2026-06-21, session wrap):** the next session focuses **SOLELY on
making the product super user-friendly (non-tech-savvy) AND localized (Hindi + Kannada)**.
*Research first using the existing repo docs, THEN craft the plan* (don't reinvent ? there's
prior design). The end goal: **a non-tech-savvy coach/parent reads the page, confidently sets up
recording, runs the tool, and gets highlights ? in their own language.**
11
12     ## Clean slate at handoff (2026-06-21)
13     Both repos on `master`, **0 open PRs**, no orphaned worktrees, **no GCP VMs** (no
billing). khelsutra master `5de981f`; engine (`Khelsutra/badminton-highlight-indexer`) master
`4134721` (DECOUPLED_COMPUTE archived as delivered). Engine local checkout is the **concurrent
session's** branch ? don't disturb it; use an isolated `git worktree` off `origin/master` for
any engine work (the #116/#117 collision rule).
14
15     ## ? Ramp-up kit (READ THESE before crafting the plan ? the owner's "use the docs" ask)
16     **Localization (the pillar):** **`engine docs/I18N_PLAN.md`** ? Kannada-first?Hindi-
next, **by design** (no hardcoded strings; `t("key")` + ICU MessageFormat plurals; one `en`
source catalog + per-locale siblings; locale-negotiation order = persisted pref ?
switcher/?`lang=` ? `Accept-Language` ? `en` fallback; **Gemini-DRAFT?human-REVIEW** [inference,
never training ? guardrail-OK]; CI **key-parity** + **no-bare-strings** lint; **Noto Sans
Kannada/Devanagari**, OFL font decision). Phases P0?(doc)?P1(static-UI retrofit)?P2(backend
text)?P3(**SPA react-i18next**)?P4(conversational/coach-mode).
17     **UX + personas (the pillar):** **`engine docs/UI_PROPOSAL.md`** $2 personas
(Coach/academy = primary B2B India, Kannada-comfortable, records on static cameras; Enthusiast
B2C) + the "teach recording BEFORE upload / zero hand-holding" principle + the 6 alpha screens
(A1 Matches · A2 Upload+recording-checklist · A3 Job progress · A4 Rally review ? · A5
Highlights · A6 Report).
18     **Non-tech-savvy reality:** **`engine docs/PMF_FIELD_SIGNALS.md`** +
**`docs/PRODUCT_FIELD_ASSOCIATE_FLYER.md`** (field associate works in **Kannada/Hindi/English**;
coaches/players/**parents**; "simple summary"; **WhatsApp-native**; possible B2C-to-parents
pivot). **`docs/PERSONALIZATION_PLAN.md`** (coach overlay).
**`docs/KHELSUTRA_PRODUCT_OVERVIEW.md`** (who it's for).
19     **Current product surfaces (what to localize + simplify):** khelsutra **`web/` SPA**
(per-rally operator console ? `docs/PER_RALLY_SELECTION.md`) + **`site/`** marketing (homepage,
`/capture` checklist, `/own-model`, request-access form, post-signup reveal). `web/README.md`.
20
21     ## ? THE adaptation the next session must make
22     `I18N_PLAN.md` was written for the **OLD static UI** (`backend/api/static/`). The
product is now the khelsutra **`web/` SPA** (Vite/React/TS/Tailwind) + the static marketing
**`site/`** (vanilla HTML). So adapt the design's framework-agnostic foundation to:
23     - **`web/` SPA ? react-i18next** (the doc's P3) consuming `locales/{en,kn,hi}/*.json`
catalogs (ICU plurals); a language switcher + persistence; localize the per-rally UI (query
examples/pills, rally cards, footer, build/compile/download, errors). Honest scope still applies
(duration-first; shot-count experimental).
24     - **Marketing `site/` (vanilla)** ? a tiny `t(key,vars)` shim + `data-i18n` over
`index.html`/`capture.html`/`own-model.html` (no framework), sharing the SAME catalog format.
The form + reveal copy + the recording gist localize too.
```

```

25     - Backend (engine) ? P2 (errors/report `customer_` as keys+params) is owner-gated +
a separate worktree PR.
26
27     ## Two threads to plan (one tracked project doc each, per `[[working-agreement-tracked-
project-docs]]`)
28     (A) Non-tech-savvy UX ? research ? plan. Likely levers (validate against the docs +
personas): plain-language/low-jargon copy, fewer steps + bigger touch targets, mobile-first
(coaches use phones), visual/iconographic over text, recording-education-first (? already
shipped the homepage "Record it right" gist + `/capture`), WhatsApp-friendly share, a guided
"upload ? wait ? here's your reel" happy path with zero knobs. The per-rally query bar already
leads with duration and flags shot-count "experimental" ? keep simplifying.
29     (B) Hindi + Kannada localization ? adapt `I18N_PLAN.md` to `web/` + `site/`; stand
up the catalog + negotiation + a first `kn` (then `hi`) draft via `scripts/i18n_draft.py`-style
Gemini-draft?owner-review; CI key-parity; Noto fonts.
30
31     ## Open OWNER decisions to resolve first (from I18N_PLAN §4)
32     1. Indic font licensing ? recommend (a) OFL exception for bundled fonts, self-
host Noto Sans Kannada/Devanagari (treats fonts as media, not code/weights ? also unblocks a
Kannada/Hindi reel watermark via the existing `WatermarkConfig.font_path`).
33     2. v1 locale set ? recommend `en` + kn for v1, hi next; always-fallback
to `en`.
34     3. Backend-localization depth ? recommend customer verdict / report `customer_` +
validation-rejection reasons first; operator/technical text stays English.
35     4. UX scope ? which surface first: the marketing `site/` (first-contact friction)
and/or the `web/` SPA (the operator console).
36
37     ## Already shipped this session (DON'T redo ? build on it)
38     Per-rally MVP P1?P5 (query bar/grid/footer/build?compile?download, honest duration-
first, shot-count parked experimental); engine M1 (`/api/health` + compile `download_url`);
marketing site ? post-signup reveal (tool screencast + 30s reel, watchable: manual close +
holds-while-playing), submit "Sending?" feedback, "Record it right" homepage gist (from
`VIDEO_RECORDING_GUIDELINES.md`) + `/capture`; behavioral jsdom tests (test-only dep;
runtime stays dependency-free); worker observability fix (logs a 0-segment cold-start,
[#271]). Promo/CUJ screencasts in `gs://khelsutra-rally-corpus/promo/`. ? Cold-start blocker
still open: native-WASB `worker infer` config that reproduces the engine session's 22-rally
result (see [[current-state]]). [[monetization-plan]] [[khelsutra-domain-launch]]
39

```

17. assistant (2026-06-21T03:21:22.305Z)

The memory handoff itself states the persona on line 17: "Coach/academy = primary B2B India, Kannada-comfortable, records on static cameras." Let me read the UI_PROPOSAL.md personas section directly (the load-bearing source) to confirm the exact wording.

18. user (2026-06-21T03:21:28.409Z)

```

1     # UI Proposal ? khelsutra.guru web app (alpha ? beta)
2
3     Status: PROPOSAL ? awaiting owner ratification (no implementation starts without
explicit approval, per CLAUDE.md).
4     Date: 2026-06-10 . Inputs: PMF_MARKET_RESEARCH, COMMERCIALIZATION,
PLATFORM_ARCHITECTURE, DEFERRED_HARDENING_PLAN (#16), ROADMAP, VIDEO_RECORDING_GUIDELINES,
reporting/spec.yaml, current API + static UI.
5     Companion: `docs/HOSTING_PLAN.md` (domain, topology, costs).
6
7     ## 1. Strategic frame ? why a UI now, and what it secretly is
8
9     The UI is not just product surface; it is the corpus-growth engine. The single
highest-leverage
10    item in NEXT_STEPS is growing the golden corpus, and the v1 scope already commits to a
11    human correction loop. Every tester who accepts/rejects/nudges a rally boundary in
the review
12    screen produces exactly the labels the Gen-0/M0.x track is starved for (subject to the
per-user
13    training opt-in guardrail). 10?25 alpha testers ? a steady stream of labeled, real-

```

```

world,
14     multi-court-biased footage ? the distribution where the owned model's 0.66 ship target
lives.
15
16     Serving economics per the 2026-06-10 quality table: alpha serves the **Gemini path**
17     (0.93 on clean footage, ~$0.05/run) ? no GPU required in the request path. The
WASB/owned-model
18     path stays on the owner's box and is *not* exposed in the alpha UI (segmenter choice
hidden).
19
20     **The CLI is not replaced.** The web app talks to the same FastAPI surface the CLI
drives; the CLI
21     remains the power-user/ops tool.
22
23     ## 2. Personas (from PMF research)
24
25     - **Coach / academy (primary, B2B, India):** batches of match recordings, wants rally
review,
26     per-player reels for students/parents, per-rally stats. Already records on static
cameras.
27     - **Enthusiast (B2C funnel):** records own matches, wants a highlight reel + basic
stats, shares
28     with friends. Tripod discipline is the known adoption risk ? the UI must teach
recording
29     guidelines *before* upload, not fail videos after.
30
31     ## 3. ALPHA ? "quick & dirty" (goal: 10?25 invited testers, end-to-end, zero hand-
holding)
32
33     **Stack:** React + Vite + Tailwind SPA, deployed per HOSTING_PLAN (static hosting, $0).
34     API = existing FastAPI on the GPU box via tunnel at `api.khelsutra.guru`.
35     **Auth:** Cloudflare Access email-allowlist (OTP), free ?50 users, **zero auth code** ?
backend
36     reads the authenticated-email header for per-user scoping (alpha-grade tenancy: header
is
37     trustworthy because the tunnel only accepts Access-authenticated traffic).
38
39     ### Alpha screens (6)
40
41     | # | Screen | What it does | Backed by |
42     |---|-----|-----|-----|
43     | A1 | **Matches** (home) | User's videos, status chip per video (verdict ?/??/?),
upload CTA | `videos` + owner scoping (B4) |
44     | A2 | **Upload & Process** | Drag-drop; inline recording-guidelines checklist (pre-
upload education from VIDEO_RECORDING_GUIDELINES); chunked upload; then auto-starts processing |
B2 upload endpoint ? B1 job |
45     | A3 | **Job progress** | Stage list (validation ? segmentation ? AI confirm ? report)
with live status; verdict banner on completion | B1 `GET /api/jobs/{id}` poll |
46     | A4 | **Rally review** ? | Video player + rally list; click rally ? seek & play that
span; per-rally **Accept / Reject / nudge start?end ±0.5 s**; bulk "all good"; chips: duration,
shot count (+confidence) | B6 correction endpoints ? `candidate_segments.human_label/notes` ?
**the corpus engine** |
47     | A5 | **Highlights** | Select accepted rallies ? name reel ? compile ? download; list
of past reels | `api/compile` + B3 download endpoint |
48     | A6 | **Report** | Renders the customer-audience report (verdict, notes, FAQ refs);
"nerd view" toggle shows technical.md | existing reporting artifacts |
49
50     ### Backend work the alpha actually requires (honest dependency list)
51
52     | ID | Item | Notes |
53     |---|-----|-----|
54     | B1 | **Async job model ? DEFERRED_HARDENING_PLAN #16** | The committed next PLATFORM
slice; `POST /api/process` ? 202 + `job_id`, `jobs` table (user_version 1?2),
ThreadPoolExecutor, `GET /api/jobs/{id}`. **Approving this proposal = greenlighting #16.** A
5?60 min blocking HTTP call cannot sit behind a tunnel UI. |

```

55 | B2 | ****Chunked upload endpoint**** | `POST /api/upload` accepting 90 MB parts (free-tier proxy body limit is 100 MB), assemble MD5 register under `allowed\_video\_root/<user>`. Size cap (e.g. 4 GB) + mp4/mov allowlist. |

56 | B3 | ****Download endpoint**** | `GET /api/highlights/{video\_id}/{name}` streaming the compiled reel (today `api/compile` returns a server-local path the browser can't reach). |

57 | B4 | ****Per-user scoping**** | `owner\_email` column on `videos` (migration), read from the Access header, filter every query. Alpha-grade, single DB. |

58 | B5 | ****Retire/replace static UI**** | The SPA supersedes `backend/api/static` (which has a known `rallies` vs `play\_segments` field bug ? don't fix, replace). |

59 | B6 | ****Correction-loop endpoints**** | `PATCH /api/segments/{id}` ? accept/reject/boundary-nudge persisted to `candidate\_segments.human\_label`/`notes` (+ provenance: who, when). This is v1-scope "correction loop" made real. |

60 | B7 | ****Exposure hardening**** | CORS narrowed to the app origin; basic rate limit; upload quota per user; `allowed\_video\_root` set; Gemini key rotated (already in NEXT_STEPS housekeeping). |

61

62 ### Alpha non-goals (explicit)

63

64 No payments, no orgs/teams, no athlete profiles, no share links, no owned-model serving, no

65 multi-sport selector (badminton only), no notifications, no mobile-perfect layouts (usable on

66 phone, optimized for laptop), no conversational QA (deferred in roadmap).

67

68 ### Alpha effort estimate

69

70 B1 ? 2-3 sessions · B2-B7 ? 2-3 sessions · SPA (6 screens) ? 3-4 sessions ? **~8-10

working

71 sessions** to first tester invite. Sequencing: B1 ? B2/B3/B4 ? SPA skeleton + A2/A3 ? A4 ? A5/A6 ? B7 ? invite.

72

73 ## 4. BETA ? polished (goal: paying pilot academies)

74

75 Maps deliberately onto PLATFORM_ARCHITECTURE P1-P3 ? the UI roadmap and the platform roadmap are

19. assistant (2026-06-21T03:21:41.182Z)

I have all the evidence needed. Let me synthesize.

The claim has four parts. Let me assess each against what I personally saw:

1. **"Primary persona is a Kannada-comfortable badminton coach/academy in India"** ? CONFIRMED. `UI\_PROPOSAL.md:25` ("Coach / academy (primary, B2B, India)"); `I18N\_PLAN.md:10-13` ("PMF beachhead is Bangalore badminton academies... Many academy coaches, parents, and players are far more comfortable in Kannada than English"); `PMF\_MARKET\_RESEARCH.md:116` (Coaches & academies = "Best fit").
2. **"records on static cameras"** ? CONFIRMED. `UI\_PROPOSAL.md:28` ("Already records on static cameras"); `PMF\_MARKET\_RESEARCH.md` repeatedly ("static-camera constraint", "already film fixed-angle", lines 8, 29, 116).
3. **"not highly tech-savvy"** ? CONFIRMED (indirectly but clearly). `KHELSUTRA\_PRODUCT\_OVERVIEW.md:13,50,132` ("No editing, no manual scrubbing", "No editing skill needed", "You don't need to be technical"); the memory handoff frames the whole next session as "non-tech-savvy users." This is consistently the design assumption, though no doc uses the literal phrase "not highly tech-savvy" as a persona attribute.
4. **"justifies Kannada-first localization and a zero-knobs guided UX"** ? PARTIALLY. Kannada-first localization is confirmed as the **designed direction** (`I18N\_PLAN.md` title: "Kannada-first, by design"), but it is ****explicitly not implemented****: I18N_PLAN status is "Design (P0 deliverable; phases P1+ are owner-gated, not started)" and the web SPA grep found ****zero**** react-i18next/i18next/locales ? confirmed by the structure listing and "NO i18n deps in package.json." The product overview states plainly the app "is in English" today (line 61) with Kannada/Hindi on the ****roadmap**** (line 122). "Zero-knobs guided UX" is aspirational too:

`UI\_PROPOSAL.md` is "PROPOSAL ? awaiting owner ratification."

So the persona/justification logic is real and well-documented, but the claim risks implying these features exist; they are designed/planned, not shipped.

20. user (2026-06-21T03:21:55.839Z)

Structured output provided successfully

21. assistant (2026-06-21T03:22:01.860Z)

Verification complete. Verdict: PARTIALLY-CONFIRMED.

The persona itself (Kannada-comfortable coach/academy in India, records on static cameras, not highly tech-savvy) is solidly documented, and the strategic justification for Kannada-first localization + a simple guided UX is real design intent. But the claim reads as if those features exist ? they do not. I personally grepped the khelsutra SPA/site and found zero i18n (no react-i18next/i18next/locales, no i18n deps), the app ships English-only today with Kannada/Hindi on the roadmap, and both the I18N_PLAN (P1+) and UI_PROPOSAL are owner-gated/awaiting ratification.

Key files I read: `docs/UI\_PROPOSAL.md` (personas §2, lines 25-28), `docs/I18N\_PLAN.md` (status header + lines 10-20), `docs/PMF\_MARKET\_RESEARCH.md` (line 116 + static-camera lines), `docs/KHELSUTRA\_PRODUCT\_OVERVIEW.md` (lines 61, 122), and the khelsutra `web/`+`site/` structure/package.json.