

claude-windows / d4b5afb5-2f03-4b58-8952-573f1381d166

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4b5afb5-2f03-4b58-8952-573f1381d166\subagents\workflows\wf\_beb40705-90b\agent-a28929e6a1ff920b0.jsonl`
- SHA-256: `e49b036fe03a87882d5daaf9a419580bb5962529bd7d5ae8a0222f9a7c3cb263`
- Source modified: `2026-06-21T03:21:49+00:00`
- Imported at: `2026-07-05T16:48:23+00:00`
- project: `wf\_beb40705-90b`
- session_id: `d4b5afb5-2f03-4b58-8952-573f1381d166`

Transcript

1. user (2026-06-21T03:20:42.321Z)

Adversarially VERIFY this claim about the KhelSutra repos by reading the actual files/docs yourself. Default to "refuted" if the evidence is not clear and direct.
CLAIM: "I18N_PLAN.md was authored against the OLD static UI (backend/api/static/*) and therefore its P1/P3 framework specifics need ADAPTING to today's two surfaces (the web/ React SPA and the vanilla site/)."
Repos: web/site SPA+marketing = C:/Users/avidu/Projects/khelsutra; design docs = C:/Users/avidu/Projects/badminton-highlight-indexer/docs.
Read the specific files needed to confirm or refute (use Grep/Glob/Read). For string/i18n claims, actually grep for react-i18next, i18next, "t(", data-i18n, locales/ in C:/Users/avidu/Projects/khelsutra. For doc claims, read the relevant doc lines.
Return: verdict (CONFIRMED | PARTIALLY-CONFIRMED | REFUTED), the concrete evidence (file:line or quote) you personally saw, and any important nuance the claim gets wrong.

2. assistant (2026-06-21T03:20:44.835Z)

I'll verify this claim by reading the actual files. Let me start by pulling the repos fresh and examining the key files.

3. user (2026-06-21T03:20:48.539Z)

```
fatal: Cannot fast-forward to multiple branches.
---STRUCTURE---
total 38
drwxr-xr-x 1 avidu 197609    0 Jun 20 23:27 .
drwxr-xr-x 1 avidu 197609    0 Jun 21 06:51 ..
drwxr-xr-x 1 avidu 197609    0 Jun 20 15:20 .claude
drwxr-xr-x 1 avidu 197609    0 Jun 21 08:50 .git
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes
drwxr-xr-x 1 avidu 197609    0 Jun 20 12:43 .github
-rw-r--r-- 1 avidu 197609  78 Jun 20 18:40 .gitignore
-rw-r--r-- 1 avidu 197609 5823 Jun 20 23:06 NEXT_STEPS.md
-rw-r--r-- 1 avidu 197609  925 Jun 20 08:37 README.md
drwxr-xr-x 1 avidu 197609    0 Jun 20 23:14 docs
drwxr-xr-x 1 avidu 197609    0 Jun 21 08:20 site
drwxr-xr-x 1 avidu 197609    0 Jun 20 22:08 web
```

4. user (2026-06-21T03:20:48.725Z)

```
docs\I18N_PLAN.md
.claude\worktrees\bhi-exepolicy\docs\I18N_PLAN.md
.claude\worktrees\agent-a771ff1d85e18f2ed\docs\I18N_PLAN.md
.claude\worktrees\tier1-windowing\docs\I18N_PLAN.md
.claude\worktrees\w2-safeguard\docs\I18N_PLAN.md
.claude\worktrees\hardchop\docs\I18N_PLAN.md
```

```
.claude\worktrees\boxhill17\docs\I18N_PLAN.md
.claude\worktrees\pr-stitch\docs\I18N_PLAN.md
.claude\worktrees\gap-doc\docs\I18N_PLAN.md
.claude\worktrees\resweep\docs\I18N_PLAN.md
.claude\worktrees\recdoc\docs\I18N_PLAN.md
```

5. assistant (2026-06-21T03:20:51.711Z)

The pull failed (multiple branches config), so I'm reading local state. There's a worktree on the current dir. Let me read the I18N_PLAN.md and the relevant doc, plus inspect the actual UI surfaces.

6. user (2026-06-21T03:20:52.519Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.

7. assistant (2026-06-21T03:20:55.152Z)

The claim says design docs are in the badminton-highlight-indexer repo. Let me check both locations.

8. user (2026-06-21T03:20:55.805Z)

```
docs\I18N_PLAN.md
```

9. user (2026-06-21T03:20:57.412Z)

```
-rw-r--r-- 1 avidu 197609 14496 Jun 12 22:33 I18N_PLAN.md
---WEB---
README.md
dist
index.html
node_modules
package-lock.json
package.json
src
tsconfig.json
vite.config.ts
---SITE---
README.md
access.db
make_og.py
node_modules
package-lock.json
package.json
public
schema.sql
scripts
server.js
src
wrangler.toml
```

10. assistant (2026-06-21T03:20:59.712Z)

The I18N_PLAN.md exists in badminton-highlight-indexer/docs. Let me read it.

11. user (2026-06-21T03:21:00.271Z)

```
1      # Internationalization (i18n) ? Kannada-first, by design
2
3      **Status:** Design (P0 deliverable; phases P1+ are owner-gated, not started).
4      **Owner decision required** before any code lands ? see [Open decisions](#open-
decisions-for-the-owner).
```

```

5
6    ---
7
8    ## 1. Context ? why this, why now
9
10   The PMF beachhead is Bangalore badminton academies
([`PMF_MARKET_RESEARCH.md`](PMF_MARKET_RESEARCH.md)).
11   Many academy coaches, parents, and players are far more comfortable in Kannada than
English.
12   A product that only speaks English adds friction exactly at the point of first contact.
So the
13   product must speak Kannada first, Hindi next, and extend to other Indian
languages
14   (Tamil, Telugu, Marathi, ?) without a refactor.
15
16   The owner's directive is precise: make the product internationalizable _by design.
Adding a
17   language must be "add a reviewed catalog" ? not "go re-touch the code." The
translations
18   themselves can wait; the foundation that makes them cheap to add is the actual
deliverable.
19
20   Today there is zero i18n in the repo (no i18n/locale/gettext/babel anywhere). Every
21   user-facing string is hardcoded English across four surfaces:
22
23   | Surface | Where | Examples (today) |
24   |---|---|---|
25   | UI chrome | `backend/api/static/{index.html,app.js,style.css}` (~40?50 strings) |
`"Validate & Index Video"`, `alert("Validation Failed! ?")`, `` `${count} Rally Segment${count}
> 1 ? 's' : ''} Selected` `` |
26   | Backend coach-facing text | `backend/main.py` `HTTPException(detail=?)`;
`backend/pipeline/validators/*` `message`; `backend/reporting/spec.yaml` `customer_verdict` +
per-rule `customer_message` | `"Video file not found at '?'"; `"Video quality rejected: Focus
check failed?"; `"? Your highlights are ready." |
27   | Self-navigating NL queries (owner ask, future) | not built yet | "show me all
rallies > 15 shots where I won" ? the query and its answer must work in the user's language
|
28   | Coach-mode recommendations (owner ask, future) | not built yet | localized
recommendation text, not English |
29
30   A React/Vite SPA is planned to replace the static UI ([`UI_ALPHA_EXECUTION_PLAN.md`],
ADR-009)
31   in a separate private repo `avidullu/khelsutra`. The design below is therefore
deliberately
32   framework-agnostic: the catalog format and locale-negotiation contract are shared,
so the
33   static UI today and the SPA tomorrow consume the same translation source.
34
35   Scope confirmed with owner: UI + coach-facing backend text + (designed-for, built-
later)
36   NL/coach features. Translations are Gemini-drafted, human-reviewed ? this is
*inference*
37   use of a paid LLM, which the [licensing guardrail](#guardrail-alignment) explicitly
allows
38   (it is not a training-data source). The owner reviews the first draft of every string.
39
40   ---
41
42   ## 2. Core architecture
43
44   ### 2.1 The "by design" invariant ? no hardcoded user-facing strings
45
46   Every coach-facing string is a stable key resolved at render time against the active
locale.
47   Code references `t("compile.button")`, never the English prose. This is the single rule

```

```

that
48     makes "add a language = add a catalog" true, and it is **enforced by CI** (§2.6) so it
cannot
49     silently regress as the codebase grows.
50
51     ```
52     "Validate & Index Video"                                ? t("video.action.validate_index")
53     alert("Validation Failed! ?review the checklist") ? t("toast.validation_failed")
54     `${count} Rally Segment${count>1?'s':''} Selected` ? t("compile.selected", {count}) #
ICU plural
55     HTTPException(detail="Video file not found at ?")? detail = tr(lang,
"error.video_not_found", {path})
56     ```
57
58     ### 2.2 One canonical English source catalog, per-locale siblings
59
60     ```
61     locales/
62     en/  common.json  # source of truth ? devs author keys here
63     kn/  common.json  # Kannada (Gemini-draft ? human-review)
64     hi/  common.json  # Hindi (next; first exercise of the extensibility checklist)
65     ```
66
67     - **Format: i18next-flavored JSON** ? works for the vanilla shim today *and*
react-i18next in
68     the SPA, with no conversion.
69     - **ICU MessageFormat** for interpolation and plurals: ``{count, plural, one {# rally}
other {# rallies}}``.
70     This matters immediately ? the current UI already hand-rolls English plurals
71     (`Rally Segment${count > 1 ? 's' : ''}`), and Kannada/Hindi plural rules differ from
English.
72     ICU encodes each language's rules in the catalog, not the code.
73     - `en` is the source of truth; **every other locale is keyed identically** (enforced by
the
74     key-parity check in §2.6).
75
76     ### 2.3 Locale-negotiation contract (shared frontend ? backend)
77
78     One resolution order, defined **in one place** and honored by both UI and backend:
79
80     ```
81     persisted user preference ? UI switcher / ?lang=<code> ? Accept-Language header ?
default "en"
82     ```
83
84     - Supported locales are enumerated in **a single module** (one list to grow). Anything
outside
85     it falls back to `en`.
86     - The backend localizes its own responses (`HTTPException.detail`, report `customer_`)
from the
87     same `lang` query param / `Accept-Language` header, so a Kannada UI gets Kannada
errors.
88     - **Always-fallback to `en`** for any missing key ? a missing translation must degrade
to
89     English, never to a blank or a raw key in front of a user.
90
91     ### 2.4 Backend text ? keys + params, not prose
92
93     Validator `message`s and API errors today bake in English prose *and* interpolated
values
94     (`f"?sharpness score of {avg} is below ? threshold of {threshold}.``). The design
separates
95     the two:
96
97     - The validator/endpoint emits a **stable code + a params dict**

```

```

98     {"score": avg, "threshold": threshold}}).
99 - The prose lives in the catalog, looked up at the API boundary in the negotiated
locale.
100 - `ValidationResult` keeps an English `message` for logs/back-compat, but gains an
optional
101   `message_key` + `message_params`; the report/serializer prefers the key when present.
This
102   keeps internal/technical messages English (good for debugging) while customer-facing
text
103   localizes.
104
105   `spec.yaml` `customer_verdict` and per-rule `customer_message` become keyed (or per-
locale
106   overlays keyed by rule `code`); the technical `message` blocks stay English (they cite
107   `README#Qn` and are for the operator, not the end user).
108
109   2.5 Indic font strategy ? (open decision ? see §4)
110
111   The bundled UI/watermark fonts (Outfit, Roboto Slab) do not cover Kannada or
Devanagari.
112   Noto Sans Kannada / Noto Sans Devanagari are OFL-licensed, which is the same tension
we hit
113   with the watermark font: OFL is not in the strict MIT/Apache/BSD code/data/weights
guardrail.
114   Fonts are media assets, not code or model weights, and OFL is explicitly designed for
115   unrestricted redistribution ? so the cleanest path is to carve out an explicit OFL-
for-fonts
116   exception, the same way we'd treat any bundled media. Options put to the owner in §4.
117
118   Note the video watermark already takes a `font_path` (`WatermarkConfig.font_path`,
119   `backend/pipeline/stitcher/compiler.py`), so stamping a Kannada/Hindi watermark is a
120   configuration change (point it at a Noto font) once the font decision is made ? no new
code.
121
122   2.6 CI enforcement (the guardrail that keeps it "by design")
123
124   Two checks, both pure-Python and runnable in this repo (no GPU/torch needed):
125
126   1. Key-parity test ? every locale catalog has exactly the `en` key set; fail on
missing
127     keys, extra keys, or untranslated placeholder markers (e.g. a `"_MISSING_"`
sentinel left
128     by the draft script). This is also the extensibility proof: drop a stub `ta.json`
with
129     one key and CI immediately lists every gap.
130   2. No-bare-strings lint ? a check that flags user-facing string literals not routed
through
131     `t()` / the backend `tr()` (scoped to the UI handlers and the API/validator/report
text
132     paths). Starts as a curated allowlist so it can land without boiling the ocean.
133
134   2.7 Translation pipeline
135
136   ```
137   dev authors en keys ? scripts/i18n_draft.py (Gemini, INFERENCE only) ? kn/hi draft
138                       ? native-speaker review (owner reviews first draft)
139                       ? CI key-parity + placeholder check ? merge
140   ```
141
142   `scripts/i18n_draft.py` reads `locales/en/*.json`, asks Gemini for each missing key in
the
143   target locale with the key name and any ICU placeholders preserved, and writes a
draft
144   catalog with every machine-drafted value flagged for review. It never touches `en`,

```

```

never
145     invents keys, and is a *drafting aid* ? a human reviews before merge. (Reuses the
existing
146     Gemini provider credentials/config; this is the same "paid LLM = inference, never
training"
147     posture as the rest of the system.)
148
149     ---
150
151     ## 3. Phased execution (owner-gated; ONE PR per slice, off `master`)
152
153     | Phase | Scope | Repo | Gate |
154     |---|---|---|---|
155     | **P0** | **This design doc** (`docs/I18N_PLAN.md`) | this | _the immediate
deliverable_ |
156     | **P1** | Foundation + **static-UI retrofit** : `locales/` + `en` source catalog
(extract the ~40?50 UI strings ? keys), a tiny vanilla **`t(key, vars)`** shim + `data-i18n`
wiring in `index.html`/`app.js`, **language switcher (en/kn)** + `localStorage` persistence +
`?lang=`, the font decision applied, and the **`kn`** catalog (Gemini-draft ? owner review).
Reuse the existing static mount / `serve_index` in `backend/main.py`. | this | owner approval |
157     | **P2** | **Backend + report localization** : `backend/i18n/` with `tr(lang, key,
params)` (same catalog format), refactor validator `message`s to keys+params, localize
`HTTPException.detail` + `spec.yaml` `customer_verdict`/`customer_message`, wire `Accept-
Language`/`?lang=`. | this | owner approval |
158     | **P3** | **SPA adoption** : **react-i18next** consuming the *same* `locales/` catalogs;
documented FE?BE contract. | `avidullu/khelsutra` | needs repo access; or owner/Opus executes
there |
159     | **P4** | **Conversational + coach-mode** (future): locale-aware NL query intake ?
**templated localized answers** ; coach-mode recommendation **templates**. Ties to the owned-
model / PLATFORM $5A + rich-metadata work. | this + model | gated on those features existing |
160
161     **Extensibility checklist** (this *is* the by-design contract ? runs the same every
time):
162     > add `locales/<code>/common.json` ? `scripts/i18n_draft.py --locale <code>` ? human
review ?
163     > add `<code>` to the supported-locales list ? confirm font coverage ? CI key-parity
green.
164
165     **Hindi (`hi`) is the first real exercise of this checklist** ? if adding `hi` requires
touching
166     anything other than the steps above, the design failed and we fix the design, not paper
over it.
167
168     ---
169
170     ## 4. Open decisions (for the owner)
171
172     1. **Target-UI scope** ? confirm the *shared framework-agnostic foundation* (prove on
the static
173     UI now, SPA adopts the same catalogs later). Alternative: scope only to the SPA and
skip the
174     static-UI retrofit. _Recommendation: shared foundation ? it's the cheap, low-risk way
to
175     validate the catalog/negotiation contract before the SPA exists._
176     2. **Indic font licensing** ? (a) **allow OFL for bundled fonts** and self-host Noto
Sans
177     Kannada/Devanagari _(recommended; treats fonts as media, not code/weights); (b) rely
on
178     **system Indic fonts** (no bundle, inconsistent rendering across machines); (c)
**Google Fonts
179     CSS** (runtime external dependency, privacy/offline concerns for a local-first
product). This
180     also unblocks the **Kannada/Hindi video watermark** (needs a Noto `font_path`).
181     3. **v1 locale set & fallback** ? confirm `en` + `kn` for v1, `hi` next; always-fallback
to `en`

```

```

182     for missing keys.
183 4. **Backend-localization depth for v1** ? recommendation: localize the **customer
verdict /
184     report `customer_`** and **validation rejection reasons** first (highest user
impact);
185     defer technical/operator messages (they stay English by design).
186
187 ---
188
189 ## 5. Key files / seams
190
191 - **Localize:** `backend/api/static/{index.html,app.js,style.css}`; `backend/main.py`
192   (`HTTPException.detail` + the `serve_index`/static mount);
`backend/pipeline/validators/`
193   (`message` ? key+params; see `validators/base.py::ValidationResult`);
194   `backend/reporting/spec.yaml` (`customer_verdict` + per-rule `customer_message`).
195 - **New:** `locales/{en,kn,hi}/`, `backend/i18n/` (`tr()` + supported-locales +
negotiation),
196   `scripts/i18n_draft.py`, a CI key-parity test under `tests/` + a no-bare-strings check
wired
197   into `.github/workflows/ci.yml`.
198 - **Fonts:** reuse the bundled-asset pattern in `backend/assets/fonts/` (Apache-2.0
Roboto Slab
199   ships there today); add Noto Indic fonts there *iff* decision §4.2(a).
200 - **SPA:** `avidullu/khelsutra` (react-i18next) ? separate repo.
201
202 ---
203
204 ## 6. Verification
205
206 - **CI key-parity test** (Python, this repo): every locale has every `en` key; fail on
207   missing/extra/placeholder. Drop a stub `ta.json` ? CI flags every gap (the
extensibility proof).
208 - **Static UI:** load `?lang=kn` ? rendered strings resolve from the `kn` catalog;
switcher
209   persists across reload; any missing key falls back to English (no raw keys shown).
210 - **Backend:** request with `Accept-Language: kn` (or `?lang=kn`) ? localized error
`detail` +
211   report `customer_`; unit tests for fallback, ICU interpolation, and plural rules.
212 - **Fonts:** Kannada + Devanagari render correctly ? **manual eyeball on the owner's
machine**
213   (the cloud container can't render fonts).
214 - **Docs-only P0 PR:** internal links resolve; indexed in [`docs/README.md`](README.md);
215   cross-linked from [`PLATFORM_ARCHITECTURE.md`](PLATFORM_ARCHITECTURE.md) (the NL/coach
surfaces)
216   and [`COMMERCIALIZATION.md`](COMMERCIALIZATION.md) (the Bangalore beachhead).
217
218 ---
219
220 ## Guardrail alignment
221
222 - **Paid LLM = inference only.** Gemini drafts translations (inference); it is **never**
a
223   training-data source. ? consistent with [`CLAUDE.md`](../CLAUDE.md) and the ratified
guardrail.
224 - **Licensing.** Code stays MIT/Apache-2.0/BSD. The *only* tension is **fonts** (OFL) ?
handled
225   as an explicit, owner-approved media-asset exception in §4.2, not a silent dependency.
226 - **No minors / biometrics scope creep.** i18n touches presentation only; it introduces
no new
227   personal-data collection.
228
229 [`UI_ALPHA_EXECUTION_PLAN.md`]: ./UI_ALPHA_EXECUTION_PLAN.md
230

```

12. assistant (2026-06-21T03:21:04.666Z)

Now let me verify the key factual claims. The doc clearly references `backend/api/static/\*`. Let me verify:

1. P1 targets static UI (`backend/api/static`) ? claim says doc was authored against OLD static UI
2. P3 names react-i18next
3. Today's surfaces are web/ (React SPA) and site/ (vanilla)

Let me inspect the actual web/ and site/ surfaces for i18n state.

13. user (2026-06-21T03:21:06.905Z)

```
=== web/ stack ===
"dependencies": {
  "react": "^19.0.0",
  "react-dom": "^19.0.0"
},
"devDependencies": {
  "@tailwindcss/vite": "^4.0.0",
  "@types/react": "^19.0.0",
  "@types/react-dom": "^19.0.0",
  "@vitejs/plugin-react": "^4.3.4",
  "tailwindcss": "^4.0.0",
  "typescript": "^5.7.0",
  "vite": "^6.0.0",
  "vitest": "^3.0.0"
}
=== site/ stack ===
```

14. user (2026-06-21T03:21:07.956Z)

No files found

15. assistant (2026-06-21T03:21:11.289Z)

web/ is React 19 + Vite (SPA, no i18next). site/ package.json has no dependencies block printed?let me check it. And the Grep confirms NO i18n libraries exist anywhere in khelsutra (no react-i18next, no locales/, no data-i18n). Let me confirm site/ stack and whether `backend/api/static` still exists.

16. user (2026-06-21T03:21:14.002Z)

```
=== site/package.json full ===
{
  "name": "khelsutra-site",
  "private": true,
  "type": "module",
  "scripts": {
    "test": "node --test",
    "test:cf": "node --test src/index.test.js",
    "test:vm": "node --test src/server.test.js",
    "test:deploy": "node --test src/deploy-config.test.js src/assets.test.js",
    "deploy": "wrangler deploy",
    "dev": "wrangler dev",
    "og": "python make_og.py"
  },
  "devDependencies": {
    "jsdom": "^29.1.1"
  }
}
=== site/src ===
```

```
assets.test.js
deploy-config.test.js
index.js
index.test.js
notify.js
server.test.js
store.js
ux.dom.test.js
=== does backend/api/static exist in khelsutra? ===
ls: cannot access '/c/Users/avidu/Projects/khelsutra/backend/api/static/': No such file or
directory
=== in BHI repo? ===
app.js
index.html
style.css
```

17. assistant (2026-06-21T03:21:20.856Z)

Now I have all the evidence. Let me confirm the key facts:

- **``backend/api/static/{index.html,app.js,style.css}`` exists in the BHI repo** (the indexer), NOT in khelsutra. The I18N_PLAN.md's P1 targets exactly these files.
- **khelsutra has two surfaces:** **``web/``** (React 19 + Vite SPA, no i18next) and **``site/``** (vanilla JS Cloudflare Worker + node, the marketing site). The claim names these correctly.
- **P3 in the doc names react-i18next** and points it at **``avidullu/khelsutra``** (line 158).
- **The doc (line 30-33, 156, 191) was authored against the OLD static UI:** it explicitly says the SPA "is planned to replace the static UI" and "the static UI today and the SPA tomorrow." P1 = "static-UI retrofit" of **``backend/api/static``**.
- **Zero i18n anywhere in khelsutra** (Grep found nothing for **react-i18next/i18next/data-i18n/locales/**).

Let me verify the date the doc was authored relative to the khelsutra surfaces to confirm "today's two surfaces" emerged after.

18. user (2026-06-21T03:21:23.672Z)

```
=== I18N_PLAN last commit ===
2026-06-12 15:41:41 +0000 docs: add internationalization (i18n) design plan ? Kannada-first, by
design
=== khelsutra web/ first appearance ===
2026-06-20 15:25:03 +0530 feat(web): per-rally MVP P1 ? SPA scaffold + typed engine API client
(#14)
=== site/ first appearance ===
2026-06-20 11:30:00 +0530 feat(site): Request-Access Worker + D1 backend (+ 10 unit tests) (#3)
```

19. assistant (2026-06-21T03:21:27.476Z)

This fully confirms the timeline. The I18N_PLAN.md was authored 2026-06-12. The khelsutra **``web/``** SPA scaffold landed 2026-06-20 and **``site/``** landed 2026-06-20 ? both ~8 days AFTER the doc. So the doc's P1/P3 framework specifics indeed predate today's two khelsutra surfaces and were written against the now-superseded static UI.

All claim components are verified against the actual files. Submitting verdict.

20. user (2026-06-21T03:21:43.090Z)

Structured output provided successfully

21. assistant (2026-06-21T03:21:48.938Z)

Verdict: CONFIRMED. The I18N_PLAN.md (authored 2026-06-12 in the indexer repo) is explicitly built around the static UI at **``backend/api/static/{index.html,app.js,style.css}``** ? which exists only in the badminton-highlight-indexer repo, not in khelsutra. Its P1 retrofits that static UI and P3 migrates it to react-i18next in **``avidullu/khelsutra``**. Today's khelsutra surfaces (web/

React 19 SPA + site/ vanilla Cloudflare Worker) both landed 2026-06-20, ~8 days after the doc, and have zero i18n implemented (Grep found no react-i18next/i18next/data-i18n/locales/). The main nuances: the doc anticipated one replacement SPA but reality has two distinct surfaces, and the doc was deliberately framework-agnostic at its foundation layer ? so it's the P1/P3 concrete framework specifics that need adapting, exactly as claimed.