

claude-windows / d4b5afb5-2f03-4b58-8952-573f1381d166

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4b5afb5-2f03-4b58-8952-573f1381d166\subagents\workflows\wf_beb40705-90b\agent-a9a08b7ba9bf3ba47.jsonl`  
- SHA-256: `f80e9ab5a8ca8b7d3eadbcec364ea08f5e8b52a952818f366719a9268f6f2a7b`  
- Source modified: `2026-06-21T03:21:33+00:00`  
- Imported at: `2026-07-05T16:48:23+00:00`  
- project: `wf_beb40705-90b`  
- session_id: `d4b5afb5-2f03-4b58-8952-573f1381d166`
```

Transcript

1. user (2026-06-21T03:20:42.273Z)

Adversarially VERIFY this claim about the KhelSutra repos by reading the actual files/docs yourself. Default to "refuted" if the evidence is not clear and direct.
CLAIM: "The web/ SPA currently has ZERO internationalization: no react-i18next dependency, no t() calls, no locales/ catalog directory, and user-facing strings are hardcoded English in the .tsx/.ts files."
Repos: web/site SPA+marketing = C:/Users/avidu/Projects/khelsutra; design docs = C:/Users/avidu/Projects/badminton-highlight-indexer/docs.
Read the specific files needed to confirm or refute (use Grep/Glob/Read). For string/i18n claims, actually grep for react-i18next, i18next, "t(", data-i18n, locales/ in C:/Users/avidu/Projects/khelsutra. For doc claims, read the relevant doc lines.
Return: verdict (CONFIRMED | PARTIALLY-CONFIRMED | REFUTED), the concrete evidence (file:line or quote) you personally saw, and any important nuance the claim gets wrong.

2. assistant (2026-06-21T03:20:45.033Z)

I'll verify this claim by examining the actual files in the khelsutra repo. Let me start with the global convention of pulling, then investigate the i18n indicators.

3. user (2026-06-21T03:20:48.468Z)

Already up to date.
---STRUCTURE---
total 38
drwxr-xr-x 1 avidu 197609 0 Jun 20 23:27 .
drwxr-xr-x 1 avidu 197609 0 Jun 21 06:51 ..
drwxr-xr-x 1 avidu 197609 0 Jun 20 15:20 .claude
drwxr-xr-x 1 avidu 197609 0 Jun 21 08:50 .git
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes
drwxr-xr-x 1 avidu 197609 0 Jun 20 12:43 .github
-rw-r--r-- 1 avidu 197609 78 Jun 20 18:40 .gitignore
-rw-r--r-- 1 avidu 197609 5823 Jun 20 23:06 NEXT_STEPS.md
-rw-r--r-- 1 avidu 197609 925 Jun 20 08:37 README.md
drwxr-xr-x 1 avidu 197609 0 Jun 20 23:14 docs
drwxr-xr-x 1 avidu 197609 0 Jun 21 08:20 site
drwxr-xr-x 1 avidu 197609 0 Jun 20 22:08 web

4. user (2026-06-21T03:20:48.613Z)

```
C:\Users\avidu\Projects\khelsutra\web\node_modules\js-tokens\package.json  
C:\Users\avidu\Projects\khelsutra\web\node_modules\lru-cache\package.json  
C:\Users\avidu\Projects\khelsutra\web\node_modules\stackback\package.json  
C:\Users\avidu\Projects\khelsutra\web\node_modules\@rollup\rollup-win32-x64-gnu\package.json  
C:\Users\avidu\Projects\khelsutra\web\node_modules\@rollup\rollup-win32-x64-msvc\package.json  
C:\Users\avidu\Projects\khelsutra\web\node_modules\ms\package.json
```

C:\Users\avidu\Projects\kheIsutra\web\node_modules\convert-source-map\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\pathval\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@jridgewell\resolve-uri\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\assertion-error\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\check-error\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\tinyspy\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\deep-eql\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\yallist\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\babel__generator\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\babel__template\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\picocolors\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\siginfo\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\deep-eql\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\escalade\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\lightningcss-win32-x64-msvc\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\babel__core\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\jsesc\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\strip-literal\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\fdir\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\estree\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\babel__traverse\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\std-env\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\cac\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\helper-plugin-utils\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\tinyglobby\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\graceful-fs\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\semver\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\why-is-node-running\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\code-frame\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\helper-string-parser\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\update-browserslist-db\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\tinyrainbow\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@vitest\spy\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\node-releases\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\gensync\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\tinybench\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\tinyexec\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\helper-globals\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\esbuild\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\debug\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\estree-walker\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@tailwindcss\vite\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@tailwindcss\oxide\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\browserslist\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\es-module-lexer\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@jridgewell\source-map\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@jridgewell\gen-mapping\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@types\chai\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@vitest\expect\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@vitest\pretty-format\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\expect-type\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\detect-libc\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\pathe\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\plugin-transform-react-jsx-source\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@jridgewell\remapping\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\strip-literal\node_modules\js-tokens\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@rollup\pluginutils\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@vitest\snapshot\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\helper-validator-option\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@tailwindcss\node\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\magic-string\package.json
C:\Users\avidu\Projects\kheIsutra\web\node_modules\@babel\helper-validator-identifier\package.json

```
C:\Users\avidu\Projects\khelsutra\web\node_modules\@vitest\runner\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\picomatch\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\baseline-browser-mapping\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\csstype\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\tinypool\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\helper-module-imports\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@types\react-dom\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\react-refresh\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@vitejs\plugin-react\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\compat-data\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@jridgewell\trace-mapping\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\electron-to-chromium\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@tailwindcss\oxide-
win32-x64-msvc\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\json5\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@vitest\utils\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\vite-node\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\plugin-transform-react-jsx-
self\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@types\react\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\scheduler\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\lightningcss\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\helper-compilation-
targets\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\nanoid\async\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\nanoid\non-secure\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@vitest\mock\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\tailwindcss\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\helper-module-transforms\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\nanoid\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\nanoid\url-alphabet\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\source-map-js\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\@babel\template\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\tapable\package.json
C:\Users\avidu\Projects\khelsutra\web\node_modules\loupe\package.json
(Results are truncated. Consider using a more specific path or pattern.)
```

5. assistant (2026-06-21T03:20:51.037Z)

The repo has both `web/` and `site/` directories. Let me check the actual source package.json files (not node_modules) and the source structure.

6. user (2026-06-21T03:20:54.074Z)

=== web/package.json ===

```
{
  "name": "khelsutra-web",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "description": "KhelSutra Studio ? operator console SPA (drives the rally indexer engine).",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview",
    "typecheck": "tsc --noEmit",
    "test": "vitest run"
  },
  "dependencies": {
    "react": "^19.0.0",
    "react-dom": "^19.0.0"
  },
  "devDependencies": {
    "@tailwindcss/vite": "^4.0.0",
    "@types/react": "^19.0.0",
```

```

    "@types/react-dom": "^19.0.0",
    "@vitejs/plugin-react": "^4.3.4",
    "tailwindcss": "^4.0.0",
    "typescript": "^5.7.0",
    "vite": "^6.0.0",
    "vitest": "^3.0.0"
  }
}

```

=== site/package.json ===

```

{
  "name": "khelsutra-site",
  "private": true,
  "type": "module",
  "scripts": {
    "test": "node --test",
    "test:cf": "node --test src/index.test.js",
    "test:vm": "node --test src/server.test.js",
    "test:deploy": "node --test src/deploy-config.test.js src/assets.test.js",
    "deploy": "wrangler deploy",
    "dev": "wrangler dev",
    "og": "python make_og.py"
  },
  "devDependencies": {
    "jsdom": "^29.1.1"
  }
}

```

=== web/src tree ===

```

/c/Users/avidu/Projects/khelsutra/web/src/api/client.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/api/client.ts
/c/Users/avidu/Projects/khelsutra/web/src/api/types.ts
/c/Users/avidu/Projects/khelsutra/web/src/App.tsx
/c/Users/avidu/Projects/khelsutra/web/src/components/CompileResult.tsx
/c/Users/avidu/Projects/khelsutra/web/src/components/QueryBar.examples.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/components/QueryBar.tsx
/c/Users/avidu/Projects/khelsutra/web/src/components/RallyGrid.tsx
/c/Users/avidu/Projects/khelsutra/web/src/components/SelectionFooter.tsx
/c/Users/avidu/Projects/khelsutra/web/src/hooks/useRallySelection.ts
/c/Users/avidu/Projects/khelsutra/web/src/index.css
/c/Users/avidu/Projects/khelsutra/web/src/lib/floor.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/floor.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/format.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/format.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/log.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/query.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/query.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/selection.test.ts
/c/Users/avidu/Projects/khelsutra/web/src/lib/selection.ts
/c/Users/avidu/Projects/khelsutra/web/src/main.tsx

```

=== site tree (no node_modules) ===

```

/c/Users/avidu/Projects/khelsutra/site/access.db
/c/Users/avidu/Projects/khelsutra/site/make_og.py
/c/Users/avidu/Projects/khelsutra/site/package-lock.json
/c/Users/avidu/Projects/khelsutra/site/package.json
/c/Users/avidu/Projects/khelsutra/site/public/capture.html
/c/Users/avidu/Projects/khelsutra/site/public/img/annotate-enable.png
/c/Users/avidu/Projects/khelsutra/site/public/img/annotate-tool.png
/c/Users/avidu/Projects/khelsutra/site/public/index.html
/c/Users/avidu/Projects/khelsutra/site/public/og.png
/c/Users/avidu/Projects/khelsutra/site/public/own-model.html
/c/Users/avidu/Projects/khelsutra/site/public/video/tool-cuj.mp4
/c/Users/avidu/Projects/khelsutra/site/README.md
/c/Users/avidu/Projects/khelsutra/site/schema.sql
/c/Users/avidu/Projects/khelsutra/site/scripts/droplet-smoke.sh

```

```
/c/Users/avidu/Projects/khelsutra/site/scripts/parity-check.sh
/c/Users/avidu/Projects/khelsutra/site/scripts/provision-vm.sh
/c/Users/avidu/Projects/khelsutra/site/scripts/teardown-vm.sh
/c/Users/avidu/Projects/khelsutra/site/server.js
/c/Users/avidu/Projects/khelsutra/site/src/assets.test.js
/c/Users/avidu/Projects/khelsutra/site/src/deploy-config.test.js
/c/Users/avidu/Projects/khelsutra/site/src/index.js
/c/Users/avidu/Projects/khelsutra/site/src/index.test.js
/c/Users/avidu/Projects/khelsutra/site/src/notify.js
/c/Users/avidu/Projects/khelsutra/site/src/server.test.js
/c/Users/avidu/Projects/khelsutra/site/src/store.js
/c/Users/avidu/Projects/khelsutra/site/src/ux.dom.test.js
/c/Users/avidu/Projects/khelsutra/site/wrangler.toml
```

7. assistant (2026-06-21T03:20:56.744Z)

The `web/` SPA's package.json has no react-i18next/i18next dependency. Now let me grep for i18n indicators across both `web/` and `site/` source, and check for any locales directory and hardcoded English strings in the .tsx files.

8. user (2026-06-21T03:20:58.310Z)

No matches found

9. user (2026-06-21T03:20:59.682Z)

No matches found

10. user (2026-06-21T03:21:00.110Z)

No files found

11. assistant (2026-06-21T03:21:03.170Z)

No i18n indicators in web/src, no `t()` calls, no locales directory anywhere in the repo. Let me confirm hardcoded English strings exist in the .tsx files, and also check the broader repo (excluding node_modules) for any i18n dependency or locales ? to be thorough and adversarial.

12. user (2026-06-21T03:21:06.725Z)

```
1      // The fast-entry query bar (PER_RALLY_SELECTION.md P3). A deterministic, OFFLINE parser
turns
2      // plain text ("top 15 longest", "over 10s") into a selection over the SAME shared set
the
3      // checkboxes use. It is honest by construction: a live "parsed-pill" shows exactly how
the
4      // text was understood, and concepts with no data behind them (shot-type / player /
score) are
5      // greyed out as "not available yet" ? never silently faked.
6      import { useMemo, useState } from "react";
7      import type { FormEvent } from "react";
8      import { parseQuery, summarize } from "../lib/query";
9      import type { ParsedQuery } from "../lib/query";
10
11      interface Props {
12          /** Apply a parsed query to the rally set (App runs runQuery + writes the shared
selection).
13          * `source` distinguishes a typed-and-submitted query from an example-chip tap (for
the trace). */
14          onApply: (q: ParsedQuery, source: "typed" | "example") => void;
15      }
16
17      // Each example is a real, parseable query ? tapping one fills the box AND applies it.
Led by rally
```

```

18 // LENGTH (the trusted axis); shot-count filtering exists but is experimental, so it's
not featured
19 // here (a test pins that every example parses to a recognized, fully-available query).
20 export const EXAMPLES = ["over 10s", "top 15 longest", "shortest first", "first 10"];
21
22 const CHIP = "rounded-full px-2.5 py-0.5 text-xs font-medium";
23
24 export function QueryBar({ onApply }: Props) {
25   const [value, setValue] = useState("");
26   const parsed = useMemo(() => parseQuery(value), [value]);
27   const clauses = summarize(parsed);
28   const typed = value.trim().length > 0;
29
30   const applyText = (text: string) => {
31     setValue(text);
32     onApply(parseQuery(text), "example");
33   };
34   const submit = (e: FormEvent) => {
35     e.preventDefault();
36     if (parsed.recognized) onApply(parsed, "typed");
37   };
38
39   return (
40     <div>
41       <form onSubmit={submit} className="flex flex-wrap items-center gap-2">
42         <input
43           type="text"
44           value={value}
45           onChange={(e) => setValue(e.target.value)}
46           placeholder="e.g. over 10s · top 15 longest · shortest first"
47           aria-label="Filter rallies by length, count or order"
48           className="min-w-[16rem] flex-1 rounded-xl border border-black/15 bg-white
px-4 py-2 text-sm text-ink outline-none focus:border-green"
49         />
50         <button
51           type="submit"
52           disabled={!parsed.recognized}
53           className="rounded-xl bg-ink px-4 py-2 text-sm font-semibold text-white
disabled:opacity-40"
54         >
55           Apply
56         </button>
57       </form>
58
59       { /* Live interpretation ? transparent + hand-correctable (no hidden NL guessing).
*/ }
60       <div aria-live="polite" data-testid="query-pill" className="mt-2 flex flex-wrap
items-center gap-1.5">
61         {clauses.map((c) => (
62           <span key={c} className={CHIP + " bg-green/15 text-green"}>
63             {c}
64           </span>
65         ))}
66         {parsed.unavailable.map((u) => (
67           <span
68             key={u.token}
69             title={`"${u.token}" needs ${u.kind} detection ? not available yet`}
70             className={CHIP + " bg-black/5 text-ink/45"}
71           >
72             <span className="line-through">{u.token}</span> · not available yet
73           </span>
74         ))}
75         {typed && !parsed.recognized && parsed.unavailable.length === 0 && (
76           <span className="text-xs text-ink/50">Couldn't read that ? try ?over 10s? or
?top 15 longest?</span>

```

```

77         })
78         {!typed && <span className="text-xs text-ink/50">Type a quick filter, or tap an
example.</span>}
79     </div>
80
81     <div className="mt-3 flex flex-wrap gap-2 text-sm">
82         <span className="text-ink/40">Try:</span>
83         {EXAMPLES.map((ex) => (
84             <button
85                 key={ex}
86                 type="button"
87                 onClick={() => applyText(ex)}
88                 className="rounded-full border border-black/15 px-3 py-1 text-xs
hover:border-green"
89             >
90                 {ex}
91             </button>
92         ))}
93     </div>
94
95     <p className="mt-2 text-xs text-ink/40">
96         Filtering by <strong className="text-ink/60">rally length</strong> is fully
supported. Shot-count is{" "}
97         <span className="text-amber-700">experimental</span> (under development).
98     </p>
99 </div>
100 );
101 }
102

```

13. user (2026-06-21T03:21:06.997Z)

```

=== i18next dep anywhere in source package.jsons / lockfiles (web, site, root) ===
(empty above = none)
=== any locales dir incl node_modules-excluded ===
(empty above = none)

```

14. assistant (2026-06-21T03:21:11.194Z)

The evidence is conclusive. QueryBar.tsx shows hardcoded English strings directly in JSX: `placeholder="e.g. over 10s..."`, `aria-label="Filter rallies by length..."`, `"Apply"`, `"not available yet"`, `"Couldn't read that..."`, `"Type a quick filter, or tap an example."` ? none wrapped in any `t()` or translation function.

Let me quickly verify one more .tsx (App.tsx) to confirm the pattern holds repo-wide, and confirm the doc context aligns (the I18N_PLAN referenced in memory).

15. user (2026-06-21T03:21:13.942Z)

```

115:     error: "Open with ?video=<video_id> against a running engine to build a reel ? demo
data can't be compiled.",
211:     <h1 className="mt-4 text-3xl font-extrabold tracking-tight">Pick the rallies for
your reel</h1>
224:     <button type="button" onClick={() => onBulk("select_all")} className="rounded-full
border border-black/15 px-3 py-1 hover:border-green">Select all</button>

```

16. user (2026-06-21T03:21:15.078Z)

```

ANNOTATE_AND_TRAIN.md
LOCAL_APPLIANCE_ARCHITECTURE.md
PER_RALLY_SELECTION.md
PORTABILITY.md
README.md
REQUEST_ACCESS_FORM.md

```

---badminton docs i18n---
I18N_PLAN.md

17. assistant (2026-06-21T03:21:18.670Z)

Confirmed across the board. App.tsx also has hardcoded English (`"Pick the rallies for your reel"`, `"Select all"`, error strings) with no `t()` wrapping. The repo's own `khelsutra/docs/` has no i18n doc ? the I18N_PLAN.md lives in the badminton-highlight-indexer docs (a forward-looking design doc), consistent with i18n being unimplemented.

I have direct, conclusive evidence. The claim is fully confirmed.

18. user (2026-06-21T03:21:31.307Z)

Structured output provided successfully

19. assistant (2026-06-21T03:21:32.900Z)

Verification complete. The claim is ****CONFIRMED**** ? verified directly against the actual khelsutra/web SPA files.