

claude-windows / d4b5afb5-2f03-4b58-8952-573f1381d166

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4b5afb5-2f03-4b58-8952-573f1381d166\subagents\workflows\wf_beb40705-90b\agent-aa1b6d769dbae703.jsonl`  
- SHA-256: `deee50dc382ce0c096f59ce842a53823565be5db7d32e932aaae2ff32c84637a`  
- Source modified: `2026-06-21T03:18:28+00:00`  
- Imported at: `2026-07-05T16:48:23+00:00`  
- project: `wf_beb40705-90b`  
- session_id: `d4b5afb5-2f03-4b58-8952-573f1381d166`
```

Transcript

1. user (2026-06-21T03:17:18.120Z)

Read C:/Users/avidu/Projects/badminton-highlight-indexer/docs/VIDEO_RECORDING_GUIDELINES.md (87 lines) fully. Then verify how much of it is ALREADY SHIPPED on the marketing site by reading C:/Users/avidu/Projects/khelsutra/site/public/index.html (the "Record it right" homepage gist) and C:/Users/avidu/Projects/khelsutra/site/public/capture.html (the recording checklist page). Produce a markdown brief:

- The recording guidance content (camera placement, framing, lighting, what makes a good vs bad recording).
- EXACTLY what of this is already present on the site today (quote the shipped copy in index.html + capture.html) vs what is still only in the doc.
- Gaps: anything in the guidelines a non-tech-savvy person setting up a phone/tripod would still get wrong from the current site copy.
- How this content should localize (it's instructional ? high value to translate to Kannada/Hindi early).

Return the brief as your final message. Faithful, no invention.

2. assistant (2026-06-21T03:17:20.354Z)

I'll read the guidelines doc and both site pages in parallel.

3. user (2026-06-21T03:17:21.307Z)

```
1      # Video Recording Guidelines (DRAFT ? thresholds pending empirical data)  
2  
3      **Status:** ? Draft / placeholder . **Date:** 2026-05-30  
4      **Why this exists:** highlight quality is bounded by *input* quality. To get reliably  
good auto-generated highlights, the source video must be recorded a certain way (camera height,  
court position, resolution, frame rate, stability, framing). We want to (1) **derive** the  
minimum acceptable capture spec **empirically** from the precision/recall of the solutions we  
build, and (2) **publish user-facing best practices** so a user knows how to record footage that  
the product can index well.  
5  
6      > **This is a tracked thought, not a finished standard.** The exact numeric thresholds  
below are **placeholders** to be replaced with values measured against our golden set. See "How  
we'll set the real numbers" (§3). Captured now (per the team's working agreement) so it isn't  
lost; to be revisited.  
7      >  
8      > **Update (2026-06-02):** the **frame-rate** and **camera-geometry** rows now carry  
**literature-backed starting values** (cited inline). They remain *starting points* to confirm  
empirically per §3. The golden-set **corpus** diversity spec (what footage to collect, not just  
how users should record) is now in [GOLDEN_SET_PHASE1_VIDEOS.md](GOLDEN_SET_PHASE1_VIDEOS.md).  
9      >  
10     > **Update (2026-06-07):** **AUDIO is now a first-class capture requirement** (new row  
below), per ADR-007 ? we will use the shuttle "thwack" as a rally cue (audio+visual fusion lifts  
recall). This is a hard "record with audio on, mic unobstructed" ask, not a placeholder;
```

efficacy on real GoPro audio is being validated (experiment E1 in [AUDIO_RALLY_DETECTION_PLAN.md](archives/research/AUDIO_RALLY_DETECTION_PLAN.md)).

```

11
12     ---
13
14     ## ?? THE #1 CAPTURE RULE: ONE MATCH PER FRAME (single court)
15
16     > **For the best auto-highlights, record a SINGLE match on a SINGLE court ? with no
other matches
17     > playing in the background or on adjacent courts.** This is the happy path the product
is tuned for,
18     > and as of **2026-06-18 it is MEASURED, not a guess:**
19     >
20     > - On a golden **multi-court** clip, the rally detector fired **87 "rallies" against 43
real ones ?
21     > precision ? 0.20 (~80% false positives)**, almost all of them background-court games
it mistook
22     > for play.
23     > - On **single-court** clips, precision is markedly higher and rally boundaries are
tight; local even
24     > **out-recalls Gemini** on normal single-match play.
25     >
26     > **Multi-court is a KNOWN BOTTLENECK we are actively working to fix** (player-state +
court-occupancy
27     > signals ? see [RALLY_DETECTION_GAP_CLOSURE.md](RALLY_DETECTION_GAP_CLOSURE.md)). Until
that lands,
28     > **single-match capture is strongly recommended** ? a reel made from busy multi-court
footage *will*
29     > include false "rallies" from the neighbouring games. **North star (for now):
consistently beat Gemini
30     > on the single-match happy path.**
31
32     ---
33
34     ## 1. Why input capture matters (grounded in what we already know)
35
36     ADR-004 found a concrete, capture-dependent failure mode: on **broadcast** footage the
camera *tracks the players*, so player pixel-motion dips during rallies and spikes on
pans/replays ? making player-motion a poor rally proxy. The lesson generalizes: **the pipeline's
accuracy is conditional on how the video was shot.** A **static, full-court** camera (typical of
a fixed tripod recording) behaves very differently from broadcast ? and is likely much
friendlier to both the motion/detector stages and the shuttle-tracking substrate (WASB/TrackNet,
ADR-001).
37
38     So capture guidance isn't cosmetic ? it directly moves precision/recall.
39
40     ---
41
42     ## 2. The dimensions that likely matter (hypotheses to test)
43
44     | Dimension | Why it plausibly affects P/R | Placeholder guidance (UNVERIFIED) |
45     |---|---|---|
46     | **Resolution** | Shuttle is tiny & fast; too few pixels ? detector misses it | ?
**1080p** preferred; **720p** likely floor; 2K/4K may help shuttle tracking but ? compute/cost |
47     | **Frame rate** | Motion blur; boundary precision; fast-ball detection | ? **30 fps**
badminton/pickleball; **? 60 fps table tennis** ? 30 fps collapses fast-ball detection (**22.5%
? 93.2%** at 60 fps; 120 ? 60, [Nature Sci
Rep](https://www.nature.com/articles/s41598-023-42966-6)) |
48     | **Camera position** | Static full-court view avoids the broadcast camera-tracking trap
(ADR-004) | **Fixed tripod**, elevated, behind/above one baseline, whole court in frame |
49     | **Camera height & angle** | Occlusion of players/shuttle; court keystoneing | **3?5 m**
elevated (~4.5 m), **~30° down-tilt**, behind one baseline, whole court + net headroom
([badminton-CV setup](https://pmc.ncbi.nlm.nih.gov/articles/PMC10747833/)) |
50     | **Framing / margins** | Cropping the court or players breaks detection & relevance
check | Entire court + a margin; players never leave frame |

```

51 | ****Stability**** | Handheld jitter inflates motion signals | Tripod / fixed mount; no panning or zoom during play |

52 | ****Lighting / exposure**** | Blur & contrast affect detection and the existing blur/relevance validators | Even indoor lighting; avoid backlight/glare; minimize motion blur |

53 | ****Single match in frame (no background games) ? ? MEASURED, the #1 rule**** | Adjacent/background-court games get detected as false rallies ? this is the ****dominant precision failure**** | ****One match per frame, single court.**** Multi-court precision measured at ****?0.20**** (vs ?0.31 single, tighter boundaries); multi-court fix in progress ? see RALLY_DETECTION_GAP_CLOSURE.md |

54 | ****Court contrast / background**** | Relevance check uses court color; busy crowds add false motion | Clear court markings; minimal moving background where possible |

55 | ****Codec / container**** | Pipeline already validates MP4 + decodes H.264/HEVC | MP4 (H.264/HEVC) as today; align with `archives/MONETIZATION\_AUDIT.md` codec notes |

56 | ****Audio (REQUIRED ? ADR-007)**** | Shuttle "thwack" hits are a strong rally cue; audio+visual fusion lifts rally *recall* (the WASB bottleneck) ? see ADR-007 / archives/research/AUDIO_RALLY_DETECTION_PLAN.md | ****Record with AUDIO ENABLED**** (GoPro default ? do not mute). Keep the ****mic unobstructed****; ****avoid aggressive wind/noise reduction**** that flattens the sharp impact transient. Camera reasonably close to the court helps SNR (shuttle hits are quiet). |

57

58 These map onto checks that ****already exist**** in `backend/pipeline/validators/` (resolution, fps, blur, scene-cut, court relevance) ? so several can be enforced/measured programmatically rather than only advised.

59

60 ---

61

62 ## 3. How we'll set the REAL numbers (empirical plan)

63

64 Replace every placeholder above with a value derived from data, using the golden-set harness:

65

66 1. Take golden-set clips (GOLDEN_SET_VENDORING.md) spanning a ****range**** of each dimension ? e.g. the same match re-encoded at 480p/720p/1080p/4K, or clips at different camera heights.

67 2. Run the production pipeline; score with `backend/eval/metrics.py`.

68 3. Plot ****precision/recall vs. each dimension**** ? find the knee where quality collapses.

69 4. Set the ****published minimum**** at (knee + safety margin); set a ****recommended**** tier above it.

70 5. Re-derive when the pipeline changes materially (new detector/segmenter shifts the knees).

71

72 This turns "record in 1080p" from an assertion into a measured threshold ? and lets us tell users **why**.

73

74 ---

75

76 ## 4. Two surfaces for the output

77

78 1. ****User-facing best-practices guide**** ? short, friendly, illustrated: "Put the camera here, this high, record at ?X, keep it still." The goal is that a user can record once and get great results.

79 2. ****Programmatic pre-flight check**** ? extend `backend/pipeline/validators/` to **reject or warn** on out-of-spec uploads at ingest (resolution/fps/blur/framing), so the product fails fast with actionable feedback instead of producing poor highlights silently.

80

81 ---

82

83 ## 5. Open questions

84 1. Which dimension dominates ? resolution, camera staticness, or height? (Run the ablations in §3 to rank them.)

85 2. Do we ****enforce**** minimums (reject uploads) or only ****warn****? Likely warn first, enforce once thresholds are trustworthy.

86 3. Single fixed-camera spec, or several supported "recording profiles" (e.g. baseline-elevated vs. side-elevated)?

87 4. How does the owned/licensed golden corpus need to grow to **cover** the capture

conditions real users will actually use? (Feeds GOLDEN_SET_VENDORING.md §8.)

88

4. user (2026-06-21T03:17:22.056Z)

```
1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? 1-page capture checklist</title>
7      <meta name="description" content="How to record a badminton session so KhelSutra gives
you great highlight reels: camera placement, settings, stability, lighting." />
8      <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
9      <link rel="preconnect" href="https://fonts.googleapis.com" />
10     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
11     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&display=swap" rel="stylesheet" />
12     <style>
13         :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--
mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans',system-ui,-apple-system,Segoe
UI,Roboto,sans-serif}
14         *{box-sizing:border-box}
15         body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.5;-webkit-font-smoothing:antialiased}
16         .sheet{max-width:820px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
17         .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-
items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
18         .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
19         .brand .dot{color:var(--green)}
20         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
21         .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
22         .body{padding:24px 30px 8px}
23         .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
24         .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BF6ED2;border-
radius:12px;padding:14px 16px;margin-bottom:20px}
25         .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
26         .rule b{color:var(--tx)}
27         .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
28         .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
29         .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-
weight:700;margin:0 0 .4rem}
30         .step h3 .n{width:24px;height:24px;border-
radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
31         .step ul{margin:0;padding-left:1.1rem}
32         .step li{margin:.18rem 0;font-size:.92rem;color:#34453d}
33         .step li b{color:var(--tx)}
34         .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid
var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
35         .cols div{padding:14px 16px}
36         .cols .do{background:#EAF6EF}
37         .cols .dont{background:#Fbeeb;border-left:1px solid var(--line)}
38         .cols h4{margin:0 0 .5rem;font-size:.92rem}
39         .cols .do h4{color:var(--green-d)}
40         .cols .dont h4{color:#9a3b22}
41         .cols ul{margin:0;padding-left:1.1rem}
42         .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
43         .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-
top:6px;padding:14px 0 4px}
```

```

44     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px
30px 24px;color:var(--mut);font-size:.85rem}
45     .foot a{color:var(--green-d);text-decoration:none}
46     @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
47     @media print{
48         body{background:#fff}
49         .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
50         @page{margin:12mm}
51         .noprint{display:none}
52     }
53 </style>
54 </head>
55 <body>
56 <div class="sheet">
57     <div class="head">
58         <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
59         <h1>1-page capture checklist</h1>
60     </div>
61     <div class="body">
62         <p class="intro">Great highlights start with a steady, full-court recording. Five
minutes of setup makes a big difference to your reels.</p>
63
64         <div class="rule">
65             <span class="star" aria-hidden="true">?</span>
66             <div>
67                 <b>The golden rule: one match, one court, in full frame ? and don't move the
camera.</b>
68                 <p>Multi-court footage is the hard case we're still sharpening; a single court
in frame gives the best results today.</p>
69             </div>
70         </div>
71
72         <div class="grid">
73             <div class="step">
74                 <h3><span class="n">1</span>Place the camera</h3>
75                 <ul>
76                     <li>Behind <b>one baseline</b>, elevated ? a high tripod, a few metres up, or
a balcony.</li>
77                     <li>Tilt down about <b>30°</b>; keep the <b>whole court</b> in frame with a
little margin and net headroom.</li>
78                     <li>Players should never leave the frame.</li>
79                 </ul>
80             </div>
81             <div class="step">
82                 <h3><span class="n">2</span>Settings</h3>
83                 <ul>
84                     <li><b>1080p or higher</b>, shot in <b>landscape</b>.</li>
85                     <li><b>30 fps</b> for badminton/pickleball; <b>60 fps</b> for table
tennis.</li>
86                     <li><b>Audio ON</b> (don't mute) ? keep the mic unobstructed, wind/noise
reduction off.</li>
87                 </ul>
88             </div>
89             <div class="step">
90                 <h3><span class="n">3</span>Keep it still</h3>
91                 <ul>
92                     <li>Fixed tripod or mount.</li>
93                     <li><b>No panning, no zooming</b> during play.</li>
94                 </ul>
95             </div>
96             <div class="step">
97                 <h3><span class="n">4</span>Light & record</h3>
98                 <ul>
99                     <li>Even indoor lighting; avoid backlight, glare and very dark halls.</li>

```

```

100         <li>Record the <b>whole session</b> and upload it as-is ? KhelSutra does the
cutting.</li>
101     </ul>
102 </div>
103 </div>
104
105     <div class="cols">
106         <div class="do">
107             <h4>Do</h4>
108             <ul>
109                 <li>Fixed camera, full court, behind the baseline</li>
110                 <li>1080p+, landscape, audio on</li>
111                 <li>One match on one court</li>
112             </ul>
113         </div>
114         <div class="dont">
115             <h4>Avoid</h4>
116             <ul>
117                 <li>Handheld or phone-in-hand</li>
118                 <li>Broadcast-style pans & zooming</li>
119                 <li>Several courts in one frame; very dark halls</li>
120             </ul>
121         </div>
122     </div>
123
124     <p class="consent">Please record adults with their okay. Footage involving minors is
never used to improve the tool and is never published.</p>
125 </div>
126 <div class="foot">
127     <span>Questions? <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> · <a
href="https://khelsutra.guru">khelsutra.guru</a></span>
128     <span class="noprint">Tip: press Ctrl/Cmd + P to print or save as PDF.</span>
129 </div>
130 </div>
131 </body>
132 </html>
133

```

5. user (2026-06-21T03:17:22.196Z)

```

1     <!doctype html>
2     <html lang="en">
3     <head>
4         <meta charset="utf-8" />
5         <meta name="viewport" content="width=device-width, initial-scale=1" />
6         <title>KhelSutra ? every rally indexed, the dead time gone</title>
7         <meta name="description" content="KhelSutra turns a full badminton match into a clean
index of rallies with the dead time stripped out ? a highlight reel you can watch and download.
Invite-only alpha, Bengaluru." />
8         <meta property="og:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
9         <meta property="og:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha for academies and players in Bengaluru." />
10        <meta property="og:type" content="website" />
11        <meta property="og:url" content="https://khelsutra.guru" />
12        <meta property="og:image" content="https://khelsutra.guru/og.png" />
13        <meta property="og:image:width" content="1200" />
14        <meta property="og:image:height" content="630" />
15        <meta name="twitter:card" content="summary_large_image" />
16        <meta name="twitter:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
17        <meta name="twitter:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha, Bengaluru." />
18        <meta name="twitter:image" content="https://khelsutra.guru/og.png" />
19        <meta name="theme-color" content="#0C261F" />

```

```

20     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
21     <link rel="preconnect" href="https://fonts.googleapis.com" />
22     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
23     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&display=swap" rel="stylesheet" />
24     <style>
25         :root{
26             --ink:#0C261F; --ink2:#123A2E; --green:#19B36B; --green-d:#149A5C;
27             --lime:#C7F2B0; --paper:#F6F8F4; --card:#fff;
28             --tx:#14271F; --mut:#566B61; --line:#E4E9E2;
29             --on-dark:#EAF3EE; --on-dark-mut:#A7C3B7;
30             --r:14px; --rs:10px; --maxw:1080px;
31             --font:'Plus Jakarta Sans',system-ui,-apple-system,Segoe
UI,Roboto,Helvetica,Arial,sans-serif;
32         }
33         *{box-sizing:border-box}
34         html{scroll-behavior:smooth}
35         body{margin:0;font-family:var(--font);color:var(--tx);background:var(--paper);line-
height:1.65;-webkit-font-smoothing:antialiased}
36         a{color:inherit}
37         .wrap{max-width:var(--maxw);margin:0 auto;padding:0 22px}
38         h1,h2,h3{line-height:1.15;margin:0;letter-spacing:-.02em}
39         h1{font-size:clamp(2rem,5vw,3.4rem);font-weight:800}
40         h2{font-size:clamp(1.5rem,3.2vw,2.2rem);font-weight:700}
41         h3{font-size:1.15rem;font-weight:700}
42         p{margin:.6rem 0}
43         .btn{display:inline-flex;align-items:center;gap:.5rem;font-weight:600;font-
size:1rem;border-radius:999px;padding:.78rem 1.4rem;text-decoration:none;border:1px solid
transparent;cursor:pointer;transition:.15s}
44         .btn-primary{background:var(--green);color:#04140D}
45         .btn-primary:hover{background:var(--green-d)}
46         .btn-ghost{background:transparent;border-color:rgba(255,255,255,.28);color:var(--on-
dark)}
47         .btn-ghost:hover{border-color:rgba(255,255,255,.6)}
48         .btn-dark{background:var(--ink);color:#fff}
49         .btn-dark:hover{background:var(--ink2)}
50         .btn[disabled]{opacity:.75;cursor:progress}
51         /* in-flight spinner for the request-access submit */
52         .spin{display:inline-block;width:1em;height:1em;border:2px solid currentColor;border-
right-color:transparent;border-radius:50%;animation:spin .6s linear infinite}
53         @keyframes spin{to{transform:rotate(360deg)}}
54         .eyebrow{display:inline-flex;align-items:center;gap:.5rem;font-size:.82rem;font-
weight:600;letter-spacing:.02em;
55             background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.3);padding:.3rem .8rem;border-radius:999px}
56
57         /* header */
58         header{position:sticky;top:0;z-index:20;background:rgba(246,248,244,.86);backdrop-
filter:blur(10px);border-bottom:1px solid var(--line)}
59         .nav{display:flex;align-items:center;justify-content:space-between;height:66px}
60         .brand{display:flex;align-items:center;gap:.6rem;font-weight:800;font-
size:1.18rem;letter-spacing:-.02em;text-decoration:none}
61         .brand .dot{color:var(--green)}
62         .nav-links{display:flex;align-items:center;gap:1.6rem}
63         .nav-links a{font-size:.95rem;font-weight:500;color:var(--mut);text-decoration:none}
64         .nav-links a:hover{color:var(--tx)}
65         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:7px
0 7px 12px;border-color:transparent transparent transparent var(--green);margin:0
.32em;transform:translateY(1px)}
66
67         /* hero */
68         .hero{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2)
100%);color:var(--on-dark);position:relative;overflow:hidden}

```

```

69     .hero .wrap{padding-top:74px;padding-bottom:88px;position:relative;z-index:2}
70     .hero .eyebrow{background:rgba(199,242,176,.12);color:var(--lime);border-
color:rgba(199,242,176,.25)}
71     .hero h1{margin:1.1rem 0 0;max-width:15ch}
72     .hero h1 .hl{color:var(--lime)}
73     .hero .lead{font-size:clamp(1.05rem,1.6vw,1.28rem);color:var(--on-dark-mut);max-
width:54ch;margin:1.2rem 0 0}
74     .hero-cta{display:flex;flex-wrap:wrap;gap:.8rem;margin-top:2rem}
75     .hero-note{margin-top:1.1rem;font-size:.86rem;color:var(--on-dark-mut)}
76     .shuttle{position:absolute;right:-60px;top:-40px;width:520px;max-
width:55%;opacity:.16;z-index:1;pointer-events:none}
77     .loop{display:flex;flex-wrap:wrap;gap:.6rem;margin-top:2.4rem}
78     .loop .chip{display:flex;align-
items:center;gap:.5rem;background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);
79         border-radius:999px;padding:.5rem 1rem;font-weight:500;font-
size:.92rem;color:var(--on-dark)}
80     .loop .chip b{color:var(--lime);font-weight:700}
81     .loop .arrow{color:var(--on-dark-mut);align-self:center}
82
83     .hero-grid{display:grid;grid-template-columns:1.04fr .96fr;gap:46px;align-
items:center}
84     .hero-left{min-width:0}
85     .hero-visual{min-width:0}
86     .reel-card{background:#fff;border-radius:18px;border:1px solid
rgba(255,255,255,.14);box-shadow:0 26px 60px -24px rgba(0,0,0,.55);overflow:hidden}
87     .reel-head{display:flex;align-items:center;gap:.55rem;padding:.7rem .9rem;border-
bottom:1px solid var(--line)}
88     .reel-head .dots{display:flex;gap:5px}
89     .reel-head .dots i{width:9px;height:9px;border-
radius:50%;background:#D9DED7;display:block}
90     .reel-head .file{font-size:.78rem;color:var(--mut);font-weight:600}
91     .reel-video{position:relative;aspect-ratio:16/9;background:linear-
gradient(150deg,#0E3A2C,#17533C);display:flex;align-items:center;justify-content:center}
92     .reel-video .court{position:absolute;inset:16px;border:2px solid
rgba(199,242,176,.30);border-radius:6px}
93     .reel-video .court:before{content:"";position:absolute;left:50%;top:0;bottom:0;width:2
px;background:rgba(199,242,176,.30)}
94     .reel-video .court:after{content:"";position:absolute;top:50%;left:0;right:0;height:2p
x;background:rgba(199,242,176,.22)}
95     .reel-video .play{width:60px;height:60px;border-
radius:50%;background:var(--lime);display:flex;align-items:center;justify-
content:center;color:#0C261F;font-size:1.4rem;z-index:2;padding-left:4px;box-shadow:0 10px 26px
rgba(0,0,0,.35)}
96     .reel-video .badge{position:absolute;top:12px;left:12px;background:rgba(12,38,31,.72);
color:var(--lime);font-size:.7rem;font-weight:700;letter-spacing:.06em;padding:.26rem
.6rem;border-radius:999px;z-index:2}
97     .reel-video
.wm{position:absolute;bottom:10px;right:12px;color:rgba(234,243,238,.78);font-size:.66rem;font-
weight:500;z-index:2}
98     .reel-body{padding:.95rem 1.05rem 1.1rem}
99     .reel-body .lbl{font-size:.72rem;font-weight:600;letter-spacing:.04em;text-
transform:uppercase;color:var(--mut)}
100     .reel-track{position:relative;height:12px;border-
radius:6px;background:#E8ECE6;margin:.55rem 0 .95rem}
101     .reel-track span{position:absolute;top:0;bottom:0;background:var(--green);border-
radius:6px}
102     .reel-stats{display:flex;gap:10px}
103     .reel-stats .m{flex:1;background:var(--paper);border-radius:10px;padding:.6rem .85rem}
104     .reel-stats .m b{display:block;font-size:1.25rem;color:var(--tx);font-weight:700}
105     .reel-stats .m em{font-size:.76rem;color:var(--mut);font-style:normal}
106     .ask{display:flex;align-items:center;gap:.55rem;margin:.85rem 1.05rem
.2rem;padding:.6rem .7rem;border:1px solid var(--line);border-
radius:12px;background:var(--paper)}
107     .ask-ic{color:var(--green-d);font-size:.95rem}
108     .ask-tx{flex:1;font-size:.88rem;color:var(--tx);font-weight:500;line-height:1.3}

```



```

109     .ask-go{width:26px;height:26px;border-
radius:8px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
110     .lbl{display:flex;justify-content:space-between;align-items:center}
111     .lbl .match{color:var(--green-d);font-weight:700}
112     .reel-track span.off{background:#D7DDD4}
113     .reel-track span.on{background:var(--green)}
114     .result{display:flex;align-items:center;gap:.7rem;margin-top:.2rem;padding:.65rem
.8rem;background:var(--ink);border-radius:12px}
115     .result .play{width:34px;height:34px;border-
radius:50%;background:var(--lime);color:#0C261F;display:flex;align-items:center;justify-
content:center;flex:none;font-size:.95rem;padding-left:2px}
116     .result-tx{flex:1}
117     .result-tx b{display:block;font-size:.84rem;font-weight:700;color:#fff}
118     .result-tx em{display:block;font-style:normal;font-size:.73rem;color:var(--on-dark-
mut)}}
119     .result .dl{color:var(--on-dark-mut);font-size:1.1rem}
120     .askc .q{font-weight:600;background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem;font-size:.95rem}
121     .askc .q i{color:var(--green-d);font-style:normal;margin-right:.35rem}
122     .askc .a{display:flex;gap:.5rem;color:var(--mut);font-size:.93rem;margin-
top:.75rem;padding-left:.1rem}
123     .askc .a i{color:var(--green-d);font-style:normal;margin-top:.1rem}
124     .ask-note{margin-top:1.5rem;font-size:.95rem;color:var(--mut)}
125
126     /* sections */
127     section{padding:72px 0}
128     .sec-head{max-width:60ch}
129     .sec-head .kicker{font-size:.82rem;font-weight:700;letter-spacing:.08em;text-
transform:uppercase;color:var(--green-d)}
130     .sec-head h2{margin:.5rem 0 0}
131     .sec-head p{color:var(--mut);font-size:1.08rem;margin-top:.7rem}
132
133     .grid{display:grid;gap:18px;margin-top:2.4rem}
134     .g4{grid-template-columns:repeat(4,1fr)}
135     .g3{grid-template-columns:repeat(3,1fr)}
136     .g2{grid-template-columns:repeat(2,1fr)}
137     .card{background:var(--card);border:1px solid var(--line);border-
radius:var(--r);padding:1.4rem}
138     .card .ic{width:42px;height:42px;border-radius:11px;display:flex;align-
items:center;justify-content:center;
139     background:rgba(25,179,107,.12);color:var(--green-d);font-size:1.3rem;margin-
bottom:.9rem}
140     .card h3{font-size:1.05rem}
141     .card p{color:var(--mut);font-size:.96rem;margin:.4rem 0 0}
142
143     .split{display:grid;grid-template-columns:1.1fr .9fr;gap:42px;align-items:center}
144     .panel{background:var(--ink);color:var(--on-dark);border-radius:18px;padding:2.2rem}
145     .panel h2{color:#fff}
146     .panel p{color:var(--on-dark-mut)}
147     .panel .pill{display:inline-
block;background:rgba(199,242,176,.14);color:var(--lime);font-size:.8rem;font-weight:600;
148     padding:.3rem .7rem;border-radius:999px;margin-bottom:1rem}
149
150     .road{display:grid;grid-template-columns:repeat(5,1fr);gap:14px;margin-top:2.2rem}
151     .road .step{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:1.1rem}
152     .road .step .n{font-size:1.4rem;color:var(--green-d)}
153     .road .step h3{font-size:1rem;margin-top:.5rem}
154     .road .step p{font-size:.88rem;color:var(--mut);margin-top:.3rem}
155
156     .honest{background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:0 var(--rs) var(--rs) 0;padding:1.2rem 1.4rem;margin-top:1.6rem}
157     .honest b{color:var(--tx)}
158     .honest p{color:var(--mut);margin:.3rem 0 0}

```

```

159
160     .notes{list-style:none;padding:0;margin:2rem 0 0;display:grid;grid-template-
columns:repeat(2,1fr);gap:12px}
161     .notes li{display:flex;gap:.6rem;background:var(--card);border:1px solid
var(--line);border-radius:var(--rs);padding:.9rem 1.1rem;color:var(--mut);font-size:.95rem}
162     .notes li i{color:var(--green-d);margin-top:.15rem}
163
164     details{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:0 1.2rem;margin-top:10px}
165     details summary{cursor:pointer;font-weight:600;padding:1rem 0;list-
style:none;display:flex;justify-content:space-between;align-items:center;gap:1rem}
166     details summary::-webkit-details-marker{display:none}
167     details summary::after{content:"+";color:var(--green-d);font-size:1.3rem;font-
weight:400}
168     details[open] summary::after{content:"?"}
169     details p{color:var(--mut);margin:0 0 1.1rem}
170
171     .cta{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2) 100%);color:var(--on-
dark);border-radius:20px;padding:3rem 2.4rem;text-align:center;margin:0 0 0}
172     .cta h2{color:#fff;max-width:20ch;margin:0 auto}
173     .cta p{color:var(--on-dark-mut);max-width:46ch;margin:.8rem auto 0}
174     .cta .hero-cta{justify-content:center}
175     .af{max-width:560px;margin:2.2rem auto 0;background:var(--card);border:1px solid
var(--line);border-radius:var(--r);padding:1.6rem 1.5rem;text-align:left}
176     .af .row{margin-bottom:1.05rem}
177     .af label{display:block;font-size:.9rem;font-weight:600;color:var(--tx);margin-
bottom:.4rem}
178     .af .hint{font-weight:400;color:var(--mut);font-size:.84rem}
179     .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
180     .af textarea{min-height:84px;resize:vertical}
181     .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 0 3px rgba(25,179,107,.15)}
182     .seg{display:flex;gap:10px}
183     .seg label{flex:1;margin:0;border:1px solid var(--line);border-
radius:10px;padding:.7rem .8rem;cursor:pointer;font-weight:500;text-align:center}
184     .seg input{position:absolute;opacity:0}
185     .seg label:hover{border-color:var(--green)}
186     .seg label:has(input:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d);font-weight:700}
187     .opts{display:flex;flex-wrap:wrap;gap:8px}
188     .opts label{margin:0;display:inline-flex;align-items:center;gap:.4rem;border:1px solid
var(--line);border-radius:999px;padding:.4rem .8rem;font-weight:500;font-
size:.88rem;cursor:pointer}
189     .opts label:has(:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d)}
190     .opts input{accent-color:var(--green)}
191     .af .consent{display:flex;align-items:flex-start;gap:.5rem}
192     .af .consent input{margin-top:.2rem;accent-color:var(--green)}
193     .af .acad{display:none}
194     .af.is-academy .acad{display:block}
195     .hp{position:absolute;left:-9999px;width:1px;height:1px;overflow:hidden}
196     .form-done{max-width:560px;margin:2rem auto 0;text-
align:center;background:rgba(25,179,107,.08);border:1px solid
rgba(25,179,107,.3);color:var(--green-d);border-radius:var(--r);padding:1.4rem;font-weight:600}
197
198     footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-
size:.9rem}
199     .foot{display:flex;flex-wrap:wrap;justify-content:space-between;gap:1.2rem;align-
items:center}
200     .foot a{color:var(--green-d);text-decoration:none}
201     .foot a:hover{text-decoration:underline}
202     .stamp{font-size:.82rem;color:var(--mut)}

```

```

203
204     @media (max-width:860px){
205         .nav-links{display:none}
206         .g4{grid-template-columns:repeat(2,1fr)}
207         .g3, .g2{grid-template-columns:1fr}
208         .split{grid-template-columns:1fr;gap:24px}
209         .road{grid-template-columns:repeat(2,1fr)}
210         .notes{grid-template-columns:1fr}
211         .shuttle{opacity:.1}
212         .hero-grid{grid-template-columns:1fr;gap:30px}
213         .reel-card{max-width:460px}
214     }
215
216     /* tool demo + sample reel ? revealed AFTER sign-up, then auto-closes */
217     .reelwrap{position:relative;max-width:680px;margin:.5rem auto 0;aspect-
ratio:16/9;border-radius:14px;overflow:hidden;border:1px solid var(--line);background:#0C261F}
218     .reelwrap iframe{width:100%;height:100%;border:0;display:block}
219     .tool-vid{display:block;width:100%;max-width:680px;margin:.5rem auto 0;border-
radius:14px;border:1px solid var(--line);background:#0C261F}
220     .reveal-h{max-width:680px;margin:1.2rem auto .15rem;font-size:.74rem;font-
weight:700;letter-spacing:.06em;text-transform:uppercase;color:var(--green-d);text-align:left}
221     .reveal-bar{max-width:680px;margin:.2rem auto 0;display:flex;justify-content:flex-end}
222     .reveal-x{background:transparent;border:1px solid var(--line);color:var(--mut);font-
size:.78rem;font-weight:600;padding:.32rem .72rem;border-radius:999px;cursor:pointer}
223     .reveal-x:hover{color:var(--tx);border-color:var(--mut)}
224 </style>
225 </head>
226 <body>
227
228 <header>
229     <div class="wrap nav">
230         <a class="brand" href="#top">Khel<span class="play" aria-
hidden="true"></span>Sutra</a>
231         <nav class="nav-links" aria-label="Primary">
232             <a href="#how">How it works</a>
233             <a href="#diff">Why it's hard</a>
234             <a href="/own-model">Own your model</a>
235             <a href="#roadmap">Roadmap</a>
236             <a href="#faq">FAQ</a>
237         </nav>
238         <a class="btn btn-dark" href="#join">Request access</a>
239     </div>
240 </header>
241
242 <a id="top"></a>
243 <section class="hero" style="padding:0">
244     <div class="wrap hero-grid">
245         <div class="hero-left">
246             <span class="eyebrow">Invite-only alpha · Bengaluru</span>
247             <h1>Every rally, indexed. <span class="hl">The dead time, gone.</span></h1>
248             <p class="lead">KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.</p>
249             <div class="hero-cta">
250                 <a class="btn btn-primary" href="#join">Request alpha access</a>
251                 <a class="btn btn-ghost" href="#how">See how it works</a>
252                 <a class="btn btn-ghost" href="#join">See it in action + a real reel</a>
253             </div>
254             <p class="hero-note">A phone or GoPro on a tripod is all you need. No special
hardware.</p>
255             <div class="loop">
256                 <span class="chip"><b>1.</b> Auto-index rallies</span>
257                 <span class="arrow">?</span>
258                 <span class="chip"><b>2.</b> Dead time removed</span>
259                 <span class="arrow">?</span>

```

```

260         <span class="chip"><b>3.</b> Download your reel</span>
261     </div>
262 </div>
263 <div class="hero-visual">
264     <div class="reel-card">
265         <div class="reel-head">
266             <span class="dots"><i></i><i></i><i></i></span>
267             <span class="file">match_2026.mp4 · indexed</span>
268         </div>
269         <div class="reel-body">
270             <div class="lbl"><span>Rallies detected</span><span class="match">44
found</span></div>
271             <div class="reel-track">
272                 <span class="on" style="left:2%;width:8%"></span>
273                 <span class="on" style="left:13%;width:6%"></span>
274                 <span class="on" style="left:22%;width:12%"></span>
275                 <span class="on" style="left:37%;width:7%"></span>
276                 <span class="on" style="left:47%;width:11%"></span>
277                 <span class="on" style="left:61%;width:6%"></span>
278                 <span class="on" style="left:70%;width:13%"></span>
279                 <span class="on" style="left:86%;width:9%"></span>
280             </div>
281             <div class="result">
282                 <span class="play" aria-hidden="true">?</span>
283                 <span class="result-tx"><b>Highlight reel · 44 rallies · 18 min</b><em>dead
time removed · ready to download</em></span>
284                 <span class="dl" aria-hidden="true">?</span>
285             </div>
286         </div>
287     </div>
288 </div>
289 </div>
290 </section>
291
292 <section id="how">
293     <div class="wrap">
294         <div class="sec-head">
295             <div class="kicker">What it does today</div>
296             <h2>A full match, turned into rallies you can search</h2>
297             <p>Upload a whole session or match. KhelSutra does the rest ? no editing skill
needed.</p>
298         </div>
299         <div class="grid g4">
300             <div class="card">
301                 <div class="ic" aria-hidden="true">?</div>
302                 <h3>Every rally, indexed</h3>
303                 <p>It finds each rally ? start, end and length ? and turns the whole match into
a searchable list. Long full-session videos are fine.</p>
304             </div>
305             <div class="card">
306                 <div class="ic" aria-hidden="true">?</div>
307                 <h3>Dead time removed</h3>
308                 <p>Knock-ups, walks, picking up the shuttle, the gaps between points ? stripped
out. What's left is only real play.</p>
309             </div>
310             <div class="card">
311                 <div class="ic" aria-hidden="true">?</div>
312                 <h3>Process once, reuse</h3>
313                 <p>Come back later to watch or download your reel. Re-running a video replaces
its earlier result rather than piling up copies.</p>
314             </div>
315             <div class="card">
316                 <div class="ic" aria-hidden="true">?</div>
317                 <h3>Stitched reel + summary</h3>
318                 <p>Your selection becomes one MP4 to download and share ? with a play-time

```

```

summary and a small ?Generated by Khelsutra.guru? mark.</p>
319     </div>
320   </div>
321 </div>
322 </section>
323
324   <section id="record" style="background:#EFF4EC">
325     <div class="wrap">
326       <div class="sec-head">
327         <div class="kicker">Record it right</div>
328         <h2>Five minutes of setup ? reliably great reels</h2>
329         <p>Highlight quality starts with the recording. Set the camera up once like this
and KhelSutra has everything it needs to find the rallies.</p>
330       </div>
331
332       <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-
items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:14px;padding:1rem 1.2rem">
333         <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-
height:1">?</span>
334         <p style="margin:0;color:var(--tx)"><b>The golden rule: one match, one court, in
full frame ? and don't move the camera.</b> <span style="color:var(--mut)">A single court in
frame gives the best results today; busy multi-court footage is the hard case we're still
sharpening.</span></p>
335       </div>
336
337       <div class="grid g4">
338         <div class="card">
339           <div class="ic" aria-hidden="true">?</div>
340           <h3>Place the camera</h3>
341           <p>Behind <b>one baseline</b>, elevated (a high tripod or a balcony), tilted
down ~30° ? the <b>whole court</b> in frame, players never cropped.</p>
342         </div>
343         <div class="card">
344           <div class="ic" aria-hidden="true">?</div>
345           <h3>Settings</h3>
346           <p><b>1080p</b>, landscape, <b>30 fps</b> for badminton (60 fps for table
tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies.</p>
347         </div>
348         <div class="card">
349           <div class="ic" aria-hidden="true">?</div>
350           <h3>Keep it still</h3>
351           <p>Fixed tripod or mount. <b>No panning, no zooming</b> during play ? a steady,
full-court view is what the tool is tuned for.</p>
352         </div>
353         <div class="card">
354           <div class="ic" aria-hidden="true">?</div>
355           <h3>Record & upload</h3>
356           <p>Even lighting, then record the <b>whole session</b> and upload it as-is ?
KhelSutra finds the rallies and does the cutting.</p>
357         </div>
358       </div>
359
360       <div style="text-align:center;margin-top:1.6rem">
361         <a class="btn btn-dark" href="/capture">Full 1-page capture checklist ?</a>
362       </div>
363     </div>
364   </section>
365
366   <section id="diff" style="padding-top:0">
367     <div class="wrap">
368       <div class="split">
369         <div>
370           <div class="kicker" style="font-size:.82rem;font-weight:700;letter-
spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>

```

```

371         <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
372         <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of
video ? and then almost never watch it, because cutting it into useful clips by hand is tedious.
The good rallies stay buried.</p>
373         <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy,
multi-court hall is exactly where ordinary video tools choke. Pulling the <b
style="color:var(--tx)">real</b> rallies out of busy, multi-court footage is the hard problem
KhelSutra is built for. It already works very well on clean, single-court recordings ? and the
multi-court case is what we're sharpening now.</p>
374     </div>
375     <div class="panel">
376         <span class="pill">Capture tip</span>
377         <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>
378         <p>Camera behind the court, slightly elevated, whole court in frame. Keep it
still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session,
upload as-is. KhelSutra does the cutting.</p>
379     </div>
380 </div>
381 </div>
382 </section>
383
384 <section id="sharper" style="background:#EFF4EC">
385     <div class="wrap">
386         <div class="sec-head">
387             <div class="kicker">What makes it different</div>
388             <h2>It gets sharper from real academy footage</h2>
389             <p>The footage real academies contribute ? especially the busy multi-court halls ?
is what makes KhelSutra better over time. Early users aren't just customers; they're co-
builders.</p>
390         </div>
391         <div class="grid g3">
392             <div class="card">
393                 <div class="ic" aria-hidden="true">?</div>
394                 <h3>Improves with the library</h3>
395                 <p>When you choose to share footage and coaches confirm what it found, that
growing labelled library is what sharpens future versions ? rather than staying frozen.</p>
396             </div>
397             <div class="card">
398                 <div class="ic" aria-hidden="true">?</div>
399                 <h3>Your data stays yours</h3>
400                 <p>We never use your video to improve the tool without your clear, explicit opt-
in. We never publish your footage. You decide what, if anything, you share.</p>
401             </div>
402             <div class="card">
403                 <div class="ic" aria-hidden="true">?</div>
404                 <h3>Minors are protected</h3>
405                 <p>Footage involving minors is never used to improve the tool and is never
published ? full stop.</p>
406             </div>
407         </div>
408         <div class="honest">
409             <b>Read this honestly:</b>
410             <p>Today the tool gives you rally detection, reels, and summaries. It does not
retrain itself as you use it, and there's no per-person tracking. "Gets sharper over time" is
the model we're building toward, powered by contributed footage ? not a switch that's already
on.</p>
411         </div>
412     </div>
413 </section>
414
415 <section id="ask">
416     <div class="wrap">
417         <div class="sec-head">
418             <div class="kicker">Coming next to the alpha</div>
419             <h2>Soon: ask for the exact reel you want</h2>

```

```

420         <p>Your match is already a clean index of rallies ? so the natural next step is to
let you build any reel just by describing it, in plain English. This is rolling out to alpha
users.</p>
421     </div>
422     <div class="grid g3 ask-grid">
423         <div class="card ask">
424             <div class="q"><i>?</i>Every rally over 10 seconds</div>
425             <div class="a"><i>?</i> 6 rallies · a 1:32 reel of the long, end-to-end
battles</div>
426         </div>
427         <div class="card ask">
428             <div class="q"><i>?</i>Just the third game, longest first</div>
429             <div class="a"><i>?</i> 12 rallies, reordered by length ? that game only</div>
430         </div>
431         <div class="card ask">
432             <div class="q"><i>?</i>The 8 best rallies from today</div>
433             <div class="a"><i>?</i> an 8-clip highlight from your latest session</div>
434         </div>
435     </div>
436     <p class="ask-note"><b style="color:var(--tx)">Rolling out now.</b> Targeted asks ?
by rally length, count, order, or which game ? come first; shot-type and player queries follow
as the deeper analysis arrives.</p>
437 </div>
438 </section>
439
440 <section id="roadmap">
441     <div class="wrap">
442         <div class="sec-head">
443             <div class="kicker">Where it's going</div>
444             <h2>Toward an AI assistant coach</h2>
445             <p>Fed by the growing video library, KhelSutra is heading from "finds rallies" to
a genuine training companion. This is the direction ? not today's buttons.</p>
446         </div>
447         <div class="road">
448             <div class="step"><div class="n">?</div><h3>Shot detection</h3><p>Smashes, drops,
net shots, serves and clears within each rally.</p></div>
449             <div class="step"><div class="n">?</div><h3>Deeper analysis</h3><p>Per-rally and
per-match patterns ? what's working and what isn't.</p></div>
450             <div class="step"><div class="n">?</div><h3>Per-match history</h3><p>Track
progress over weeks and months, not just one clip.</p></div>
451             <div class="step"><div class="n">?</div><h3>Assistant coach</h3><p>Surfaces what
to work on next ? supports the real coach, never replaces.</p></div>
452             <div class="step"><div class="n">?</div><h3>More sports & languages</h3><p>Table
tennis next; Kannada and Hindi alongside English.</p></div>
453         </div>
454     </div>
455 </section>
456
457 <section id="not" style="padding-top:0">
458     <div class="wrap">
459         <div class="sec-head">
460             <div class="kicker">So expectations stay honest</div>
461             <h2>What KhelSutra is not</h2>
462         </div>
463         <ul class="nots">
464             <li><i aria-hidden="true">?</i><span>An early, invite-only trial ? useful, but
still improving. You'll hit rough edges.</span></li>
465             <li><i aria-hidden="true">?</i><span>Not a line-calling, scoring, or umpiring
system.</span></li>
466             <li><i aria-hidden="true">?</i><span>Not player tracking or
identification.</span></li>
467             <li><i aria-hidden="true">?</i><span>Not a replacement for a coach ? a tool that
saves time and adds insight.</span></li>
468             <li><i aria-hidden="true">?</i><span>Shot detection and deeper analytics are on
the roadmap, not available today.</span></li>

```

```

469         <li><i aria-hidden="true">?</i><span>Pricing isn't set ? today's invited use is
about getting it right.</span></li>
470     </ul>
471 </div>
472 </section>
473
474 <section id="faq" style="background:#EFF4EC">
475     <div class="wrap">
476         <div class="sec-head">
477             <div class="kicker">Quick answers</div>
478             <h2>Common questions</h2>
479         </div>
480         <div style="margin-top:1.6rem">
481             <details><summary>How accurate is it?</summary><p>Very good on a clean, single-
court recording. A busy multi-court hall is harder ? and is exactly what we're improving. The
best answer is to show you a sample reel of your own court rather than quote a
number.</p></details>
482             <details><summary>Can I choose which rallies go in the reel?</summary><p>Today
your reel includes the rallies KhelSutra found, with the dead time removed. Choosing by length,
count, order or which game ? just by asking in plain English ? is rolling out to alpha users
next; shot-type and player queries follow as the deeper analysis arrives.</p></details>
483             <details><summary>Do I need a special camera or hardware?</summary><p>No. A phone
or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture
checklist at setup.</p></details>
484             <details><summary>Is my video private? What happens to it?</summary><p>We treat
your footage as private: we never publish it, and we never use it to improve the tool without
your explicit opt-in. These are large videos that need real processing, so your video is handled
securely on our infrastructure to make your reel. Footage involving minors is never used and
never published.</p></details>
485             <details><summary>Does it work for doubles and tournaments?</summary><p>It finds
rallies in doubles too. Tournament footage varies ? a clean, fixed, full-court recording works
well; crowded multi-court tournament halls are the hard case we're specifically working
on.</p></details>
486             <details><summary>Which sports?</summary><p>Badminton today. Table tennis and
other racket sports are on the roadmap.</p></details>
487             <details><summary>How do I join?</summary><p>It's an invite-only private trial.
Just <a href="#join">request access</a> using the form ? it takes a minute, you'll see a real
sample reel right away, and we'll be in touch about recording your own court.</p></details>
488         </div>
489     </div>
490 </section>
491
492 <section id="join" style="padding-bottom:90px">
493     <div class="wrap">
494         <div class="sec-head" style="text-align:center;max-width:none">
495             <div class="kicker">Request access</div>
496             <h2>Get into the KhelSutra alpha</h2>
497             <p>Invite-only. Tell us a little about your setup ? it helps us get you the best
results, and shapes what we build next.</p>
498             <p style="font-weight:600;color:var(--green-d);margin-top:.6rem"><span aria-
hidden="true">?</span> Sign up to watch the tool in action ? and a 30-second sample reel it made
? the moment you're in.</p>
499         </div>
500
501         <form id="af" class="af" novalidate>
502             <div class="row">
503                 <label>I'm a?</label>
504                 <div class="seg">
505                     <label><input type="radio" name="segment" value="academy"
required><span>Coaching academy / club</span></label>
506                     <label><input type="radio" name="segment" value="individual"><span>Individual
player</span></label>
507                 </div>
508             </div>
509

```



```

510     <div class="row">
511         <label for="af-name">Name</label>
512         <input id="af-name" name="name" type="text" autocomplete="name" required>
513     </div>
514     <div class="row">
515         <label for="af-email">Email <span class="hint">(so we can reach
you)</span></label>
516         <input id="af-email" name="email" type="email" autocomplete="email" required>
517     </div>
518     <div class="row">
519         <label for="af-city">City <span class="hint">(optional)</span></label>
520         <input id="af-city" name="city" type="text">
521     </div>
522
523     <div class="row acad">
524         <label for="af-org">Academy / club name <span
class="hint">(optional)</span></label>
525         <input id="af-org" name="org_name" type="text">
526     </div>
527     <div class="row acad">
528         <label for="af-courts">How many courts do you record? <span
class="hint">(optional)</span></label>
529         <select id="af-courts" name="courts">
530             <option value="">Select?</option>
531             <option value="1">1 court</option>
532             <option value="2-4">2?4 courts</option>
533             <option value="5+">5+ courts</option>
534         </select>
535     </div>
536
537     <div class="row">
538         <label>Do you have a GPU machine that could process video locally?</label>
539         <div class="opts">
540             <label><input type="radio" name="has_gpu" value="yes">Yes ? a gaming / GPU PC
or laptop</label>
541             <label><input type="radio" name="has_gpu" value="unsure">Not sure</label>
542             <label><input type="radio" name="has_gpu" value="no">No</label>
543             <label><input type="radio" name="has_gpu" value="prefer-cloud">I'd prefer it
runs in the cloud</label>
544         </div>
545     </div>
546
547     <div class="row">
548         <label>Where do your recordings live / how would you share them? <span
class="hint">(pick any)</span></label>
549         <div class="opts">
550             <label><input type="checkbox" name="storage" value="gdrive">Google
Drive</label>
551             <label><input type="checkbox" name="storage" value="onedrive">OneDrive / MS
365</label>
552             <label><input type="checkbox" name="storage" value="dropbox">Dropbox</label>
553             <label><input type="checkbox" name="storage" value="bucket">Cloud bucket
(S3/GCS)</label>
554             <label><input type="checkbox" name="storage" value="local">SD card / local
drive</label>
555             <label><input type="checkbox" name="storage" value="unsure">Not sure</label>
556         </div>
557     </div>
558
559     <div class="row">
560         <label for="af-msg">Anything else? <span class="hint">(how you record, what
you'd want?)</span></label>
561         <textarea id="af-msg" name="message"></textarea>
562     </div>
563

```

```

564         <div class="row consent">
565             <input id="af-consent" name="consent" type="checkbox" value="yes">
566             <label for="af-consent" style="margin:0;font-weight:400;color:var(--mut)">Okay
to email me about the KhelSutra alpha.</label>
567         </div>
568
569         <input class="hp" type="text" name="company" tabindex="-1" autocomplete="off"
aria-hidden="true">
570
571         <button class="btn btn-primary" type="submit" style="width:100%;justify-
content:center">Request access</button>
572         <p class="hint" style="text-align:center;margin:.85rem 0 0">We never publish your
footage; footage involving minors is never used to improve the tool.</p>
573     </form>
574
575     <p id="af-done" class="form-done" hidden>Thanks ? we've got it. We'll be in touch at
the email you gave. ?<br><span style="font-weight:400;color:var(--mut)">While you're here: see
the tool in action, and a real 30-second reel it made.</span></p>
576     <div id="reel-reveal" hidden></div>
577 </div>
578 </section>
579
580 <footer>
581     <div class="wrap foot">
582         <div>
583             <div class="brand" style="font-size:1.05rem">Khel<span class="play" aria-
hidden="true"></span>Sutra</div>
584             <div class="stamp" style="margin-top:.4rem">Automatic badminton highlights .
Bengaluru, India</div>
585         </div>
586         <div style="text-align:right">
587             <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> . <a
href="https://khelsutra.guru">khelsutra.guru</a></div>
588             <div class="stamp" style="margin-top:.4rem">© 2026 KhelSutra . Invite-only alpha .
Reels carry a "Generated by Khelsutra.guru" mark</div>
589         </div>
590     </div>
591 </footer>
592
593 <!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ?
Web Analytics ? Add a site.
594     (Or skip this snippet entirely and enable "Automatic setup" once the domain is
proxied through Cloudflare.) -->
595     <script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon='{ "token": "REPLACE_WITH_CF_TOKEN" }'></script>
596
597     <script>
598     (function(){
599         var f = document.getElementById('af');
600         if(!f) return;
601
602         var REEL_VIDEO = 'ajTCZ7pJW_o', REEL_SECS = 30;
603         function loadYTapi(cb){
604             if(window.YT && window.YT.Player) return cb();
605             var prev = window.onYouTubeIframeAPIReady;
606             window.onYouTubeIframeAPIReady = function(){ if(typeof prev === 'function'){ prev();
} cb(); };
607             if(!document.getElementById('yt-iframe-api')){
608                 var s = document.createElement('script');
609                 s.id = 'yt-iframe-api'; s.src = 'https://www.youtube.com/iframe_api';
610                 document.head.appendChild(s);
611             }
612         }
613         function revealAfterSignup(){

```

```

614     var host = document.getElementById('reel-reveal');
615     if(!host) return;
616     host.hidden = false;
617     // (1) the TOOL in action ? a self-hosted, FOOTAGE-FREE screencast (branded reel
placeholder),
618     //      so it's safe to autoplay openly; (2) a real reel preview (gated nocookie
YouTube). BOTH
619     //      stay visible together; the auto-close PAUSES while the reel is playing (so a
viewer is
620     //      never cut off mid-watch) and a manual ? closes it on demand.
621     host.innerHTML =
622         '<div class="reveal-bar"><button type="button" id="reel-close" class="reveal-x"
aria-label="Close the videos">? Close</button></div>'
623         + '<p class="reveal-h">1 · The tool in action</p>'
624         + '<video class="tool-vid" src="/video/tool-cuj.mp4" autoplay muted loop
playsinline controls preload="metadata"></video>'
625         + '<p class="reveal-h">2 · A real reel it made</p>'
626         + '<div class="reelwrap"><div id="reel-player"></div></div>'
627         + '<p class="stamp" style="text-align:center;margin-top:.6rem">Generated by
Khelsutra.guru · auto-closes <span id="reel-count">' + REEL_SECS + '</span>s after the reel
stops ? or close it anytime</p>';
628     var n = REEL_SECS, el = document.getElementById('reel-count'), player = null, hold =
false, closed = false;
629     function close(){
630         if(closed) return; closed = true;
631         clearInterval(iv);
632         try{ if(player){ player.destroy(); } }catch(_){ }
633         host.innerHTML = ''; host.hidden = true;
634     }
635     var iv = setInterval(function(){
636         if(hold) return; // the reel is playing ? hold the timer (no
mid-watch cut-off)
637         n--; if(el){ el.textContent = n; }
638         if(n <= 0){ close(); }
639     }, 1000);
640     var x = document.getElementById('reel-close'); if(x){ x.addEventListener('click',
close); }
641     loadYTapi(function(){
642         player = new YT.Player('reel-player', {
643             width: '100%', height: '100%', videoId: REEL_VIDEO,
644             host: 'https://www.youtube-nocookie.com',
645             playerVars: { autoplay: 1, rel: 0, modestbranding: 1, playsinline: 1 },
646             events: {
647                 onReady: function(e){
648                     var dur = Math.floor(e.target.getDuration() || 0);
649                     var maxStart = Math.max(0, dur - REEL_SECS); // start so a full
~30s window plays before the end
650                     var start = maxStart > 0 ? Math.floor(Math.random() * (maxStart + 1)) : 0;
651                     host.setAttribute('data-reel-start', String(start)); // a different chunk
each sign-up
652                     e.target.seekTo(start, true);
653                     e.target.playVideo();
654                 },
655                 onStateChange: function(e){ hold = (e.data === 1); } // 1 = PLAYING ? hold
the auto-close
656             }
657         });
658     });
659 }
660
661 f.addEventListener('change', function(e){
662     if(e.target.name === 'segment') f.classList.toggle('is-academy', e.target.value ===
'academy');
663 });
664 function mailtoFallback(p){

```

```

665     var lines = [
666         'Segment: ' + (p.segment||''),
667         'Name: ' + (p.name||''),
668         'Email: ' + (p.email||''),
669         'City: ' + (p.city||''),
670         p.segment === 'academy' ? 'Academy: ' + (p.org_name||'') + ' (' + (p.courts||'?'')
+ ' courts)' : null,
671         'GPU: ' + (p.has_gpu||''),
672         'Storage: ' + ((p.storage||[]).join(', ')),
673         'Message: ' + (p.message||''),
674         'Consent: ' + (p.consent ? 'yes' : 'no')
675     ].filter(Boolean).join('\n');
676     return 'mailto:hello@khelsutra.guru?subject=' + encodeURIComponent('KhelSutra alpha
access') +
677         '&body=' + encodeURIComponent('Hi KhelSutra team, I would like to try the
alpha.\n\n' + lines);
678     }
679     f.addEventListener('submit', async function(e){
680         e.preventDefault();
681         if(f.company && f.company.value) return; // honeypot: silently drop bots
682         if(!f.checkValidity()){ f.reportValidity(); return; }
683         // Immediate, obvious "submitting" state ? the Worker + D1 + email round-trip can
take a beat,
684         // and a static button looked frozen.
685         var btn = f.querySelector('button[type="submit"]');
686         var btnHTML = btn ? btn.innerHTML : '';
687         if(btn){ btn.disabled = true; btn.setAttribute('aria-busy','true'); btn.innerHTML =
'<span class="spin" aria-hidden="true"></span> Sending?'; }
688         var fd = new FormData(f);
689         var p = {
690             segment: fd.get('segment'), name: fd.get('name'), email: fd.get('email'),
691             city: fd.get('city'), org_name: fd.get('org_name'), courts: fd.get('courts'),
692             has_gpu: fd.get('has_gpu'), storage: fd.getAll('storage'),
693             message: fd.get('message'), consent: !!fd.get('consent')
694         };
695         var ok = false;
696         try {
697             var r = await fetch('/api/request-access', {method:'POST', headers:{'content-
type':'application/json'}, body: JSON.stringify(p)});
698             ok = r.ok;
699         } catch(_){ ok = false; }
700         if(ok){
701             f.hidden = true;
702             document.getElementById('af-done').hidden = false;
703             revealAfterSignup();
704         }
705         else {
706             // Restore the button so the user isn't left with a frozen "Sending?", then fall
back to email.
707             if(btn){ btn.disabled = false; btn.removeAttribute('aria-busy'); btn.innerHTML =
btnHTML; }
708             window.location.href = mailtoFallback(p); // backend not live yet ? prefilled
email
709         }
710     });
711 }));
712 </script>
713
714 </body>
715 </html>
716

```

6. assistant (2026-06-21T03:18:28.732Z)

Both files are read in full. Here is the brief.

Recording Guidance: Doc vs. Shipped Site ? Coverage Brief

Sources: ``C:/Users/avidu/Projects/badminton-highlight-indexer/docs/VIDEO_RECORDING_GUIDELINES.md`` (the engineering doc, DRAFT, 2026-05-30 ? updated 2026-06-18) · ``C:/Users/avidu/Projects/khelsutra/site/public/index.html`` (homepage "Record it right" section) · ``C:/Users/avidu/Projects/khelsutra/site/public/capture.html`` (1-page capture checklist).

1. The recording guidance content (what the doc says to do)

The doc frames every recommendation around one fact: **highlight quality is bounded by input quality** ? capture choices directly move the detector's precision/recall. The concrete guidance, dimension by dimension (from the §2 table and the #1 rule):

Dimension	Doc guidance
#1 rule	single match per frame
Record ONE match on ONE court, no adjacent/background-court play. MEASURED (2026-06-18): multi-court precision ?0.20 (~80% false positives) vs ?0.31 single-court with tighter boundaries. This is the <i>dominant</i> precision failure.	
Camera position	Fixed tripod, elevated, behind/above one baseline, whole court in frame. Static full-court view avoids the broadcast "camera-tracking" trap (ADR-004).
Camera height & angle	3?5 m elevated (~4.5 m), ~30° down-tilt , behind one baseline, whole court + net headroom.
Framing / margins	Entire court + a margin; players never leave the frame. Cropping breaks detection and the relevance check.
Resolution	?1080p preferred; 720p likely floor. (2K/4K may help shuttle tracking but cost more compute.)
Frame rate	?30 fps badminton/pickleball; ?60 fps table tennis (30 fps collapses fast-ball detection: 22.5% ? 93.2% at 60 fps).
Stability	Tripod / fixed mount; no panning or zoom during play. Handheld jitter inflates motion signals.
Lighting / exposure	Even indoor lighting; avoid backlight/glare; minimize motion blur.
Audio (REQUIRED, ADR-007)	Record with audio ENABLED (don't mute). Keep mic unobstructed. Avoid aggressive wind/noise reduction that flattens the shuttle "thwack" impact transient. Camera reasonably close to the court helps SNR (shuttle hits are quiet).
Court contrast / background	Clear court markings; minimal moving background where possible.
Codec / container	MP4 (H.264/HEVC).
Landscape orientation	(Implied by "whole court in frame"; not an explicit doc row ? see Gaps.)

The doc is explicit that the numeric thresholds are **placeholder/UNVERIFIED starting points** (to be set empirically per §3), *except* the frame-rate and camera-geometry rows (literature-backed) and the single-court rule (measured). It also flags two intended output surfaces: a user-facing best-practices guide (now the site) and a programmatic pre-flight validator at `ingest (`backend/pipeline/validators/`)`.

2. What is ALREADY on the site today (with shipped copy quoted)

Nearly all the *user-actionable* guidance is shipped. The homepage ``#record`` section and ``capture.html`` cover it twice (gist + full checklist).

The #1 rule ? SHIPPED (both pages, identical wording)

> **index.html / capture.html:** "The golden rule: one match, one court, in full frame ? and don't move the camera." + "A single court in frame gives the best results today; busy multi-court footage is the hard case we're still sharpening."

Camera placement ? SHIPPED

```
> **index.html:** "Behind **one baseline**, elevated (a high tripod or a balcony), tilted down ~30° ? the **whole court** in frame, players never cropped."  
> **capture.html:** "Behind **one baseline**, elevated ? a high tripod, a few metres up, or a balcony." / "Tilt down about **30°**; keep the **whole court** in frame with a little margin and net headroom." / "Players should never leave the frame."
```

Settings (resolution / fps / orientation / audio) ? SHIPPED

```
> **index.html:** "***1080p**", landscape, **30 fps** for badminton (60 fps for table tennis). **Audio ON** ? the shuttle's "thwack" helps find rallies."  
> **capture.html:** "***1080p or higher**", shot in **landscape**." / "**30 fps** for badminton/pickleball; **60 fps** for table tennis." / "***Audio ON** (don't mute) ? keep the mic unobstructed, wind/noise reduction off."
```

Stability ? SHIPPED

```
> **index.html:** "Fixed tripod or mount. **No panning, no zooming** during play ? a steady, full-court view is what the tool is tuned for."  
> **capture.html:** "Fixed tripod or mount." / "***No panning, no zooming** during play."
```

Lighting ? SHIPPED

```
> **index.html:** "Even lighting, then record the **whole session** and upload it as-is?"  
> **capture.html:** "Even indoor lighting; avoid backlight, glare and very dark halls."
```

Do / Avoid table ? SHIPPED (capture.html only; not in the doc ? a site addition)

```
> **Do:** "Fixed camera, full court, behind the baseline" / "1080p+, landscape, audio on" / "One match on one court"  
> **Avoid:** "Handheld or phone-in-hand" / "Broadcast-style pans & zooming" / "Several courts in one frame; very dark halls"
```

Minors / consent ? SHIPPED (capture.html; doc has it as a guardrail elsewhere)

```
> **capture.html:** "Please record adults with their okay. Footage involving minors is never used to improve the tool and is never published."
```

Reinforced elsewhere on the homepage

```
- `#diff` panel "Capture tip": "Camera behind the court, slightly elevated, whole court in frame. Keep it still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session, upload as-is."  
- FAQ: "A phone or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture checklist at setup."
```

Net: every user-facing knob from the doc ? single-court rule, placement, ~30° tilt, baseline, full frame, 1080p+, 30/60 fps, landscape, audio-on (incl. "wind/noise reduction off"), tripod/no-pan/no-zoom, even lighting, MP4-by-default (implicit via "upload as-is") ? is present on the site. The site even *adds* a Do/Avoid table and consent line that the doc doesn't spell out for users.

3. Gaps ? what a non-tech-savvy person could still get wrong

These are items present (or implied) in the doc but **missing, vague, or under-specified** in the shipped site copy, judged from the standpoint of someone setting up a phone + tripod for the first time:

1. **Camera HEIGHT** is qualitative, not numeric. The doc says **3?5 m (~4.5 m) elevated**. The site says only "elevated (a high tripod or a balcony)" / "a few metres up." A first-timer with a standard ~1.5 m tripod on the floor behind the baseline will set up too low ? exactly the occlusion/keystoning failure the doc's height row warns about. The "-30° down-tilt" number survived to the site but the height number did not, so users can't actually achieve that tilt geometry. **Highest-value gap to close.**

2. **No reference image / diagram.** The doc's §4 explicitly calls for an "illustrated" guide ("Put the camera here, this high?"). Both pages are text-only. For a non-tech-savvy user, one

annotated photo (camera behind baseline, height, tilt, court fully in frame) would do more than all the prose. Currently nothing visual.

3. **"Behind one baseline" can be misread.** A novice may place the camera at ***court level*** behind the line, or behind the ***side*** line. The site never clarifies "baseline = the short back line, and the camera must be raised above head height," nor that side-on is not the supported profile. The doc's "behind/above one baseline" intent is only partially conveyed.

4. **Why audio matters / how to verify it.** The site says "Audio ON ? wind/noise reduction off," but doesn't tell a user ***how*** to turn off a GoPro/phone's automatic wind-noise filter, or that an obstructed/cased mic defeats it. The doc's "keep mic unobstructed" and "camera reasonably close to the court helps SNR (shuttle hits are quiet)" ? the proximity point is ***dropped entirely*** from the site.

5. **"Don't crop the players" has no failure cue.** The doc warns players must ***never leave frame*** (it breaks detection). The site states it as a rule but gives no check ("walk to all four corners before you start ? if anyone goes out of frame, zoom out / move back"). Easy to get wrong with doubles.

6. **No "verify before you record" step.** Nothing tells a first-timer to record 20 seconds, play it back, and confirm the whole court + both ends are in frame and steady. This single habit would catch gaps 1, 3, and 5 at once.

7. **Resolution floor / "what if my phone shoots 4K vertical."** Site says "1080p+, landscape" but a user filming in default vertical 4K won't know that ***portrait is wrong even at high resolution***. "Landscape" is stated but its importance isn't motivated, so it reads as optional.

8. **Tournament / multi-court reality.** The doc's measured 70.20 multi-court precision means a busy hall genuinely underperforms today. The site honestly says multi-court is "the hard case," but a non-tech academy user recording a 6-court hall may still expect clean reels. The honesty is present; the ***practical instruction*** ("for best results point the camera at one court only, even in a busy hall") could be sharper.

Items intentionally NOT user-facing (correctly omitted from the site, not gaps): codec internals, the empirical-threshold methodology (§3), the per-dimension precision numbers, ADR references, and the validator-at-ingest plan.

4. How this content should localize (Kannada / Hindi ? high early value)

This is ***instructional, action-oriented copy*** aimed squarely at the non-tech-savvy academy owner / parent / player ? the exact audience most likely to read in Kannada or Hindi rather than English. It is high-value to translate early, and relatively safe to translate because it is concrete and finite.

- **Prioritize the two capture surfaces first.** The `#record` homepage gist and the whole of `capture.html` are the single highest-leverage strings to localize ? they gate input quality, which gates everything downstream. Translate these before marketing/FAQ prose.
- **Keep numerals and units in figures, not words.** "1080p", "30 fps", "60 fps", "~30°", "3?5 m" should stay as digits across all three languages ? they read identically and avoid translation drift. Localize only the surrounding instruction.
- **Translate the Do/Avoid table as a unit** ? it is the most scannable, lowest-literacy-load element and travels well into Kannada/Hindi as a two-column "???? / ????" · "???? / ? ???? " list.
- **The "golden rule" sentence is the keystone string** ? one match, one court, full frame, don't move the camera. It appears verbatim on both pages; translate it ONCE and reuse, so the Kannada/Hindi wording is identical across surfaces (consistency matters for a rule users must remember).
- **Loan-word handling.** Terms like "tripod", "baseline", "landscape", "audio", "fps", "GoPro" are commonly used as English loanwords in Kannada/Hindi sports speech ? prefer the transliterated loanword over a coined native term where the loanword is what coaches actually say (validate with a native speaker). "Net", "court", "rally", "smash" similarly stay as loanwords.
- **Closing the gaps above is best done in the SOURCE first, then localized** ? adding the

height number, a diagram (language-neutral, localize only the caption/labels), and a "record 20s and check" step in English, *then* translating, avoids translating copy you're about to rewrite. The diagram is especially valuable for low-literacy users and is reusable across all three languages with only label swaps.

- ****Consent / minors line must be localized carefully**** (capture.html): "Footage involving minors is never used ? and is never published" is a legal/trust statement (GDPR-adjacent, per the project's guardrails) ? have a native speaker confirm the translation doesn't soften the commitment.

****Bottom line:**** the site has shipped essentially all of the doc's *user-actionable* recording guidance, and even adds a Do/Avoid table and consent line. The substantive gaps are all about helping a non-technical first-timer physically execute it ? missing ****camera-height number****, ****no diagram****, ****no record-and-verify step****, and the dropped ****"mic close to court"**** point. These should be fixed ? in the English source first, then this instructional content (especially `capture.html` + the `#record` gist) should be among the very first strings localized to Kannada and Hindi.

Relevant files: `C:/Users/avidu/Projects/badminton-highlight-indexer/docs/VIDEO\_RECORDING\_GUIDELINES.md`,
`C:/Users/avidu/Projects/khelsutra/site/public/index.html` (`#record` section, lines 324?364),
`C:/Users/avidu/Projects/khelsutra/site/public/capture.html` (lines 56?125).