

# claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

## Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_4b0f398f-c8a\agent-a10717b5cadfa33c2.jsonl`  
- SHA-256: `ef669b67c1d0914bb059c39f2cd54479572888682b4944a75b33aacf89f3894b`  
- Source modified: `2026-06-22T03:26:05+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_4b0f398f-c8a`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

## Transcript

### 1. user (2026-06-22T03:24:47.916Z)

You are a senior Indonesian (Bahasa Indonesia) localizer finalizing the translation. Apply the reviewer findings. Fix flagged keys; leave clean keys unchanged. Obey all keep-literal/HTML rules.

ENGLISH SOURCE:

```
{  
  "site.reveal.share": "Share on WhatsApp",  
  "site.reveal.shareText": "Check out KhelSutra ? it turns a full badminton match into a clean  
highlights reel ? khelsutra.guru",  
  "site.nav.how": "How it works",  
  "site.nav.why": "Why it's hard",  
  "site.nav.ownModel": "Own your model",  
  "site.nav.flyer": "Flyer",  
  "site.nav.roadmap": "Roadmap",  
  "site.nav.faq": "FAQ",  
  "site.nav.requestAccess": "Request access",  
  "site.hero.title": "Every rally, indexed. <span class='hl'>The dead time, gone.</span>",  
  "site.hero.eyebrow": "Invite-only alpha · Bengaluru",  
  "site.hero.lead": "KhelSutra finds every rally in your session and strips out the knock-ups,  
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No  
editing, no scrubbing.",  
  "site.hero.ctaPrimary": "Request alpha access",  
  "site.hero.ctaHow": "See how it works",  
  "site.record.kicker": "Record it right",  
  "site.record.title": "Five minutes of setup ? reliably great reels",  
  "site.record.intro": "Highlight quality starts with the recording. Set the camera up once like  
this and KhelSutra has everything it needs to find the rallies.",  
  "site.record.goldenRuleLead": "The golden rule: one match, one court, in full frame ? and  
don't move the camera.",  
  "site.record.goldenRuleRest": "A single court in frame gives the best results today; busy  
multi-court footage is the hard case we're still sharpening.",  
  "site.record.place.title": "Place the camera",  
  "site.record.place.body": "Behind <b>one baseline</b>, elevated (a high tripod or a balcony),  
tilted down ~30° ? the <b>whole court</b> in frame, players never cropped.",  
  "site.record.settings.title": "Settings",  
  "site.record.settings.body": "<b>1080p+</b>, landscape, <b>30 fps</b> for badminton (60 fps  
for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies.",  
  "site.record.still.title": "Keep it still",  
  "site.record.still.body": "Fixed tripod or mount. <b>No panning, no zooming</b> during play ?  
a steady, full-court view is what the tool is tuned for.",  
  "site.record.upload.title": "Record & upload",  
  "site.record.upload.body": "Even lighting, then record the <b>whole session</b> and upload it  
as-is ? KhelSutra finds the rallies and does the cutting.",  
  "site.record.checklistCta": "Full 1-page capture checklist ?",  
  "site.capture.diagram.title": "Side view: where the camera goes",
```

"site.capture.diagram.camera": "Camera ? behind the baseline, elevated",  
"site.capture.diagram.angle": "Tilt ~30° down",  
"site.capture.diagram.frame": "Whole court in frame ? players never cropped",  
"site.capture.diagram.net": "Net",  
"site.capture.title": "1-page capture checklist",  
"site.capture.intro": "Great highlights start with a steady, full-court recording. Five minutes of setup makes a big difference to your reels.",  
"site.capture.ruleLead": "The golden rule: one match, one court, in full frame ? and don't move the camera.",  
"site.capture.ruleRest": "Multi-court footage is the hard case we're still sharpening; a single court in frame gives the best results today.",  
"site.capture.step1.title": "Place the camera",  
"site.capture.step1.b1": "Behind <b>one baseline</b>, elevated ? a high tripod, a few metres up, or a balcony.",  
"site.capture.step1.b2": "Tilt down about <b>30°</b>; keep the <b>whole court</b> in frame with a little margin and net headroom.",  
"site.capture.step1.b3": "Players should never leave the frame.",  
"site.capture.step2.title": "Settings",  
"site.capture.step2.b1": "<b>1080p or higher</b>, shot in <b>landscape</b>.",  
"site.capture.step2.b2": "<b>30 fps</b> for badminton/pickleball; <b>60 fps</b> for table tennis.",  
"site.capture.step2.b3": "<b>Audio ON</b> (don't mute) ? keep the mic unobstructed, wind/noise reduction off.",  
"site.capture.step3.title": "Keep it still",  
"site.capture.step3.b1": "Fixed tripod or mount.",  
"site.capture.step3.b2": "<b>No panning, no zooming</b> during play.",  
"site.capture.step4.title": "Light & record",  
"site.capture.step4.b1": "Even indoor lighting; avoid backlight, glare and very dark halls.",  
"site.capture.step4.b2": "Record the <b>whole session</b> and upload it as-is ? KhelSutra does the cutting.",  
"site.capture.doTitle": "Do",  
"site.capture.do1": "Fixed camera, full court, behind the baseline",  
"site.capture.do2": "1080p+, landscape, audio on",  
"site.capture.do3": "One match on one court",  
"site.capture.dontTitle": "Avoid",  
"site.capture.dont1": "Handheld or phone-in-hand",  
"site.capture.dont2": "Broadcast-style pans & zooming",  
"site.capture.dont3": "Several courts in one frame; very dark halls",  
"site.capture.consent": "Please record adults with their okay. Footage involving minors is never used to improve the tool and is never published.",  
"site.capture.questions": "Questions?",  
"site.capture.printTip": "Tip: press Ctrl/Cmd + P to print or save as PDF.",  
"site.ownModel.requestAccess": "Request access ?",  
"site.ownModel.heroTitle": "Annotate your footage. <span class=\"hl\">Train a model that's yours.</span>",  
"site.ownModel.heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the moat is your consented dataset, on a commercially-clean, inspectable stack you control.",  
"site.ownModel.nav.home": "? KhelSutra home",  
"site.ownModel.nav.annotate": "Annotate",  
"site.ownModel.nav.train": "Train your own model",  
"site.ownModel.nav.setup": "Setup & use",  
"site.ownModel.sample": "? <b>Want to see what KhelSutra produces?</b> A real sample reel plays the moment you <a href=\"/#join\">request access</a>.",  
"site.ownModel.annotate.kicker": "Step 1 · real and shipping today",  
"site.ownModel.annotate.title": "Annotate your footage",  
"site.ownModel.annotate.pill": "live today",  
"site.ownModel.annotate.body": "<b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b> that turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated racquet sports (badminton, tennis, table tennis, pickleball, padel).",  
"site.ownModel.annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",  
"site.ownModel.annotate.cap2": "Mark each rally's start/end + ending reason, then Save Rally.",

```

"site.ownModel.annotate.flowLead": "The flow, per rally:",
"site.ownModel.annotate.step1": "<b>Mark START</b> on the serve-contact frame (pause/scrub for accuracy).",
"site.ownModel.annotate.step2": "<b>Mark END</b> when the shuttle is dead.",
"site.ownModel.annotate.step3": "Pick an <b>ending reason</b>, optionally a shot count, then <b>Save Rally</b> ? one CSV row.",
"site.ownModel.annotate.step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video later to continue.",
"site.ownModel.annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets <b>VLC 3.0.x</b>.",
"site.ownModel.train.kicker": "Step 2 · the moat",
"site.ownModel.train.title": "Train your own model",
"site.ownModel.train.pill": "open pipeline · in build",
"site.ownModel.train.reassureTitle": "You don't have to train anything to start.",
"site.ownModel.train.reassureBody": "KheI Sutra runs on a ready-made default, so you get rally detection and reels <b>out of the box</b> ? nothing to set up. Training on your own footage (below) is an <b>optional</b> power-up: a model tuned to your courts, your angles, your halls.",
"site.ownModel.train.intro": "For those who want it, your labels feed an <b>owned</b> rally model ? trained on <b>your</b> courts, <b>your</b> angles, <b>your</b> busy multi-court halls. The pipeline is open and inspectable:",
"site.ownModel.train.moat.ownTitle": "You own it",
"site.ownModel.train.moat.ownBody": "A model and dataset that are yours to keep and improve ? not rented inference.",
"site.ownModel.train.moat.cleanTitle": "Commercially clean",
"site.ownModel.train.moat.cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's output.",
"site.ownModel.train.moat.privateTitle": "Private & consented",
"site.ownModel.train.moat.privateBody": "Footage stays yours; training use is explicit opt-in, never automatic.",
"site.ownModel.train.moat.minorsTitle": "Minors protected",
"site.ownModel.train.moat.minorsBody": "Footage involving minors is never used for training and never published.",
"site.ownModel.train.honestTitle": "Read this honestly.",
"site.ownModel.train.honestBody": "The labeling tool is real and shipping. The training pipeline is <b>open and in active build</b> ? today it's a developer CLI; the no-GPU path trains a pipeline-validation <b>mock</b>, and a real model needs a GPU. There is <b>no \"Train now\" button</b> yet, and we make <b>no accuracy claim vs a paid LLM</b> (there's no such benchmark). The promise here is <b>ownership, licensing, privacy and consent</b> ? not \"more accurate than Gemini,\" and not \"one click to train.\",
"site.ownModel.setup.kicker": "Step 3 · for power users",
"site.ownModel.setup.title": "Setup & use",
"site.ownModel.setup.install": "<b>Install the plugin (VLC 3.0.x).</b> Copy <code>rally_annotator.lua</code> into VLC's per-user Lua <code>extensions</code> folder (create it if missing), then VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>, and enable it from <i>View ? Rally Annotator</i>:",
"site.ownModel.setup.record": "<b>Record</b> per the <a href=\"\"/capture\">one-page capture checklist</a> (fixed tripod, full court, landscape, whole session) ? <b>annotate</b> in VLC ? you get <code>&lt;video>.rallies.csv</code>:",
"site.ownModel.setup.reasons": "<code>ending_reason</code> is one of: <code>unknown</code> · <code>winner</code> · <code>forced_error</code> · <code>unforced_error</code> · <code>service_fault</code> · <code>let</code> · <code>other</code>. Times are decimal seconds; downstream tools read by column name.",
"site.ownModel.setup.train": "<b>Train</b> (developer CLI). A GPU-free dry run validates the whole pipeline on a CPU mock; a real model needs a GPU:",
"site.ownModel.setup.joinRule": "One join rule: keep the video <b>byte-identical</b> to what you annotated (don't re-encode after labeling) ? labels match videos by content hash.",
"site.ownModel.not.kicker": "So expectations stay honest",
"site.ownModel.not.title": "What this is not",
"site.ownModel.not.i1": "Not a one-click trainer ? training is an offline CLI today.",
"site.ownModel.not.i2": "Not in-browser ? labeling runs in VLC on your machine.",
"site.ownModel.not.i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",
"site.ownModel.not.i4": "Shot-type, player and score detection are roadmap.",
"site.ownModel.cta.title": "Want in?",
"site.ownModel.cta.button": "Request alpha access",
"site.ownModel.foot.flyer": "Academy flyer:",

```

```
"site.ownModel.foot.mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
}
```

CURRENT Indonesian (Bahasa Indonesia) DRAFT:

```
{
  "site.reveal.share": "Bagikan di WhatsApp",
  "site.reveal.shareText": "Coba KhelSutra ? ia mengubah satu pertandingan bulu tangkis penuh
menjadi reel highlight yang rapi ? khelsutra.guru",
  "site.nav.how": "Cara kerjanya",
  "site.nav.why": "Mengapa ini sulit",
  "site.nav.ownModel": "Miliki modelmu sendiri",
  "site.nav.flyer": "Flyer",
  "site.nav.roadmap": "Roadmap",
  "site.nav.faq": "FAQ",
  "site.nav.requestAccess": "Minta akses",
  "site.hero.title": "Setiap reli, terindeks. <span class=\"hl\">Waktu kosongnya,
hilang.</span>",
  "site.hero.eyebrow": "Alfa khusus undangan · Bengaluru",
  "site.hero.lead": "KhelSutra menemukan setiap reli dalam sesimu dan membuang pemanasan, jeda
berjalan, dan waktu kosong ? sehingga satu pertandingan penuh menjadi reel highlight rapi yang
bisa kamu tonton dan unduh. Tanpa mengedit, tanpa menggeser-geser.",
  "site.hero.ctaPrimary": "Minta akses alfa",
  "site.hero.ctaHow": "Lihat cara kerjanya",
  "site.record.kicker": "Rekam dengan benar",
  "site.record.title": "Lima menit persiapan ? reel hebat yang konsisten",
  "site.record.intro": "Kualitas highlight dimulai dari rekamannya. Atur kamera sekali seperti
ini dan KhelSutra punya semua yang dibutuhkan untuk menemukan reli.",
  "site.record.goldenRuleLead": "Aturan emasnya: satu pertandingan, satu lapangan, dalam frame
penuh ? dan jangan menggerakkan kamera.",
  "site.record.goldenRuleRest": "Satu lapangan dalam frame memberi hasil terbaik saat ini;
rekaman multi-lapangan yang ramai adalah kasus sulit yang masih kami sempurnakan.",
  "site.record.place.title": "Tempatkan kamera",
  "site.record.place.body": "Di belakang <b>satu garis belakang</b>, ditinggikan (tripod tinggi
atau balkon), dimiringkan ~30° ke bawah ? <b>seluruh lapangan</b> masuk frame, pemain tidak
pernah terpotong.",
  "site.record.settings.title": "Pengaturan",
  "site.record.settings.body": "<b>1080p</b>, lanskap, <b>30 fps</b> untuk bulu tangkis (60 fps
untuk tenis meja). <b>Audio ON</b> ? suara ?thwack? shuttlecock membantu menemukan reli.",
  "site.record.still.title": "Jaga tetap diam",
  "site.record.still.body": "Tripod atauudukan tetap. <b>Tanpa panning, tanpa zoom</b> selama
permainan ? tampilan lapangan penuh yang stabil itulah yang menjadi acuan alat ini.",
  "site.record.upload.title": "Rekam & unggah",
  "site.record.upload.body": "Pencahayaannya merata, lalu rekam <b>seluruh sesi</b> dan unggah apa
adanya ? KhelSutra menemukan reli dan melakukan pemotongannya.",
  "site.record.checklistCta": "Daftar periksa perekaman 1 halaman lengkap ?",
  "site.capture.diagram.title": "Tampak samping: di mana kamera ditempatkan",
  "site.capture.diagram.camera": "Kamera ? di belakang garis belakang, ditinggikan",
  "site.capture.diagram.angle": "Miringkan ~30° ke bawah",
  "site.capture.diagram.frame": "Seluruh lapangan masuk frame ? pemain tidak pernah terpotong",
  "site.capture.diagram.net": "Net",
  "site.capture.title": "Daftar periksa perekaman 1 halaman",
  "site.capture.intro": "Highlight hebat dimulai dari rekaman lapangan penuh yang stabil. Lima
menit persiapan membuat perbedaan besar pada reel-mu.",
  "site.capture.ruleLead": "Aturan emasnya: satu pertandingan, satu lapangan, dalam frame penuh
? dan jangan menggerakkan kamera.",
  "site.capture.ruleRest": "Rekaman multi-lapangan adalah kasus sulit yang masih kami
sempurnakan; satu lapangan dalam frame memberi hasil terbaik saat ini.",
  "site.capture.step1.title": "Tempatkan kamera",
  "site.capture.step1.b1": "Di belakang <b>satu garis belakang</b>, ditinggikan ? tripod tinggi,
beberapa meter di atas, atau balkon.",
  "site.capture.step1.b2": "Miringkan sekitar <b>30°</b> ke bawah; jaga <b>seluruh lapangan</b>
masuk frame dengan sedikit margin dan ruang di atas net.",
  "site.capture.step1.b3": "Pemain tidak boleh keluar dari frame.",
  "site.capture.step2.title": "Pengaturan",
  "site.capture.step2.b1": "<b>1080p atau lebih tinggi</b>, diambil dalam mode <b>lanskap</b>.",
```

"site.capture.step2.b2": "<b>30 fps</b> untuk bulu tangkis/pickleball; <b>60 fps</b> untuk tenis meja.",

"site.capture.step2.b3": "<b>Audio ON</b> (jangan dibisukan) ? jaga mikrofon tidak terhalang, matikan pengurangan angin/bising.",

"site.capture.step3.title": "Jaga tetap diam",

"site.capture.step3.b1": "Tripod atau dudukan tetap.",

"site.capture.step3.b2": "<b>Tanpa panning, tanpa zoom</b> selama permainan.",

"site.capture.step4.title": "Pencahayaan & rekam",

"site.capture.step4.b1": "Pencahayaan dalam ruangan yang merata; hindari cahaya dari belakang, silau, dan aula yang sangat gelap.",

"site.capture.step4.b2": "Rekam <b>seluruh sesi</b> dan unggah apa adanya ? KhelSutra yang melakukan pemotongan.",

"site.capture.doTitle": "Lakukan",

"site.capture.do1": "Kamera tetap, lapangan penuh, di belakang garis belakang",

"site.capture.do2": "1080p+, lanskap, audio menyala",

"site.capture.do3": "Satu pertandingan di satu lapangan",

"site.capture.dontTitle": "Hindari",

"site.capture.dont1": "Genggam tangan atau ponsel di tangan",

"site.capture.dont2": "Panning & zoom ala siaran TV",

"site.capture.dont3": "Beberapa lapangan dalam satu frame; aula yang sangat gelap",

"site.capture.consent": "Mohon rekam orang dewasa dengan persetujuan mereka. Rekaman yang melibatkan anak di bawah umur tidak pernah digunakan untuk meningkatkan alat ini dan tidak pernah dipublikasikan.",

"site.capture.questions": "Ada pertanyaan?",

"site.capture.printTip": "Tips: tekan Ctrl/Cmd + P untuk mencetak atau menyimpan sebagai PDF.",

"site.ownModel.requestAccess": "Minta akses ?",

"site.ownModel.heroTitle": "Anotasi rekamanmu. <span class=\"hl\">Latih model yang menjadi milikmu.</span>",

"site.ownModel.heroLead": "Kamu tidak bisa melatih Gemini atau GPT pada rekaman lapanganmu. Arah KhelSutra justru sebaliknya ? model reli kecil yang <b style=\"color:#EAF3EE\">kamu miliki</b>, di mana keunggulannya adalah dataset hasil persetujuanmu, di atas stack yang bersih secara komersial dan dapat kamu periksa serta kendalikan.",

"site.ownModel.nav.home": "? Beranda KhelSutra",

"site.ownModel.nav.annotate": "Anotasi",

"site.ownModel.nav.train": "Latih modelmu sendiri",

"site.ownModel.nav.setup": "Pasang & gunakan",

"site.ownModel.sample": "? <b>Ingin melihat apa yang dihasilkan KhelSutra?</b> Reel contoh asli langsung diputar saat kamu <a href=\"\"/#join\">minta akses</a>.",

"site.ownModel.annotate.kicker": "Langkah 1 · nyata dan sudah hadir hari ini",

"site.ownModel.annotate.title": "Anotasi rekamanmu",

"site.ownModel.annotate.pill": "aktif hari ini",

"site.ownModel.annotate.body": "<b>rally-annotator</b> adalah <b>plugin VLC</b> gratis dan sumber terbuka (MIT) yang mengubah \"menonton pertandingan\" menjadi label emas. Sambil menonton videomu sendiri di VLC, kamu menandai awal dan akhir setiap reli serta bagaimana poin berakhir; ia menulis satu baris per reli ke sebuah CSV biasa di samping videomu. <b>Rekamanmu tidak pernah meninggalkan komputermu.</b> Ia mencakup lima cabang olahraga raket yang dipisahkan net (bulu tangkis, tenis, tenis meja, pickleball, padel).",

"site.ownModel.annotate.cap1": "Aktifkan sekali: VLC ? View ? Rally Annotator.",

"site.ownModel.annotate.cap2": "Tandai awal/akhir setiap reli + alasan berakhirnya, lalu Save Rally.",

"site.ownModel.annotate.flowLead": "Alurnya, per reli:",

"site.ownModel.annotate.step1": "<b>Mark START</b> pada frame kontak servis (jeda/geser untuk akurasi).",

"site.ownModel.annotate.step2": "<b>Mark END</b> saat shuttlecock mati.",

"site.ownModel.annotate.step3": "Pilih <b>alasan berakhirnya</b>, opsional jumlah pukulan, lalu <b>Save Rally</b> ? satu baris CSV.",

"site.ownModel.annotate.step4": "Perbaiki apa pun dengan <b>Edit / Delete / Undo</b>; buka kembali video yang sama nanti untuk melanjutkan.",

"site.ownModel.annotate.note": "Ini berupa dialog berbasis klik (belum ada hotkey penandaan), dan menyorot <b>VLC 3.0.x</b>.",

"site.ownModel.train.kicker": "Langkah 2 · keunggulannya",

"site.ownModel.train.title": "Latih modelmu sendiri",

"site.ownModel.train.pill": "pipeline terbuka · dalam pengembangan",

"site.ownModel.train.reassureTitle": "Kamu tidak perlu melatih apa pun untuk memulai.",

```

"site.ownModel.train.reassureBody": "KhelSutra berjalan di atas default siap pakai, jadi kamu
mendapat deteksi reli dan reel <b>langsung pakai</b> ? tidak ada yang perlu disiapkan. Melatih
dengan rekamanmu sendiri (di bawah) adalah peningkatan <b>opsional</b>: model yang disetel untuk
lapanganmu, sudutmu, aulamu.",
"site.ownModel.train.intro": "Bagi yang menginginkannya, label-labelmu memberi makan model
reli yang <b>kamu miliki</b> ? dilatih pada lapangan <b>milikmu</b>, sudut <b>milikmu</b>, aula
multi-lapangan <b>milikmu</b> yang ramai. Pipeline-nya terbuka dan dapat diperiksa:",
"site.ownModel.train.moat.ownTitle": "Kamu memilikinya",
"site.ownModel.train.moat.ownBody": "Model dan dataset yang menjadi milikmu untuk disimpan dan
ditingkatkan ? bukan inferensi sewaan.",
"site.ownModel.train.moat.cleanTitle": "Bersih secara komersial",
"site.ownModel.train.moat.cleanBody": "Stack hanya MIT/Apache/BSD; kami tidak pernah melatih
pada keluaran LLM berbayar.",
"site.ownModel.train.moat.privateTitle": "Privat & atas persetujuan",
"site.ownModel.train.moat.privateBody": "Rekaman tetap milikmu; penggunaan untuk pelatihan
adalah opt-in eksplisit, tidak pernah otomatis.",
"site.ownModel.train.moat.minorsTitle": "Anak di bawah umur dilindungi",
"site.ownModel.train.moat.minorsBody": "Rekaman yang melibatkan anak di bawah umur tidak
pernah digunakan untuk pelatihan dan tidak pernah dipublikasikan.",
"site.ownModel.train.honestTitle": "Baca ini dengan jujur.",
"site.ownModel.train.honestBody": "Alat pelabelannya nyata dan sudah hadir. Pipeline
pelatihannya <b>terbuka dan sedang aktif dikembangkan</b> ? saat ini berupa CLI untuk
pengembang; jalur tanpa GPU melatih sebuah <b>mock</b> validasi-pipeline, dan model sungguhan
membutuhkan GPU. Belum ada <b>tombol \"Train now\"</b>, dan kami tidak membuat <b>klaimitas akurasi
dibanding LLM berbayar</b> (tidak ada tolok ukur semacam itu). Janjinya di sini adalah
<b>kepemilikan, lisensi, privasi, dan persetujuan</b> ? bukan <b>\"lebih akurat dari Gemini,\"</b> dan
bukan <b>\"satu klik untuk melatih.\"</b>",
"site.ownModel.setup.kicker": "Langkah 3 . untuk pengguna tingkat lanjut",
"site.ownModel.setup.title": "Pasang & gunakan",
"site.ownModel.setup.install": "<b>Pasang plugin-nya (VLC 3.0.x).</b> Salin
<code>rally_annotator.lua</code> ke folder Lua <code>extensions</code> per-pengguna milik VLC
(buat jika belum ada), lalu VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>, dan
aktifkan dari <i>View ? Rally Annotator</i>:",
"site.ownModel.setup.record": "<b>Rekam</b> sesuai <a href=\"/capture\">daftar periksa
perekaman satu halaman</a> (tripod tetap, lapangan penuh, lanskap, seluruh sesi) ?
<b>anotasi</b> di VLC ? kamu mendapat <code>&lt;video>.rallies.csv</code>:",
"site.ownModel.setup.reasons": "<code>ending_reason</code> adalah salah satu dari:
<code>unknown</code> . <code>winner</code> . <code>forced_error</code> .
<code>unforced_error</code> . <code>service_fault</code> . <code>let</code> .
<code>other</code>. Waktu dalam detik desimal; alat-alat hilir membaca berdasarkan nama kolom.",
"site.ownModel.setup.train": "<b>Latih</b> (CLI untuk pengembang). Dry run tanpa GPU
memvalidasi seluruh pipeline pada mock CPU; model sungguhan membutuhkan GPU:",
"site.ownModel.setup.joinRule": "Satu aturan penggabungan: jaga video tetap <b>identik byte
demi byte</b> dengan yang kamu anotasi (jangan encode ulang setelah pelabelan) ? label
dicocokkan dengan video berdasarkan hash konten.",
"site.ownModel.not.kicker": "Agar ekspektasi tetap jujur",
"site.ownModel.not.title": "Apa yang bukan ini",
"site.ownModel.not.i1": "Bukan pelatih satu klik ? pelatihan saat ini berupa CLI offline.",
"site.ownModel.not.i2": "Bukan di dalam browser ? pelabelan berjalan di VLC di komputermu.",
"site.ownModel.not.i3": "Bukan klaim akurasi dibanding Gemini/GPT ? tidak ada tolok ukur
semacam itu.",
"site.ownModel.not.i4": "Deteksi jenis pukulan, pemain, dan skor masih dalam roadmap.",
"site.ownModel.cta.title": "Mau ikut?",
"site.ownModel.cta.button": "Minta akses alfa",
"site.ownModel.foot.flyer": "Flyer akademi:",
"site.ownModel.foot.mark": "Reel membawa tanda \"Generated by Khelsutra.guru\"."
}

```

REVIEWER FINDINGS (accuracy/fluency/integrity):

```

[
{
  "key": "site.hero.lead",
  "severity": "medium",
  "problem": "The English source says \"strips out the knock-ups, walks and gaps\". The
translation renders \"walks\" as \"jeda berjalan\" (literally \"walking pause/break\"), which is

```

an odd, ambiguous construction. `\\"knock-ups\\"` is correctly rendered as `\\"pemanasan\\"` (warm-up), and `\\"gaps\\"` as `\\"waktu kosong\\"`, but `\\"jeda berjalan\\"` does not clearly convey the idea of players walking around between rallies (dead time spent walking).",

"suggestion": "Render `\\"walks\\"` more clearly, e.g. `\\"saat-saat berjalan\\"` or `\\"waktu berjalan-jalan\\"` ? something that conveys the players walking between rallies rather than an ambiguous `\\"jeda berjalan\\"`.",

"lens": "accuracy"

},

{

"key": "site.ownModel.annotate.kicker",

"severity": "low",

"problem": "`\\"real and shipping today\\"` is translated as `\\"nyata dan sudah hadir hari ini\\"` (`\\"real and already present today\\"`). `\\"Shipping\\"` specifically conveys that the software is released/being delivered ? `\\"sudah hadir\\"` softens this slightly to `\\"already available/present,\"` losing a bit of the `\\"actively shipped/released\\"` nuance. Compare with the more precise `\\"sudah dirilis\\"` / `\\"sudah tersedia/dikirim\\"`. Minor under-translation but the core claim (it exists today) survives.",

"suggestion": "Consider `\\"nyata dan sudah dirilis hari ini\\"` or `\\"nyata dan sudah tersedia hari ini\\"` to more precisely capture `\\"shipping\\"`.",

"lens": "accuracy"

},

{

"key": "site.ownModel.train.honestBody",

"severity": "low",

"problem": "`\\"The labeling tool is real and shipping.\"` is translated `\\"Alat pelabelannya nyata dan sudah hadir.\"` Same minor softening of `\\"shipping\\"` to `\\"sudah hadir\\"` (`\\"already present\\"`) as in the kicker. The honesty caveat itself (real and shipping vs. pipeline in build) is preserved, but `\\"shipping\\"` is slightly under-translated.",

"suggestion": "Use `\\"nyata dan sudah dirilis\\"` / `\\"nyata dan sudah dikirim/tersedia\\"` to keep the `\\"shipping\\"` force consistent with the source.",

"lens": "accuracy"

},

{

"key": "site.reveal.share",

"severity": "medium",

"problem": "`\\"Bagikan di WhatsApp\\"` is inconsistent with the app-console reference, which uses `\\"Bagikan ke WhatsApp\\"` (locales/id/common.json line 63, result.share). For the share action of pushing content out to WhatsApp, the natural Indonesian collocation is `\\"agikan ke\\"` (share TO). `\\"Bagikan di\\"` reads as `\\"share ON/in\\"` and is a literal calque of English `\\"Share on\\"`. This is the user-facing share button, so the divergence from the console is jarring.",

"suggestion": "Bagikan ke WhatsApp",

"lens": "fluency"

},

{

"key": "site.reveal.shareText",

"severity": "medium",

"problem": "`\\"reel highlight\\"` is an unnaturalized English noun phrase and is inconsistent with the established console term. The reference console renders `\\"highlight reel\\"` as `\\"reel sorotan\\"` (common.json line 64: `\\"reel sorotan bulu tangkis\\"`). Using bare `\\"highlight\\"` leaves a translatable English word untranslated where a native term (`\\"sorotan\\"`) is already in use across the app. Also, English-order `\\"reel highlight\\"` is a calque; Indonesian noun-adjective order would be `\\"reel sorotan\\"`.",

"suggestion": "Coba Khe!Sutra ? ia mengubah satu pertandingan bulu tangkis penuh menjadi reel sorotan yang rapi ? khe!sutra.guru",

"lens": "fluency"

},

{

"key": "site.hero.lead",

"severity": "medium",

"problem": "Two fluency problems. (1) `\\"reel highlight\\"` again diverges from the console's `\\"reel sorotan\\"` and leaves `\\"highlight\\"` as an untranslated anglicism. (2) `\\"jeda berjalan\\"` for `\\"walks\\"` is an awkward, unclear calque ? `\\"jeda berjalan\\"` reads as `\\"walking pause\\"` and a non-technical coach/parent would not parse it as players walking between rallies. `\\"pemanasan\\"` for knock-ups is fine, but the list `\\"membuang pemanasan, jeda berjalan, dan waktu kosong\\"` is unidiomatic.",

```

"suggestion": "...membuang pemanasan, perpindahan/jalan-jalan antar-poin, dan waktu kosong ?
sehingga satu pertandingan penuh menjadi reel sorotan rapi yang bisa kamu tonton dan unduh.
Tanpa edit, tanpa scrubbing. (and use \"reel sorotan\" for the highlight reel)\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.record.intro\",
  \"severity\": \"low\",
  \"problem\": \"\\\"KhelSutra punya semua yang dibutuhkan\\\" is slightly clipped/ungrammatical for
the meaning \\\"has everything it needs\\\". \\\"punya semua yang dibutuhkan\\\" drops the object
reference and reads colloquially incomplete; a coach/parent register reads more naturally with
\\\"punya semua yang diperlukannya\\\" or \\\"sudah punya semua yang dibutuhkan\\\".\",
  \"suggestion\": \"...dan KhelSutra sudah punya semua yang diperlukannya untuk menemukan reli.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.record.still.body\",
  \"severity\": \"medium\",
  \"problem\": \"\\\"tampilan lapangan penuh yang stabil itulah yang menjadi acuan alat ini\\\" is an
awkward rendering of \\\"a steady, full-court view is what the tool is tuned for\\\". \\\"menjadi
acuan alat ini\\\" (becomes the reference/benchmark of this tool) misses the sense of \\\"tuned
for\\\" ? the tool is optimized for that view, not that the view is its reference. Reads as a
literal, slightly off paraphrase.\",
  \"suggestion\": \"...tampilan lapangan penuh yang stabil itulah yang dioptimalkan oleh alat
ini. (or \\\"...yang menjadi sasaran penyetelan alat ini.\\\")\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.capture.dont1\",
  \"severity\": \"medium\",
  \"problem\": \"\\\"Genggam tangan atau ponsel di tangan\\\" is awkward and partly nonsensical for
\\\"Handheld or phone-in-hand\\\". \\\"Genggam tangan\\\" literally means \\\"grip the hand\\\" and is not
idiomatic Indonesian for \\\"handheld (camera)\\\". A native term is \\\"kamera dipegang tangan\\\" or
\\\"dipegang dengan tangan\\\".\",
  \"suggestion\": \"Kamera dipegang tangan atau ponsel di genggam\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.capture.consent\",
  \"severity\": \"low\",
  \"problem\": \"\\\"dengan persetujuan mereka\\\" is fine, but \\\"Mohon rekam orang dewasa dengan
persetujuan mereka\\\" reads slightly stiff/ambiguous (could be parsed as \\\"please record adults
using their consent\\\"). More natural Indonesian for \\\"record adults with their okay\\\" is \\\"Mohon
hanya rekam orang dewasa yang sudah setuju\\\" or \\\"...atas persetujuan mereka.\\\"\",
  \"suggestion\": \"Mohon rekam orang dewasa hanya atas persetujuan mereka.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.ownModel.heroLead\",
  \"severity\": \"low\",
  \"problem\": \"\\\"stack\\\" is left as an untranslated anglicism (\\\"di atas stack yang bersih
secara komersial\\\"). While \\\"stack\\\" is somewhat accepted in tech Indonesian, for the non-
technical coach/parent audience it is jargon; the console keeps a casual register. Note: the
keep-list does not protect \\\"stack\\\", so it is translatable. Consider \\\"tumpukan teknologi\\\" or
rephrasing. This is borderline but worth flagging for the stated audience.\",
  \"suggestion\": \"...di atas tumpukan teknologi yang bersih secara komersial dan dapat kamu
periksa serta kendalikan. (or keep \\\"stack\\\" but acknowledge register risk)\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"site.ownModel.train.intro\",
  \"severity\": \"low\",
  \"problem\": \"\\\"label-labelmu memberi makan model reli\\\" is a literal calque of English \\\"your
labels feed a model\\\". \\\"memberi makan\\\" (to feed, as in feeding a person/animal) is unnatural
for data feeding a model in Indonesian; it reads oddly literal for a non-technical reader. A

```



```

more idiomatic verb is \"menyuplai\", \"mengisi\", or \"melatih\".",
"suggestion": "...label-labelmu menyuplai / menjadi bahan latih bagi model reli yang kamu
miliki...",
"lens": "fluency"
},
{
"key": "site.ownModel.train.reassureBody",
"severity": "low",
"problem": "\"berjalan di atas default siap pakai\" mixes the anglicism \"default\" with
\"di atas\" awkwardly. \"default\" as a bare noun is jargon for a coach/parent; combined with
\"berjalan di atas\" (runs on top of) it reads as a literal English calque (\"runs on a ready-
made default\"). A native rendering like \"menggunakan model bawaan siap pakai\" is clearer.",
"suggestion": "KheISutra menggunakan model bawaan yang siap pakai, jadi kamu langsung
mendapat deteksi reli dan reel...",
"lens": "fluency"
},
{
"key": "site.capture.printTip",
"severity": "low",
"problem": "\"Tips:\" is used where the singular \"Tip:\" is intended. In Indonesian,
\"Tips\" is a borrowed plural commonly used, but as a label introducing a single tip the more
standard singular is \"Tip:\". Minor register/grammar nit; \"Tips\" is widely tolerated
colloquially.",
"suggestion": "Tip: tekan Ctrl/Cmd + P untuk mencetak atau menyimpan sebagai PDF.",
"lens": "fluency"
}
]

```

KEEP THESE EXACTLY ? never translate or transliterate:

- Brand/URLs: KheISutra, khelsutra.guru, and the verbatim watermark "Generated by KheISutra.guru".
  - Tools/proper nouns: VLC, "VLC 3.0.x", "Rally Annotator", rally-annotator, rally\_annotator.lua, WASB, WhatsApp.
  - Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.
  - Everything inside `...` stays byte-identical (the ending\_reason enum values unknown/winner/forced\_error/unforced\_error/service\_fault/let/other, <video>.rallies.csv, "extensions", file paths).
  - Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0. Keyboard keys literal: Ctrl/Cmd + P; "PDF" stays.
  - VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH (translate the surrounding text):
    - "Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions", "View ? Rally Annotator", "Tools ? Plugins and extensions".
  - Symbols/emoji kept as-is: ? · ? ? ? ° ? ?.
  - Sport names MAY take their natural local form (e.g. Spanish "bádminton", "tenis de mesa") ? that is correct localization, not a violation.
- Preserve every inline HTML tag EXACTLY ? same tags, same attributes, same order:  
 <b>, <i>, <a href="...">, <code>, <span class="hl">, and <b style="color:#EAF3EE">. Translate ONLY the human-readable text between tags. Keep &lt;/&gt; entities and the literal text inside <code> unchanged. A link <a href="/#join">request access</a> keeps the same href; only the link text is translated.

Return {"translations": { "<dotted key>": "<final value>", ... }} with ALL 115 keys.

## 2. assistant (2026-06-22T03:24:56.364Z)

I'll apply the reviewer findings to the flagged keys while leaving clean keys unchanged. Let me work through each finding carefully, respecting all keep-literal and HTML rules.

Key fixes to apply:

- `site.reveal.share`: "di" ? "ke" (console consistency)
- `site.reveal.shareText`: "reel highlight" ? "reel sorotan"
- `site.hero.lead`: "reel highlight" ? "reel sorotan"; "jeda berjalan" ? clearer; "menggeser-geser" kept or aligned
- `site.record.intro`: "punya semua yang dibutuhkan" ? "sudah punya semua yang diperlukannya"

- `site.record.still.body`: "menjadi acuan alat ini" ? "dioptimalkan oleh alat ini"
- `site.capture.dont1`: fix "Genggam tangan"
- `site.capture.consent`: more natural consent phrasing
- `site.ownModel.heroLead`: "stack" ? "tumpukan teknologi"
- `site.ownModel.annotate.kicker`: "sudah hadir" ? "sudah dirilis"
- `site.ownModel.train.intro`: "memberi makan" ? "menyuplai"
- `site.ownModel.train.reassureBody`: "berjalan di atas default siap pakai" ? "menggunakan model bawaan yang siap pakai"
- `site.ownModel.train.honestBody`: "sudah hadir" ? "sudah dirilis"
- `site.capture.printTip`: "Tips:" ? "Tip:"

### 3. user (2026-06-22T03:25:54.300Z)

Structured output provided successfully

### 4. assistant (2026-06-22T03:26:05.854Z)

I've applied all the reviewer findings and returned the complete set of 115 keys via StructuredOutput.

Summary of fixes applied (clean keys left unchanged):

- `**site.reveal.share**`: "Bagikan di WhatsApp" ? "Bagikan ke WhatsApp" (console consistency, `agikan ke`)
- `**site.reveal.shareText**`: "reel highlight" ? "reel sorotan" (console term)
- `**site.hero.lead**`: "reel highlight" ? "reel sorotan"; "jeda berjalan" ? "momen jalan-jalan antar-poin" (clearer rendering of "walks")
- `**site.record.intro**`: "punya semua yang dibutuhkan" ? "sudah punya semua yang diperlukannya"
- `**site.record.still.body**`: "menjadi acuan alat ini" ? "dioptimalkan oleh alat ini" (captures "tuned for")
- `**site.capture.dont1**`: "Genggam tangan..." ? "Kamera dipegang tangan atau ponsel di genggaman"
- `**site.capture.consent**`: "...dengan persetujuan mereka" ? "...hanya atas persetujuan mereka"
- `**site.capture.printTip**`: "Tips:" ? "Tip:" (singular)
- `**site.ownModel.heroLead**`: "stack" ? "tumpukan teknologi"
- `**site.ownModel.annotate.kicker**`: "sudah hadir hari ini" ? "sudah dirilis hari ini" (sharpens "shipping")
- `**site.ownModel.train.reassureBody**`: "berjalan di atas default siap pakai" ? "menggunakan model bawaan yang siap pakai"
- `**site.ownModel.train.intro**`: "memberi makan" ? "menyuplai" (idiomatic for data feeding a model)
- `**site.ownModel.train.honestBody**`: "nyata dan sudah hadir" ? "nyata dan sudah dirilis" (consistent "shipping")

All keep-literal items (KheI Sutra, VLC UI labels, ``` enum values, brand/URLs, numbers/units, symbols/emoji) and inline HTML tags (`<b>`, `<i>`, `<a href>`, `<span class="hl">`, `<b style="color:#EAF3EE">`, `&lt;/&gt;` entities) were preserved exactly.`