

claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_4b0f398f-c8a\agent-a56ddbef22253c9fc.jsonl`  
- SHA-256: `69f2d010b355c856206c8ddf67c2d31df1ef71380aae73df7b6ee9a66a63ae53`  
- Source modified: `2026-06-22T03:23:50+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_4b0f398f-c8a`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

Transcript

1. user (2026-06-22T03:22:36.974Z)

You are a professional Indonesian (Bahasa Indonesia) localizer for KhelSutra, a badminton-highlights product (alpha, Bengaluru). Localize its marketing site for a NON-technical coach/parent ? warm, plain, honest, and trustworthy. The copy is candid about what is/isn't shipping; every honest caveat must survive (e.g. "experimental", "in build", "optional", "no accuracy claim", "alpha", privacy/consent/minors lines). Use neutral, natural Indonesian (Bahasa Indonesia).

SOURCE ? English, keyed by dotted key (translate the human-readable text of ALL 115 keys):

```
{  
  "site.reveal.share": "Share on WhatsApp",  
  "site.reveal.shareText": "Check out KhelSutra ? it turns a full badminton match into a clean  
highlights reel ? khelsutra.guru",  
  "site.nav.how": "How it works",  
  "site.nav.why": "Why it's hard",  
  "site.nav.ownModel": "Own your model",  
  "site.nav.flyer": "Flyer",  
  "site.nav.roadmap": "Roadmap",  
  "site.nav.faq": "FAQ",  
  "site.nav.requestAccess": "Request access",  
  "site.hero.title": "Every rally, indexed. <span class=\"hl\">The dead time, gone.</span>",  
  "site.hero.eyebrow": "Invite-only alpha · Bengaluru",  
  "site.hero.lead": "KhelSutra finds every rally in your session and strips out the knock-ups,  
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No  
editing, no scrubbing.",  
  "site.hero.ctaPrimary": "Request alpha access",  
  "site.hero.ctaHow": "See how it works",  
  "site.record.kicker": "Record it right",  
  "site.record.title": "Five minutes of setup ? reliably great reels",  
  "site.record.intro": "Highlight quality starts with the recording. Set the camera up once like  
this and KhelSutra has everything it needs to find the rallies.",  
  "site.record.goldenRuleLead": "The golden rule: one match, one court, in full frame ? and  
don't move the camera.",  
  "site.record.goldenRuleRest": "A single court in frame gives the best results today; busy  
multi-court footage is the hard case we're still sharpening.",  
  "site.record.place.title": "Place the camera",  
  "site.record.place.body": "Behind <b>one baseline</b>, elevated (a high tripod or a balcony),  
tilted down ~30° ? the <b>whole court</b> in frame, players never cropped.",  
  "site.record.settings.title": "Settings",  
  "site.record.settings.body": "<b>1080p+</b>, landscape, <b>30 fps</b> for badminton (60 fps  
for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies.",  
  "site.record.still.title": "Keep it still",  
  "site.record.still.body": "Fixed tripod or mount. <b>No panning, no zooming</b> during play ?  
a steady, full-court view is what the tool is tuned for.",  
}
```

"site.record.upload.title": "Record & upload",
"site.record.upload.body": "Even lighting, then record the whole session and upload it as-is ? KhelSutra finds the rallies and does the cutting.",
"site.record.checklistCta": "Full 1-page capture checklist ?",
"site.capture.diagram.title": "Side view: where the camera goes",
"site.capture.diagram.camera": "Camera ? behind the baseline, elevated",
"site.capture.diagram.angle": "Tilt ~30° down",
"site.capture.diagram.frame": "Whole court in frame ? players never cropped",
"site.capture.diagram.net": "Net",
"site.capture.title": "1-page capture checklist",
"site.capture.intro": "Great highlights start with a steady, full-court recording. Five minutes of setup makes a big difference to your reels.",
"site.capture.ruleLead": "The golden rule: one match, one court, in full frame ? and don't move the camera.",
"site.capture.ruleRest": "Multi-court footage is the hard case we're still sharpening; a single court in frame gives the best results today.",
"site.capture.step1.title": "Place the camera",
"site.capture.step1.b1": "Behind one baseline, elevated ? a high tripod, a few metres up, or a balcony.",
"site.capture.step1.b2": "Tilt down about 30°; keep the whole court in frame with a little margin and net headroom.",
"site.capture.step1.b3": "Players should never leave the frame.",
"site.capture.step2.title": "Settings",
"site.capture.step2.b1": "1080p or higher, shot in landscape.",
"site.capture.step2.b2": "30 fps for badminton/pickleball; 60 fps for table tennis.",
"site.capture.step2.b3": "Audio ON (don't mute) ? keep the mic unobstructed, wind/noise reduction off.",
"site.capture.step3.title": "Keep it still",
"site.capture.step3.b1": "Fixed tripod or mount.",
"site.capture.step3.b2": "No panning, no zooming during play.",
"site.capture.step4.title": "Light & record",
"site.capture.step4.b1": "Even indoor lighting; avoid backlight, glare and very dark halls.",
"site.capture.step4.b2": "Record the whole session and upload it as-is ? KhelSutra does the cutting.",
"site.capture.doTitle": "Do",
"site.capture.do1": "Fixed camera, full court, behind the baseline",
"site.capture.do2": "1080p+, landscape, audio on",
"site.capture.do3": "One match on one court",
"site.capture.dontTitle": "Avoid",
"site.capture.dont1": "Handheld or phone-in-hand",
"site.capture.dont2": "Broadcast-style pans & zooming",
"site.capture.dont3": "Several courts in one frame; very dark halls",
"site.capture.consent": "Please record adults with their okay. Footage involving minors is never used to improve the tool and is never published.",
"site.capture.questions": "Questions?",
"site.capture.printTip": "Tip: press Ctrl/Cmd + P to print or save as PDF.",
"site.ownModel.requestAccess": "Request access ?",
"site.ownModel.heroTitle": "Annotate your footage. Train a model that's yours.",
"site.ownModel.heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the inverse ? a small, <b style=\"color:#EAF3EE\">owned rally model where the moat is your consented dataset, on a commercially-clean, inspectable stack you control.",
"site.ownModel.nav.home": "? KhelSutra home",
"site.ownModel.nav.annotate": "Annotate",
"site.ownModel.nav.train": "Train your own model",
"site.ownModel.nav.setup": "Setup & use",
"site.ownModel.sample": "? Want to see what KhelSutra produces? A real sample reel plays the moment you request access.",
"site.ownModel.annotate.kicker": "Step 1 · real and shipping today",
"site.ownModel.annotate.title": "Annotate your footage",
"site.ownModel.annotate.pill": "live today",
"site.ownModel.annotate.body": "rally-annotator is a free, open-source (MIT) VLC plugin that turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each rally's start and end plus how the point ended; it writes one row per rally

to a plain CSV next to your video. **Your footage never leaves your machine.** It covers five net-separated racquet sports (badminton, tennis, table tennis, pickleball, padel).",

"site.ownModel.annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",

"site.ownModel.annotate.cap2": "Mark each rally's start/end + ending reason, then Save Rally.",

"site.ownModel.annotate.flowLead": "The flow, per rally:",

"site.ownModel.annotate.step1": "**Mark START** on the serve-contact frame (pause/scrub for accuracy).",

"site.ownModel.annotate.step2": "**Mark END** when the shuttle is dead.",

"site.ownModel.annotate.step3": "Pick an **ending reason**, optionally a shot count, then **Save Rally** ? one CSV row.",

"site.ownModel.annotate.step4": "Fix anything with **Edit / Delete / Undo**; re-open the same video later to continue.",

"site.ownModel.annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets **VLC 3.0.x**.",

"site.ownModel.train.kicker": "Step 2 · the moat",

"site.ownModel.train.title": "Train your own model",

"site.ownModel.train.pill": "open pipeline · in build",

"site.ownModel.train.reassureTitle": "You don't have to train anything to start.",

"site.ownModel.train.reassureBody": "Khe!Sutra runs on a ready-made default, so you get rally detection and reels **out of the box** ? nothing to set up. Training on your own footage (below) is an **optional** power-up: a model tuned to your courts, your angles, your halls.",

"site.ownModel.train.intro": "For those who want it, your labels feed an **owned** rally model ? trained on **your** courts, **your** angles, **your** busy multi-court halls. The pipeline is open and inspectable:",

"site.ownModel.train.moat.ownTitle": "You own it",

"site.ownModel.train.moat.ownBody": "A model and dataset that are yours to keep and improve ? not rented inference.",

"site.ownModel.train.moat.cleanTitle": "Commercially clean",

"site.ownModel.train.moat.cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's output.",

"site.ownModel.train.moat.privateTitle": "Private & consented",

"site.ownModel.train.moat.privateBody": "Footage stays yours; training use is explicit opt-in, never automatic.",

"site.ownModel.train.moat.minorsTitle": "Minors protected",

"site.ownModel.train.moat.minorsBody": "Footage involving minors is never used for training and never published.",

"site.ownModel.train.honestTitle": "Read this honestly.",

"site.ownModel.train.honestBody": "The labeling tool is real and shipping. The training pipeline is **open and in active build** ? today it's a developer CLI; the no-GPU path trains a pipeline-validation **mock**, and a real model needs a GPU. There is **no "Train now"** button yet, and we make **no accuracy claim vs a paid LLM** (there's no such benchmark). The promise here is **ownership, licensing, privacy and consent** ? not **"more accurate than Gemini"** and not **"one click to train"**.",

"site.ownModel.setup.kicker": "Step 3 · for power users",

"site.ownModel.setup.title": "Setup & use",

"site.ownModel.setup.install": "**Install the plugin (VLC 3.0.x).** Copy `rally_annotator.lua` into VLC's per-user Lua `extensions` folder (create it if missing), then VLC ? Tools ? Plugins and extensions ? *Reload extensions*, and enable it from *View ? Rally Annotator*:",

"site.ownModel.setup.record": "**Record** per the [annotate in VLC ? you get `&video'.rallies.csv`:",](\"/capture\">one-page)

"site.ownModel.setup.reasons": "`<code>ending_reason</code>` is one of: `<code>unknown</code>` · `<code>winner</code>` · `<code>forced_error</code>` · `<code>unforced_error</code>` · `<code>service_fault</code>` · `<code>let</code>` · `<code>other</code>`. Times are decimal seconds; downstream tools read by column name.",

"site.ownModel.setup.train": "**Train** (developer CLI). A GPU-free dry run validates the whole pipeline on a CPU mock; a real model needs a GPU:",

"site.ownModel.setup.joinRule": "One join rule: keep the video **byte-identical** to what you annotated (don't re-encode after labeling) ? labels match videos by content hash.",

"site.ownModel.not.kicker": "So expectations stay honest",

"site.ownModel.not.title": "What this is not",

"site.ownModel.not.i1": "Not a one-click trainer ? training is an offline CLI today.",

"site.ownModel.not.i2": "Not in-browser ? labeling runs in VLC on your machine.",

```

"site.ownModel.not.i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",
"site.ownModel.not.i4": "Shot-type, player and score detection are roadmap.",
"site.ownModel.cta.title": "Want in?",
"site.ownModel.cta.button": "Request alpha access",
"site.ownModel.foot.flyer": "Academy flyer:",
"site.ownModel.foot.mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
}

```

REFERENCE ? already-shipped Indonesian (Bahasa Indonesia) strings from the SAME product's app console. Reuse this EXACT terminology and register so the site and the app read as one product (esp. how "rally", "reel", "video", "court", "shots", "Request access", "alpha" were rendered):

```

{
  "app": {
    "badge": "pilih reli kamu · alfa",
    "title": "Pilih reli untuk reel kamu",
    "intro": "Filter berdasarkan <b>durasi reli</b> ? mis. <i>?15 terpanjang?</i> ? lalu
sesuaikan dengan mengetuk kartu. Semua dimulai <b>terpilih</b>; cukup hapus yang tidak kamu
inginkan."
  },
  "query_placeholder": "mis. over 10s · top 15 longest · shortest first",
  "query_support": "Memfilter berdasarkan <b>durasi reli</b> sepenuhnya didukung. Hitungan
pukulan masih <x>eksperimental</x> (dalam pengembangan).",
  "grid_rally": "Reli {n}",
  "grid_long": "durasi",
  "grid_shots": "~{count} pukulan · eksperimental",
  "ingest_title": "Proses video",
  "ingest_intro": "Arahkan KhelSutra ke sebuah video dan ia akan menemukan reli untukmu ? ini
bisa memakan beberapa menit.",
  "result_ready": "Reel kamu siap",
  "footer_build": "Buat reel ({count})",
  "tap": {
    "title": "Ketuk untuk memfilter:",
    "longest": "Terpanjang dulu",
    "shortest": "Terpendek dulu",
    "over10": "Lebih dari 10 detik",
    "over20": "Lebih dari 20 detik",
    "top5": "5 terpanjang",
    "top10": "10 terpanjang"
  },
  "mode_loaded": "Ditemukan <b>{count}</b> reli di video kamu.",
  "lang": {
    "label": "Bahasa",
    "en": "English",
    "kn": "?????",
    "hi": "???????",
    "es": "Español",
    "da": "Dansk",
    "id": "Bahasa Indonesia"
  }
}

```

KEEP THESE EXACTLY ? never translate or transliterate:

- Brand/URLs: KhelSutra, khelsutra.guru, and the verbatim watermark "Generated by Khelsutra.guru".
- Tools/proper nouns: VLC, "VLC 3.0.x", "Rally Annotator", rally-annotator, rally_annotator.lua, WASB, WhatsApp.
- Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.
- Everything inside <code>...</code> stays byte-identical (the ending_reason enum values unknown/winner/forced_error/unforced_error/service_fault/let/other, <video>.rallies.csv, "extensions", file paths).
- Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0. Keyboard keys literal: Ctrl/Cmd + P; "PDF" stays.
- VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH (translate the

surrounding text):

"Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions",
"View ? Rally Annotator", "Tools ? Plugins and extensions".
- Symbols/emoji kept as-is: ? · ? ? ? ° ? ?.
- Sport names MAY take their natural local form (e.g. Spanish "bádminton", "tenis de mesa") ?
that is correct localization, not a violation.

Preserve every inline HTML tag EXACTLY ? same tags, same attributes, same order:

, <i>, , <code>, , and <b style="color:#EAF3EE">. Translate
ONLY the human-readable
text between tags. Keep </> entities and the literal text inside <code> unchanged. A link
request access keeps the same href; only the link text is translated.

Output {"translations": { "<dotted key>": "<translated value>", ... }} covering ALL 115 keys,
nothing else.

2. assistant (2026-06-22T03:22:41.397Z)

I'll translate all 115 keys into Bahasa Indonesia, reusing the app console's terminology (reli,
reel, video, pukulan, eksperimental, alfa) and preserving all HTML tags, code blocks, brand
names, and honest caveats.

3. user (2026-06-22T03:23:40.032Z)

Structured output provided successfully

4. assistant (2026-06-22T03:23:50.434Z)

All 115 keys have been translated into Bahasa Indonesia and returned via StructuredOutput.

Key terminology choices, kept consistent with the shipped app console:

- **reli** (rally), **reel** (kept as-is), **video**, **pukulan** (shots), **eksperimental**,
alfa, **Minta akses** (Request access)
- **lapangan** for court, **bulu tangkis** for badminton, **tenis meja** for table tennis

Honest caveats all preserved: "eksperimental", "dalam pengembangan" (in build), "opsional"
(optional), "tidak ada tolok ukur semacam itu" (no such benchmark / no accuracy claim), "alfa",
plus all privacy/consent/minors lines.

Untouched per instructions: brand/URLs (KhelSutra, khelsutra.guru, the verbatim watermark), VLC
UI labels (Mark START, Mark END, Save Rally, Edit / Delete / Undo, Reload extensions, View ?
Rally Annotator, Tools ? Plugins and extensions), all `<code>` contents (enum values,
`<video>.rallies.csv`, file paths), numbers/units (1080p, 30 fps, 60 fps, ~30°),
licences/acronyms (MIT, Apache, BSD, GPU, CPU, CLI, CSV, LLM, Gemini, GPT), and every inline
HTML tag with its attributes.