

# claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

## Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_23091f7b-74e\agent-a72a98d07134bd9c3.jsonl`  
- SHA-256: `dee5fd93db7bc3b984df84882354a0cc156e4e36b9e4ecd98d681801725ff804`  
- Source modified: `2026-06-22T01:34:47+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_23091f7b-74e`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

## Transcript

### 1. user (2026-06-22T01:33:59.998Z)

You are an adversarial Kannada (?????, script U+0C80?U+0CFF) translation reviewer. Be strict ? your job is to FIND problems, not to praise. Review ONE lens only.

LENS ? MEANING/ACCURACY: does each Kannada (?????, script U+0C80?U+0CFF) value faithfully convey the English source ? no dropped or added claims, no softened honesty (the "in build / mock / no accuracy claim / optional / no Train-now button" caveats and the privacy/consent/minors promises must survive), no mistranslation, no over- or under-translation?

ENGLISH SOURCE (dotted key ? value):

```
{  
  "heroTitle": "Annotate your footage. <span class=\"hl\">Train a model that's yours.</span>",  
  "heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the  
inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the moat is your  
consented dataset, on a commercially-clean, inspectable stack you control.",  
  "nav.home": "? KhelSutra home",  
  "nav.annotate": "Annotate",  
  "nav.train": "Train your own model",  
  "nav.setup": "Setup & use",  
  "sample": "? <b>Want to see what KhelSutra produces?</b> A real sample reel plays the moment  
you <a href=\"/#join\">request access</a>.",  
  "annotate.kicker": "Step 1 · real and shipping today",  
  "annotate.title": "Annotate your footage",  
  "annotate.pill": "live today",  
  "annotate.body": "<b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b> that  
turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each  
rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next  
to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated  
racquet sports (badminton, tennis, table tennis, pickleball, padel).",  
  "annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",  
  "annotate.cap2": "Mark each rally's start/end + ending reason, then Save Rally.",  
  "annotate.flowLead": "The flow, per rally:",  
  "annotate.step1": "<b>Mark START</b> on the serve-contact frame (pause/scrub for accuracy).",  
  "annotate.step2": "<b>Mark END</b> when the shuttle is dead.",  
  "annotate.step3": "Pick an <b>ending reason</b>, optionally a shot count, then <b>Save  
Rally</b> ? one CSV row.",  
  "annotate.step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video later  
to continue.",  
  "annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets <b>VLC  
3.0.x</b>.",  
  "train.kicker": "Step 2 · the moat",  
  "train.title": "Train your own model",  
  "train.pill": "open pipeline · in build",  
  "train.reassureTitle": "You don't have to train anything to start.",  
  "train.reassureBody": "KhelSutra runs on a ready-made default, so you get rally detection and
```

```

reels <b>out of the box</b> ? nothing to set up. Training on your own footage (below) is an
<b>optional</b> power-up: a model tuned to your courts, your angles, your halls.",
  "train.intro": "For those who want it, your labels feed an <b>owned</b> rally model ? trained
on <b>your</b> courts, <b>your</b> angles, <b>your</b> busy multi-court halls. The pipeline is
open and inspectable:",
  "train.moat.ownTitle": "You own it",
  "train.moat.ownBody": "A model and dataset that are yours to keep and improve ? not rented
inference.",
  "train.moat.cleanTitle": "Commercially clean",
  "train.moat.cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's output.",
  "train.moat.privateTitle": "Private & consented",
  "train.moat.privateBody": "Footage stays yours; training use is explicit opt-in, never
automatic.",
  "train.moat.minorsTitle": "Minors protected",
  "train.moat.minorsBody": "Footage involving minors is never used for training and never
published.",
  "train.honestTitle": "Read this honestly.",
  "train.honestBody": "The labeling tool is real and shipping. The training pipeline is <b>open
and in active build</b> ? today it's a developer CLI; the no-GPU path trains a pipeline-
validation <b>mock</b>, and a real model needs a GPU. There is <b>no \"Train now\" button</b>
yet, and we make <b>no accuracy claim vs a paid LLM</b> (there's no such benchmark). The promise
here is <b>ownership, licensing, privacy and consent</b> ? not \"more accurate than Gemini,\"
and not \"one click to train.\"\"",
  "setup.kicker": "Step 3 · for power users",
  "setup.title": "Setup & use",
  "setup.install": "<b>Install the plugin (VLC 3.0.x).</b> Copy <code>rally_annotator.lua</code>
into VLC's per-user Lua <code>extensions</code> folder (create it if missing), then VLC ? Tools
? Plugins and extensions ? <i>Reload extensions</i>, and enable it from <i>View ? Rally
Annotator</i>:",
  "setup.record": "<b>Record</b> per the <a href=\\\"/capture\\\">one-page capture checklist</a>
(fixed tripod, full court, landscape, whole session) ? <b>annotate</b> in VLC ? you get
<code>&lt;video&gt;.rallies.csv</code>:",
  "setup.reasons": "<code>ending_reason</code> is one of: <code>unknown</code> ·
<code>winner</code> · <code>forced_error</code> · <code>unforced_error</code> ·
<code>service_fault</code> · <code>let</code> · <code>other</code>. Times are decimal seconds;
downstream tools read by column name.",
  "setup.train": "<b>Train</b> (developer CLI). A GPU-free dry run validates the whole pipeline
on a CPU mock; a real model needs a GPU:",
  "setup.joinRule": "One join rule: keep the video <b>byte-identical</b> to what you annotated
(don't re-encode after labeling) ? labels match videos by content hash.",
  "not.kicker": "So expectations stay honest",
  "not.title": "What this is not",
  "not.i1": "Not a one-click trainer ? training is an offline CLI today.",
  "not.i2": "Not in-browser ? labeling runs in VLC on your machine.",
  "not.i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",
  "not.i4": "Shot-type, player and score detection are roadmap.",
  "cta.title": "Want in?",
  "cta.button": "Request alpha access",
  "foot.flyer": "Academy flyer:",
  "foot.mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
}

```

Kannada (?????, script U+0C80?U+0CFF) TRANSLATION UNDER REVIEW (dotted key ? value):

```

{
  "heroTitle": "????? ???????????? ??????? ?????. <span class=\\\"hl\\\">????????? ?? ????????????
???????????????.</span>",
  "heroLead": "????? ??????? ???????????? ????? ????? Gemini ????? GPT ????? ????????????????????.
KhelSutra ? ??????? ??????? ?????????? ? ????? ??????, <b style=\\\"color:#EAF3EE\\\">??????</b> ??????
?????, ????? ?????????? ????? ?????????? ??????????, ????? ?????????????? ?????????????? ??????,
????????????????? ?????????? ????.",
  "nav.home": "? KhelSutra ??????",
  "nav.annotate": "????????? ????",
  "nav.train": "????????? ???????????? ??????????????",
  "nav.setup": "????????????? ?????? ????",
  "sample": "? <b>KhelSutra ??? ?????????????? ????? ??????????</b> ????? <a href=\\\"/#join\\\">???????

```

?????</a> ?????? ??? ???? ???? ???? ???? ???????.",  
"annotate.kicker": "??? 1 . ??? ????? ???? ????",  
"annotate.title": "????? ???????????? ?????? ????",  
"annotate.pill": "???? ????",  
"annotate.body": "<b>rally-annotator</b> ??? ???? , ?????-??? (MIT) <b>VLC ??????</b>  
???????, \"????? ?????\" ?????????? ?????? ?????????????? ?????? VLC ?????? ??????  
?????? ???????????????, ?????? ??????? ???? ???? ?????????????? ??? ?????? ???? ?????????  
?????????????????; ?? ???? ??????? ?????????? ??? ?????? CSV ?? ???? ?????????? ??? ??????  
?????????????. <b>????? ?????????? ?????? ?????? ?????????????? ?????????????</b> ?? ?????????? ?????????  
?? ?????????? ?????????????? ?????????? (?????????????, ??????, ?????? ??????, ??????????,  
?????????).",  
"annotate.cap1": "????? ?????? ??????????????: VLC ? View ? Rally Annotator.",  
"annotate.cap2": "????? ??????? ????/????? + ?????????? ?????????? ?????????, ??? Save Rally.",  
"annotate.flowLead": "????? ?????????, ????? ??????:",  
"annotate.step1": "?????-????? ?????????????? <b>Mark START</b> (?????????? ????/??????  
?????).",  
"annotate.step2": "???? ?????? <b>Mark END</b>.",  
"annotate.step3": "???? <b>????????? ???</b>????? ???? , ?????????? ??? ???? ???? , ???  
<b>Save Rally</b> ? ??? CSV ???.",  
"annotate.step4": "<b>Edit / Delete / Undo</b> ??? ?????????? ?????????; ?????????? ??  
????????????? ??? ?????? ?????????.",  
"annotate.note": "?? ??????-????? ???? (????? ?????????? ??????????????), ???? <b>VLC  
3.0.x</b> ???? ?????????????????.",  
"train.kicker": "?? 2 . ??????",  
"train.title": "??????? ?????????? ??????????????",  
"train.pill": "????? ?????????? . ??????????????",  
"train.reassureTitle": "????????? ??? ?????? ??????????????????????",  
"train.reassureBody": "Khe!Sutra ??? ?????-????? ??????? ??? ??????????, ??????? ???  
?????? ???? ???? ?????????????? <b>?????????</b> ?????????? ? ??????? ?? ???? . ??????  
?????????? ???? ???? (?????) ??? <b>?????</b> ??????????: ???? ?????????????, ????  
????????, ???? ?????????? ?????????? ?????.",  
"train.intro": "??????????, ???? ?????????? ??? <b>?????</b> ?????? ?????????????? ?  
<b>?????</b> ?????????? ???, <b>?????</b> ?????? ???, <b>?????</b> ?????? ??-????? ??????  
??? ?????? ??? . ?????????? ?????? ???? ??????????????????????:",  
"train.moat.ownTitle": "?? ??????",  
"train.moat.ownBody": "????????????? ???? ?????????? ?????? ? ???? ???? ????????? ? ??????  
?????????? ????.",  
"train.moat.cleanTitle": "????????????? ??????",  
"train.moat.cleanBody": "MIT/Apache/BSD-????? ??????; ??? ?????? ????????? LLM ? ????????? ????  
?????? ??????????????",  
"train.moat.privateTitle": "????? ???? ?????????",  
"train.moat.privateBody": "????????? ?????????? ??????????; ?????? ??? ?????????? ??????,  
?????? ??????????????????",  
"train.moat.minorsTitle": "????????? ?????? ??????",  
"train.moat.minorsBody": "????????? ?????????? ?????????????????? ??????? ?????? ?????????????? ?????  
?????? ??????????????????",  
"train.honestTitle": "?????? ?????????????? ???.",  
"train.honestBody": "????????? ??? ?? ???? ???? . ?????? ?????????? <b>????? ???? ????  
?????????????</b> ?? ? ???? ?? ???? ??????? CLI; ??-GPU ???? ???? ?????????-????????  
<b>?????</b> ?????? ?????????????????????, ?????? ?? ??????? ???? GPU ???? . ???? <b>"Train now\"  
???? ????</b>, ???? ???? <b>????????? LLM ???? ???? ???? ????</b> ?????????? (??? ??????  
????????????? ???). ???? ???? <b>?????????, ??????????, ?????? ???? ?????????</b> ? \"Gemini  
??? ?????? ???\" ???, ???? \"????????? ??? ??????\" ???.",  
"setup.kicker": "?? 3 . ??? ??????????",  
"setup.title": "????????????? ???? ????",  
"setup.install": "<b>????????? ???? ????????? (VLC 3.0.x)</b> <code>rally\_annotator.lua</code>  
????? VLC ? ?????-??????? Lua <code>extensions</code> ?????????? ?????? (????????????? ??????  
?????), ??? VLC ? Tools ? Plugins and extensions ????? <i>Reload extensions</i>, ???? <i>View  
? Rally Annotator</i> ??? ?????? ??????????????:",  
"setup.record": "<a href=\"/capture\">????-???? ??? ?????? ????????? ?????</a> ??????  
<b>?????????</b> ??? (????? ?????????, ???? ??????, ?????????????????, ?? ?????) ? VLC ?????  
<b>????????? ????</b> ? ?????? <code>&lt;video>;rallies.csv</code> ??????????:",  
"setup.reasons": "<code>ending\_reason</code> ?????????? ???? : <code>unknown</code> .  
<code>winner</code> . <code>forced\_error</code> . <code>unforced\_error</code> .  
<code>service\_fault</code> . <code>let</code> . <code>other</code> . ?????? ?????? ??????????????;

```

????????????? ?????? ?????? ?????????? ??????????",
"setup.train": "<b>?????????????</b> (??????? CLI). ??? GPU-???? ??? ??? ?????????? ?????
???? CPU ??? ?????? ?????????????????; ??? ?????? ??? GPU ???:",
"setup.joinRule": "???? ?????? ????: ??? ?????? ?????????? ???????????
<b>????-????</b>???? (????????? ??? ???-????????? ??????) ? ?????????? ??? ?????? ???
????????????? ??????????",
"not.kicker": "????????????? ?????????????? ??????",
"not.title": "??? ??????",
"not.i1": "????-????? ?????????? ??? ? ?????? ??? ?????? ?????????? CLI.",
"not.i2": "????????????????? ??? ? ?????????? ?????? ?????? ??? VLC ?????? ?????????????.",
"not.i3": "Gemini/GPT ?????? ??? ?????? ?????? ??? ? ??? ?????? ?????????????? ????",
"not.i4": "????-?????, ?????? ?????? ?????? ?????? ??????????????????",
"cta.title": "???? ?????????",
"cta.button": "????? ?????? ????",
"foot.flyer": "????????? ?????????:",
"foot.mark": "????????? \"Generated by Khelsutra.guru\" ?????????? ??????????????."
}

```

KEEP-LITERAL & HTML rules the translation must obey:

KEEP THESE EXACTLY ? never translate or transliterate them:

- Brand/URLs: KhelSutra, khelsutra.guru, and the watermark text "Generated by Khelsutra.guru".
- Tools/proper nouns: VLC, "VLC 3.0.x", "Rally Annotator", rally-annotator, rally\_annotator.lua, WASB.

- Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.

- Everything inside <code>...</code> stays byte-identical (commands, paths, the ending\_reason enum values

unknown / winner / forced\_error / unforced\_error / service\_fault / let / other, <video>.rallies.csv, "extensions", the python command lines).

- Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0.

- VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH so the text matches what the

user sees on screen: "Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions",

"View ? Rally Annotator", "Tools ? Plugins and extensions". Translate the sentence AROUND them.

- Symbols/punctuation kept as-is: ? . ? ? ? °.

Preserve every inline HTML tag EXACTLY as in the source ? same tags, same attributes, same order:

<b>, <i>, <a href="...">, <code>, <span class="hl">, and <b style="color:#EAF3EE">. Only the human-readable text

BETWEEN tags is translated. Keep the &lt; / &gt; entities and the literal text inside <code> unchanged.

A link like <a href="/#join">request access</a> keeps the same href; only "request access" is translated.

Return {"issues": [{key, severity (high|medium|low), problem, suggestion}]}]. Only real defects under THIS lens.

Empty array if the translation is clean on this lens.

## 2. assistant (2026-06-22T01:34:02.761Z)

I'll review the Kannada translation for meaning/accuracy against the English source. Let me analyze each key carefully.

## 3. user (2026-06-22T01:34:33.109Z)

Structured output provided successfully

## 4. assistant (2026-06-22T01:34:46.961Z)

I've completed the meaning/accuracy review of the Kannada translation. I found 4 issues, all medium or low severity ? no high-severity meaning failures.

Key findings:

- **train.intro (medium)**: The trailing perfect participle '\u0ca4\u0cb0\u0cac\u0cc7\u0ca4\u0cbf \u0caa\u0ca1\u0cc6\u0ca6' reads as a truncated clause and slightly over-claims that the model has already been trained on the user's data, whereas the source frames it as the goal-state of an in-build pipeline.
- **heroLead (low)**: Subject/predicate mismatch ? agentive '\u0ca8\u0cc0\u0cb5\u0cc1' (you) paired with the impersonal/passive 'cannot be trained' form blurs the "you can't train" agency.
- **setup.install (low)**: The navigational arrow between 'Plugins and extensions' and 'Reload extensions' was replaced with '\u0cae\u0ca4\u0ccd\u0ca4\u0cc1' (and), changing a single menu drill-down path into two joined items.
- **train.honestBody (low)**: Missing explicit copula in '\u0c87\u0cb2\u0ccd\u0cb2\u0cbf \u0cad\u0cb0\u0cb5\u0cb8\u0cc6' weakens the emphatic "the promise is X ? not Y" honesty contrast.

The critical honesty caveats (in-build, mock, no accuracy claim, optional, no "Train now" button) and the privacy/consent/minors promises all survive the translation faithfully. The structured output has been returned with full detail for each issue.