

5. assistant (2026-06-22T16:19:03.068Z)

Let me look for the existing reference locale files to check consistency of wording.

6. user (2026-06-22T16:19:03.726Z)

```
locales\da\common.json
locales\en\common.json
locales\es\common.json
locales\hi\common.json
locales\id\common.json
locales\kn\common.json
site\public\locales\da\common.json
site\public\locales\en\common.json
site\public\locales\es\common.json
site\public\locales\hi\common.json
site\public\locales\id\common.json
site\public\locales\kn\common.json
```

7. user (2026-06-22T16:19:04.766Z)

```
web\tsconfig.json
node_modules\.vite\vitest\da39a3ee5e6b4b0d3255bfef95601890afd80709\results.json
.claude\settings.local.json
site\node_modules\@csstools\color-helpers\package.json
site\node_modules\@csstools\css-calc\package.json
site\node_modules\@csstools\css-color-parser\package.json
site\node_modules\@csstools\css-parser-algorithms\package.json
site\node_modules\@csstools\css-tokenizer\package.json
site\node_modules\require-from-string\package.json
site\node_modules\symbol-tree\package.json
site\node_modules\@csstools\css-syntax-patches-for-csstree\dist\index.json
site\node_modules\html-encoding-sniffer\package.json
site\node_modules\is-potential-custom-element-name\package.json
site\node_modules\saxes\package.json
site\node_modules\webidl-conversions\package.json
site\node_modules\xml-name-validator\package.json
site\node_modules\punycode\package.json
site\node_modules\@asamuzakjp\generational-cache\package.json
site\node_modules\@asamuzakjp\nwsapi\package.json
site\node_modules\@csstools\css-syntax-patches-for-csstree\package.json
site\node_modules\data-urls\package.json
site\node_modules\decimal.js\package.json
site\node_modules\w3c-xmlserializer\package.json
site\node_modules\mdn-data\css\at-rules.json
site\node_modules\mdn-data\css\at-rules.schema.json
site\node_modules\tough-cookie\package.json
site\node_modules\tr46\lib\mappingTable.json
site\node_modules\tr46\package.json
site\node_modules\xmlchars\package.json
site\node_modules\whatwg-mimetype\package.json
site\node_modules\mdn-data\l10n\css.json
site\node_modules\@asamuzakjp\dom-selector\package.json
site\node_modules\mdn-data\css\definitions.json
site\node_modules\mdn-data\css\functions.json
site\node_modules\mdn-data\css\functions.schema.json
site\node_modules\source-map-js\package.json
site\node_modules\@bramus\specificity\package.json
site\node_modules\bidirectional\package.json
site\node_modules\entities\package.json
site\node_modules\mdn-data\api\inheritance.json
site\node_modules\mdn-data\api\inheritance.schema.json
site\node_modules\mdn-data\package.json
site\node_modules\whatwg-url\package.json
site\node_modules\mdn-data\css\properties.json
```

site\node_modules\mdn-data\css\properties.schema.json
site\node_modules\@asamuzakjp\css-color\package.json
site\node_modules\mdn-data\css\selectors.json
site\node_modules\mdn-data\css\selectors.schema.json
site\node_modules\mdn-data\css\syntaxes.json
site\node_modules\parse5\package.json
site\node_modules\tldts\package.json
site\node_modules\mdn-data\css\syntaxes.schema.json
site\node_modules\mdn-data\css\types.json
site\node_modules\mdn-data\css\types.schema.json
site\node_modules\mdn-data\css\units.json
site\node_modules\mdn-data\css\units.schema.json
site\node_modules\tldts-core\package.json
site\node_modules\lru-cache\dist\commonjs\package.json
site\node_modules\lru-cache\dist\esm\package.json
site\node_modules\lru-cache\package.json
site\node_modules\@exodus\bytes\fallback\multi-byte.encodings.json
site\node_modules\@exodus\bytes\package.json
site\node_modules\undici\package.json
site\node_modules\css-tree\data\patch.json
site\node_modules\css-tree\package.json
site\node_modules\jsdom\lib\generated\js-globals.json
site\node_modules\jsdom\package.json
site\node_modules\.package-lock.json
web\package-lock.json
web\package.json
.claude\launch.json
site\package-lock.json
site\package.json
web\node_modules\void-elements\package.json
web\node_modules\symbol-tree\package.json
web\node_modules\require-from-string\package.json
web\node_modules\stackback\package.json
web\node_modules\shebang-regex\package.json
web\node_modules\js-tokens\package.json
web\node_modules\lru-cache\package.json
web\node_modules\isexe\package.json
web\node_modules\has-flag\package.json
web\node_modules\is-fullwidth-code-point\package.json
web\node_modules\eastasianwidth\package.json
web\node_modules\color-convert\package.json
web\node_modules\color-name\package.json
web\node_modules\@rollup\rollup-win32-x64-msvc\package.json
web\node_modules\@tailwindcss\oxide-win32-x64-msvc\package.json
web\node_modules\@tailwindcss\vite\package.json
web\node_modules\@rollup\rollup-win32-x64-gnu\package.json
web\node_modules\@csstools\css-parser-algorithms\package.json
web\node_modules\@csstools\css-tokenizer\package.json
web\node_modules\@csstools\color-helpers\package.json
web\node_modules\@csstools\css-calc\package.json
web\node_modules\@csstools\css-color-parser\package.json
web\node_modules\string-width-cjs\node_modules\emoji-regex\package.json
web\node_modules\wrap-ansi-cjs\node_modules\emoji-regex\package.json
web\node_modules\undici-types\package.json
web\node_modules\ms\package.json
web\node_modules\is-potential-custom-element-name\package.json
(Results are truncated. Consider using a more specific path or pattern.)

8. assistant (2026-06-22T16:19:07.555Z)

Let me read the existing Hindi locale file to check the established register and reference wording.

9. user (2026-06-22T16:19:09.122Z)

```

1      {
2      "app": {
3          "badge": "pick your rallies · alpha",
4          "title": "Pick the rallies for your reel",
5          "intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then fine-
tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't want."
6      },
7      "lang": {
8          "label": "Language",
9          "en": "English",
10         "kn": "?????",
11         "hi": "??????",
12         "es": "Español",
13         "da": "Dansk",
14         "id": "Bahasa Indonesia"
15     },
16     "bulk": {
17         "selectAll": "Select all",
18         "clear": "Clear",
19         "invert": "Invert"
20     },
21     "mode": {
22         "demo": "These are sample rallies ? process a video above to work on a real match.",
23         "loading": "Finding the rallies in your video?",
24         "error": "Couldn't load this video's rallies: {error}",
25         "loaded": "Found <b>{count}</b> rallies in your video."
26     },
27     "query": {
28         "placeholder": "e.g. over 10s · top 15 longest · shortest first",
29         "ariaLabel": "Filter rallies by length, count or order",
30         "apply": "Apply",
31         "notAvailable": "not available yet",
32         "notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
33         "notAvailableHelp": "Shot type, players and score aren't available yet ? filter by
rally length instead.",
34         "unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
35         "hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample below.",
36         "try": "Sample queries:",
37         "support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development)."
38     },
39     "grid": {
40         "empty": "No rallies to show yet.",
41         "rally": "Rally {n}",
42         "inReel": "Rally {n}, in reel",
43         "notInReel": "Rally {n}, not in reel",
44         "start": "start",
45         "long": "long",
46         "shots": "~{count} shots · experimental",
47         "shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
48         "shotsConfidence": " ? confidence: {conf}"
49     },
50     "footer": {
51         "count": "{count, plural, one {# rally} other {# rallies}}",
52         "summaryRest": "selected · {total} total",
53         "reelName": "Reel name",
54         "reelNamePlaceholder": "my-highlights",
55         "build": "Build reel ({count})",
56         "building": "Building?",
57         "floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it would
be skipped, so the build would fail. Pick a longer rally.",
58         "floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
59         "floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",

```

```

60         "floorSomeRest": "with fewer than {min} shots will be skipped when building (they're
too short).",
61     },
62     "result": {
63         "share": "Share on WhatsApp",
64         "shareText": "I made my badminton highlights reel with KhelSutra ? Try it:
khelsutra.guru",
65         "ready": "Your reel is ready",
66         "failed": "Build failed",
67         "building": "Stitching your reel?",
68         "buildingReassure": "Joining your selected rallies into one video ? this usually
only takes a moment.",
69         "dismiss": "Dismiss",
70         "download": "Download {filename}"
71     },
72     "build": {
73         "noVideo": "These are sample rallies ? process a real video first to build a reel."
74     },
75     "ingest": {
76         "title": "Process a video",
77         "intro": "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes.",
78         "uriPlaceholder": "gs://your-bucket/match.mp4",
79         "uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine host",
80         "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine
running KhelSutra.",
81         "submit": "Process video",
82         "submitting": "Submitting?",
83         "cancel": "Cancel",
84         "working": "Processing your video?",
85         "progress": "{progress}",
86         "retry": "Try again",
87         "reassure": "Safe to wait ? KhelSutra keeps working even if your connection is slow;
a long video can take several minutes.",
88         "statusFailed": "Couldn't process",
89         "chooseFile": "Choose a video file",
90         "uploadAria": "Choose a video file to upload",
91         "fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
92         "orLink": "Or use a cloud link",
93         "uploadingStatus": "Uploading?",
94         "uploadProgress": "Upload progress",
95         "compute": {
96             "legend": "Where should this run?",
97             "local": "On my computer",
98             "cloud": "In the cloud",
99             "cloudCost": "Cloud processing runs on a rented GPU ? faster for long videos, but
it may cost a little (often just a few cents per match).",
100            "ack": "I understand cloud processing may cost a little.",
101            "ackRequired": "Please accept the note above to run in the cloud."
102        }
103    },
104    "errors": {
105        "networkError": "Can't reach KhelSutra. Is it running?",
106        "invalidUri": "Enter a video location first ? a gs:// link or a path on the machine
running KhelSutra.",
107        "emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
108        "timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
109        "engineGeneric": "Something went wrong. Please try again."
110    },
111    "tap": {
112        "title": "Tap to filter:",
113        "longest": "Longest first",

```

```

114     "shortest": "Shortest first",
115     "over10": "Over 10 seconds",
116     "over20": "Over 20 seconds",
117     "top5": "Top 5 longest",
118     "top10": "Top 10 longest"
119 },
120 "site": {
121     "reveal": {
122         "share": "Share on WhatsApp",
123         "shareText": "Check out KhelSutra ? it turns a full badminton match into a clean
highlights reel ? khelsutra.guru"
124     },
125     "join": {
126         "gpuLabel": "Do you have a powerful computer that could process videos on its
own?",
127         "gpuHint": "A gaming PC or laptop with a graphics card. No worries if not ? we can
run it in the cloud for you.",
128         "gpuYes": "Yes ? a gaming PC or laptop with a graphics card",
129         "gpuUnsure": "Not sure",
130         "gpuNo": "No",
131         "gpuCloud": "No ? please run it in the cloud for me",
132         "storageLabel": "Where do your match videos live? How would you share them?",
133         "storageHint": "(pick any)",
134         "storageGdrive": "Google Drive",
135         "storageOnedrive": "OneDrive / Microsoft 365",
136         "storageDropbox": "Dropbox",
137         "storageBucket": "A cloud storage bucket ? advanced (e.g. Amazon S3, Google
Cloud)",
138         "storageLocal": "SD card or the device itself",
139         "storageUnsure": "Not sure"
140     },
141     "nav": {
142         "how": "How it works",
143         "why": "Why it's hard",
144         "ownModel": "Own your model",
145         "flyer": "Flyer",
146         "roadmap": "Roadmap",
147         "faq": "FAQ",
148         "requestAccess": "Request access"
149     },
150     "hero": {
151         "title": "Every rally, indexed. <span class=\"hl\">The dead time, gone.</span>",
152         "eyebrow": "Invite-only alpha · Bengaluru",
153         "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
154         "ctaPrimary": "Request alpha access",
155         "ctaHow": "See how it works",
156         "ctaReel": "See it in action + a real reel",
157         "note": "A phone or GoPro on a tripod is all you need. No special hardware.",
158         "loop": {
159             "step1": "<b>1.</b> Auto-index rallies",
160             "step2": "<b>2.</b> Dead time removed",
161             "step3": "<b>3.</b> Download your reel"
162         },
163         "demo": {
164             "fileTag": "match_2026.mp4 · indexed",
165             "detected": "Rallies detected",
166             "found": "44 found",
167             "resultTitle": "Highlight reel · 44 rallies · 18 min",
168             "resultSub": "dead time removed · ready to download"
169         }
170     },
171     "record": {
172         "kicker": "Record it right",

```

```

173         "title": "Five minutes of setup ? reliably great reels",
174         "intro": "Highlight quality starts with the recording. Set the camera up once like
this and KhelSutra has everything it needs to find the rallies.",
175         "goldenRuleLead": "The golden rule: one match, one court, in full frame ? and
don't move the camera.",
176         "goldenRuleRest": "A single court in frame gives the best results today; busy
multi-court footage is the hard case we're still sharpening.",
177         "place": {
178             "title": "Place the camera",
179             "body": "Behind <b>one baseline</b>, elevated (a high tripod or a balcony),
tilted down ~30° ? the <b>whole court</b> in frame, players never cropped."
180         },
181         "settings": {
182             "title": "Settings",
183             "body": "<b>1080p+</b>, landscape, <b>30 fps</b> for badminton (60 fps for table
tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies."
184         },
185         "still": {
186             "title": "Keep it still",
187             "body": "Fixed tripod or mount. <b>No panning, no zooming</b> during play ? a
steady, full-court view is what the tool is tuned for."
188         },
189         "upload": {
190             "title": "Record & upload",
191             "body": "Even lighting, then record the <b>whole session</b> and upload it as-is
? KhelSutra finds the rallies and does the cutting."
192         },
193         "checklistCta": "Full 1-page capture checklist ?"
194     },
195     "capture": {
196         "diagram": {
197             "title": "Side view: where the camera goes",
198             "camera": "Camera ? behind the baseline, elevated",
199             "angle": "Tilt ~30° down",
200             "frame": "Whole court in frame ? players never cropped",
201             "net": "Net"
202         },
203         "title": "1-page capture checklist",
204         "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels.",
205         "ruleLead": "The golden rule: one match, one court, in full frame ? and don't move
the camera.",
206         "ruleRest": "Multi-court footage is the hard case we're still sharpening; a single
court in frame gives the best results today.",
207         "step1": {
208             "title": "Place the camera",
209             "b1": "Behind <b>one baseline</b>, elevated ? a high tripod, a few metres up, or
a balcony.",
210             "b2": "Tilt down about <b>30°</b>; keep the <b>whole court</b> in frame with a
little margin and net headroom.",
211             "b3": "Players should never leave the frame."
212         },
213         "step2": {
214             "title": "Settings",
215             "b1": "<b>1080p or higher</b>, shot in <b>landscape</b>.",
216             "b2": "<b>30 fps</b> for badminton/pickleball; <b>60 fps</b> for table tennis.",
217             "b3": "<b>Audio ON</b> (don't mute) ? keep the mic unobstructed, wind/noise
reduction off."
218         },
219         "step3": {
220             "title": "Keep it still",
221             "b1": "Fixed tripod or mount.",
222             "b2": "<b>No panning, no zooming</b> during play."
223         },
224         "step4": {

```



```

225         "title": "Light & record",
226         "b1": "Even indoor lighting; avoid backlight, glare and very dark halls.",
227         "b2": "Record the <b>whole session</b> and upload it as-is ? KhelSutra does the
cutting."
228     },
229     "doTitle": "Do",
230     "do1": "Fixed camera, full court, behind the baseline",
231     "do2": "1080p+, landscape, audio on",
232     "do3": "One match on one court",
233     "dontTitle": "Avoid",
234     "dont1": "Handheld or phone-in-hand",
235     "dont2": "Broadcast-style pans & zooming",
236     "dont3": "Several courts in one frame; very dark halls",
237     "consent": "Please record adults with their okay. Footage involving minors is
never used to improve the tool and is never published.",
238     "questions": "Questions?",
239     "printTip": "Tip: press Ctrl/Cmd + P to print or save as PDF."
240 },
241     "ownModel": {
242         "requestAccess": "Request access ?",
243         "heroTitle": "Annotate your footage. <span class=\"hl\">Train a model that's
yours.</span>",
244         "heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's
direction is the inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the
moat is your consented dataset, on a commercially-clean, inspectable stack you control.",
245         "nav": {
246             "home": "? KhelSutra home",
247             "annotate": "Annotate",
248             "train": "Train your own model",
249             "setup": "Setup & use"
250         },
251         "sample": "? <b>Want to see what KhelSutra produces?</b> A real sample reel plays
the moment you <a href=\"/#join\">request access</a>.",
252         "annotate": {
253             "kicker": "Step 1 · real and shipping today",
254             "title": "Annotate your footage",
255             "pill": "live today",
256             "body": "<b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b>
that turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark
each rally's start and end plus how the point ended; it writes one row per rally to a plain CSV
next to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated
racquet sports (badminton, tennis, table tennis, pickleball, padel).",
257             "cap1": "Enable it once: VLC ? View ? Rally Annotator.",
258             "cap2": "Mark each rally's start/end + ending reason, then Save Rally.",
259             "flowLead": "The flow, per rally:",
260             "step1": "<b>Mark START</b> on the serve-contact frame (pause/scrub for
accuracy).",
261             "step2": "<b>Mark END</b> when the shuttle is dead.",
262             "step3": "Pick an <b>ending reason</b>, optionally a shot count, then <b>Save
Rally</b> ? one CSV row.",
263             "step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video
later to continue.",
264             "note": "It's a click-driven dialog (no marking hotkeys yet), and targets <b>VLC
3.0.x</b>."
265         },
266         "train": {
267             "kicker": "Step 2 · the moat",
268             "title": "Train your own model",
269             "pill": "open pipeline · in build",
270             "reassureTitle": "You don't have to train anything to start.",
271             "reassureBody": "KhelSutra runs on a ready-made default, so you get rally
detection and reels <b>out of the box</b> ? nothing to set up. Training on your own footage
(below) is an <b>optional</b> power-up: a model tuned to your courts, your angles, your halls.",
272             "intro": "For those who want it, your labels feed an <b>owned</b> rally model ?
trained on <b>your</b> courts, <b>your</b> angles, <b>your</b> busy multi-court halls. The

```

```

pipeline is open and inspectable:",
273         "moat": {
274             "ownTitle": "You own it",
275             "ownBody": "A model and dataset that are yours to keep and improve ? not
rented inference.",
276             "cleanTitle": "Commercially clean",
277             "cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's
output.",
278             "privateTitle": "Private & consented",
279             "privateBody": "Footage stays yours; training use is explicit opt-in, never
automatic.",
280             "minorsTitle": "Minors protected",
281             "minorsBody": "Footage involving minors is never used for training and never
published."
282         },
283         "honestTitle": "Read this honestly.",
284         "honestBody": "The labeling tool is real and shipping. The training pipeline is
<b>open and in active build</b> ? today it's a developer CLI; the no-GPU path trains a pipeline-
validation <b>mock</b>, and a real model needs a GPU. There is <b>no \"Train now\" button</b>
yet, and we make <b>no accuracy claim vs a paid LLM</b> (there's no such benchmark). The promise
here is <b>ownership, licensing, privacy and consent</b> ? not \"more accurate than Gemini,\"
and not \"one click to train.\""
285     },
286     "setup": {
287         "kicker": "Step 3 . for power users",
288         "title": "Setup & use",
289         "install": "<b>Install the plugin (VLC 3.0.x).</b> Copy
<code>rally_annotator.lua</code> into VLC's per-user Lua <code>extensions</code> folder (create
it if missing), then VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>, and enable
it from <i>View ? Rally Annotator</i>:",
290         "record": "<b>Record</b> per the <a href=\"/capture\">one-page capture
checklist</a> (fixed tripod, full court, landscape, whole session) ? <b>annotate</b> in VLC ?
you get <code>&lt;video>;rallies.csv</code>:",
291         "reasons": "<code>ending_reason</code> is one of: <code>unknown</code> .
<code>winner</code> . <code>forced_error</code> . <code>unforced_error</code> .
<code>service_fault</code> . <code>let</code> . <code>other</code>. Times are decimal seconds;
downstream tools read by column name.",
292         "train": "<b>Train</b> (developer CLI). A GPU-free dry run validates the whole
pipeline on a CPU mock; a real model needs a GPU:",
293         "joinRule": "One join rule: keep the video <b>byte-identical</b> to what you
annotated (don't re-encode after labeling) ? labels match videos by content hash."
294     },
295     "not": {
296         "kicker": "So expectations stay honest",
297         "title": "What this is not",
298         "i1": "Not a one-click trainer ? training is an offline CLI today.",
299         "i2": "Not in-browser ? labeling runs in VLC on your machine.",
300         "i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",
301         "i4": "Shot-type, player and score detection are roadmap."
302     },
303     "cta": {
304         "title": "Want in?",
305         "button": "Request alpha access"
306     },
307     "foot": {
308         "flyer": "Academy flyer:",
309         "mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
310     }
311 },
312 "how": {
313     "kicker": "What it does today",
314     "title": "A full match, turned into rallies you can search",
315     "intro": "Upload a whole session or match. KhelSutra does the rest ? no editing
skill needed.",
316     "indexed": {

```

```

317         "title": "Every rally, indexed",
318         "body": "It finds each rally ? start, end and length ? and turns the whole match
into a searchable list. Long full-session videos are fine."
319     },
320     "deadtime": {
321         "title": "Dead time removed",
322         "body": "Knock-ups, walks, picking up the shuttle, the gaps between points ?
stripped out. What's left is only real play."
323     },
324     "reuse": {
325         "title": "Process once, reuse",
326         "body": "Come back later to watch or download your reel. Re-running a video
replaces its earlier result rather than piling up copies."
327     },
328     "stitch": {
329         "title": "Stitched reel + summary",
330         "body": "Your selection becomes one MP4 to download and share ? with a play-time
summary and a small ?Generated by KhelSutra.guru? mark."
331     }
332 },
333 "diff": {
334     "kicker": "The hard problem we crack",
335     "title": "Most academy halls run several courts at once",
336     "p1": "Academies already record a lot of video ? and then almost never watch it,
because cutting it into useful clips by hand is tedious. The good rallies stay buried.",
337     "p2": "A single recording of a busy, multi-court hall is exactly where ordinary
video tools choke. Pulling the <b style=\"color:var(--tx)\">real</b> rallies out of busy, multi-
court footage is the hard problem KhelSutra is built for. It already works very well on clean,
single-court recordings ? and the multi-court case is what we're sharpening now.",
338     "tipPill": "Capture tip",
339     "tipTitle": "Best results: a steady, full-court shot",
340     "tipBody": "Camera behind the court, slightly elevated, whole court in frame. Keep
it still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session,
upload as-is. KhelSutra does the cutting."
341 },
342 "sharper": {
343     "kicker": "What makes it different",
344     "title": "It gets sharper from real academy footage",
345     "intro": "The footage real academies contribute ? especially the busy multi-court
halls ? is what makes KhelSutra better over time. Early users aren't just customers; they're co-
builders.",
346     "improve": {
347         "title": "Improves with the library",
348         "body": "When you choose to share footage and coaches confirm what it found,
that growing labelled library is what sharpens future versions ? rather than staying frozen."
349     },
350     "data": {
351         "title": "Your data stays yours",
352         "body": "We never use your video to improve the tool without your clear,
explicit opt-in. We never publish your footage. You decide what, if anything, you share."
353     },
354     "minors": {
355         "title": "Minors are protected",
356         "body": "Footage involving minors is never used to improve the tool and is never
published ? full stop."
357     },
358     "honestLead": "Read this honestly:",
359     "honestBody": "Today the tool gives you rally detection, reels, and summaries. It
does not retrain itself as you use it, and there's no per-person tracking. \"Gets sharper over
time\" is the model we're building toward, powered by contributed footage ? not a switch that's
already on."
360 },
361 "ask": {
362     "kicker": "Coming next to the alpha",
363     "title": "Soon: ask for the exact reel you want",

```

```

364         "intro": "Your match is already a clean index of rallies ? so the natural next
step is to let you build any reel just by describing it, in plain English. This is rolling out
to alpha users.",
365         "q1": "?Every rally over 10 seconds?",
366         "a1": "6 rallies · a 1:32 reel of the long, end-to-end battles",
367         "q2": "?Just the third game, longest first?",
368         "a2": "12 rallies, reordered by length ? that game only",
369         "q3": "?The 8 best rallies from today?",
370         "a3": "an 8-clip highlight from your latest session",
371         "note": "<b style=\"color:var(--tx)\">Rolling out now.</b> Targeted asks ? by
rally length, count, order, or which game ? come first; shot-type and player queries follow as
the deeper analysis arrives."
372     },
373     "roadmap": {
374         "kicker": "Where it's going",
375         "title": "Toward an AI assistant coach",
376         "intro": "Fed by the growing video library, KhelSutra is heading from \"finds
rallies\" to a genuine training companion. This is the direction ? not today's buttons.",
377         "shot": {
378             "title": "Shot detection",
379             "body": "Smashes, drops, net shots, serves and clears within each rally."
380         },
381         "deep": {
382             "title": "Deeper analysis",
383             "body": "Per-rally and per-match patterns ? what's working and what isn't."
384         },
385         "history": {
386             "title": "Per-match history",
387             "body": "Track progress over weeks and months, not just one clip."
388         },
389         "coach": {
390             "title": "Assistant coach",
391             "body": "Surfaces what to work on next ? supports the real coach, never
replaces."
392         },
393         "more": {
394             "title": "More sports & languages",
395             "body": "Table tennis next; Kannada and Hindi alongside English."
396         }
397     },
398     "not": {
399         "kicker": "So expectations stay honest",
400         "title": "What KhelSutra is not",
401         "li1": "An early, invite-only trial ? useful, but still improving. You'll hit
rough edges.",
402         "li2": "Not a line-calling, scoring, or umpiring system.",
403         "li3": "Not player tracking or identification.",
404         "li4": "Not a replacement for a coach ? a tool that saves time and adds insight.",
405         "li5": "Shot detection and deeper analytics are on the roadmap, not available
today.",
406         "li6": "Pricing isn't set ? today's invited use is about getting it right."
407     },
408     "faq": {
409         "kicker": "Quick answers",
410         "title": "Common questions",
411         "q1": {
412             "q": "How accurate is it?",
413             "a": "Very good on a clean, single-court recording. A busy multi-court hall is
harder ? and is exactly what we're improving. The best answer is to show you a sample reel of
your own court rather than quote a number."
414         },
415         "q2": {
416             "q": "Can I choose which rallies go in the reel?",
417             "a": "Today your reel includes the rallies KhelSutra found, with the dead time
removed. Choosing by length, count, order or which game ? just by asking in plain English ? is

```

```

rolling out to alpha users next; shot-type and player queries follow as the deeper analysis
arrives."
418         },
419         "q3": {
420             "q": "Do I need a special camera or hardware?",
421             "a": "No. A phone or GoPro on a tripod, behind the court, whole court in frame.
We provide a one-page capture checklist at setup."
422         },
423         "q4": {
424             "q": "Is my video private? What happens to it?",
425             "a": "We treat your footage as private: we never publish it, and we never use it
to improve the tool without your explicit opt-in. These are large videos that need real
processing, so your video is handled securely on our infrastructure to make your reel. Footage
involving minors is never used and never published."
426         },
427         "q5": {
428             "q": "Does it work for doubles and tournaments?",
429             "a": "It finds rallies in doubles too. Tournament footage varies ? a clean,
fixed, full-court recording works well; crowded multi-court tournament halls are the hard case
we're specifically working on."
430         },
431         "q6": {
432             "q": "Which sports?",
433             "a": "Badminton today. Table tennis and other racket sports are on the roadmap."
434         },
435         "q7": {
436             "q": "How do I join?",
437             "a": "It's an invite-only private trial. Just <a href=\"#join\">request
access</a> using the form ? it takes a minute, you'll see a real sample reel right away, and
we'll be in touch about recording your own court."
438         }
439     },
440     "wizard": {
441         "title": "Welcome to KhelSutra",
442         "intro": "Three quick steps and you're ready to turn a match into a highlights
reel.",
443         "step": "Step {n} of 3",
444         "checking": "Checking what this device can do?",
445         "offline": "Couldn't reach KhelSutra ? start it, then reopen setup. You can skip for
now.",
446         "back": "Back",
447         "next": "Next",
448         "skip": "Skip",
449         "done": "Get started",
450         "key": {
451             "title": "AI highlights (optional)",
452             "connected": "Gemini is connected ? you'll get AI-assisted highlights.",
453             "missing": "No AI key yet ? that's fine. KhelSutra works offline with the built-in
motion detector.",
454             "how": "Want sharper highlights? Get a free Gemini key, add GEMINI_API_KEY=? to
the .env file in your KhelSutra folder, then restart.",
455             "getKey": "Get a free Gemini key"
456         },
457     },
458     "compute": {
459         "title": "Where it runs",
460         "local": "Everything runs on this device ? your videos never leave it.",
461         "detector": "Detector: {name}",
462         "ffmpegOk": "Video tools (ffmpeg) ready.",
463         "ffmpegMissing": "ffmpeg not found ? install it so KhelSutra can cut and join
clips.",
464         "gpu": "A GPU was detected ? the high-quality shuttle tracker can run here
later.",
465         "noGpu": "No GPU needed ? the offline motion detector runs on any computer."
466     },

```


[illegible]

```
99         "cloudCost": "?????? ?????????? ?????? ?? GPU ?? ???? ?? ? ???? ?????? ?? ???
????, ?? ????? ???? ?? ???? ?? (????? ?????? ??? ??? ?? ?????)?",
100         "ack": "??? ?????/????? ??? ?? ?????? ??????????? ??? ?????? ???? ?? ???? ???",
101         "ackRequired": "?????? ??? ?????? ?? ??? ??? ?? ?? ??? ????????? ??????"
102     },
103 },
104     "errors": {
105         "networkError": "KhelSutra ?? ???? ?????? ?? ????? ???? ?? ?? ??? ???",
106         "invalidUri": "???? ??????? ?? ?????? ?????? ? ?? gs:// ???? ?? KhelSutra ??? ??? ???
?? ?? ?????",
107         "emptyResult": "????????????? ????? ??? ?? ?? ?????? ??? ??? ?????? ????? ?????? ??
????????????? ??????????",
108         "timeout": "?? ????????? ?? ???? ??? ?? ??? ??? ??? ??? ?? ?? ??? ?? ????? ?? ?
??????
???? ?? ??? ?????? ?????, ?? ??? ?? ?????? ??????",
109         "engineGeneric": "??? ??????? ?? ??? ?????? ??? ?? ?????? ??????"
110     },
111     "tap": {
112         "title": "????????? ???? ?? ??? ??? ?????:",
113         "longest": "????? ???? ?????",
114         "shortest": "????? ???? ?????",
115         "over10": "10 ?????? ?? ?????????",
116         "over20": "20 ?????? ?? ?????????",
117         "top5": "????? ???? ??? 5",
118         "top10": "????? ???? ??? 10"
119     },
120     "site": {
121         "reveal": {
122             "share": "WhatsApp ?? ???? ?????",
123             "shareText": "KhelSutra ?????? ? ?? ????? ?????????? ??? ?? ?? ???? ?????????
??? ???
??? ???? ?? ? khelsutra.guru"
124         },
125         "join": {
126             "gpuLabel": "Do you have a powerful computer that could process videos on its
own?",
127             "gpuHint": "A gaming PC or laptop with a graphics card. No worries if not ? we can
run it in the cloud for you.",
128             "gpuYes": "Yes ? a gaming PC or laptop with a graphics card",
129             "gpuUnsure": "Not sure",
130             "gpuNo": "No",
131             "gpuCloud": "No ? please run it in the cloud for me",
132             "storageLabel": "Where do your match videos live? How would you share them?",
133             "storageHint": "(pick any)",
134             "storageGdrive": "Google Drive",
135             "storageOnedrive": "OneDrive / Microsoft 365",
136             "storageDropbox": "Dropbox",
137             "storageBucket": "A cloud storage bucket ? advanced (e.g. Amazon S3, Google
Cloud)",
138             "storageLocal": "SD card or the device itself",
139             "storageUnsure": "Not sure"
140         },
141         "nav": {
142             "how": "?? ???? ??? ????? ??",
143             "why": "?? ?????? ????????? ??",
144             "ownModel": "????? ???? ??????",
145             "flyer": "?????????",
146             "roadmap": "????????",
147             "faq": "????????? ??????",
148             "requestAccess": "?????? ?? ?????? ??????"
149         },
150         "hero": {
151             "title": "?? ???? , ??? ???? . <span class=\"hl\">????? ??? , ??????</span>",
152             "eyebrow": "????-????????? ?????? . ??????????",
153             "lead": "KhelSutra ???? ???? ?? ?? ????? ??????? ?? ?? ???-?? , ?????????? ??
?????????
??? ???? ?? ? ?????? ???? ??? ?? ???? ?????????? ??? ?? ???? ?? ???? ?? ???? ????
??? ????
??? ???? ???? , ??? ?????????? ??????",
```



```
154     "ctaPrimary": "????? ?????? ?? ?????? ????",
155     "ctaHow": "????? ?? ?????? ??? ??????",
156     "ctaReel": "??? ??? ?????? ?????? + ?? ?????? ????",
157     "note": "????? ?? ?? ?????? ?? GoPro ?? ?????? ??? ??? ?????? ?????????? ??????",
158     "loop": {
159         "step1": "<b>1.</b> ??????? ?????-?? ?????????",
160         "step2": "<b>2.</b> ?????? ??? ?????? ????",
161         "step3": "<b>3.</b> ?????? ??? ?????????? ??????"
162     },
163     "demo": {
164         "fileTag": "match_2026.mp4 . ???????? ????? ????",
165         "detected": "????????? ??????",
166         "found": "44 ??????",
167         "resultTitle": "????????? ??? . 44 ?????????? . 18 min",
168         "resultSub": "?????? ??? ?????? ??? . ?????????? ?? ??? ??????"
169     }
170 },
171 "record": {
172     "kicker": "??? ?????? ?? ?????????? ??????",
173     "title": "????? ?????? ?? ?????? ? ?? ??? ?????????? ????",
174     "intro": "????????? ?? ?????????? ?????????????? ?? ?? ?????? ?????? ??? ?????? ?? ??? ??? ???
?? ??? ?? ?????????? ??????? ?? ??? KhelSutra ?? ??? ?? ??? ?????? ????",
175     "goldenRuleLead": "????????? ?????: ?? ???, ?? ??????, ????? ??????? ??? ? ?? ?????? ?
?????????",
176     "goldenRuleRest": "?? ?? ?????? ??????? ??? ?? ?? ?? ?????? ?????? ?????? ?????? ???; ??
????? ?????? ?????????? ?????? ?????? ?? ?????????? ?????? ?? ?????? ?? ??? ?????? ??? ??? ??????",
177     "place": {
178         "title": "?????? ??????",
179         "body": "<b>?? ??????????</b> ?? ?????, ?????? ?? (????? ?????????? ?? ?????????), ~30°
????? ?????? ? <b>????? ??????</b> ??????? ???, ?????????? ??? ?????? ??????"
180     },
181     "settings": {
182         "title": "????????????",
183         "body": "<b>1080p+</b>, ??????????, ?????????? ?? ??? <b>30 fps</b> (????? ?????? ??
??? 60 fps)? <b>Audio ON</b> ? ??? ?? ?????? ?????? ?????????? ??????? ??? ??? ?????? ????"
184     },
185     "still": {
186         "title": "??? ?????? ??????",
187         "body": "?????? ?????????? ?? ??????? ??? ?? ?????? <b>? ??? ?????, ? ?????? ?????</b> ?
?????, ????-????? ?????? ?????? ?? ??? ?? ?? ??? ??? ??????"
188     },
189     "upload": {
190         "title": "????????? ?????? ?? ?????? ??????",
191         "body": "??-????? ??????, ??? <b>????? ?????</b> ?????????? ?????? ?? ?????? ?? ?????? ??
????? ?????? ? KhelSutra ?????????? ??????? ?? ?? ?????? ?????? ????"
192     },
193     "checklistCta": "????? 1-??? ??????? ?????????? ?"
194 },
195 "capture": {
196     "diagram": {
197         "title": "????? ?????: ?????? ?????? ??????",
198         "camera": "?????? ? ?????????? ?? ?????, ?????? ??",
199         "angle": "????? 30° ?????? ??????",
200         "frame": "????? ?????? ??????? ??? ? ?????????? ??? ?????? ??????",
201         "net": "???"
202     },
203     "title": "1-??? ??????? ??????????",
204     "intro": "????????? ?????????????? ?????, ?????-????? ?????? ?????????????? ?? ?????? ??????
????? ?????? ?? ?????? ?????? ??? ?? ??? ?????? ?????? ?????? ????",
205     "ruleLead": "????????? ?????: ?? ???, ?? ??????, ?????? ?????? ??? ? ?? ?????? ? ??????????",
206     "ruleRest": "?? ?????? ?????? ??????? ?? ?????????? ?????? ?? ?????? ?? ??? ?????? ??? ???
???; ?? ?? ?????? ??????? ??? ?? ?? ?? ?????? ?????? ?????? ?????? ??????",
207     "step1": {
208         "title": "?????? ??????",
209         "b1": "<b>?? ??????????</b> ?? ?????, ?????? ?? ? ?????? ??????????, ??? ?????? ???, ??
```

```

00000000",
210         "b2": "???? <b>30°</b> ??? ????; ????? ???? ?? ? ? ? ? ? ? ?  

    <b>???? /???
    ? ? ? ? ? ? ? ?"
218     },
219     "step3": {
220         "title": "? ? ? ? ? ?",
221         "b1": "???? ???? ? ? ? ? ?",
222         "b2": "? ? ? ? ? ?<b>? ? ? ? ? ?, ? ? ? ? ? ?</b>"
223     },
224     "step4": {
225         "title": "???? ? ? ?????",
226         "b1": "?-??? ???? ; ???? , ???? ? ? ? ? ? ? ? ? ? ? ",
227         "b2": "<b>???? /???
    KhelSutra ? ? ? ? ? ?"
228     },
229     "doTitle": "????",
230     "do1": "???? ???? , ? ? ? ? ? , ???? ? ? ? ? ?",
231     "do2": "1080p+, ???? , ? ? ?",
232     "do3": "? ? ? ? ? ? ? ? ? ? ",
233     "dontTitle": "???? ????",
234     "dont1": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
235     "dont2": "?????-???? ? ? ? ? ? ",
236     "dont3": "? ? ? ? ? ? ? ? ? ? ; ? ? ? ? ? ? ? ",
237     "consent": "???? ???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  

    ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
238     "questions": "???? ????",
239     "printTip": "?: ???? ? ? PDF ? ? ? ? ? ? ? ? ? ? Ctrl/Cmd + P  

    ? ? ? ? ?"
240 },
241 "ownModel": {
242     "requestAccess": "???? ? ? ? ? ? ? ? ?",
243     "heroTitle": "???? ???? ? ? ???? ???? <span class=\"hl\">? ? ? ? ? ? ? ?  

    ? ? ? ? ? ?</span>",
244     "heroLead": "? ? ? ? ? ? ? ? ? ? ? Gemini ? ? GPT ? ? ? ? ? ? ? ? ? ?  

    KhelSutra ? ? ? ? ? ? ? ? ? ? ? ? , <b style=\"color:#EAF3EE\">????</b> ? ? ? ? ? ? ? ?  

    ? ? ? ? ? ? ? ? - ? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  

    ? ? ? ? ? ? ",
245     "nav": {
246         "home": "? KhelSutra ? ? ?",
247         "annotate": "???? ? ? ? ?",
248         "train": "???? ? ? ? ? ? ?",
249         "setup": "???? ? ? ? ? ?"
250     },
251     "sample": "? <b>???? ???? ? ? ? ? ? ? ? ? ? ?</b> ? ? ? ? ? <a  

    href=\"#join\">???? ? ? ? ? ? ? ? ? ? ?</a>, ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  

    ? ? ? ? ? ? ? ? ? ? {
252         "kicker": "? ? ? 1 . ? ? ? ? ? ? ? ? ? ? ",
253         "title": "???? ???? ? ? ? ? ? ? ? ? ",
254         "pill": "? ? ? ? ? ",
255         "body": "<b>rally-annotator</b> ? ? ? ? ? , ? ? - ? ? ? ? ? (MIT) <b>VLC  

    ? ? ? ? ?</b> ? ? ? ? \"? ? ? ? ? \" ? ? ? ? ? ? ( ? ? ? ? - ? ? ? ? ? ) ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  

    ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? - ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  

    ? ? ? ; ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? CSV ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>????  

    ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? </b> ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ( ? ? ? ? ? ? ) ? ? ? ? ? ? ? ? ?  

    ? ? ( ? ? ? ? ? ? , ? ? ? ? ? , ? ? ? ? ? , ? ? ? ) ? ",
256         "cap1": "? ? ? ? ? ? ? ? ? ? : VLC ? View ? Rally Annotator?",
257         "cap2": "? ? ? ? ? ? ? ? ? ? ? / ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? , ? ? Save
```

[illegible]

[illegible]

```
??? ? ??? KhelSutra ?? ??? ?? ??? ????? ?????? ??? ?????? ?????????? ?????? ?????? ???; ??
??-????????? ?????",
346     "improve": {
347         "title": "????????? ?? ??? ?????? ????? ??",
348         "body": "?? ?? ?????? ????? ?????? ?????? ?? ?? ??? ?????? ?????? ?? ?? ??? ??????
?????, ?? ??? ?????? ?? ?????? ?????? ?????????? ?? ?? ?????? ?? ?????? ?????? ?? ? ?????? ?????? ?? ?? ???
?????"
349     },
350     "data": {
351         "title": "????? ?????? ?????? ?? ?????? ??",
352         "body": "?? ?????? ?????, ??????? ?????-?? ?? ?????? ?? ?? ?????? ?????? ?? ??? ?????
??????? ?? ?????? ?? ?????? ?????? ?? ?????? ?????? ?? ?????? ?????? ?? ?????? ?????? ?? ?? ?????? ?? ??
????? ?????? ?? ? ?? ?????? ?????? ?? ?? ?? ??????"
353     },
354     "minors": {
355         "title": "????????????? ?? ??????????",
356         "body": "????????????? ?????? ?????? ?? ?????? ?? ?? ?????? ?????? ?? ??? ??? ?????? ?????
????? ?? ??? ?? ?????????? ?????? ?????? ?????? ? ?? ?????? ????"
357     },
358     "honestLead": "??? ?????????? ?? ??????:",
359     "honestBody": "?? ?? ??? ?????? ?????? ??????????, ?????? ?? ??????? ?????? ?? ?? ?????? ??
??? ?? ?? ??????? ?????? ?????? ?????, ?? ??????-????????? ?? ?????????? ?????? ?? \ "??? ?? ?? ??????
????? ?? \ " ?? ?????? ?? ?????? ?? ?? ?? ?? ?? ??, ?? ?? ?? ??????? ?? ?????? ?? ? ?? ?? ?? ??????
????? ?? ?????? ?? ?? ?? ?????? ????"
360     },
361     "ask": {
362         "kicker": "?????? ?? ?????? ? ??? ??",
363         "title": "?????: ?? ??? ?? ?????, ??? ??? ??????",
364         "intro": "????? ?? ?????? ?? ?? ?????????? ?? ?? ?????? ?????? ?? ? ?? ?????????? ?????? ???
?? ?? ?? ?? ?????? ?? ?? ?? ??????? ?????? ??????? ?? ?????? ?? ??????? ??????????????? ?? ???
? ??? ????",
365         "q1": "??? ?? ?????? ?? 10 seconds ?? ?????? ????",
366         "a1": "6 rallies . ????, ?? ??? ?? ?????? ?? ?? ?? ?????????????? ?? 1:32 ?? ????",
367         "q2": "??? ?????? ???, ?????? ?????? ??????",
368         "a2": "12 rallies, ?????? ?? ?????? ?? ??????? ?????? ?? ? ??????? ??? ????",
369         "q3": "??? ?? 8 best ??????????",
370         "a3": "????? ?????? ?????? ?????? ?? ?? 8-clip ??????????",
371         "note": "<b style=\"color:var(--tx)\">????? ??? ?? ?? ??? ???</b> ?????? ?????? ?
????? ?? ??????, ??????, ?????, ?? ???-?? ??? ? ?????? ??? ???; ???-????? ?? ?????????? ?? ??????? ?? ???
??? ?? ?????? ?????????? ??? ????"
372     },
373     "roadmap": {
374         "kicker": "?? ??? ?? ?? ??? ??",
375         "title": "?? AI ?????? ??? ?? ??",
376         "intro": "?????? ?? ??????? ??????????? ?? ?????, KhelSutra \ "????????? ??????? ?? \ " ??
?? ?????? ?????????? ?????? ?? ?? ?? ?? ?? ?? ?????? ?? ? ?? ?? ?? ??????",
377         "shot": {
378             "title": "??? ??????????",
379             "body": "?? ?????? ?? ?????? ??????, ?????, ??? ???, ??? ?? ??????"
380         },
381         "deep": {
382             "title": "????? ??????????",
383             "body": "??????-????? ?? ??????-??? ?????? ? ?????? ??? ?? ??? ?? ?? ?????? ??????"
384         },
385         "history": {
386             "title": "?????-??? ??????",
387             "body": "????????? ?? ??????? ?? ??????? ?? ?????? ?????, ??????? ?? ?????? ?? ??????"
388         },
389         "coach": {
390             "title": "?????? ????",
391             "body": "?????? ?? ?? ??? ??? ?? ??? ?????? ?? ? ?????? ??? ?? ??? ?????? ??, ?????? ???
????? ?????? ??????"
392         },
393         "more": {
394             "title": "?? ??? ?? ??????",
```

[illegible]

```

445     "checking": "?? ?????? ????? ?? ????? ??, ?????? ?? ??? ???",
446     "offline": "KheISutra ?? ????? ?????? ??? ? ??? ????? ?????, ??? ?????? ??????? ?????? ???
???? ????? ?????",
447     "back": "????",
448     "next": "????",
449     "skip": "???????",
450     "done": "????? ?????",
451     "key": {
452         "title": "AI ?????????? (?????????)",
453         "connected": "Gemini ?????? ?? ? ????? AI-?????? ????? ?????????? ??????????",
454         "missing": "??? ??? AI ?????? ????? ? ??? ??? ?????? KheISutra ?????????? ????? ?????????
?? ??? ??? ?????? ???",
455         "how": "????? ?????????? ?????? ?????? Gemini ?????? ???, ???? KheISutra ?????????? ??
.env ?????? ??? GEMINI_API_KEY=? ??????, ??? ?????? ????? ??????",
456         "getKey": "?????? Gemini ?????? ???",
457     },
458     "compute": {
459         "title": "?? ???? ???? ??",
460         "local": "?? ??? ???? ?????? ?? ????? ?? ? ????? ?????? ????? ?? ???? ????? ??????",
461         "detector": "?????????: {name}",
462         "ffmpegOk": "?????? ??? (ffmpeg) ??????",
463         "ffmpegMissing": "ffmpeg ?????? ??? ? KheISutra ?? ?????? ?????? ?? ?????? ?? ??? ???
????????? ??????",
464         "gpu": "GPU ???? ? ?????-????????? ????? ??? ?????? ????? ??? ??? ?? ???? ???",
465         "noGpu": "GPU ?? ?????? ????? ? ?????????? ????? ?????????? ????? ?? ?????????? ?? ???? ???",
466     },
467     "videos": {
468         "title": "?????? ??????",
469         "body": "????? ???? ??, ?? ?????? ?????? ?????? ?? ?????? ?????? ?????? ????? ?
KheISutra ???? ??? ?????????? ?????????? ???",
470         "ready": "?? ?????? ?????",
471     }
472 },
473     "selection": {
474         "count": "{count, plural, one {# ???? ?????} other {# ????????? ?????}}",
475     }
476 }
477

```

11. assistant (2026-06-22T16:19:22.406Z)

I have the full reference context. The existing Hindi locale establishes the register and key conventions. Let me analyze the draft against the fluency lens, paying attention to consistency with established reference wording.

Key reference observations:

- Established register uses "?????" (with nukta on ??) consistently: line 3 `?????`, line 305 `?????`, line 362 `?????`, line 363, 364, etc. The draft uses "?????" (no nukta) in `site.join.title`, `site.join.intro`, `site.join.consent`.
- "???" gender: reference treats ??? as feminine ? line 156 `?? ???? ???`, line 251 `?? ???? ?????? ??? ?????? ?????? ?????? ??`, line 330 `?? MP4 ?? ????? ??`. Let me check the draft's "???" gender agreement.
- "????? ????" ? reference uses ?????? as adjective.

Let me examine the draft's grammatical gender issues with "???" carefully.

In the draft:

- `site.join.teaser`: "????? ????? 30-????? ?? ?? ?????? ??? ??" ? ??? treated as masculine ("?? ?????? ??? ??" with "?? ?????"). Reference treats ??? as feminine.
- `site.join.done`: "????? ????? ?? ????? 30-????? ?? ??? ?? ??" ? again masculine treatment of ???.

The reference consistently uses ??? as **feminine**: "?? ???? ???" (156), "?? ???? ?????? ??? ... ?????? ??? ??" (251), "????? ???" (66, 67). So "?? ?????? ???" / "?? ... ???" with masculine oblique "???" and "?????" is an inconsistency and a fluency defect.


```
3:      "badge": "???? ?????? ????? . ??????",
152:      "eyebrow": "????-??????? ????? . ????????",
154:      "ctaPrimary": "????? ?????? ?? ?????? ?????",
305:      "button": "?????? ?????? ?? ?????? ?????",
362:      "kicker": "?????? ??? ????? ? ??? ??",
364:      "intro": "???? ??? ????? ?? ?? ??????? ?? ?? ????? ????? ?? ? ?? ?????????? ????? ??? ?? ??
?? ?? ????? ?? ??? ?? ?????? ????? ??????? ??? ?????? ?? ?????? ?????????????? ?? ??? ? ???
???",
417:[Omitted long matching line]
```

The reference itself is mixed: "?????" (with nukta) at lines 3, 305, 362, 364 and "?????" (no nukta) at lines 152, 154. Since the reference is internally inconsistent on this, I'll note the draft's "?????" (no nukta) as a low-severity consistency issue ? the more "correct"/dominant standardized form is "?????," but the reference uses both, so this is minor. I won't over-claim it as a hard defect given the existing inconsistency.

[illegible]

"we've got it" as "???? ???? ?????? ??? ??" (we received your request) is a reasonable, warm interpretation. Then "???? ???? ?? ???? 30-????? ? ? ? ? ?" ? ??? gender (masculine ??) inconsistent with reference feminine.

Let me verify the segLabel and check if there's anything about "?????" gender or "???? ??" elsewhere. The reference uses "? ???? ????? ??" (251) and "????? ??????" (73). Let me finalize. The two clear, real fluency defects are the ??? gender disagreements in teaser and done. The ????? nukta is genuinely inconsistent within the reference itself, so low severity.

Let me also reconsider the teaser's "?? ? ? ... ???? ? ? ? ? ? ? ? ?" structure as a separate awkwardness defect vs. just folding it into the gender note. The dangling object ? trailing time-clause is a real readability problem. I'll surface it.

Now I'll produce the issues.

18. user (2026-06-22T16:20:17.296Z)

Structured output provided successfully

19. assistant (2026-06-22T16:20:28.019Z)

I reviewed the Hindi draft under the fluency lens against the established reference (``C:\Users\avidu\Projects\khelsutra\locales\hi\common.json``).

Findings:

- Two high-severity defects: ``site.join.teaser`` and ``site.join.done`` both treat ??? as masculine (oblique "? ? ? ? ?"), but the reference uses ??? as feminine everywhere (e.g. `result.shareText "??? ????", ownModel.sample "? ???? ????? ? ? ? ? ? ? ? ?", ask.a1 "1:32 ? ? ? ?"`). The teaser also has an awkward dangling object ("??? ?") interrupted by the em-dash time clause ? a calque of the English structure.
- One low-severity consistency note: the draft uses "?????" (no nukta) while the reference is internally split between "?????" and "?????"; standardizing on the nukta form is the cleaner choice.

The remaining keys (sending, intro wording, form labels, courts options, storage names, note/privacy phrasing) are fluent, concise, and consistent with the reference register; HTML and brand/symbol tokens are preserved correctly.