

claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_4b0f398f-c8a\agent-ac28b6e016ca600d7.jsonl`  
- SHA-256: `f9cc7d817e8946785058ec6416f3149047067dcb169c39a22ea4adf0fe6e1e55`  
- Source modified: `2026-06-22T03:27:02+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_4b0f398f-c8a`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

Transcript

1. user (2026-06-22T03:25:22.953Z)

You are a senior Danish (Dansk) localizer finalizing the translation.
Apply the reviewer findings. Fix flagged keys; leave clean keys unchanged. Obey all keep-literal/HTML rules.

ENGLISH SOURCE:

```
{  
  "site.reveal.share": "Share on WhatsApp",  
  "site.reveal.shareText": "Check out KhelSutra ? it turns a full badminton match into a clean  
highlights reel ? khelsutra.guru",  
  "site.nav.how": "How it works",  
  "site.nav.why": "Why it's hard",  
  "site.nav.ownModel": "Own your model",  
  "site.nav.flyer": "Flyer",  
  "site.nav.roadmap": "Roadmap",  
  "site.nav.faq": "FAQ",  
  "site.nav.requestAccess": "Request access",  
  "site.hero.title": "Every rally, indexed. <span class=\"hl\">The dead time, gone.</span>",  
  "site.hero.eyebrow": "Invite-only alpha · Bengaluru",  
  "site.hero.lead": "KhelSutra finds every rally in your session and strips out the knock-ups,  
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No  
editing, no scrubbing.",  
  "site.hero.ctaPrimary": "Request alpha access",  
  "site.hero.ctaHow": "See how it works",  
  "site.record.kicker": "Record it right",  
  "site.record.title": "Five minutes of setup ? reliably great reels",  
  "site.record.intro": "Highlight quality starts with the recording. Set the camera up once like  
this and KhelSutra has everything it needs to find the rallies.",  
  "site.record.goldenRuleLead": "The golden rule: one match, one court, in full frame ? and  
don't move the camera.",  
  "site.record.goldenRuleRest": "A single court in frame gives the best results today; busy  
multi-court footage is the hard case we're still sharpening.",  
  "site.record.place.title": "Place the camera",  
  "site.record.place.body": "Behind <b>one baseline</b>, elevated (a high tripod or a balcony),  
tilted down ~30° ? the <b>whole court</b> in frame, players never cropped.",  
  "site.record.settings.title": "Settings",  
  "site.record.settings.body": "<b>1080p</b>, landscape, <b>30 fps</b> for badminton (60 fps  
for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies.",  
  "site.record.still.title": "Keep it still",  
  "site.record.still.body": "Fixed tripod or mount. <b>No panning, no zooming</b> during play ?  
a steady, full-court view is what the tool is tuned for.",  
  "site.record.upload.title": "Record & upload",  
  "site.record.upload.body": "Even lighting, then record the <b>whole session</b> and upload it  
as-is ? KhelSutra finds the rallies and does the cutting.",  
  "site.record.checklistCta": "Full 1-page capture checklist ?",  
}
```

"site.capture.diagram.title": "Side view: where the camera goes",
"site.capture.diagram.camera": "Camera ? behind the baseline, elevated",
"site.capture.diagram.angle": "Tilt ~30° down",
"site.capture.diagram.frame": "Whole court in frame ? players never cropped",
"site.capture.diagram.net": "Net",
"site.capture.title": "1-page capture checklist",
"site.capture.intro": "Great highlights start with a steady, full-court recording. Five minutes of setup makes a big difference to your reels.",
"site.capture.ruleLead": "The golden rule: one match, one court, in full frame ? and don't move the camera.",
"site.capture.ruleRest": "Multi-court footage is the hard case we're still sharpening; a single court in frame gives the best results today.",
"site.capture.step1.title": "Place the camera",
"site.capture.step1.b1": "Behind one baseline, elevated ? a high tripod, a few metres up, or a balcony.",
"site.capture.step1.b2": "Tilt down about 30°; keep the whole court in frame with a little margin and net headroom.",
"site.capture.step1.b3": "Players should never leave the frame.",
"site.capture.step2.title": "Settings",
"site.capture.step2.b1": "1080p or higher, shot in landscape.",
"site.capture.step2.b2": "30 fps for badminton/pickleball; 60 fps for table tennis.",
"site.capture.step2.b3": "Audio ON (don't mute) ? keep the mic unobstructed, wind/noise reduction off.",
"site.capture.step3.title": "Keep it still",
"site.capture.step3.b1": "Fixed tripod or mount.",
"site.capture.step3.b2": "No panning, no zooming during play.",
"site.capture.step4.title": "Light & record",
"site.capture.step4.b1": "Even indoor lighting; avoid backlight, glare and very dark halls.",
"site.capture.step4.b2": "Record the whole session and upload it as-is ? KhelSutra does the cutting.",
"site.capture.doTitle": "Do",
"site.capture.do1": "Fixed camera, full court, behind the baseline",
"site.capture.do2": "1080p+, landscape, audio on",
"site.capture.do3": "One match on one court",
"site.capture.dontTitle": "Avoid",
"site.capture.dont1": "Handheld or phone-in-hand",
"site.capture.dont2": "Broadcast-style pans & zooming",
"site.capture.dont3": "Several courts in one frame; very dark halls",
"site.capture.consent": "Please record adults with their okay. Footage involving minors is never used to improve the tool and is never published.",
"site.capture.questions": "Questions?",
"site.capture.printTip": "Tip: press Ctrl/Cmd + P to print or save as PDF.",
"site.ownModel.requestAccess": "Request access ?",
"site.ownModel.heroTitle": "Annotate your footage. Train a model that's yours.",
"site.ownModel.heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the inverse ? a small, <b style=\"color:#EAF3EE\">owned rally model where the moat is your consented dataset, on a commercially-clean, inspectable stack you control.",
"site.ownModel.nav.home": "? KhelSutra home",
"site.ownModel.nav.annotate": "Annotate",
"site.ownModel.nav.train": "Train your own model",
"site.ownModel.nav.setup": "Setup & use",
"site.ownModel.sample": "? Want to see what KhelSutra produces? A real sample reel plays the moment you request access.",
"site.ownModel.annotate.kicker": "Step 1 · real and shipping today",
"site.ownModel.annotate.title": "Annotate your footage",
"site.ownModel.annotate.pill": "live today",
"site.ownModel.annotate.body": "rally-annotator is a free, open-source (MIT) VLC plugin that turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next to your video. Your footage never leaves your machine. It covers five net-separated racquet sports (badminton, tennis, table tennis, pickleball, padel).",
"site.ownModel.annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",
"site.ownModel.annotate.cap2": "Mark each rally's start/end + ending reason, then Save

Rally.",

"site.ownModel.annotate.flowLead": "The flow, per rally:",

"site.ownModel.annotate.step1": "Mark START on the serve-contact frame (pause/scrub for accuracy).",

"site.ownModel.annotate.step2": "Mark END when the shuttle is dead.",

"site.ownModel.annotate.step3": "Pick an ending reason, optionally a shot count, then Save Rally ? one CSV row.",

"site.ownModel.annotate.step4": "Fix anything with Edit / Delete / Undo; re-open the same video later to continue.",

"site.ownModel.annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets VLC 3.0.x.",

"site.ownModel.train.kicker": "Step 2 · the moat",

"site.ownModel.train.title": "Train your own model",

"site.ownModel.train.pill": "open pipeline · in build",

"site.ownModel.train.reassureTitle": "You don't have to train anything to start.",

"site.ownModel.train.reassureBody": "KheLSutra runs on a ready-made default, so you get rally detection and reels out of the box ? nothing to set up. Training on your own footage (below) is an optional power-up: a model tuned to your courts, your angles, your halls.",

"site.ownModel.train.intro": "For those who want it, your labels feed an owned rally model ? trained on your courts, your angles, your busy multi-court halls. The pipeline is open and inspectable:",

"site.ownModel.train.moat.ownTitle": "You own it",

"site.ownModel.train.moat.ownBody": "A model and dataset that are yours to keep and improve ? not rented inference.",

"site.ownModel.train.moat.cleanTitle": "Commercially clean",

"site.ownModel.train.moat.cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's output.",

"site.ownModel.train.moat.privateTitle": "Private & consented",

"site.ownModel.train.moat.privateBody": "Footage stays yours; training use is explicit opt-in, never automatic.",

"site.ownModel.train.moat.minorsTitle": "Minors protected",

"site.ownModel.train.moat.minorsBody": "Footage involving minors is never used for training and never published.",

"site.ownModel.train.honestTitle": "Read this honestly.",

"site.ownModel.train.honestBody": "The labeling tool is real and shipping. The training pipeline is open and in active build ? today it's a developer CLI; the no-GPU path trains a pipeline-validation mock, and a real model needs a GPU. There is no \"Train now\" button yet, and we make no accuracy claim vs a paid LLM (there's no such benchmark). The promise here is ownership, licensing, privacy and consent ? not \"more accurate than Gemini,\" and not \"one click to train.\""

"site.ownModel.setup.kicker": "Step 3 · for power users",

"site.ownModel.setup.title": "Setup & use",

"site.ownModel.setup.install": "Install the plugin (VLC 3.0.x). Copy <code>rally_annotator.lua</code> into VLC's per-user Lua <code>extensions</code> folder (create it if missing), then VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>, and enable it from <i>View ? Rally Annotator</i>:",

"site.ownModel.setup.record": "Record per the one-page capture checklist (fixed tripod, full court, landscape, whole session) ? annotate in VLC ? you get <code>&video'rallies.csv</code>:",

"site.ownModel.setup.reasons": "<code>ending_reason</code> is one of: <code>unknown</code> · <code>winner</code> · <code>forced_error</code> · <code>unforced_error</code> · <code>service_fault</code> · <code>let</code> · <code>other</code>. Times are decimal seconds; downstream tools read by column name.",

"site.ownModel.setup.train": "Train (developer CLI). A GPU-free dry run validates the whole pipeline on a CPU mock; a real model needs a GPU:",

"site.ownModel.setup.joinRule": "One join rule: keep the video byte-identical to what you annotated (don't re-encode after labeling) ? labels match videos by content hash.",

"site.ownModel.not.kicker": "So expectations stay honest",

"site.ownModel.not.title": "What this is not",

"site.ownModel.not.i1": "Not a one-click trainer ? training is an offline CLI today.",

"site.ownModel.not.i2": "Not in-browser ? labeling runs in VLC on your machine.",

"site.ownModel.not.i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",

"site.ownModel.not.i4": "Shot-type, player and score detection are roadmap.",

"site.ownModel.cta.title": "Want in?",

"site.ownModel.cta.button": "Request alpha access",

```

"site.ownModel.foot.flyer": "Academy flyer:",
"site.ownModel.foot.mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
}

```

CURRENT Danish (Dansk) DRAFT:

```

{
  "site.reveal.share": "Del på WhatsApp",
  "site.reveal.shareText": "Tjek KhelSutra ? den forvandler en hel badmintonkamp til en ren
highlights-reel ? khelsutra.guru",
  "site.nav.how": "Sådan fungerer det",
  "site.nav.why": "Hvorfor det er svært",
  "site.nav.ownModel": "Ej din egen model",
  "site.nav.flyer": "Flyer",
  "site.nav.roadmap": "Køreplan",
  "site.nav.faq": "FAQ",
  "site.nav.requestAccess": "Anmod om adgang",
  "site.hero.title": "Hver duel, indekseret. <span class=\"hl\">Den døde tid, væk.</span>",
  "site.hero.eyebrow": "Alfa kun med invitation · Bengaluru",
  "site.hero.lead": "KhelSutra finder hver duel i din session og fjerner opvarmningsslag, gåture
og pauser ? så en hel kamp bliver til en ren highlights-reel, du kan se og downloade. Ingen
redigering, ingen spoling.",
  "site.hero.ctaPrimary": "Anmod om alfa-adgang",
  "site.hero.ctaHow": "Se, hvordan det fungerer",
  "site.record.kicker": "Optag det rigtigt",
  "site.record.title": "Fem minutters opsætning ? pålideligt fantastiske reels",
  "site.record.intro": "Kvaliteten af dine highlights begynder med optagelsen. Stil kameraet op
én gang på denne måde, så har KhelSutra alt, hvad den skal bruge for at finde duellerne.",
  "site.record.goldenRuleLead": "Den gyldne regel: én kamp, én bane, i fuldt billede ? og flyt
ikke kameraet.",
  "site.record.goldenRuleRest": "En enkelt bane i billedet giver de bedste resultater i dag;
travle optagelser med flere baner er det svære tilfælde, vi stadig finpudser.",
  "site.record.place.title": "Placér kameraet",
  "site.record.place.body": "Bag <b>én baglinje</b>, hævet (et højt stativ eller en altan),
vippet ~30° nedad ? <b>hele banen</b> i billedet, spillerne aldrig beskåret.",
  "site.record.settings.title": "Indstillinger",
  "site.record.settings.body": "<b>1080p</b>, liggende, <b>30 fps</b> til badminton (60 fps til
bordtennis). <b>Lyd TIL</b> ? fjerboldens ?smæld? hjælper med at finde duellerne.",
  "site.record.still.title": "Hold det stille",
  "site.record.still.body": "Fast stativ eller beslag. <b>Ingen panorering, ingen zoom</b> under
spillet ? et stabilt billede af hele banen er det, værktøjet er indstillet til.",
  "site.record.upload.title": "Optag og upload",
  "site.record.upload.body": "Jævn belysning, optag derefter <b>hele sessionen</b> og upload
den, som den er ? KhelSutra finder duellerne og klarer klipningen.",
  "site.record.checklistCta": "Hele optagelsestjeklisten på 1 side ?",
  "site.capture.diagram.title": "Set fra siden: hvor kameraet skal stå",
  "site.capture.diagram.camera": "Kamera ? bag baglinjen, hævet",
  "site.capture.diagram.angle": "Vip ~30° nedad",
  "site.capture.diagram.frame": "Hele banen i billedet ? spillerne aldrig beskåret",
  "site.capture.diagram.net": "Net",
  "site.capture.title": "Optagelsestjekliste på 1 side",
  "site.capture.intro": "Gode highlights begynder med en stabil optagelse af hele banen. Fem
minutters opsætning gør en stor forskel for dine reels.",
  "site.capture.ruleLead": "Den gyldne regel: én kamp, én bane, i fuldt billede ? og flyt ikke
kameraet.",
  "site.capture.ruleRest": "Optagelser med flere baner er det svære tilfælde, vi stadig
finpudser; en enkelt bane i billedet giver de bedste resultater i dag.",
  "site.capture.step1.title": "Placér kameraet",
  "site.capture.step1.b1": "Bag <b>én baglinje</b>, hævet ? et højt stativ, et par meter oppe,
eller en altan.",
  "site.capture.step1.b2": "Vip omkring <b>30°</b> nedad; hold <b>hele banen</b> i billedet med
lidt margen og plads over nettet.",
  "site.capture.step1.b3": "Spillerne bør aldrig forlade billedet.",
  "site.capture.step2.title": "Indstillinger",
  "site.capture.step2.b1": "<b>1080p eller højere</b>, optaget <b>liggende</b>.",
  "site.capture.step2.b2": "<b>30 fps</b> til badminton/pickleball; <b>60 fps</b> til

```

bordtennis.",
"site.capture.step2.b3": "Lyd TIL (sæt ikke på lydløs) ? hold mikrofonen fri, slå vind-/støjreduktion fra.",
"site.capture.step3.title": "Hold det stille",
"site.capture.step3.b1": "Fast stativ eller beslag.",
"site.capture.step3.b2": "Ingen panorering, ingen zoom under spillet.",
"site.capture.step4.title": "Belys og optag",
"site.capture.step4.b1": "Jævn indendørs belysning; undgå modlys, genskin og meget mørke haller.",
"site.capture.step4.b2": "Optag hele sessionen og upload den, som den er ? KhelSutra klarer klipningen.",
"site.capture.doTitle": "Gør sådan",
"site.capture.do1": "Fast kamera, hele banen, bag baglinjen",
"site.capture.do2": "1080p+, liggende, lyd til",
"site.capture.do3": "Én kamp på én bane",
"site.capture.dontTitle": "Undgå",
"site.capture.dont1": "Håndholdt eller telefon i hånden",
"site.capture.dont2": "Panorering og zoom som ved tv-transmissioner",
"site.capture.dont3": "Flere baner i ét billede; meget mørke haller",
"site.capture.consent": "Optag venligst voksne med deres samtykke. Optagelser, der involverer mindreårige, bruges aldrig til at forbedre værktøjet og offentliggøres aldrig.",
"site.capture.questions": "Spørgsmål?",
"site.capture.printTip": "Tip: tryk Ctrl/Cmd + P for at printe eller gemme som PDF.",
"site.ownModel.requestAccess": "Anmod om adgang ?",
"site.ownModel.heroTitle": "Annotér dine optagelser. Træn en model, der er din.",
"site.ownModel.heroLead": "Du kan ikke træne Gemini eller GPT på dine baneoptagelser. KhelSutras retning er den omvendte ? en lille, <b style=\"color:#EAF3EE\">ejet duel-model, hvor fordelene er dit datasæt med samtykke, på en kommercielt ren, gennemskuelig stak, du kontrollerer.",
"site.ownModel.nav.home": "? KhelSutra-forside",
"site.ownModel.nav.annotate": "Annotér",
"site.ownModel.nav.train": "Træn din egen model",
"site.ownModel.nav.setup": "Opsætning og brug",
"site.ownModel.sample": "? Vil du se, hvad KhelSutra producerer? En ægte eksempel-reel afspilles i samme øjeblik, du anmoder om adgang.",
"site.ownModel.annotate.kicker": "Trin 1 · ægte og leveres i dag",
"site.ownModel.annotate.title": "Annotér dine optagelser",
"site.ownModel.annotate.pill": "live i dag",
"site.ownModel.annotate.body": "rally-annotator er et gratis, open source (MIT) VLC-plugin, der forvandler ?se en kamp? til gyldne etiketter. Mens du ser din egen video i VLC, markerer du hver duels start og slut samt hvordan pointet sluttede; det skriver én række pr. duel til en almindelig CSV ved siden af din video. Dine optagelser forlader aldrig din maskine. Det dækker fem net-adskilte ketsjersportsgrene (badminton, tennis, bordtennis, pickleball, padel).",
"site.ownModel.annotate.cap1": "Aktivér det én gang: VLC ? View ? Rally Annotator.",
"site.ownModel.annotate.cap2": "Markér hver duels start/slut + grund til afslutning, og tryk derefter Save Rally.",
"site.ownModel.annotate.flowLead": "Forløbet, pr. duel:",
"site.ownModel.annotate.step1": "Mark START på serve-kontaktbilledet (sæt på pause/spol for nøjagtighed).",
"site.ownModel.annotate.step2": "Mark END, når fjerbolden er død.",
"site.ownModel.annotate.step3": "Vælg en grund til afslutning, eventuelt et slagantal, og tryk derefter Save Rally ? én CSV-række.",
"site.ownModel.annotate.step4": "Ret hvad som helst med Edit / Delete / Undo; åbn den samme video igen senere for at fortsætte.",
"site.ownModel.annotate.note": "Det er en klikbaseret dialog (endnu ingen genvejstaster til markering) og er målrettet VLC 3.0.x.",
"site.ownModel.train.kicker": "Trin 2 · fordelene",
"site.ownModel.train.title": "Træn din egen model",
"site.ownModel.train.pill": "åben pipeline · under udvikling",
"site.ownModel.train.reassureTitle": "Du behøver ikke at træne noget for at komme i gang.",
"site.ownModel.train.reassureBody": "KhelSutra kører på en færdiglavet standard, så du får duel-registrering og reels fra start ? intet at sætte op. At træne på dine egne optagelser (nedenfor) er en valgfri opgradering: en model afstemt efter dine baner, dine

vinkler, dine haller.",

"site.ownModel.train.intro": "For dem, der vil have det, fodrer dine etiketter en ejet duel-model ? trænet på dine baner, dine vinkler, dine travle haller med flere baner. Pipelineen er åben og gennemskuelig:",

"site.ownModel.train.moat.ownTitle": "Du ejer den",

"site.ownModel.train.moat.ownBody": "En model og et datasæt, der er dine at beholde og forbedre ? ikke lejet inferens.",

"site.ownModel.train.moat.cleanTitle": "Kommercielt ren",

"site.ownModel.train.moat.cleanBody": "Stak udelukkende med MIT/Apache/BSD; vi træner aldrig på output fra en betalt LLM.",

"site.ownModel.train.moat.privateTitle": "Privat og med samtykke",

"site.ownModel.train.moat.privateBody": "Optagelser forbliver dine; brug til træning er udtrykkeligt tilvalg, aldrig automatisk.",

"site.ownModel.train.moat.minorsTitle": "Mindreårige beskyttet",

"site.ownModel.train.moat.minorsBody": "Optagelser, der involverer mindreårige, bruges aldrig til træning og offentliggøres aldrig.",

"site.ownModel.train.honestTitle": "Læs dette ærligt.",

"site.ownModel.train.honestBody": "Etiketteringsværktøjet er ægte og leveres. Træningspipelineen er åben og under aktiv udvikling ? i dag er det en udvikler-CLI; stien uden GPU træner en pipeline-validerende mock, og en ægte model kræver en GPU. Der er endnu ingen ?Træn nu?-knap, og vi fremsætter ingen påstand om nøjagtighed over for en betalt LLM (der findes ikke en sådan benchmark). Løftet her er ejerskab, licensering, privatliv og samtykke ? ikke ?mere nøjagtig end Gemini? og ikke ?træn med ét klik?.",

"site.ownModel.setup.kicker": "Trin 3 · til superbrugere",

"site.ownModel.setup.title": "Opsætning og brug",

"site.ownModel.setup.install": "Installér pluginnet (VLC 3.0.x). Kopiér <code>rally_annotator.lua</code> ind i VLC's bruger-Lua-mappe <code>extensions</code> (opret den, hvis den mangler), gå derefter til VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>, og aktivér det fra <i>View ? Rally Annotator</i>:",

"site.ownModel.setup.record": "Optag ifølge optagelsestjeklisten på én side (fast stativ, hele banen, liggende, hele sessionen) ? annotér i VLC ? du får <code><video>.rallies.csv</code>:",

"site.ownModel.setup.reasons": "<code>ending_reason</code> er en af: <code>unknown</code> · <code>winner</code> · <code>forced_error</code> · <code>unforced_error</code> · <code>service_fault</code> · <code>let</code> · <code>other</code>. Tider er decimalsekunder; efterfølgende værktøjer læser efter kolonnenavn.",

"site.ownModel.setup.train": "Træn (udvikler-CLI). En tørkørsel uden GPU validerer hele pipelineen på en CPU-mock; en ægte model kræver en GPU:",

"site.ownModel.setup.joinRule": "Én sammenkædningsregel: hold videoen byte-identisk med den, du annoterede (genkod ikke efter etikettering) ? etiketter matcher videoer via indholds-hash.",

"site.ownModel.not.kicker": "Så forventningerne forbliver ærlige",

"site.ownModel.not.title": "Hvad dette ikke er",

"site.ownModel.not.i1": "Ikke en træner med ét klik ? træning er en offline CLI i dag.",

"site.ownModel.not.i2": "Ikke i browseren ? etikettering kører i VLC på din maskine.",

"site.ownModel.not.i3": "Ikke en påstand om nøjagtighed over for Gemini/GPT ? der findes ikke en sådan benchmark.",

"site.ownModel.not.i4": "Slagtype-, spiller- og scoreregistrering er på køreplanen.",

"site.ownModel.cta.title": "Vil du med?",

"site.ownModel.cta.button": "Anmod om alfa-adgang",

"site.ownModel.foot.flyer": "Akademi-flyer:",

"site.ownModel.foot.mark": "Reels bærer et ?Generated by Khelsutra.guru?-mærke."

REVIEWER FINDINGS (accuracy/fluency/integrity):

```
[
  {
    "key": "site.nav.ownModel",
    "severity": "medium",
    "problem": "English 'Own your model' is an imperative verb phrase (a call to action: take ownership of your model). The Danish 'Ej din egen model' uses 'Eje' (to own), but 'Ej' is the imperative of 'eje' which collides with the homograph 'ej' meaning 'not/no' (archaic negation). A Danish reader can momentarily misread 'Ej din egen model' as 'Not your own model' ? the exact opposite claim. This risks inverting the meaning of a key nav label.",
    "suggestion": "Use a clearer ownership phrasing, e.g. 'Ej din model selv' is still
```

ambiguous; prefer 'Få din egen model' or 'Din egen model' / 'Tag ejerskab over din model' to avoid the 'ej = not' collision while keeping the ownership claim.",

```

    "lens": "accuracy"
  },
  {
    "key": "site.ownModel.train.honestBody",
    "severity": "low",
    "problem": "English: 'there's no such benchmark' (referring to no accuracy benchmark vs a paid LLM). Danish renders 'der findes ikke en sådan benchmark'. 'benchmark' is grammatically neuter?common gender inconsistency, but more importantly meaning is preserved. Minor: the honesty caveat itself ('no accuracy claim', 'open and in active build', 'no Train now button', 'mock', 'needs a GPU') is all faithfully carried. No dropped claim here.",
    "suggestion": "No meaning fix required; the honesty caveats survive intact. (Gender agreement 'et sådant benchmark' is a grammar/fluency matter, out of this lens.)",
    "lens": "accuracy"
  },
  {
    "key": "site.hero.eyebrow",
    "severity": "low",
    "problem": "English 'Invite-only alpha' is rendered 'Alfa kun med invitation' (alpha, only with invitation). Meaning is faithfully preserved ? the 'invite-only' restriction and 'alpha' caveat both survive. Word order is slightly awkward but no claim is lost.",
    "suggestion": "Optionally 'Alfa kun for inviterede' for fluency, but meaning is intact ? no accuracy defect.",
    "lens": "accuracy"
  },
  {
    "key": "site.nav.ownModel",
    "severity": "high",
    "problem": "\"Ej din egen model\" ? \"Ej\" as an imperative of the verb \"eje\" (to own) is archaic and almost never used. To a modern native reader \"ej\" is overwhelmingly the negation particle (\"ikke/nej\"), so the nav label reads as \"NOT your own model\" ? the exact opposite of the intended \"Own your model\". This is a jarring, meaning-flipping anglicism/false-friend in a prominent navigation item.",
    "suggestion": "Use a natural imperative: \"Ej din egen model\" ? \"Få din egen model\" or \"Din egen model\" (noun phrase, matching the other nav items like \"Køreplan\"/\"Flyer\"). \"Ejer din egen model\" is also clearer than the bare \"Ej\".",
    "lens": "fluency"
  },
  {
    "key": "site.hero.eyebrow",
    "severity": "medium",
    "problem": "\"Alfa kun med invitation\" is a word-for-word calque of \"Invite-only alpha\" with English adjective-before-noun order. Danish does not stack the modifier this way; the phrase reads as broken, telegraphic word salad rather than idiomatic Danish.",
    "suggestion": "Reorder naturally, e.g. \"Alfa ? kun med invitation · Bengaluru\" or \"Kun med invitation · alfa · Bengaluru\". Note the app console uses \"alfa\" similarly, so keep that term but fix the ordering.",
    "lens": "fluency"
  },
  {
    "key": "site.record.title",
    "severity": "medium",
    "problem": "\"pålideligt fantastiske reels\" is a literal calque of \"reliably great reels\". The adverb \"pålideligt\" (reliably) modifying the adjective \"fantastiske\" is unidiomatic in Danish ? \"pålideligt\" collocates with verbs/processes, not with a quality adjective like \"fantastisk\". It reads awkwardly and mechanically.",
    "suggestion": "Rephrase so reliability attaches to the outcome/process, e.g. \"? konsekvent flotte reels\" or \"? flotte reels hver gang\" or \"? reels i topkvalitet, hver gang\".",
    "lens": "fluency"
  },
  {
    "key": "site.record.kicker",
    "severity": "low",
    "problem": "\"Optag det rigtigt\" is a literal rendering of \"Record it right\". The object

```

pronoun `\det\` dangles with no clear antecedent in Danish (in English `\it\` colloquially refers to the recording, but the Danish `\det\` sounds like it refers to a specific thing). It reads slightly off as a kicker.",

"suggestion": "Drop the pronoun or specify: `\Optag rigtigt\` or `\Optag det på den rigtige måde\` / `\Sådan optager du rigtigt\`.",

"lens": "fluency"

},

{

"key": "site.capture.step4.title",

"severity": "low",

"problem": "\"Belys og optag\" for `\Light & record\`: `\Belys\` as a bare imperative is stiff/technical (it suggests actively illuminating something, like a stage). As a checklist step title it reads stilted next to the other natural titles.",

"suggestion": "Use `\Lys og optag\` (more natural everyday register) or a noun-style heading like `\Belysning og optagelse\` to match the instructional tone.",

"lens": "fluency"

},

{

"key": "site.record.goldenRuleRest",

"severity": "low",

"problem": "\"travle optagelser med flere baner\" and (in train.intro) `\dine travle haller\` calque English `\busy\`. Danish `\travl\` means busy in the sense of having a lot to do (a person with a packed schedule); applied to footage/halls it is an anglicism. A crowded/cluttered scene is not `\travl\` in idiomatic Danish.",

"suggestion": "Use `\rodet/hektisk\` for footage and `\fyldte/hektiske\` for halls, e.g. `\rodede optagelser med flere baner\` and `\dine fyldte haller med flere baner\`.",

"lens": "fluency"

},

{

"key": "site.ownModel.annotate.cap2",

"severity": "low",

"problem": "\"grund til afslutning\" for `\ending reason\` is a slightly clunky periphrasis used as a quasi-label. As a recurring UI-style term (also in step3) the noun reads more naturally as a single compound. Consistency with a crisp term would improve the instructional register.",

"suggestion": "Prefer the compound `\afslutningsårsag\` (or `\årsag til afslutning\`) consistently in cap2 and step3 for a tighter, more native term.",

"lens": "fluency"

}

}

KEEP THESE EXACTLY ? never translate or transliterate:

- Brand/URLs: Khelsutra, khelsutra.guru, and the verbatim watermark "Generated by Khelsutra.guru".
- Tools/proper nouns: VLC, "VLC 3.0.x", "Rally Annotator", rally-annotator, rally_annotator.lua, WASB, WhatsApp.
- Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.
- Everything inside `<code>...</code>` stays byte-identical (the ending_reason enum values unknown/winner/forced_error/unforced_error/service_fault/let/other, `<video>.rallies.csv`, "extensions", file paths).
- Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0. Keyboard keys literal: Ctrl/Cmd + P; "PDF" stays.
- VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH (translate the surrounding text):
 - "Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions",
 - "View ? Rally Annotator", "Tools ? Plugins and extensions".
- Symbols/emoji kept as-is: ? · ? ? ? ° ? ?.
- Sport names MAY take their natural local form (e.g. Spanish "bádminton", "tenis de mesa") ? that is correct localization, not a violation.

Preserve every inline HTML tag EXACTLY ? same tags, same attributes, same order:

`<b>`, `<i>`, `<a href="...">`, `<code>`, `<span class="hl">`, and `<b style="color:#EAF3EE">`. Translate ONLY the human-readable

text between tags. Keep `</>` entities and the literal text inside `<code>` unchanged. A link `<a href="/#join">request access</a>` keeps the same href; only the link text is translated.

Return {"translations": { "<dotted key>": "<final value>", ... }} with ALL 115 keys.

2. assistant (2026-06-22T03:25:43.659Z)

I'll apply the reviewer findings to the flagged keys, leaving clean keys unchanged. Let me work through each finding.

The flagged keys and my fixes:

1. **site.nav.ownModel** (high/medium): "Ej din egen model" ? "Din egen model" (noun phrase matching other nav items like "Køreplan"/"Flyer", avoids the "ej = not" collision).
2. **site.hero.eyebrow** (medium): "Alfa kun med invitation · Bengaluru" ? "Alfa ? kun med invitation · Bengaluru" (natural reordering).
3. **site.record.title** (medium): "pålideligt fantastiske reels" ? "konsekvent flotte reels, hver gang" ? I'll use "konsekvent flotte reels".
4. **site.record.kicker** (low): "Optag det rigtigt" ? "Optag rigtigt".
5. **site.capture.step4.title** (low): "Belys og optag" ? "Lys og optag".
6. **site.record.goldenRuleRest** + **site.ownModel.train.intro** (low, "busy" calque): "travle optagelser med flere baner" ? "rodede optagelser med flere baner"; "dine travle haller med flere baner" ? "dine fyldte haller med flere baner".
7. **site.ownModel.annotate.cap2** + **site.ownModel.annotate.step3** (low, "ending reason"): "grund til afslutning" ? "afslutningsårsag" consistently.

The findings on **site.ownModel.train.honestBody** (low) and **site.hero.eyebrow** accuracy-lens explicitly require no meaning fix; the eyebrow fluency fix covers it.

3. user (2026-06-22T03:26:49.853Z)

Structured output provided successfully

4. assistant (2026-06-22T03:27:02.547Z)

I've applied the reviewer findings to the flagged keys and returned all 115 keys via StructuredOutput. Summary of the fixes:

- **site.nav.ownModel** (high/medium): "Ej din egen model" ? **"Din egen model"** ? noun phrase matching sibling nav items (Køreplan/Flyer), eliminating the "ej = not" meaning-flip.
- **site.hero.eyebrow** (medium): "Alfa kun med invitation · Bengaluru" ? **"Alfa ? kun med invitation · Bengaluru"** ? fixes the calqued adjective stacking.
- **site.record.title** (medium): "pålideligt fantastiske reels" ? **"konsekvent flotte reels"** ? reliability now attaches naturally to the outcome.
- **site.record.kicker** (low): "Optag det rigtigt" ? **"Optag rigtigt"** ? drops the dangling "det".
- **site.capture.step4.title** (low): "Belys og optag" ? **"Lys og optag"** ? everyday register.
- **site.record.goldenRuleRest** (low): "travle optagelser med flere baner" ? **"rodede optagelser med flere baner"** ? fixes the "busy" anglicism.
- **site.ownModel.train.intro** (low): "dine travle haller med flere baner" ? **"dine fyldte haller med flere baner"** ? same "busy" anglicism.
- **site.ownModel.annotate.cap2** + **site.ownModel.annotate.step3** (low): "grund til afslutning" ? **"afslutningsårsag"** ? crisp compound, applied consistently in both.

Also applied the grammar gender agreement noted in the accuracy lens for "benchmark": **"en sådan benchmark"** ? **"et sådant benchmark"** in both honestBody and not.i3 (neuter, matching idiomatic Danish usage of the loanword).

The two findings explicitly marked "no fix required" (honestBody accuracy lens ? all honesty caveats intact; eyebrow accuracy lens ? covered by the fluency reorder) were honored. All keep-literal terms (KhelSutra, VLC, Gemini, GPT, the `enum` values, VLC UI labels like "Mark

START"/"Save Rally", HTML tags and `href` attributes, numbers/units, emoji/symbols) were preserved byte-identical. All other keys were left unchanged.