

claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_23091f7b-74e\agent-ae3471b49d7d067b3.jsonl`  
- SHA-256: `2f650d9b5ca7acaae99ac14e2e382f183008e20af7d60e95fd0c42dade350fab`  
- Source modified: `2026-06-22T01:35:42+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_23091f7b-74e`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

Transcript

1. user (2026-06-22T01:34:00.000Z)

You are an adversarial Kannada (?????, script U+0C80?U+0CFF) translation reviewer. Be strict ? your job is to FIND problems, not to praise. Review ONE lens only.

LENS ? FLUENCY/NATURALNESS: does it read as natural, grammatical, native prose for a non-technical coach/parent?
Flag awkward literal calques, wrong script, wrong register, and (for Hindi) needlessly Sanskritized or stiff wording.

ENGLISH SOURCE (dotted key ? value):

```
{  
  "heroTitle": "Annotate your footage. <span class=\"hl\">Train a model that's yours.</span>",  
  "heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the  
inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the moat is your  
consented dataset, on a commercially-clean, inspectable stack you control.",  
  "nav.home": "? KhelSutra home",  
  "nav.annotate": "Annotate",  
  "nav.train": "Train your own model",  
  "nav.setup": "Setup & use",  
  "sample": "? <b>Want to see what KhelSutra produces?</b> A real sample reel plays the moment  
you <a href=\"/#join\">request access</a>.",  
  "annotate.kicker": "Step 1 · real and shipping today",  
  "annotate.title": "Annotate your footage",  
  "annotate.pill": "live today",  
  "annotate.body": "<b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b> that  
turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each  
rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next  
to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated  
racquet sports (badminton, tennis, table tennis, pickleball, padel).",  
  "annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",  
  "annotate.cap2": "Mark each rally's start/end + ending reason, then Save Rally.",  
  "annotate.flowLead": "The flow, per rally:",  
  "annotate.step1": "<b>Mark START</b> on the serve-contact frame (pause/scrub for accuracy).",  
  "annotate.step2": "<b>Mark END</b> when the shuttle is dead.",  
  "annotate.step3": "Pick an <b>ending reason</b>, optionally a shot count, then <b>Save  
Rally</b> ? one CSV row.",  
  "annotate.step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video later  
to continue.",  
  "annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets <b>VLC  
3.0.x</b>.",  
  "train.kicker": "Step 2 · the moat",  
  "train.title": "Train your own model",  
  "train.pill": "open pipeline · in build",  
  "train.reassureTitle": "You don't have to train anything to start.",  
  "train.reassureBody": "KhelSutra runs on a ready-made default, so you get rally detection and
```

```

reels <b>out of the box</b> ? nothing to set up. Training on your own footage (below) is an
<b>optional</b> power-up: a model tuned to your courts, your angles, your halls.",
  "train.intro": "For those who want it, your labels feed an <b>owned</b> rally model ? trained
on <b>your</b> courts, <b>your</b> angles, <b>your</b> busy multi-court halls. The pipeline is
open and inspectable:",
  "train.moat.ownTitle": "You own it",
  "train.moat.ownBody": "A model and dataset that are yours to keep and improve ? not rented
inference.",
  "train.moat.cleanTitle": "Commercially clean",
  "train.moat.cleanBody": "MIT/Apache/BSD-only stack; we never train on a paid LLM's output.",
  "train.moat.privateTitle": "Private & consented",
  "train.moat.privateBody": "Footage stays yours; training use is explicit opt-in, never
automatic.",
  "train.moat.minorsTitle": "Minors protected",
  "train.moat.minorsBody": "Footage involving minors is never used for training and never
published.",
  "train.honestTitle": "Read this honestly.",
  "train.honestBody": "The labeling tool is real and shipping. The training pipeline is <b>open
and in active build</b> ? today it's a developer CLI; the no-GPU path trains a pipeline-
validation <b>mock</b>, and a real model needs a GPU. There is <b>no \"Train now\" button</b>
yet, and we make <b>no accuracy claim vs a paid LLM</b> (there's no such benchmark). The promise
here is <b>ownership, licensing, privacy and consent</b> ? not \"more accurate than Gemini,\"
and not \"one click to train.\",
  "setup.kicker": "Step 3 · for power users",
  "setup.title": "Setup & use",
  "setup.install": "<b>Install the plugin (VLC 3.0.x).</b> Copy <code>rally_annotator.lua</code>
into VLC's per-user Lua <code>extensions</code> folder (create it if missing), then VLC ? Tools
? Plugins and extensions ? <i>Reload extensions</i>, and enable it from <i>View ? Rally
Annotator</i>:",
  "setup.record": "<b>Record</b> per the <a href=\"\"/capture\">one-page capture checklist</a>
(fixed tripod, full court, landscape, whole session) ? <b>annotate</b> in VLC ? you get
<code>&lt;video&gt;.rallies.csv</code>:",
  "setup.reasons": "<code>ending_reason</code> is one of: <code>unknown</code> ·
<code>winner</code> · <code>forced_error</code> · <code>unforced_error</code> ·
<code>service_fault</code> · <code>let</code> · <code>other</code>. Times are decimal seconds;
downstream tools read by column name.",
  "setup.train": "<b>Train</b> (developer CLI). A GPU-free dry run validates the whole pipeline
on a CPU mock; a real model needs a GPU:",
  "setup.joinRule": "One join rule: keep the video <b>byte-identical</b> to what you annotated
(don't re-encode after labeling) ? labels match videos by content hash.",
  "not.kicker": "So expectations stay honest",
  "not.title": "What this is not",
  "not.i1": "Not a one-click trainer ? training is an offline CLI today.",
  "not.i2": "Not in-browser ? labeling runs in VLC on your machine.",
  "not.i3": "Not an accuracy claim vs Gemini/GPT ? no such benchmark.",
  "not.i4": "Shot-type, player and score detection are roadmap.",
  "cta.title": "Want in?",
  "cta.button": "Request alpha access",
  "foot.flyer": "Academy flyer:",
  "foot.mark": "Reels carry a \"Generated by Khelsutra.guru\" mark."
}

```

Kannada (?????, script U+0C80?U+0CFF) TRANSLATION UNDER REVIEW (dotted key ? value):

```

{
  "heroTitle": "????? ???????????? ??????? ?????. <span class=\"hl\">????????? ?? ????????????
??????????????.</span>",
  "heroLead": "????? ??????? ???????????? ????? ????? Gemini ????? GPT ????? ????????????????????.
KhelSutra ? ??????? ??????? ?????????? ? ????? ?????, <b style=\"color:#EAF3EE\">?????</b> ??????
?????, ????? ?????????? ????? ?????????? ?????????, ??? ?????????????? ?????????????? ??????,
????????????????? ?????????? ????",
  "nav.home": "? KhelSutra ??????",
  "nav.annotate": "????????? ????",
  "nav.train": "????????? ???????????? ??????????????",
  "nav.setup": "????????????? ?????? ????",
  "sample": "? <b>KhelSutra ??? ?????????????? ????? ??????????</b> ??? <a href=\"\"/#join\">???????

```

????? ?????? ??? ???? ???? ???? ???? ???????.",
"annotate.kicker": "??? 1 . ??? ????? ???? ????",
"annotate.title": "????? ????????????? ?????? ????",
"annotate.pill": "???? ????",
"annotate.body": "rally-annotator ??? ???? , ?????-??? (MIT) VLC ??????
???????, \"????? ??????\" ?????????? ?????? ?????????????? ?????? VLC ?????? ??????
?????? ???????????????, ????? ??????? ??? ?????? ?????????????? ??? ?????? ??? ?????? ?????????
????????????????; ?? ????? ??????? ?????????? ??? ?????? CSV ?? ????? ????????? ??? ??????
??????????. ????? ?????????? ?????? ?????? ?????????? ???????????. ?? ?????????? ?????????
?? ?????????? ?????????????? ?????????? (?????????????, ??????, ?????? ??????, ??????????,
?????????).",
"annotate.cap1": "????? ?????? ?????????????? VLC ? View ? Rally Annotator.",
"annotate.cap2": "????? ??????? ????/????? + ????????? ?????????? ?????????, ??? Save Rally.",
"annotate.flowLead": "????? ?????????, ????? ??????:",
"annotate.step1": "?????-????? ?????????????? Mark START (?????????? ????/??????
?????).",
"annotate.step2": "???? ?????? Mark END.",
"annotate.step3": "???? ????????? ???????? ???? , ?????????? ??? ???? ???? , ???
Save Rally ? ??? CSV ???.",
"annotate.step4": "Edit / Delete / Undo ??? ?????????? ?????????; ?????????? ??
????????????? ??? ?????? ?????????.",
"annotate.note": "?? ??????-????? ???? (????? ?????????? ??????????????), ????? VLC
3.0.x ?????? ??????????????????",
"train.kicker": "?? 2 . ??????",
"train.title": "??????? ?????????? ??????????????",
"train.pill": "????? ?????????? . ??????????????",
"train.reassureTitle": "????????? ??? ?????? ??????????????????????",
"train.reassureBody": "Khe!Sutra ??? ?????-????? ??????? ??? ??????????, ??????? ???
?????? ??? ???? ?????????????? ???????? ?????????? ? ??????? ?? ???? . ??????
?????????? ??? ?????? (?????) ??? ????? ??????????: ????? ??????????????, ?????
????????, ????? ??????????? ?????????? ?????.",
"train.intro": "??????????, ????? ?????????? ??? ????? ?????? ?????????????? ?
????? ?????????? ???, ????? ?????? ???, ????? ?????? ??-????? ??????
??? ?????? ??? . ?????????? ?????? ?????? ??????????????????????:",
"train.moat.ownTitle": "?? ??????",
"train.moat.ownBody": "????????????? ?????? ?????????? ?????? ? ?????? ?????? ?????????? ? ??????
?????????? ???.",
"train.moat.cleanTitle": "?????????????? ??????",
"train.moat.cleanBody": "MIT/Apache/BSD-????? ??????; ??? ?????? ????????? LLM ? ????????? ???
????? ??????????????",
"train.moat.privateTitle": "????? ?????? ??????????",
"train.moat.privateBody": "????????? ?????????? ??????????; ?????? ??? ?????????? ??????,
?????? ??????????????????",
"train.moat.minorsTitle": "????????? ?????? ??????",
"train.moat.minorsBody": "????????? ?????????? ??????????????? ?????????? ?????? ?????????????? ?????
????? ??????????????????",
"train.honestTitle": "????? ?????????????? ???.",
"train.honestBody": "????????? ??? ?? ???? ???? . ?????? ?????????? ????? ?????? ??????
????????????? ?? ? ??? ???? ???? ??????? CLI; ??-GPU ?????? ??? ?????????-????????
???? ?????? ?????????????????????, ?????? ??? ??????? ??? GPU ???? . ????? "Train now\"
???? ????, ?????? ??? ????????? LLM ?????? ?????? ?????? ????? ?????????? (??? ??????
????????????? ???). ?????? ?????? ?????????, ?????????????, ??????? ?????? ????????? ? \"Gemini
??? ?????? ???\" ???, ?????? \"????????? ??? ??????\" ???.",
"setup.kicker": "?? 3 . ??? ??????????????",
"setup.title": "????????????? ?????? ????",
"setup.install": "????????? ?????? ????????? (VLC 3.0.x). <code>rally_annotator.lua</code>
????? VLC ? ?????-???????? Lua <code>extensions</code> ?????????? ?????? (????????????? ??????
?????), ??? VLC ? Tools ? Plugins and extensions ?????? <i>Reload extensions</i>, ?????? <i>View
? Rally Annotator</i> ??? ?????? ??????????????:",
"setup.record": "????-???? ??? ?????? ????????? ????? ??????
???????? ??? (????? ?????????, ?????? ??????, ?????????????????, ?? ?????) ? VLC ?????
????????? ??? ? ?????? <code><video>;rallies.csv</code> ??????????:",
"setup.reasons": "<code>ending_reason</code> ?????????? ????: <code>unknown</code> .
<code>winner</code> . <code>forced_error</code> . <code>unforced_error</code> .
<code>service_fault</code> . <code>let</code> . <code>other</code> . ?????? ?????? ??????????????;

```

????????????? ?????? ?????? ?????????? ??????????",
  "setup.train": "<b>?????????????</b> (??????? CLI). ??? GPU-???? ??? ??? ?????????? ?????
  ??? CPU ??? ?????? ?????????????????; ??? ?????? ??? GPU ???:",
  "setup.joinRule": "???? ?????? ????: ??? ?????? ?????????? ??????????",
  <b>????-????</b>????? (????????? ??? ????-????????? ??????) ? ?????????? ??? ?????? ???
  ?????????? ??????????",
  "not.kicker": "????????????? ?????????????? ??????",
  "not.title": "??? ??????",
  "not.i1": "????-????? ?????????? ??? ? ?????? ??? ?????? ?????????? CLI.",
  "not.i2": "????????????????? ??? ? ?????????? ?????? ?????? ??? VLC ?????? ??????????.",
  "not.i3": "Gemini/GPT ?????? ??? ?????? ?????? ??? ? ??? ?????? ?????????????? ????",
  "not.i4": "????-?????, ?????? ?????? ?????? ?????? ??????????????????",
  "cta.title": "???? ??????????",
  "cta.button": "????? ?????? ????",
  "foot.flyer": "????????? ??????????",
  "foot.mark": "????????? \"Generated by Khelsutra.guru\" ?????????? ??????????????."
}

```

KEEP-LITERAL & HTML rules the translation must obey:

KEEP THESE EXACTLY ? never translate or transliterate them:

- Brand/URLs: KhelSutra, khelsutra.guru, and the watermark text "Generated by Khelsutra.guru".
 - Tools/proper nouns: VLC, "VLC 3.0.x", "Rally Annotator", rally-annotator, rally_annotator.lua, WASB.
 - Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.
 - Everything inside <code>...</code> stays byte-identical (commands, paths, the ending_reason enum values
 - unknown / winner / forced_error / unforced_error / service_fault / let / other,
 <video>.rallies.csv, "extensions", the python command lines).
 - Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0.
 - VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH so the text matches what the
 - user sees on screen: "Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions",
 - "View ? Rally Annotator", "Tools ? Plugins and extensions". Translate the sentence AROUND them.
 - Symbols/punctuation kept as-is: ? . ? ? ? °.
- Preserve every inline HTML tag EXACTLY as in the source ? same tags, same attributes, same order:
- , <i>, , <code>, , and <b style="color:#EAF3EE">. Only the human-readable text BETWEEN tags is translated. Keep the < / > entities and the literal text inside <code> unchanged.
- A link like request access keeps the same href; only "request access" is translated.

Return {"issues": [{key, severity (high|medium|low), problem, suggestion}]}.

Only real defects under THIS lens.

Empty array if the translation is clean on this lens.

2. assistant (2026-06-22T01:34:03.955Z)

I'll review the Kannada translation for fluency and naturalness. Let me analyze each segment carefully.

3. user (2026-06-22T01:35:15.659Z)

Structured output provided successfully

4. assistant (2026-06-22T01:35:42.655Z)

I've completed the fluency/naturalness review of the Kannada translation and returned my findings via the StructuredOutput tool.

Summary of what I found (13 issues under this lens):

****High severity (grammatical breakages reading as broken calques):****

- `heroLead` ? mixes personal subject with impersonal passive verb (ungrammatical agreement).
- `train.intro` ? sentence terminates on the participial , which cannot end a sentence; clause is incomplete.

****Medium severity (calqued word order / missing copula / unnatural lexis):****

- `heroLead` ? trailing "... " dangles at sentence end (English word order).
- `train.honestBody` ? list of promises has no linking copula (English dash construction).
- `annotate.body` ? for "never leaves your machine" is a stiff calque; is wrong register for a computer.

****Low severity (lexical/idiomatic naturalness):****

- `not.i2` ? same calque/register issue.
- `annotate.body` ? ("golden labels") reads literally as the metal/colour, losing the figurative sense.
- `train.reassureBody` ? "runs on a default" calqued with ; bare lacks a head noun.
- `train.moat.privateTitle` ? dangles as a genitive with no head noun in the heading.
- `annotate.flowLead` ? ("flow" of water) is an odd calque for a procedural workflow.
- `cta.title` ? reads spatially ("come inside?"), losing the "want to join" idiom.